seq_name: sp_rodent:O88829

seq_documentation_block:
```
ID   O88829          PRELIMINARY;      PRT;    359 AA.
AC   O88829;
DT   01-NOV-1998 (TrEMBLrel. 08, Created)
DT   01-NOV-1998 (TrEMBLrel. 08, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   GM3 SYNTHASE (EC 2.4.99.9).
GN   SIAT9.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=C57BL6J; TISSUE=BRAIN;
RA   Ishii A., Saito M.;
RT   "Mouse GM3 Synthase cDNA.";
RL   Submitted (SEP-1998) to the EMBL/GenBank/DDBJ databases.
RN   [2]
RP   SEQUENCE FROM N.A.
RC   STRAIN=BALB-C;
RA   Fukumoto S., Miyazaki H., Urano T., Furukawa K.;
RT   "Expression cloning of mouse cDNA of CMP-NeuAc: lactosylceramide
RT   alpha2,3sialyltransferase (GM3 synthase), the enzyme that initiates
RT   the synthesis of gangliosides).";
RL   Submitted (APR-1998) to the EMBL/GenBank/DDBJ databases.
RN   [3]
RP   SEQUENCE FROM N.A.
RA   Kapitonov D., Yu R.K.;
RT   "Combinatorial PCR in homologous cloning: cloning of GM3 synthase (ST-
RT   I).";
RL   Submitted (JAN-1999) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AB018048; BAA33491.1; -.
DR   EMBL; AB013302; BAA76467.1; -.
DR   EMBL; AF119416; AAF66147.1; -.
DR   MGD; MGI:1339963; Siat9.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase.
SQ   SEQUENCE   359 AA;  41245 MW;  3BD81D0B8CFC4961 CRC64;
```

alignment_scores:
```
        Quality:     119.00                 Length:      75
          Ratio:       2.204                   Gaps:       1
Percent Similarity:    72.000      Percent Identity:    30.667
```

alignment_block:
US-09-714-936-218 x O88829

Align seg 1/1 to: O88829 from: 1 to: 359

```
394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
    |||  |||:::||:||:||||||:::|||:||||   :: |||  ||||||
136 CysLysArgCysValValValGlyAsnGlyGlyIleLeuHisGlyLeuGl 152

444 GGTGGGAAATGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATG 493
    :::::||||| :::::::||  ::::::::::   :: :||:::|||:::|
152 uLeuGlyHisAlaLeuAsnGlnPheAspValValIleArgLeuAsnSerA 169

494 CCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGA 543
    ||||:::::|||||::||||||:::||| ||||||:: ||| ||||||
169 laProValGluGlyTyrSerGluHisValGlyAsnLysThrThrIleArg 185

544 GTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTT 593
    ::||:: ||:::|||  |||:::||| ||:::|||::::: ::|||::
186 MetThrTyrProGluGlyAlaPro......LeuSerAspValGluTyrTy 200

594 TTTCAAGGAAGCGAATACTACTATT 618
    :  ::::::|    ::|||:::
```

---

seq_name: sp_rodent:Q9QWF8

seq_documentation_block:
```
ID   Q9QWF8          PRELIMINARY;      PRT;    359 AA.
AC   Q9QWF8;
DT   01-MAY-2000 (TrEMBLrel. 13, Created)
DT   01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   LACTOSYLCERAMIDE ALPHA-2,3-SIALYLTRANSFERASE (EC 2.4.99.9).
GN   SIAT9 OR ST3GAL V.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=ICR; TISSUE=BRAIN;
RX   MEDLINE=99092398; PubMed=9875239;
RA   Kono M., Takashima S., Liu H., Inoue M., Kojima N., Young-Choon L.,
RA   Hamamoto T., Tsuji S.;
RT   "Molecular cloning and characterization of fifth type of beta-
RT   galactoside alpha-2,3-sialyltransferase (ST3Gal V; GM3 synthase).";
RL   Biochem. Biophys. Res. Commun. 253:170-175(1998).
DR   EMBL; Y15003; CAA75236.1; -.
DR   MGD; MGI:1339963; Siat9.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase.
SQ   SEQUENCE   359 AA;  41235 MW;  8E3C734CD1899E3C CRC64;
```

alignment_scores:
```
        Quality:     119.00                 Length:      75
          Ratio:       2.204                   Gaps:       1
Percent Similarity:    72.000      Percent Identity:    30.667
```

alignment_block:
US-09-714-936-218 x Q9QWF8

Align seg 1/1 to: Q9QWF8 from: 1 to: 359

```
394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
    |||  |||:::||:||:||||||:::|||:||||   :: |||  ||||||
136 CysLysArgCysValValValGlyAsnGlyGlyIleLeuHisGlyLeuGl 152

444 GGTGGGAAATGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATG 493
    :::::||||| :::::::||  ::::::::::   :: :||:::|||:::|
152 uLeuGlyHisAlaLeuAsnGlnPheAspValValIleArgLeuAsnSerA 169

494 CCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGA 543
    ||||:::::|||||::||||||:::||| ||||||:: ||| ||||||
169 laProValGluGlyTyrSerGluHisValGlyAsnLysThrThrIleArg 185

544 GTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTT 593
    ::||:: ||:::|||  |||:::||| ||:::|||::::: ::|||::
186 MetThrTyrProGluGlyAlaPro......LeuSerAspValGluTyrTy 200

594 TTTCAAGGAAGCGAATACTACTATT 618
    :  ::::::|    ::|||:::
200 rAlaAsnAspLeuPheValThrVal 208
```

```
469 TCCTGCATTGGAGAATGAACAATGCCCCACCAAAGGTTATGAAGAAGA 518
    ::: ::: |||::||||||||| ||::: ::|||::::
199 GluIleValIleArgLeuAsnAsnAlaLysThrGluArgPheGluLysLy 215

519 TGTCGGCCGCCATGACCATGATTCGAGTTGTGTCC 552
    ||||||| |||:|:| ::::::
215 sValGlySerLysThrAsnIleSerPheIleAsn 226
```

seq_name: sp_rodent:Q9JJM6

seq_documentation_block:
```
ID  Q9JJM6           PRELIMINARY;      PRT;    124 AA.
AC  Q9JJM6;
DT  01-OCT-2000 (TrEMBLrel. 15, Created)
DT  01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT  01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE  SIALYLTRANSFERASE (FRAGMENT).
OS  Mus musculus (Mouse).
OC  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC  Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX  NCBI_TaxID=10090;
RN  [1]
RP  SEQUENCE FROM N.A.
RC  STRAIN=DDY; TISSUE=HIPPOCAMPUS;
RA  Kato K.;
RT  "Sialyltransferase.";
RL  Submitted (MAY-1999) to the EMBL/GenBank/DDBJ databases.
DR  EMBL; AB027197; BAB00636.1; -.
KW  Transferase.
FT  NON_TER       1      1
FT  NON_TER     124    124
SQ  SEQUENCE   124 AA;  13926 MW;  A6B100A7143E1B6E CRC64;
```

alignment_scores:
```
         Quality:  121.50               Length:      105
         Ratio:      1.929              Gaps:          3
Percent Similarity:  60.000   Percent Identity:   28.571
```

alignment_block:
US-09-714-936-218 x Q9JJM6

Align seg 1/1 to: Q9JJM6   from: 1 to: 124

```
238 GTGCCTCTTGTAAATGAAGTGAATTCCCATTGCTACTAAACTGCTTTGG 287
    ||| :::||||||||||| :::|||||:::
32  ValSerMetIleGluAlaThrAspPheProPhe.............. 42

288 ACAACCTGCTACAAAGTGGATACCATTCTCCTACACATACAGGCGGCCCC 337
    ||::::||| ::::||         :::::|||
43  ...AsnThrCysTyrLysVal......GluGlyTyrLeuProLysGluAsnP 56

338 TTCGAACTCACTATGGATACATAAATGTGAAGACAACAAGAGCCTTGCAA 387
    ::||||| |||
56  heArgThrLysAlaGly.............................. 61

388 CTGGACTGTGACCTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGG 437
    |||:|||||||||||: :::|||||||| ::
62  ...ProTrpHisLysCysAlaValValSerAlaGlySerLeuLysAs 77

438 CCAGAAGGTGGGAAATGAGGATAGATCATGATCCTCCTGCATTGGAGAATGA 487
    :::::::::||:|||||||| :::::::|||  |||:||
77  nSerGlnLeuGlyArgGluIleAspAsnHisAspAlaValLeuArgPheA 94

488 ACAATGCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACCATG 537
    ||::|||||||||  :::::||||||||||:||||||||| |||
94  snGlyAlaProThrAspAsnPheGlnGlnAspValGlyThrLysThrThr 110

538 ATTCGAGTTGTGTCC 552
    |||||||:::||:::
111 IleArgLeuValAsn 115
```

seq_name: sp_plant:Q9M301

seq_documentation_block:
```
ID  Q9M301           PRELIMINARY;      PRT;    470 AA.
AC  Q9M301;
DT  01-OCT-2000 (TrEMBLrel. 15, Created)
DT  01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT  01-DEC-2001 (TrEMBLrel. 19, Last annotation update)
DE  HYPOTHETICAL 53.2 KDA PROTEIN.
GN  T21J18_90.
OS  Arabidopsis thaliana (Mouse-ear cress).
OC  Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
OC  Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots; Rosidae;
OC  eurosids II; Brassicales; Brassicaceae; Arabidopsis.
OX  NCBI_TaxID=3702;
RN  [1]
RP  SEQUENCE FROM N.A.
RA  Rieger M., Gabel C., Mueller-Auer S., Schaefer M., Zipp M.,
RA  Mewes H.W., Rudd S., Lemcke K., Mayer K.F.X., Quetier F.,
RA  Salanoubat M.;
RL  Submitted (NOV-1999) to the EMBL/GenBank/DDBJ databases.
RN  [2]
RP  SEQUENCE FROM N.A.
RA  EU Arabidopsis sequencing project;
RL  Submitted (APR-2000) to the EMBL/GenBank/DDBJ databases.
DR  EMBL; AL132963; CAB87910.1; -.
DR  InterPro; IPR001675; Glyco_transf_29.
DR  Pfam; PF00777; Glyco_transf_29; 1.
KW  Hypothetical protein.
SQ  SEQUENCE   470 AA;  53189 MW;  0D0BBEA4CB52C6E6 CRC64;
```

alignment_scores:
```
         Quality:  120.00               Length:      131
         Ratio:      1.644              Gaps:          3
Percent Similarity:  55.725   Percent Identity:   29.771
```

alignment_block:
US-09-714-936-218 x Q9M301

Align seg 1/1 to: Q9M301   from: 1 to: 470

```
403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||| |||||:::|||::  ||||:::  |||  |||::
205 CysAlaValIleGlyAsnSerGlyAspLeuGluLysThrLysPheGlyLy 221

453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCACCA 502
    :||||||||| ::: ||| |||:::|||:::||||
221 sGluIleAspThrTyrAspThrValLeuArgGluAsnGlyAlaProIleG 238

503 AAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGTTGTGTCC 552
    ::::|||:::|||  |||||||:::  :::||| :::||||:::::::
238 lnAsnTyrLysGluTyrValGlyGluLysSerThrPheArgLeuLeuAsn 254

553 CATACCAGGCGTTCCTCTTTGCTAAAAACCCTGATTATTTTTCAGGA 602
    ::: ||| ||:::::||||||||:::|||| ||||||||||||||
255 ArgGlySerAlaLysAlaLeuAspLysValValGluLeuAspGluLysLy 271

603 A............GCGAATACTACTATTGTGTTATTGGGA.... 633
    : :::|||||||||    | ::: :::
271 sGlnGluValLeuLeuValLysThrThrIleHisAspIleMetAsnLysM 288

634 ...........CCTTTCCGCAATATGAGGAAAGATGGCAATGGCATC 669
    ||:::::||||
288 etIleArgGluValProIleLysAsnPro................ 297

670 GTTTACAACATGTTGAAAAAGACCAGTTGGTATCTATCCGAATGCCCAAAT 719
    |||||||||  :::::::|||||  :::|| ||||||||::::|||
298 ValTyrLeuMetLeuGlyLysAlaSerPheGlySerAlaLeuLysGlyThrGl 314

720 ATACGTGACCACCAGAGAAGCCGCCATGAGTTACTGTGATGGAGTT 762
    ::: ||| |||  :::||| ||||||||:::
314 yLeuLysAlaLeuGluPheAlaLeuSerThrCysAspSerVal 328
```

```
GN   ST3GAL IV.
OS   Mesocricetus auratus (Golden hamster).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Cricetinae;
OC   Mesocricetus.
OX   NCBI_TaxID=10036;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=20062816; PubMed=10593893;
RA   Grabenhorst E., Conradt H.S.;
RT   "The cytoplasmic, transmembrane and stem (CTS) regions of
RT   Glycosyltransferases specify their in vivo functional sublocalization
RT   and stability in the Golgi.";
RL   J. Biol. Chem. 274:36107-36116(1999).
DR   EMBL; AJ245700; CAB53395.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase.
FT   NON_TER    1    1
FT   NON_TER  321  321
SQ   SEQUENCE   321 AA;  36677 MW;  5589D5DCD226614C CRC64;
```

alignment_scores:
```
        Quality:  123.50               Length:  108
        Ratio:      2.025              Gaps:      3
Percent Similarity:  56.481   Percent Identity:  30.556
```

alignment_block:
US-09-714-936-218 x Q9QXF5

Align seg 1/1 to: Q9QXF5   from: 1 to: 321

```
304 TGGATACCATTCTCTACACATACAGGCGGCGCCCTTCGAACTCAC.....  348
    |||     ||||||||||  ||   ||| ||
 71 TrpGluLysIleProSerThrTyrArgGluLeuProPheGlyThrLysGlySe  87

349 ..........TATGGATACATAAATGTGAAGACACAAG  376
              |||   || |||  :|
 87 rGluAspLeuLeuArgValLeuAlaIleThrSerTyrSerIleProG  104

377 AGCCTTGCAA...CTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCA  423
    || :::||| |||  ||||:::::||::||||:::|||:::
104 luSerIleGlnSerLeuArgCysArgArgCysValValValGlyAsnGly  120

424 GGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTG  473
    ||  |||  ||||:: |||||:|||  :::
121 HisArgLeuArgAsnSerSerLeuGlySerIleIleAsnLysTyrAspVa  137

474 CATTTGGAGAATGAACAATGCCCCACCAAAGGTTATGAGAAGAAGATGTCG  523
    :::   |||:::||||||||||  |||||||  |||||||
137 lValIleArgLeuAsnAsnAlaProValAlaGlyTyrGluAlaAspValG  154

524 GCCGCATGACCATGATTCGAGTTGTGTCCCATACCAGCGTT.........  564
    || ||| ||||||:::       :::
154 lySerLysThrThrIleArgLeuPheTyrProGluSerAlaHisPheAsp  170

565 CCTCTTTTGCTAAAAAACCCTGAT  588
    ||||||| |||||||||
171 ProLysIleGluAsnAsnProAsp  178
```

seq_name: sp_plant:Q9SGD2

seq_documentation_block:
```
ID   Q9SGD2      PRELIMINARY;      PRT;    398 AA.
AC   Q9SGD2;
DT   01-MAY-2000 (TrEMBLrel. 13, Created)
DT   01-MAY-2001 (TrEMBLrel. 13, Last sequence update)
DT   01-DEC-2001 (TrEMBLrel. 19, Last annotation update)
DE   T23G18.14.
OS   Arabidopsis thaliana (Mouse-ear cress).
OC   Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
OC   Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots; Rosidae;
OC   eurosids II; Brassicales; Brassicaceae; Arabidopsis.
OX   NCBI_TaxID=3702;
RN   [1]
RP   SEQUENCE FROM N.A.
RA   Shinn P., Brooks S., Buehler E., Chao Q., Johnson-Hopson C., Khan S.,
RA   Kim C., Altafi H., Bei Q., Chin C., Chiou J., Choi E., Conn L.,
RA   Conway A., Gonzales A., Hansen N., Howing B., Koo T., Lam B., Lee J.,
RA   Lenz C., Li J., Liu A., Liu K., Liu S., Mukharsky N., Nguyen M.,
RA   Palm C., Pham P., Sakano H., Schwartz J., Southwick A., Thaveri A.,
RA   Toriumi M., Vaysberg M., Yu G., Federspiel N.A., Theologis A.,
RA   Ecker J.R.;
RT   "Genomic sequence for Arabidopsis thaliana BAC T23G18 from chromosome
RT   I.";
RL   Submitted (OCT-2000) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AC011438; AAF18241.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
SQ   SEQUENCE   398 AA;  45934 MW;  EC1008E89CE6DFF6 CRC64;
```

alignment_scores:
```
        Quality:  123.00               Length:  212
        Ratio:      1.118              Gaps:      8
Percent Similarity:  51.887   Percent Identity:  23.113
```

alignment_block:
US-09-714-936-218 x Q9SGD2

Align seg 1/1 to: Q9SGD2   from: 1 to: 398

```
  9 TCCGGGTCGACGATTCGTCCGCGGTCCCTTATTGGATCGCGGGAAT  58
    |||:::  ::::::::: ||||||||  :::||||||::||||::||:
 30 SerSerPheSerPheAlaSerAlaIleAlaGluLeuGlySerSerGlyLe  46

 59 GTGGGCTGGAGAGGTCCTGCCGTGGTACCAGCCTCCAGCCTGCCCCCAGG  108
    ::: ||||||||||||||||||||  ::: :||||||| ||
 46 uMetThrGluAspIleVal.PheAsnGluThrLeu.....LeuGluPhe  60

109 ACTGCCCCTGACCCAGGCGCCCCC...........GC  134
    ::|||| |||||||||||| |||
 61 AlaAlaIleAspProGlyGluProAsnPheLysGlnGluValAspLeuIl  77

135 TGCTCGGTGGCAGGAGGGCCGGCGGAGCGCCATGGCCGTCATCCTGAAGA  184
    ::: :::::::: ||||||| |
 77 eSerAspTyrAspHisThrArgArgSer..............HisA  88

185 GAAAGTCTGTGATTGCTGTGAGCTTCATAGCAGCGGTTCCTTTTCCTGCTG  234
    ||::          ::||:::: ||||:::
 88 rgArgHisPheSerSerMetSerIleArgProSerGluGlnGlnArgArg  104

235 GTTGTGCGT...CTTGTAAATGAAGTGAATTTCCCATTGCTACTAAACTG  281
    ||| |||  :::||||||||||||   ||
105 ValSerArgAspIleAlaSerSerLysPheProValThrLeuArgSe  121

282 CTTTGGACAACCTGTACAAAGTGGATACCATTCCTCCACACATACAGG.  330
    ::|||           ||| :::  |||
121 r...SerGlnAlaTyrArgTyrTrpSerGluPheLysArgAsnLeuArgL  137

330 ..............................................  330

137 euTrpAlaArgArgAlaTyrGluProAsnIleMetLeuAspLeuIle  153

331 .............CGGCCCCTTCGAACTCACTATGGATACATAAATGTGAA  368
                 :::||||:::   :::|||  |||  :::::::::::
154 ArgLeuValLysAsnProIleAspValHisAsnGlyValValSerIleSe  170

369 GACACAAGAGCCTTTGCAACTGGACTGTGACCTTGTGCCATAGTGTCAA  418
    ::::::::|| ::|||:::::   :::|||:::|||
170 rSerGluArgTyrLeuSer..............CysAlaValValGlyA  182

419 ACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCC  468
    ||||||||   :::::::::  :::||||   ||||:::   |||
182 snSerGlyThrLeuLeuAsnSerGlnTyrGlnTyrGlyAspLeuHisLysHis  198
```

```
RP   SEQUENCE FROM N.A.
RC   STRAIN=NEW ZEALAND WHITE; TISSUE=HEART;
RA   Do S.-I., Lee K.-Y., Kim B.-U.;
RT   "Molecular cloning and expression of rabbit alpha-2,3-
RT   sialyltransferase.";
RL   Submitted (JAN-1999) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AF121967; AAF28871.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase.
SQ   SEQUENCE   332 AA;  38031 MW;  F109F1F1CA581732 CRC64;

alignment_scores:
             Quality:   126.50              Length:        115
             Ratio:     2.040               Gaps:          4
Percent Similarity:    53.913      Percent Identity:    29.565

alignment_block:
US-09-714-936-218 x Q9N257
Align seg 1/1  to: Q9N257  from: 1  to: 332

304 TGGATACCATTCCTCTACACATACAGGCGGGCGCCCTTCGAACTCACTATGG  353
     |||::::  ::|||||:: |||                          |||||
 76 TrpValLysThrProSerValTyrGluLeuPro...........TyrGl  88

354 ATACATAAATGTGAAGACCACAAGAGCCTTTG................  384
     |       ::|||  ::|||  |||
 88 y.........ThrLysGlySerGluArgValLeuArgValLeuAlaI 102

385 .............................CAACTGGACTGTGACCTT  402
                                  ::|||  |||
102 leThrSerTyrSerIleProAspSerIleGlnSerLeuLysCysArgArg  118

403 TGTGCCATAGTGTCAAACTCAGTCAGATGGTTGGCCAGAAGGTGGGAAA  452
    ||:::||:::|||:::|||::||::::  :::::|||||:::  ||:::||::
119 CysValValLysAlaAsnGlySerArgLeuArgAsnSerSerLeuGlyAs  135

453 TCAGAATAGATCATCCTCCTGCATTGGAGAATGAACAATGCCCCACCA  502
     |||||::: ::|  |||:::|||::|||||::  :::|||  |||||||
135 pThrIleAspLysTyrAspValValIleArgLeuAsnAsnAlaProValA  152

503 AAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGTTGTGTCC  552
    |||||:||| ||||||:|  :::||:: :||:::|| :::|||
152 laGlyTyrGluGlyAspValGlySerLysThrMetArgLeuPheTyr  168

553 CATACCAGCGTT........CCTCTTTGCTAAAAAACCCTGAT  588
     ||::::          |||  ::|  ::|||||||||
169 ProGluSerAlaHisPheAspProLysValGluAsnAsnProAsp  183

seq_name: sp_rodent:P97877

seq_documentation_block:
ID   P97877        PRELIMINARY;        PRT;        380 AA.
AC   P97877;
DT   01-MAY-1997 (TrEMBLrel. 03, Created)
DT   01-MAY-1997 (TrEMBLrel. 03, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   ALPHA-N-ACETYL-NEURAMINNIDE ALPHA-2,8-SIALYLTRANSFERASE (EC 2.4.99.8)
DE   (GANGLIOSIDE GT3 SYNTHASE) (SIALYLTRANSFERASE 8) (ST8SIAI).
OS   Rattus norvegicus (Rat).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX   NCBI_TaxID=10116;
RN   [1]
RP   SEQUENCE FROM N.A., AND DEVELOPMENTAL STAGE.
RC   STRAIN=SPRAGUE-DAWLEY; TISSUE=EMBRYONIC BRAIN;
RX   MEDLINE=97225806; PubMed=9073076;
RA   Zeng G., Gao L., Yu R.K.;
RT   "Cloning of the cDNA coding for rat brain CMP-NeuAc:GD3 alpha2-8
RT   sialyltransferase.";
RL   Gene 187:131-134(1997).
```

```
CC   -!- FUNCTION: MAY BE INVOLVED IN THE PRODUCTION OF GT3 FROM GD3.
CC   -!- CATALYTIC ACTIVITY: CMP-N-ACETYLNEURAMINATE + ALPHA-N-
CC       ACETYLNEURAMINYL-2,3-BETA-D-GALACTOSYL-R = CMP + ALPHA-N-
CC       ACETYLNEURAMINYL-2,8-ALPHA-N-ACETYLNEURAMINYL-2,3-BETA-D-
CC       GALACTOSYL-R.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN. GOLGI (POTENTIAL).
CC   -!- DEVELOPMENTAL STAGE: EXPRESSED AT THE EARLY STAGE OF EMBRYONIC
CC       BRAIN AND IS AT THE HIGHEST LEVEL AT DAY 18. IT REMAINS AT A
CC       MODERATE LEVEL IN NEWBORN AND ADULT BRAIN.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
DR   EMBL; U55938; AAB50061.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN        1     17    CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM     18     33    SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN).
FT   DOMAIN       34    380    LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD     93     93    N-LINKED (GLCNAC...  ) (POTENTIAL).
FT   CARBOHYD    113    113    N-LINKED (GLCNAC...  ) (POTENTIAL).
FT   CARBOHYD    206    206    N-LINKED (GLCNAC...  ) (POTENTIAL).
SQ   SEQUENCE   380 AA;  44010 MW;  OECACCA37423FBE6 CRC64;

alignment_scores:
             Quality:   126.00              Length:        101
             Ratio:     2.066               Gaps:          3
Percent Similarity:    60.396      Percent Identity:    30.693

alignment_block:
US-09-714-936-218 x P97877
Align seg 1/1  to: P97877  from: 1  to: 380

397 GACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGT  446
    ::::::||||:::||||||::::||:::|||||||  :::||:::||::::
160 AsnIleCysAlaValAlaValGlyAsnSerGlyIleLeuThrGlySerGlnCy  176

447 GGGAAATGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCC  496
    :::::||| |:::||||:::|||||::  :::|||  ||| :::
176 sGlyGlnGluIleAspLysSerAspPheValPheArgCysAsnPheAlaP  193

497 CCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGTT  546
    ||||||:||| :::||| ||||||:|  :::||:: ||:::|| :::||:::
193 roThrGluAlaPheHisLysAspValGlyLysLysThrAsnLeuThrThr  209

547 GTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTT  596
    :::::  ||::::        ||||||  :::        ::|
210 Phe.............................AsnProSerIleLeuGl  216

597 CAAGGAAGCGAATACTACTATTTGTGTTATTTGGGGACCTTTCCGCCAATA  646
     |||   ::  ::  :::::        :::
216 uLysTyrTyrAsnAsnLeuLeuThrIle.................... 225

647 TGAGGAAAGATGGCAATGGCCATCGTTTACAACATGTGAAAAAGACAGTT  696
     :::  |||  :::||||  ::|  :::        |||||||||
226 .....GlnAspArgAsnAsnPhe...PheLeuSerLeuLysLeuLysLeuAsp  239

697 GGT  699
    |||
240 Gly 240

seq_name: sp_rodent:Q9QXF5

seq_documentation_block:
ID   Q9QXF5        PRELIMINARY;        PRT;        321 AA.
AC   Q9QXF5;
DT   01-MAY-2000 (TrEMBLrel. 13, Created)
DT   01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   GAL(BETA)1,3/4-GLCNAC (ALPHA)2,3-SIALYLTRANSFERASE (EC 2.4.99.6)
DE   (FRAGMENT).
```

CC   -1- MISCELLANEOUS: ITS OPTIMUM PH IS 4.6.
CC   -1- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
DR   EMBL; X95809; CAA65076.1; -.
DR   EMBL; D28941; BAA06068.1; -.
DR   MGD; MGI:1316743; Siat4c.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN   1   8   CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM   9   26   SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT   (POTENTIAL).
FT   DOMAIN   27   333   LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD   61   61   N-LINKED (GLCNAC. . .) (POTENTIAL).
FT   CARBOHYD   310   310   N-LINKED (GLCNAC. . .) (POTENTIAL).
FT   CARBOHYD   329   329   N-LINKED (GLCNAC. . .) (POTENTIAL).
SQ   SEQUENCE   333 AA; 38087 MW; 6ECEEC5DDB13E2BA CRC64;

alignment_scores:
        Quality: 127.50   Length: 115
        Ratio: 2.125   Gaps: 3
Percent Similarity: 52.174   Percent Identity: 29.565

alignment_block:
US-09-714-936-218 x P97354

Align seg 1/1   to: P97354   from: 1 to: 333

   304 TGGATACCATTCTCCTACACATACAGGCGGCGCCCTTCGAACTCACTATGG 353
       |||:::: |||||||| |||::: |||
    77 TrpValThrProSerThrTyrGluLeuProPheGlyThr......... 90

   354 ATACATAAATGTGAAGACACAAGAGCCTTTG................... 384
       |||| :::||||:: ||
    91 ....LysGlySerGluAspLeuLeuLeuArgValLeuAlaI 103

   385 ...................................CAACTGACTGTGACCTT 402
                                          ::||||||:::|||
   103 leThrSerTyrSerIleProGluSerIleLysSerLeuGluCysArgArg 119

   403 TGTGCCATAGTGTCAAACTCAGGTCAGTGGTTGGCCAGAAGGTGGGAAA 452
       ||:::::::||::|||:| :::::   :::::::::|||:::
   120 CysValValGlyAsnGlyHisArgLeuArgThrSerLeuGlyGl 136

   453 TGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAAATGCCCCCACCA 502
       : |||::||| ||| ::: :: |||:|||||||||||||
   136 yValIleAsnLysTyrAspValValIleArgLeuAsnAsnAlaProValA 153

   503 AAGGTTATGAGAAGAATGTCGCCGCCATGACCATGATTCGAGTTGTGTCC 552
       |||||||| |||||||| ||| ||:|||||||||||
   153 laGlyTyrGluGlyUGlyAspValGlySerLysSerThrThrIleArgLeuPheTyr 169

   553 CATACCAGCGTT........CCTCTTTGCTAAAAAACCCTGAT 588
       ||||||||| || ::||||||||
   170 ProGluSerAlaHisPheAspProLysIleGluAsnAsnProAsp 184

seq_name: sp_human:Q9Y274

RC   TISSUE=BRAIN;
RX   MEDLINE=99223457; PubMed=10206952;
RA   Okajima T., Fukumoto S., Miyazaki H., Ishida H., Kiso M., Furukawa K.,
RA   Urano T., Furukawa K.;
RT   "Molecular cloning of a novel alpha2,3-sialyltransferase (ST3Gal VI)
RT   that sialylates type II lactosamine structures on glycoproteins and
RT   glycolipids.";
RL   J. Biol. Chem. 274:11479-11486(1999).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=BRAIN;
RA   Kapitonov D.;
RT   "Molecular cloning and expression of ceramide galactosyltransferase.
RT   Comparison with other glycosyltransferases.";
RL   Thesis (1997), Medical College of Virginia,.
RN   [3]
RP   SEQUENCE FROM N.A.
RC   TISSUE=BRAIN;
RA   Kapitonov D., Yu R.K.;
RT   "Sialyltransferases.";
RL   Submitted (JAN-1999) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AB022918; BAA77609.1; -.
DR   EMBL; AF119391; AAD39131.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase.
SQ   SEQUENCE   331 AA; 38213 MW; DD2B3D88D3D0A055 CRC64;

alignment_scores:
        Quality: 126.50   Length: 77
        Ratio: 2.530   Gaps: 1
Percent Similarity: 64.935   Percent Identity: 36.364

alignment_block:
US-09-714-936-218 x Q9Y274

Align seg 1/1   to: Q9Y274   from: 1 to: 331

   388 CTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGG 437
       ::: ||| |||:::::::::||:::||| ::: ..::
   113 IleProCysLysLysCysValValValGlyAsnGlyHisArgLeuArgLeuLysAs 129

   438 CCAGAAGGTGGGAAATGAGATAGATAGATCGATCCTCCTGCATTTGGAGAATGA 487
       :::: ||| |||||::::::||||| || ||||||
   129 nLysThrLeuGlyGluLysIleAspSerTyrAspVaIIleIleArgMetA 146

   488 ACAATGCCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCATGACCATG 537
       |||||:|||::|| ||| ||:::||||||::::||||||||
   146 snAsnGlyProValLeuGlyHisGluGluValGlyArgArgThrThr 162

   538 ATTCGAGTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGA 587
       |||||||||||| || ||||||||||
   163 PheArgLeuPheTyrProGluSerVal................PheSerAs 174

   588 TTATTTTTTCAAGGAAGCGAATACTACTATT 618
       || :::   :|||||::|||||
   174 pProIleHisAsnAspProAsnThrThrVal 184

seq_name: sp_mammal:Q9N257

189 LeuArgIle........ThrTyrProGluGlyAlaMetGlnArgProGl 202
588 TTATTTTTCAAGGAAGCGAATACTACTATTTGT..GTTATTTGGGGAC 634
       : :::::::::: ::::::: |||
202 uGlnTyrGluArgAspSerLeuPheValLeuAlaGlyTyrLysTrpGlnA 219
635 CTTTCCGCAATATGAGGAAGATGGCAATGGCATCGTTTACACACATGTTG 684
       |||::: :::::::
219 spPheLysTrpLeuLys.................................. 224
685 AAAAAGACAGTTGGTATCTATCCGAATGCCAAATATACGTGACCACCAGA 734
                              |||::::::||||||||||
225 ....TyrIleValTyrLy 229
735 GAAGCGCATGAGTTACTGTGATGGAGTTTTTAAG 768
       ::::|||:::||| |||||| :::|||
229 sGluArgValSerAlaSerAspGlyPheTrpPrpLys 240

seq_name: sp_rodent:Q9CUJ6

seq_documentation_block:
ID   Q9CUJ6   PRELIMINARY;   PRT;   339 AA.
AC   Q9CUJ6;
DT   01-JUN-2001 (TrEMBLrel. 17, Created)
DT   01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   SIALYLTRANSFERASE 8 (ALPHA-2, 8-SIALYLTRANSFERASE) C (FRAGMENT).
GN   SIAT8C.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=C57BL/6J; TISSUE=TESTIS;
RX   MEDLINE=21085560; PubMed=11217851;
RA   Kawai J., Shinagawa A., Shibata K., Yoshino M., Itoh M., Ishii Y.,
RA   Arakawa T., Hara A., Fukunishi Y., Konno H., Adachi J., Fukuda S.,
RA   Aizawa K., Izawa M., Nishi K., Kiyosawa H., Kondo S., Yamanaka I.,
RA   Saito T., Okazaki Y., Gojobori T., Bono H., Kasukawa T., Saito R.,
RA   Kadota K., Matsuda H.A., Ashburner M., Batalov S., Casavant T.,
RA   Fleischmann W., Gaasterland T., Glssi C., King B., Kochiwa H.,
RA   Kuehl P., Lewis S., Matsuo Y., Nikaido I., Pesole G., Quackenbush J.,
RA   Schriml L.M., Staubli F., Suzuki R., Tomita M., Wagner L., Washio T.,
RA   Sakai K., Okido T., Furuno M., Aono H., Baldarelli R., Barsh G.,
RA   Blake J., Boffelli D., Bojunga N., Carninci P., de Bonaldo M.F.,
RA   Brownstein M.J., Bult C., Fletcher C., Fujita M., Gariboldi M.,
RA   Gustincich S., Hill D., Hofmann M., Hume D.A., Kamiya M., Lee N.H.,
RA   Lyons P., Marchionni L., Mashima J., Mazzarelli J., Mombaerts P.,
RA   Nordone P., Ring B., Ringwald M., Rodriguez I., Sakamoto N.,
RA   Sasaki H., Sato K., Schoenbach C., Seya T., Shibata Y., Storch K.-F.,
RA   Suzuki H., Toyo-oka K., Wang K.H., Weitz C., Whittaker C., Wilming L.,
RA   Wynshaw-Boris A., Yoshida K., Hasegawa Y., Kawaji H., Kohtsuki S.,
RA   Hayashizaki Y.;
RT   "Functional annotation of a full-length mouse cDNA collection.";
RL   Nature 409:685-690(2001).
DR   EMBL; AK015874; BAB30012.1; -.
DR   MGD; MGI:106019; Siat8c.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
FT   NON_TER   339   339
SQ   SEQUENCE   339 AA;   39199 MW;   D00DB25EF69C56A4 CRC64;

alignment_scores:
            Quality: 128.00   Length: 101
              Ratio: 2.098   Gaps: 3
Percent Similarity: 60.396   Percent Identity: 60.396

alignment_block:
US-09-714-936-218 x Q9CUJ6

Align seq 1/1 to: Q9CUJ6 from: 1 to: 339

---

397 GACCTTTGTGCCATAGTGTCAAACTCAGGTCAGTGTTGGCCAGAGAGGT 446
       ::::||||||:|||::||:||:|||||||| :::::|||||
160 AsnValCysAlaValValGlyAsnSerGlyIleLeuThrGlySerGlnCy 176
447 GGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGATGAACAATGCC 496
       |||::|||||||||:|::::::::|||:||::||| || ||||
176 sGlyGlnGluIleAspLysSerAspPheValPheArgCysAsnPheAlaP 193
497 CCACCAAAGGTTATGAAGAAGAATGTCGGCCGCCATGACCATGATTCGAGTT 546
       |||||::|||::::::::::|||||||||| ||| ::: |||||
193 roThrGluAlaPheHisLysAspValGlyArgLysThrAsnLeuThrThr 209
547 GTGTCCCATACCAGCGTTCCTCTTTGCTAAAAAACCCTGATTATTTTTT 596
                                      ||||:|| ||||||
210 Phe................................AsnProSerIleLeuGl 216
597 CAAGGAAGCGAATACTACTATTTGTGTTATTTGGGGACCTTTCCGCAATA 646
       ||| |||:::|| :::
216 uLysTyrTyrAsnAsnLeuLeuThrIle...................... 225
647 TGAGGAAGATGGCAATGGCATCGTTTACACACATGTGAAAAAGACAGTT 696
       :::||| |||||||| |:::: ||||||||
226 ....GlnAspArgAsnAsnPhe..PheLeuSerLeuLysLysLeuAsp 239
697 GGT 699
       |||
240 Gly 240

seq_name: sp_rodent:P97354

seq_documentation_block:
ID   P97354   PRELIMINARY;   PRT;   333 AA.
AC   P97354; Q61325;
DT   01-MAY-1997 (TrEMBLrel. 03, Created)
DT   01-MAY-1997 (TrEMBLrel. 03, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   CMP-N-ACETYLNEURAMINATE-BETA-1,4-GALACTOSAMIDE-ALPHA-2,3-
DE   SIALYLTRANSFERASE (EC 2.4.99.-) (N-ACETYLLACTOSAMINIDE ALPHA-2,3-
DE   SIALYLTRANSFERASE) (GAL BETA-1,4(3) GLCNAC ALPHA-2,3
DE   SIALYLTRANSFERASE) (ST3GALIII) (ALPHA 2,3-ST) (ST-4).
GN   SIAT4C.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A., FUNCTION, AND TISSUE SPECIFICITY.
RC   TISSUE=BRAIN, AND LIVER;
RX   MEDLINE=97328289; PubMed=9184827;
RA   Kono M., Ohyama Y., Lee Y.-C., Hamamoto T., Kojima N., Tsuji S.;
RT   "Mouse beta-galactoside alpha2,3-sialyltransferases: comparison of in
RT   vitro substrate specificities and tissue specific expression.";
RL   Glycobiology 7:469-479(1997).
RN   [2]
RP   SEQUENCE FROM N.A.
RA   Sasaki K., Watanabe E., Kawashima K., Hanai N., Nishi T., Hasegawa M.;
RT   "Expression cloning of mouse alpha-2,3-sialyltransferase involved in
RT   biosynthesis of the sialyl Lewis x carbohydrate determinants.";
RL   Submitted (MAR-1994) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: CATALYZES THE FORMATION OF THE NEUAC-ALPHA-2,3-GAL-BETA-
CC   1,4-GLCAC-, NEUAC-ALPHA-2,3-GAL-BETA-1,3-GLCNAC- OR NEUAC-ALPHA-
CC   2,3-GAL-BETA-1,3-GALNAC- SEQUENCES FOUND IN TERMINAL CARBOHYDRATE
CC   GROUPS OF GLYCOPROTEINS AND GLYCOLIPIDS. THE HIGHEST ACTIVITY IS
CC   TOWARD GAL-BETA-1,4-GLCNAC AND THE LOWEST TOWARD GAL-BETA-1,3-
CC   GALNAC.
CC   -!- CATALYTIC ACTIVITY: CMP-N-ACETYLNEURAMINATE + BETA-D-GALACTOSYL-
CC   1,4-N-ACETYL-D-GLUCOSAMINYL-GLYCOPROTEIN = CMP + ALPHA-N-
CC   ACETYLNEURAMINYL-2,3-BETA-D-GALACTOSYL-1,4-N-ACETYL-D-
CC   GLUCOSAMINYL-GLYCOPROTEIN.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN.
CC   -!- TISSUE SPECIFICITY: FOUND IN ALL TISSUES TESTED.

US-09-714-936-218 x Q921R5

Align seg 1/1 to: Q921R5 from: 1 to: 333

```
304 TGGATACCATTCCTACACATACAGGCGGCCCCTTCGAACTCACTATG 353
    |||::::
 77 TrpValLysThrProSerThrTyrGluLeuProPheGlyThr....... 90

354 ATACATAAATGTGAAGACACAGAGACCTTG........ ||| 384
    |||    ::||| |||
 91 .........LysGlySerGluAspLeuLeuArgValLeuAlaI 103

385 ...............................CAACTGGACTGTGACCTT 402
                                   ::||||::||
103 leThrSerTyrSerIleProGluSerIleLysSerLeuGluCysArgArg 119

403 TGTGCCATAGTGTCAAACTCAGGTGGTTGGCCAGAAGGTGGGAAA 452
    |||::||:::||:::||||| ::::::  :::::||||:::|||:
120 CysValValGlyHisArgLeuArgArgAsnSerSerLeuGlyGl 136

453 TGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCACCA 502
    ;  ||:::: ::: :::  |||::||||||||||:||
136 yValIleAsnLysTyrAspValValIleArgLeuAsnAsnAlaProValA 153

503 AAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGTTGTGTCC 552
    |||||||| ||||||||  ||:::||
153 laGlyTyrGluGlyValGlySerLysThrThrIleArgLeuPheTyr 169

553 CATACCAGCGTT........CCTCTTTTGCTAAAAAACCCTGAT 588
    |||||||||||          ||| ::||||||||
170 ProGluSerAlaHisPheAspProLysIleGluAsnAsnProAsp 184
```

seq_name: sp_rodent:Q91Y74

seq_documentation_block:
```
ID   Q91Y74;    PRELIMINARY;    PRT;    333 AA.
AC   Q91Y74;
DT   01-DEC-2001 (TrEMBLrel. 19, Created)
DT   01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT   01-DEC-2001 (TrEMBLrel. 19, Last annotation update)
DE   SIALYLTRANSFERASE.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=DDY; TISSUE=BRAIN;
RA   Okaba A., Tawara Y., Masa T., Oka T., Machida A., Tanaka T.,
RA   Matsuhashi H., Shiosaka S., Kato K.;
RT   "Differential expression of mRNAs for sialyltransferase isoenzymes
RT   induced in the hippocampus of mouse following kindled seizures.";
RL   J. Neurochem. 77:1-13(2001).
DR   EMBL; AB061305; BAB47508.1; -.
KW   Transferase.
SQ   SEQUENCE   333 AA;   38058 MW;   4EAB2F09502B54F4 CRC64;
```

alignment_scores:
```
          Quality:   129.50            Length:    115
            Ratio:    2.123              Gaps:      3
Percent Similarity:   53.043   Percent Identity:  29.565
```

alignment_block:
US-09-714-936-218 x Q91Y74

Align seg 1/1 to: Q91Y74 from: 1 to: 333

```
304 TGGATACCATTCCTACACATACAGGCGGCCCCTTCGAACTCACTATGG 353
    |||::::
 77 TrpValLysThrProSerThrTyrGluLeuProPheGlyThr........ 90

354 ATACATAAATGTGAAGACACAGAGAGCCTTG..................... 384
```

```
 91 ...............LysGlySerGluAspLeuLeuArgValLeuAlaI 103
                                   |||    |||
385 ........................................CAACTGGACTGTGACCTT 402
                                           :::||||::||
103 leThrSerTyrSerIleProGluSerIleLysSerLeuGluCysArgArg 119
    ||:::::||:::||:::||||| ::::::  :::::||||:::|||:
403 TGTGCCATAGTGTCAAACTCAGGTGGTTGGCCAGAAGGTGGGAAA 452

120 CysValValGlyHisArgLeuArgArgAsnSerSerLeuGlyGl 136
    |||::::::::||| :::::  :::::|||:|||  ||| |||::
453 TGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCACCA 502

136 yValIleAsnLysTyrAspValValIleArgLeuAsnAsnAlaProValA 153
    ;  ||:::::  :::     |||::||||||||||||:|||||
503 AAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGTTGTGTCC 552

153 laGlyTyrGluGlyValGlySerLysThrThrIleArgLeuPheTyr 169
    |||||||| |||||||||  ||   |||:::
553 CATACCAGCGTT........CCTCTTTTGCTAAAAAACCCTGAT 588
    |||||||||||         ::: ::||||||||
170 ProGluSerAlaHisPheAspProLysIleGluAsnAsnProAsp 184
```

seq_name: sp_human:Q96L53

seq_documentation_block:
```
ID   Q96L53;    PRELIMINARY;    PRT;    359 AA.
AC   Q96L53;
DT   01-DEC-2001 (TrEMBLrel. 19, Created)
DT   01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT   01-DEC-2001 (TrEMBLrel. 19, Last annotation update)
DE   GAL BETA 1,3(4) GLCNAC ALPHA 2,3-SIALYLTRANSFERASE.
GN   ST3GALIII.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=COLON;
RA   Zhu Y., Ullah A., Hua P., Lance P.;
RT   "Cloning and expression of a human colonic Gal beta 1,3 GlcNAc alpha
RT   2,3-sialyltransferase (ST3GalIII).";
RL   Submitted (AUG-2001) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AY051143; AAL14347.1; -.
KW   Transferase; Glycosyltransferase.
SQ   SEQUENCE   359 AA;   40595 MW;   61926207D08BFC2D CRC64;
```

alignment_scores:
```
          Quality:   129.50            Length:    128
            Ratio:    1.850              Gaps:      3
Percent Similarity:   54.688   Percent Identity:  25.000
```

alignment_block:
US-09-714-936-218 x Q96L53

Align seg 1/1 to: Q96L53 from: 1 to: 359

```
388 CTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGG 437
    ||| |||  :::||||||||::::::||||| :::::
139 LeuArgCysArgArgCysIleIleValAlaGlyAsnGlyAsnGlyAsnGlyValLeuAlaTy 155

438 CCAGAAGGTGGGAAATGAGATAGATGATCGATCCTCCTGCATTGGAGAATGA 487
    :::::|||:|||||||:||||  :: :::||:::  |||:|
155 rLysSerLeuGlySerArgIleAspAspTyrAspValValArgLeuA 172

488 ACAATGCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACCATG 537
    ||:::||||||||||||||||||| ||||||||  ||   |||:::|||
172 snSerAlaProValLysGlyPheGluLysAspValGlySerLysThrThr 188

538 ATTCGAGTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGA 587
    ::::|||:::|||                  ||| ::||||||
```

```
  26 erAsnThrGlyValPro...SerAlaTrpPhePrøLysGlnMetLeuLeu  41
 313 ...TTCCTCCTACACATCAGGGCGCGCCCCTTCGAACTCAC..........  348
     ::::|||   :::::||||||||  :::::||||||||
  42 GluLeuSerGluAsnPheArgArgPheIleLysSerGlnProCysThrCy  58
 349 ..............................TATGGATAC..........A  358
                                   ::  :::
  58 sArgHisCysIleSerGlnAspLysLysValSerTyrTrpPheAspGlnArgP  75
 359 TAAATGTGAAGACACAAGAGCCTTTG......................  384
     ::||   ||||||:|:::|||||||
  75 heAsn...LysThrMetGlnProLeuLeuThrValHisAsnAlaLeuMet  90
 384 ..................................................  384
  91 GluGluAspThrTyrArgTrpPheLeuArgLeuGlnArgGluArgLysPr 107
 384 ..................................................  384
 107 oAsnAsnLeuSerAspThrValLysGluLeuPheArgLeuValProGlyA 124
 385 .................CAACTGGACTGTGACCTTTGTGCC 408
                     :::   |||  ||||||||||:
 124 snValAspProMetLeuAsnLysArgLeuValGlyCysArgArgCysAla 140
 409 ATAGTGTCAAACTCAGGTGCAGATGGTTGGCCAGAAATGAGAT 458
     ::|||:|||||||||:::::   :::::|||  |||||
 141 ValValGlyAsnSerGlyAsnLeuLysAspSerSerTyrGlyProGluIl 157
 459 AGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCACCAAAGGTT 508
     ||||    :::  ||||||||||:|||||||||   |||
 157 eAspSerHisAspPheValLeuArgMetAsnLysAlaProThrValGlyP 174
 509 ATGAAGAAGATGTCGGCGCCGCCATGACCATGATTCGAGTTGTGTCCATACC 558
     :::||  ||||||||   ||||||||||||:||||||
 174 heGluAlaAspValGlySerArgThrThrHisHisLeuValTyrProGlu 190
 559 AGGGTTCCCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGAAGGCGAA 608
     ::|||   ||  ||||||:  |||||||||||||||
 191 Ser..........................................PheArgGluLeuGl 196
 609 TACTACTATTTGTGTTATTTGGGGACCTTTCCGC 642
     :::||   :||::|||||||||||||
 196 yGluAsnValAsnMetValLeuValProPheLys 207
```

seq_name: sp_mammal:Q9BEG4

seq_documentation_block:
```
ID   Q9BEG4      PRELIMINARY;      PRT;    325 AA.
AC   Q9BEG4;
DT   01-JUN-2001 (TrEMBLrel. 17, Created)
DT   01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
DT   01-OCT-2001 (TrEMBLrel. 18, Last annotation update)
DE   PUTATIVE ALPHA-2,3-SIALYLTRANSFERASE (FRAGMENT).
GN   ST3GAL1.
OS   Bos taurus (Bovine).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC   Bovidae; Bovinae; Bos.
OX   NCBI_TaxID=9913;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=MAMMARY GLAND;
RA   Rendic D., Wilson I.B.H.;
RT   "Cloning of bovine sialyltransferases.";
RL   Submitted (JAN-2001) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AJ305086; CAC24698.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase.
FT   NON_TER       1      1
SQ   SEQUENCE   325 AA;  37321 MW;  70B849F856F6B1F5 CRC64;
```

alignment_scores:
```
         Quality:   130.00       Length:    132
         Ratio:      1.831       Gaps:        4
Percent Similarity:  53.788   Percent Identity:  29.545
```

alignment_block:
US-09-714-936-218 x Q9BEG4

Align seg 1/1 to: Q9BEG4   from: 1 to: 325

```
 376 GAGCCTTTG..........CAACTGGACTGTGACCTTTGTGCCATAGT 413
     ::::||||||            :::::||  ||||||||||:::::||
 114 AspProLeuGluLysGlySerValGlyCysArgArgCysAlaValVa 130
 414 GTCAAACTCAGGTGCAGATGGTTGGCCAGAAATGAGATAGATC 463
     |::|||||||||||:::::       |||  :|   ||||||
 130 lGlyAsnSerGlyAsnLeuArgGluSerTrpTyrGlyProGlnIleAspS 147
 464 GATCCTCCTGCATTTGGAGAATGAACAATGCCCCACCAAAGGTTATGAA 513
     :::  |||||||||:::::|||||||||   ||||||   |||:||:||
 147 erHisAspPheValLeuArgMetAsnLysAlaProThrAlaGlyPheGlu 163
 514 GAAGATGTCGGCCGCCATGACCATGATTCGAGTTGTGTCCCATACCAGCGT 563
     |||||||||||||   ||||||||||:|||||||||:::::|||
 164 AlaAspValGlyArgLysThrThrHisHisLeuValTyrProGluSer.. 179
 564 TCCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGAAGCGAATACTA 613
     ||||||||||:  |||||||||||||||   |||   |||:|||:
 180 ..........................................PheArgGluLeuAlaGluA 186
 614 CTATTTGTGTTATTTGGGGACCTTTCCGAATATGAGGAAAGATGGCAAT 663
     :::::|||::|||||||||||||      |||   |||   |||
 186 snValSerMetValLeuValProPheLysThrVal......AspLeuGlu 200
 664 GGCATCGTTTACAACACATGTTGAAAAAGACACAGTTGGT......ATCTA 704
     ::|||   |||  ||||||:    |||      |||   ||
 201 TrpValIleSerAlaThrThrLysGlyThrIleSerHisThrTyrValPr 217
 705 TCCGAATGCCCAAATATACGTGACCACGAGAAGCCATGAGTTAC 750
     :||   |||   ||||   |||:||||||   ::|||   ||
 217 oValProAlaLysIleLysValLysAsnLysSerIleLeuIleTyr 232
```

seq_name: sp_rodent:Q921R5

seq_documentation_block:
```
ID   Q921R5      PRELIMINARY;      PRT;    333 AA.
AC   Q921R5;
DT   01-DEC-2001 (TrEMBLrel. 19, Created)
DT   01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT   01-DEC-2001 (TrEMBLrel. 19, Last annotation update)
DE   SIMILAR TO SIALYLTRANSFERASE 4C (BETA-GALACTOSIDASE
DE   ALPHA-2,3-SIALYLTRANSFERASE).
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RA   Strausberg R.;
RL   Submitted (JUL-2001) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BC011121; AAH11121.1; -.
KW   Transferase; Glycosyltransferase.
SQ   SEQUENCE   333 AA;  38044 MW;  4E604E09507E45F4 CRC64;
```

alignment_scores:
```
         Quality:   129.50       Length:    115
         Ratio:      2.123       Gaps:        3
Percent Similarity:  53.043   Percent Identity:  29.565
```

alignment_block:

```
DT   01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   CMP-N-ACETYLNEURAMINATE-BETA-GALACTOSAMIDE-ALPHA-2,3-SIALYLTRANSFERASE
DE   (EC 2.4.99.-) (BETA-GALACTOSIDE ALPHA-2,3-SIALYLTRANSFERASE) (ALPHA
DE   2,3-ST) (GAL-NAC6S) (GAL-BETA-1,3-GALNAC-ALPHA-2,3-SIALYLTRANSFERASE)
DE   (ST3GALA.2) (SIAT4-B).
GN   ST3(0)-II.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A., AND TISSUE SPECIFICITY.
RC   TISSUE=LIVER;
RX   MEDLINE=97079181; PubMed=8920913;
RA   Kim Y.-J., Kim K.-S., Kim S.-H., Kim C.-H., Ko J.H., Choe I.-S.,
RA   Tsuji S., Lee Y.-C.;
RT   "Molecular cloning and expression of human Gal beta 1,3GalNAc alpha
RT   2,3-sialyltransferase (hST3Gal II).";
RL   Biochem. Biophys. Res. Commun. 228:324-327(1996).
RN   [2]
RP   SEQUENCE FROM N.A., AND TISSUE SPECIFICITY.
RX   MEDLINE=97409982; PubMed=9266667;
RA   Giordanengo V., Lefebvre J.C.;
RT   "Cloning and expression of cDNA for a human Gal beta1-3GalNAc
RT   alpha2,3-sialyltransferase from the CEM T cell line.";
RL   Eur. J. Biochem. 247:558-566(1997).
CC   -!- FUNCTION: IT MAY BE RESPONSIBLE FOR THE SYNTHESIS OF THE SEQUENCE
CC       NEUAC-ALPHA-2,3-GAL-BETA-1,3-GALNAC- FOUND IN TERMINAL
CC       CARBOHYDRATE GROUPS OF CERTAIN GLYCOPROTEINS, OLIGOSACCHARIDES AND
CC       GLYCOLIPIDS. SIAT4-A AND SIAT4-B SIALYLATE THE SAME ACCEPTOR
CC       SUBSTRATES BUT EXHIBIT DIFFERENT KM VALUES.
CC   -!- CATALYTIC ACTIVITY: CMP-N-ACETYLNEURAMINATE + BETA-D-GALACTOSYL
CC       1,3-N-ACETYL-ALPHA-D-GALACTOSAMINYL-R = CMP + ALPHA-N-
CC       ACETYLNEURAMINYL-2,3-BETA-D-GALACTOSYL-1,3-N-ACETYL-ALPHA-D-
CC       GALACTOSAMINYL-R.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN. MEMBRANE-BOUND
CC       FORM IN TRANS CISTERNAE OF GOLGI, SOLUBLE FORM IN BODY FLUIDS (BY
CC       SIMILARITY).
CC   -!- TISSUE SPECIFICITY: HIGHLY EXPRESSED IN SKELETAL MUSCLE AND HEART
CC       AND TO A MUCH LESSER EXTENT IN BRAIN, PLACENTA, LIVER AND
CC       PANCREAS. SCARCELY DETECTABLE IN LUNG AND KIDNEY.
CC   -!- PTM: THE SOLUBLE FORM DERIVES FROM THE MEMBRANE FORM BY
CC       PROTEOLYTIC PROCESSING (BY SIMILARITY).
DR   EMBL; U63090; AAB40389.1; -.
DR   EMBL; X96667; CAA65447.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN        1      6       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM      7     27       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN).
FT   DOMAIN       28    350       LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD     92     92       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    211    211       N-LINKED (GLCNAC...) (POTENTIAL).
SQ   SEQUENCE   350 AA;  40173 MW;  E7E40CF26D9CB725 CRC64;
```

alignment_scores:
        Quality: 131.50   Length: 90
        Ratio: 2.391   Gaps: 4
Percent Similarity: 61.111   Percent Identity: 36.667

alignment_block:
US-09-714-936-218 x Q16842

Align seg 1/1   to: Q16842   from: 1   to: 350

```
373 CAAGAGCCTTTGCAACTGGACTGCGACCTTTGTGCCATAGTGTCAAACTC 422
    |||  |||||   ||  |||   |||    |||||||||::|||:|||
144 ArgAspProHisGln......CysArgArgCysAlaValValGlyAsnSe 158
```

```
423 AGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCT 472
    |||:::::: ||:::  |||:::::::::::|||
158 rGlyAsnLeuArgGlySerGlyTyrGlyGlnAspValAspGlyHisAsnP 175

473 GCATTTGGAGAATGAACAATGCCCCACCAAAGGTTATGAAGAAGATGTC 522
    ||| ||||||||||:::||||||| |||||||||| |||::|||||||||
175 heIleMetArgMetAsnGlnAlaProThrValGlyPheGluGlnAspVal 191

523 GGCCGCATGACCATGATTCGAGTGTGTCCCATACCACCAGCGTTCCTCTTT 572
    |||              |||:::::: |||  |||
192 GlySer.........ArgThrThrHisPheMetTyrProGluSe 204

573 GCTAAAAAACCCTGATTATTTTTCAAGGAAGCGAATACTACTATTGTG 622
    |||||           |||||||:::::::::  :
204 rAlaLysAsn..........LeuProAlaAsnValSerPheValL 216

623 TTATTTGGGACCTTCCGC 642
    :::::   |||||||||
216 euVal......ProPheLys 220
```

seq_name: sp_rodent:Q9JL30

```
seq_documentation_block:
ID   Q9JL30        PRELIMINARY;      PRT;       224 AA.
AC   Q9JL30;
DT   01-OCT-2000 (TrEMBLrel. 15, Created)
DT   01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   ST3GAL-I SIALYLTRANSFERASE (FRAGMENT).
DE   ST3GAL-1.
GN   ST3GAL-1.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=129/SVJ;
RX   MEDLINE=20216390; PubMed=10755614;
RA   Priatel J.J., Chui D., Hiraoka N., Simmons C.J.T., Richardson K.B.,
RA   Page D.M., Fukuda M., Varki N.M., Marth J.D.;
RT   "The ST3Gal-I Sialyltransferase Controls CD8+ T Lymphocyte Homeostasis
RT   by Modulating O-Glycan Biosynthesis.";
RL   Immunity 12:273-283(2000).
DR   EMBL; AF214030; AAF60973.1; -.
DR   EMBL; AF214028; AAF60973.1; JOINED.
DR   EMBL; AF214029; AAF60973.1; JOINED.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase.
FT   NON_TER     224    224
SQ   SEQUENCE   224 AA;  26099 MW;  48D5ED3C9E644C5 CRC64;
```

alignment_scores:
        Quality: 131.00   Length: 228
        Ratio: 1.394   Gaps: 8
Percent Similarity: 41.228   Percent Identity: 21.930

alignment_block:
US-09-714-936-218 x Q9JL30

Align seg 1/1   to: Q9JL30   from: 1   to: 224

```
178 CTGAAGAGAAAGTCTGTGATTGCTGCGTGCAGCTTCATAGCAGCGTTCCTTTT 227
    ::::::|||||||:::::   :::::|||:||  ||  |||::||
  1 MetArgArgLysThrLeuLysTyrLeuThrPhePheLeuLeuPheIlePh 17

228 CCTGCTGGTTGTGCGCTGTCTTGTAAATGAAGTGAATTCCCATTGCTACTAA 277
    |||||                  |||   ||   |||
 17 eLeu..............ThrSerPheValLeuAsnTyrS 26

278 ACTGCTTGGACAACCTGGTACAAAGTGGGATACCA............... 312
    ::  ||| |||  :::  ||||:|||
```

DT   01-MAY-2000 (TrEMBLrel. 13, Created)
DT   01-OCT-2001 (TrEMBLrel. 18, Last sequence update)
DT   01-DEC-2001 (TrEMBLrel. 19, Last annotation update)
DE   ALPHA-2,3-SIALYLTRANSFERASE.
GN   SIATFL.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=LIVER;
RX   MEDLINE=99435972; PubMed=10504389;
RA   Shang J., Qiu R., Wang J., Liu J., Zhou R., Ding H., Yang S.,
RA   Zhang S., Jin C.;
RT   "Molecular cloning and expression of Galbeta1,3GalNAc alpha2, 3-
RT   sialyltransferase from human fetal liver.";
RL   Eur. J. Biochem. 265:580-588(1999).
DR   EMBL; AF059321; AAC17874.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase.
SQ   SEQUENCE   340 AA; 39130 MW; A3E8A48F85446EB0 CRC64;

alignment_scores:
              Quality: 134.00   Length: 128
              Ratio: 1.914   Gaps: 3
Percent Similarity: 54.688   Percent Identity: 31.250

alignment_block:
US-09-714-936-218 x Q9UN51

Align seg 1/1 to: Q9UN51 from: 1 to: 340

376 GAGCCTTGCAACTGGACTGGACCTTTGTCCATAGTGTCAAACTCAGG 425
    ||| :::::: ||| |||||||:::|||::|||||||
133 GluLysArgSerValGlyCysArgArgCysAlaValValGlyAsnSerGl 149

426 TCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATGATCCTCCTGCA 475
    |:::::: :::::: ||| |||||||| :::
149 yAsnLeuArgGluSerSerTyrGlyProGluIleAspSerHisAspPheV 166

476 TTTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGAAGATGTCGGC 525
    :: |||||||:||::||||||| |||::|||:: |||||||
166 alLeuArgMetAsnLysAlaProThrAlaGlyPheGluAlaAspValGly 182

526 CGCATGACCATGATTCGAGTTGTCCCATACCAGCGTTCCTCTTTTGCT 575
    ||| |||||||:::|| ::::||||||
183 ThrLysThrThrHisHisLeuValTyrProGluSer.............. 194

576 AAAAAACCCTGATTATTTTTCAAGGAAGCGAATACTACTATTTGTGTTA 625
    |||::||| ::|||
195 ....PheArgGluLeuGlyAspAsnValSerMetI 205

626 TTTGGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGGCATCGTTTAC 675
    :| ||||||||||| ||| ::: :::||
205 leLeuValProPheLysThrIle.....AspLeuGluTrpValValArg 219

676 AACATGTTGAAAAAGACAGTGGT........ATCTATCCGAATGCCCA 716
    ::: |||||||| :::||| |||:::
220 AlaIleThrThrGlyThrIleSerHisThrTyrIleProValProAlaLy 236

717 AATATACGTGACCACAGAGAAGCGCCATGAGTTAC 750
    :||| ||| :::||| ::: |||
236 sIleArgValLysGlnAspLysIleLeuIleTyr 247

seq_name: sp_human:Q16842

seq_documentation_block:
ID   Q16842   PRELIMINARY;   PRT;   350 AA.
AC   Q16842; O00654;
DT   01-NOV-1996 (TrEMBLrel. 01, Created)

---

231 ysTrpGlnAspPheLysTrpLeuLys.................... 239
676 AACATGTTGAAAAAGACAGTTGTATCTATCCGAATGCCCAAATATACGT 725
                                          ||| :: Tyril 241
240 ....Tyril 241
726 GACCACAGAGAGGCCATGACTACTGTGATGAGTTTTTAAG 768
    :::: :::::||:::||| |||||| :::|||
241 eValTyrLysGluArgValSerAlaSerAspGlyPheTrpLys 255

seq_name: sp_rodent:Q91WH6

seq_documentation_block:
ID   Q91WH6   PRELIMINARY;   PRT;   350 AA.
AC   Q91WH6;
DT   01-DEC-2001 (TrEMBLrel. 19, Created)
DT   01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT   01-DEC-2001 (TrEMBLrel. 19, Last annotation update)
DE   SIALYLTRANSFERASE 5.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=LIVER;
RA   Strausberg R.;
RL   Submitted (OCT-2001) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BC015264; AAH15264.1; -.
KW   Transferase.
SQ   SEQUENCE   350 AA; 40096 MW; 0733F03E5DCD8525 CRC64;

alignment_scores:
              Quality: 136.50   Length: 90
              Ratio: 2.482   Gaps: 4
Percent Similarity: 61.111   Percent Identity: 37.778

alignment_block:
US-09-714-936-218 x Q91WH6

Align seg 1/1 to: Q91WH6 from: 1 to: 350

373 CAAGAGCCTTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTC 422
    :::::||| ||| ||| |||||||:::||::|||||
144 ArgAspProGlnGln......CysArgArgCysAlaValValGlyAsnSe 158

423 AGGTCAGATGGTTGGCCAGAAGGTGGGAAATAGAGATAGATGATCCTCCT 472
    ||||:::: :::::: ||| |||||||| :::
158 rGlyAsnLeuArgGlySerGlyTyrGlyGlnGluValAspSerHisAsnL 175

473 GCATTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGAAGATGTC 522
    ||| |||||||:||::|||||||| |||::|||:: |||||||
175 euIleMetArgMetAsnGlnAlaProThrValGlyPheGluLysAspVal 191

523 GGCCGCATGACCATGATTCGAGTTGTCCCATACCAGCGTTCCTCTTTT 572
    ||| |||||||:::|| ::::||||||
192 GlySer.........ArgThrThrHisHisPheMetTyrProGluSer 204

573 GCTAAAAAACCCTGATTATTTTTCAAGGAAGCGAATACTACTATTTGTG 622
    |||::||| ::::::
204 rAlaLysAsn.........LeuProAlaAsnValSerPheValL 216

623 TTATTTGGGGACCTTTCCGC 642
    ||||||||
216 euVal.....ProPheLys 220

seq_name: sp_human:Q9UN51

seq_documentation_block:
ID   Q9UN51   PRELIMINARY;   PRT;   340 AA.
AC   Q9UN51; O60677;

DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   GAL(BETA)1,3/4-GLCNAC (ALPHA)2,3-SIALYLTRANSFERASE (EC 2.4.99.6)
DE   (FRAGMENT).
GN   ST3GAL III.
OS   Mesocricetus auratus (Golden hamster).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Cricetinae;
OX   Mesocricetus.
RN   NCBI_TaxID=10036;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=20062816; PubMed=10593893;
RA   Grabenhorst E., Conradt H.S.;
RT   "The cytoplasmic, transmembrane and stem (CTS) regions of
RT   glycosyltransferases specify their in vivo functional sublocalization
RT   and stability in the Golgi.";
RL   J. Biol. Chem. 274:36107-36116(1999).
DR   EMBL; AJ245699; CAB53394.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase.
FT   NON_TER   1   1
FT   NON_TER   359   359
SQ   SEQUENCE   359 AA; 40523 MW; DC7080C1F7A12B84 CRC64;

alignment_scores:
         Quality: 137.50   Length: 181
           Ratio: 1.511   Gaps: 4
Percent Similarity: 50.276   Percent Identity: 21.547

alignment_block:
US-09-714-936-218 x Q9QXF6   ..

Align seg 1/1 to: Q9QXF6   from: 1 to: 359

283 TTTGGACAACCTGGTACAAAGTGGATACCATTCTCCTACACATACAGGCG 332
    |||::|||:|||::   ::|||: |||::
 94 PheSerLysProAlaProMetPheLeuAspAspSerPheArgLysTrpAl 110

333 GCCCCTTCGAACTCACTATGGATACATAAATGTGAAGACACAAGAGCCTT 382
    ::||||| :::|||:||| |||::| | |:|||
110 aArgIleArgGluPheValProProPheGlyIleLeuLysGlyGlnAspAsnL 127

383 TG... 384
    ||
127 euIleLysAlaIleLeuSerValThrLysGluTyrArgLeuThrProAla 143

385 .....CAACTGGACTGTGACCTTGTGCCATAGTGTCAAACTCAGGTCA 428
         ::||| ||||||:::||| ||||||:::||:|||
144 LeuAspSerLeuHisCysArgArgCysIleIleValGlyAsnGlyGlyVa 160

429 GATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCATTT 478
    ||:|||:::|||:|||:||||| ||:||| :|||||:|||||||
160 lLeuAlaAsnLysSerLeuGlySerArgIleAspAspTyrArgIleValV 177

479 GGAGAATGAACAATGCCCCACCAAAGGTCGGCCGC 528
    :||:|||::|||||:||||||||:|||||||||
177 alArgLeuAsnSerAlaProValLysGlyPheGluArgAspValGlySer 193

529 ATGACCATGATTGCGAGTTGTGTCCCATAACCAGCGTTCCTCTTTTGCTAAA 578
    ::::||||: ||| |||:|||||:|||::   :::
194 LysThrThrLeuArgIle.......ThrTyrProGluGlyAlaMetGl 207

579 AAACCCTGATTATTTTCAAGGAAGCGAATACTACTATTTGTTATT. 627
    ||| ::: :::::::|| ||| ::::::
207 nArgProGluGlnTyrGluArgGluArgIleAspPheValLeuAlaGlyPheL 224

628 ..TGGGGACCTTTCCGCAATATGAGGAAAGATGGCATCGTTTAC 675
    ||| |||:: :::::::||
224 ysTrpGlnAspPheLysTrpLeuLys................. 232

676 AACATGTTGAAAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGT 725

---

233   233
                                                   |||::
726 GACCACAGAGAGGCCATGAGTGACTGCTGTGATGGAGTTTTAAG 768
    ::: :::::|||:||||:::||| ||||| ::|||
234 eValTyrLysGluArgValSerAlaSerAspGlyPheThrpLys 248

seq_name: sp_rodent:Q922X5

seq_documentation_block:
ID   Q922X5   PRELIMINARY;   PRT;   374 AA.
AC   Q922X5;
DT   01-DEC-2001 (TrEMBLrel. 19, Created)
DT   01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT   01-DEC-2001 (TrEMBLrel. 19, Last annotation update)
DE   SIALYLTRANSFERASE (N-ACETYLLACOSAMINIDE ALPHA
DE   2,3-SIALYLTRANSFERASE).
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RA   Strausberg R.;
RL   Submitted (APR-2001) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BC006710; AAH06710.1; -.
KW   Transferase.
SQ   SEQUENCE   374 AA; 42132 MW; 9E776305912CECDC CRC64;

alignment_scores:
         Quality: 137.50   Length: 181
           Ratio: 1.511   Gaps: 4
Percent Similarity: 50.276   Percent Identity: 21.547

alignment_block:
US-09-714-936-218 x Q922X5   ..

Align seg 1/1 to: Q922X5   from: 1 to: 374

283 TTTGGACAACCTGGTACAAAGTGGATACCATTCTCCTACACATACAGGCG 332
    |||::|||:|| :|||: |||::
101 PheSerLysProAlaProMetPheLeuAspAspSerPheArgLysTrpAl 117

333 GCCCCTTCGAACTCACTATGGATACATAAATGTGAAGACACAAGAGCCTT 382
    ::||||| :::|||:|||::|||:: ||| ||||| |
117 aArgIleArgGluPheValProProPheGlyIleLeuLysGlyGlnAspAsnL 134

383 TG... 384
    ||
134 euIleLysAlaIleLeuSerValThrLysGluTyrArgLeuThrProAla 150

385 ......CAACTGGACTGTGCCATTGTGCCATAGTGTCAAACTCAGGTCA 428
          :::||| |||||||:::|| ::|||:::||:|||
151 LeuAspSerLeuHisCysArgArgCysIleIleValGlyAsnGlyGlyVa 167

429 GATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCATT 478
    ||:|||::|||:|||:||||| ||:||| :|||||:||||||| |
167 lLeuAlaAsnLysSerLeuGlySerArgIleAspAspTyrArgIleValI 184

479 GGAGAATGAACAATGCCCCACCAAAGGTTATGAAGAAGAGATGTCGGCCGC 528
    :||:|||::|||||:||||||||:|||:: |||||||||||||||
184 leArgLeuAsnSerAlaProValLysGlyPheGluArgAspValGlySer 200

529 ATGACCATGATTGCGAGTTGTGTCCCATAACCAGCGTTCCTCTTTTGCTAAA 578
    ::::||||: ||| |||:|||||:|||:: ||
201 LysThrThrLeuArgIle.......ThrTyrProGluGlyAlaMetGl 214

579 AAACCCTGATTATTTTTCAAGGAAGCGAATACTACTATTTGTTATT. 627
    ||| ::: :::::::|| ||| ::::::
214 nArgProGluGlnTyrGluArgGluArgIleAspPheValLeuAlaGlyPheL 231

628 ..TGGGGACCTTTCCGCAATATGAGGAAAGATGGCATCGTTTAC 675
    ||| |||:: ::::::||
231 ysTrpGlnAspPheLysTrpLeuLys................. 234

```
123 LeuSerValThrLysGluTyrArgLeuThrProAlaLeuAspSerLeuHi 139
        ::::||||:::::|||||
393 CTGTGACCTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGA 442
    |||     |||||:::::::::     ::::::|||
139 sCysArgArgCysIleIleValGlyAsnGlyValGlyValLeuAlaAsnLysS 156

443 AGGTGGGAAATGAGATAGCATCGATCCTCCTGCATTGGAGAATGAACAAT 492
    :::::||::||||||||
156 erLeuGlySerArgIleAspAspTyrAspIleValIleArgLeuAsnSer 172

493 GCCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCG 542
    |||||||:::::|||::::||:::||||||||     ||| ::::|||
173 AlaProValLysGlyPheGluArgAspValGlySerLysThrThrLeuAr 189

543 AGTTGTGTCCCATACCAGCGTTCCTCTTTGCTAAAAAACCCTGATTATT 592
    |:::         |||
189 gIle........ThrTyrProGluGlyAlaMetGlnArgProGluGlnT 203

593 TTTTCAAGGAAGCGAATACTACTATTTGTGTTATT...TGGGGACCTTTC 639
    ::     :::::::|||     ||| |||
203 yrGluArgAspSerLeuPheValLeuAlaGlyPheLysTrpGlnAspPhe 219

640 CGCAAATATGAGGAAAGATGGCAATGGCATCGTTTACAACATGTTGAAAAA 689
    :::    :::::
220 LysTrpLeuLys................................... 223

690 GACAGTTGGTATCTATCCGAATGCCCAAATATACGTGACCACAGAGAAGC 739
                  |||::::::     :::::|||
224 .........................TyrIleValTyrLysGluA 230

740 GCATGAGTTACTGTGATGGAGTTTTTAAG 768
    |||||||     |||||||     ::|||
230 rgValSerAlaSerAspGlyPheTrpLys 239
```

seq_name: sp_rodent:Q9DBB6

seq_documentation_block:
```
ID   Q9DBB6          PRELIMINARY;   PRT;   374 AA.
AC   Q9DBB6;
DT   01-JUN-2001 (TrEMBLrel. 17, Created)
DT   01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   SIALYLTRANSFERASE (N-ACETYLLACOSAMINIDE ALPHA 2,3-
DE   SIALYLTRANSFERASE).
GN   SIAT6.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=C57BL/6J; TISSUE=LIVER;
RX   MEDLINE=21085660; PubMed=11217851;
RA   Kawai J., Shinagawa A., Shibata K., Yoshino M., Itoh M., Ishii Y.,
RA   Arakawa T., Hara A., Fukunishi Y., Konno H., Adachi J., Fukuda S.,
RA   Aizawa K., Izawa M., Nishi K., Kiyosawa H., Kondo S., Yamanaka I.,
RA   Saito T., Okazaki Y., Gojobori T., Bono H., Kasukawa T., Saito R.,
RA   Kadota K., Matsuda H.A., Ashburner M., Batalov S., Casavant T.,
RA   Fleischmann W., Gaasterland T., Gissi C., King B., Kochiwa H.,
RA   Kuehl P., Lewis S., Matsuo Y., Nikaido I., Pesole G., Quackenbush J.,
RA   Schriml L.M., Staubli F., Suzuki R., Tomita M., Wagner L., Washio T.,
RA   Sakai K., Okido T., Furuno M., Aono H., Baldarelli R., Barsh G.,
RA   Blake J., Boffelli D., Bojunga N., Carninci P., de Bonaldo M.F.,
RA   Brownstein M.J., Bult C., Fletcher C., Fujita M., Gariboldi M.,
RA   Gustincich S., Hill D., Hofmann M., Hume D.A., Kamiya M., Lee N.H.,
RA   Lyons P., Marchionni L., Mashima J., Mazzarelli J., Mombaerts P.,
RA   Nordone P., Ring B., Ringwald M., Rodriguez I., Sakamoto N.,
RA   Sasaki H., Sato K., Schoenbach C., Seya T., Shibata Y., Storch K.-F.,
RA   Suzuki H., Toyo-oka K., Wang K.H., Weitz C., Whittaker C., Wilming L.,
RA   Wynshaw-Boris A., Yoshida K., Hasegawa Y., Kawaji H., Kohtsuki S.,
RA   Hayashizaki Y.;
RT   "Functional annotation of a full-length mouse cDNA collection.";
```

```
RL   Nature 409:685-690(2001).
DR   EMBL; AK005053; BAB23779.1; -.
DR   MGD; MGI:1316659; Siat6.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
SQ   SEQUENCE   374 AA;   42132 MW;   1E573605947CBA3A CRC64;
```

alignment_scores:
```
              Quality:   138.50                 Length:     184
              Ratio:       1.539                  Gaps:        5
Percent Similarity:   48.913     Percent Identity:   22.283
```

alignment_block:
US-09-714-936-218 x Q9DBB6

Align seg 1/1   to: Q9DBB6   from: 1 to: 374

```
283 TTTGGACAAACCTGGTACAAAGTGGATACCATTCTCCTACACATACAGGCG 332
    |||:::::::||||:        :::::     |||:::
101 PheSerLysProAlaProMetPheLeuAspSerPheArgLysTrpAl 117

333 GCCCCTTCGAACTCACTATGGATACATAAATGTGAAGACACAAGAGCCTT 382
    ::::|||     ::::::|||:||     |||:::     ||||||
117 aArgIleArgGluPheValProProPheGlyIleLysGlyGlnAspAsnL 134

383 TG............................................. 384
    ||
134 euIleLysAlaIleLeuSerValThrLysGluTyrArgLeuThrProAla 150

385 ......CAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCA 428
       ::::|||     |||     |||||:::|||::::|||:||
151 LeuAspSerLeuHisCysArgArgCysIleIleValGlyAsnGlyValVa 167

429 GATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCATTT 478
    :::::|||     :::::|||     ::::|||
167 lLeuAlaAsnLysSerLeuGlySerArgIleAspAspTyrAspIleValI 184

479 GGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGC 528
    |||::::|||:||||:::||||||||:::     |||||||
184 leArgLeuAsnSerAlaProValLysGlyPheGluArgAspValGlySer 200

529 ATGACCATGATTCGAGTTGTGTCCCATACCAGCGTTCCTCTTTGCTAAA 578
    |||     |||     :::::||:::
201 LysThrThrLeuArgIle........ThrTyrProGluGlyAlaMetGl 214

579 AAACCCTGATTATTTTTCAAGGAAGCGAATACTACTATTTGTGTTATT.. 627
    :::||:||     ::::::||||||     :::::|||
214 nArgProGlnIleTyrGluArgAsp.......SerIlePheValLeuA 228

628 ........TGGGGACCTTCCGCAATATGAGGAAAGATGGCAATGGC 666
             |||     ::::::
228 laGlyPheLysTrpGlnAspPheLysTrpLeuLys.............. 239

667 ATCGTTTACAACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCA 716
    ...............................
239 .................................................. 239

717 AATATACGTGACCACAGAGAAGCGCATGAGTTACTGTGATGGAGTTTTTA 766
    |||     :::::::|||||||||     ||||||:::
240 ...TyrIleValTyrLysGluArgValSerAlaSerAspGlyPheTrpL 255

767 AG 768
    ||
255 ys 255
```

seq_name: sp_rodent:Q9QXF6

seq_documentation_block:
```
ID   Q9QXF6          PRELIMINARY;   PRT;   359 AA.
AC   Q9QXF6;
DT   01-MAY-2000 (TrEMBLrel. 13, Created)
DT   01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
```

```
DE   SIALYLTRANSFERASE (N-ACETYLLACOSAMINIDE ALPHA 2,3-
DE   SIALYLTRANSFERASE).
GN   SIAT6.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=C57BL/6J; TISSUE=EMBRYO;
RX   MEDLINE=21085660; PubMed=11217851;
RA   Kawai J., Shinagawa A., Shibata K., Yoshino M., Itoh M., Ishii Y.,
RA   Arakawa T., Hara A., Fukunishi Y., Konno H., Adachi J., Fukuda S.,
RA   Aizawa K., Izawa M., Nishi K., Kiyosawa H., Kondo S., Yamanaka I.,
RA   Saito T., Okazaki Y., Gojobori T., Bono H., Kasukawa T., Saito R.,
RA   Kadota K., Matsuda H.A., Ashburner M., Batalov S., Casavant T.,
RA   Fleischmann W., Gaasterland T., Gissi C., King B., Kochiwa H.,
RA   Kuehl P., Lewis S., Matsuo Y., Nikaido I., Pesole G., Quackenbush J.,
RA   Schriml L.M., Staubli F., Suzuki R., Tomita M., Wagner L., Washio T.,
RA   Sakai K., Okido T., Furuno M., Aono H., Baldarelli R., Barsh G.,
RA   Blake J., Boffelli D., Bojunga N., Carninci P., de Bonaldo M.F.,
RA   Brownstein M.J., Bult C., Fletcher C., Fujita M., Gariboldi M.,
RA   Gustincich S., Hill D., Hofmann M., Hume D.A., Kamiya M., Lee N.H.,
RA   Lyons P., Marchionni L., Mashima J., Mazzarelli J., Mombaerts P.,
RA   Nordone P., Ring B., Ringwald M., Rodriguez I., Sakamoto N.,
RA   Sasaki H., Sato K., Schoenbach C., Seya T., Shibata Y., Storch K.-F.,
RA   Suzuki H., Toyo-oka K., Wang K.H., Weitz C., Whittaker C., Wilming L.,
RA   Wynshaw-Boris A., Yoshida K., Hasegawa Y., Kawaji H., Kohtsuki S.,
RA   Hayashizaki Y.;
RT   "Functional annotation of a full-length mouse cDNA collection.";
RL   Nature 409:685-690(2001).
DR   EMBL; AK013016; BAB28598.1; -.
DR   MGD; MGI:1316659; Siat6.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
SQ   SEQUENCE  358 AA;  40559 MW;  BF5007ECE736010B CRC64;

alignment_scores:
          Quality:   139.00                      Length:    243
          Ratio:     1.209                        Gaps:      6
Percent Similarity:  47.325      Percent Identity:  18.519

alignment_block:
US-09-714-936-218 x Q9CZ48

Align seg 1/1  to: Q9CZ48  from: 1    to: 358

139  CGGTGGCAGGAGGGCCGGCGGAGCGCCATGGCCTGCATCCTGAAGAGAAA  188
     :::::::::::::::::::::::  :::::::  :::::  :::||||||
34   GlnTrpGluAspSerLysTyrAspArgLeuGlyPheLeuLeuLysLeuAs  50

189  GTCGTGTGATTGCTGTGAGCGTTCATAGCAGCGTTCCTTTTCCTGCTGGTTG  238
     |||                      :::                ||||
50   pSerLysLeuProAlaGluLeuAlaThrLysTyr.............  61

239  TGCCGTCTTGTAAATGAAGTGAATTTC...................  264
     ::|||||
62   .............AlaAsnPheSerGluGlyAlaCysLysProGly  72

265  ........CCATTGCTACTAAACTGCTTGGACAACCTGG  296
             :::::::   :::::  :::::||:::|||:
73   TyrAlaSerAlaMetMetThrAlaIlePheProArgPheSerLysProAl  89

297  TACAAAGTGGATACCATTCTCCTACACATACAGGCGGCCCCTTCGAACTC  346
     :::::           :::::                     :::||||
89   aProMetPheLeuAspAspSerPheArgLysTrpAlaArgIleArgGluP  106

347  ACTATGGATCATACATAAATGTGAAGACACAAGAGCCTTTG........  384
                            ::|||::::||| |||
106  heValProProPheGlyTyrIleLysGlyGlnAspAsnLeuIleLysAlaIle  122

385  ....................................CAACTGGA  392
```

```
238  .................................GTGCGTC  244
                                      ::|||
21   sIleLeuTrpGlyThrAsnGlyTyrTrpPheProAlaGluMetArgT  38

245  TTGTAAATGAAGTGAATTCCCATTGCTACTACTAAACTGCTTGGACAACCT  294
     ||||||||||  :::||::  ::|||
38   hrArgAsnValAsn............AsnCysPheLysLysPro  49

294  ...................................  294

50   AlaPheAlaAsnLeuLeuArgPheProGlnLeuTyrProPheLeuCysAr  66

295  .........................GGTACAAAGTGGATACCAT  313
                             ||||||::  ::||::
66   gAlaAspPheIleLysValAlaAlaIleMetSerGlyThrAsnAsnPheProL  83

314  TCTCCTACACATACAGGCGCGCCCCTTGCAACTCCACTATGGATACATAAAT  363
     :::|||  ::::::||||:::|
83   euProTyrGlyIle...LysThrPheGluThrTyrPheSerSerAlaLeu  98

364  GTGAAGACAA.............GAGCCTTTGCAACTGGACTG  395
     ||| |||                ||  :::|
99   SerLysLeuGlnSerCysAspLeuPheAspGluPheAspArgValProCy  115

396  TGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGG  445
     !::::::::::::|||||:::||  :::   :|||  ::||::
115  sLysArgCysValValValGlyAsnGlyValLeuLeuLysAsnLysThrL  132

446  TGGGAAAATGAGATGATCGATCCTCCTGCATTGGAGAATGAACAATGGCA  495
     ::|||   |||||  ::: |||  ||||||||||||||:::::|
132  euGlyAlaThrIleAspSerTyrAspValIleIleArgMetAsnAsnGly  148

496  CCCACCAAAGGTTATGAAGAAGATGTCGGCGCCCGCCATGACCATGATTCGAGT  545
     |||::: |||:::|||||||:::|||||  ||| ::|||
149  ProValLeuGlyHisGluGluValGlyIleThrArgArgThrThrPheArg..  164

546  TGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCGATTATTTTT  595
     ::|||   :::|
165  .......................LeuPheTyrProGluSerValP  172

596  TCAAGGAAGCGAAT.................ACTACTATTTGTGTTATT  627
     ||:::::::::::                  ||:::||
172  heSerAspSerHisTyrAspProAsnThrThrAlaValLeuValVal  188

628  TGGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGGCATCGTTTACAA  677
     ::|||   ||| :::: :::|||
189  PheLysPro..............GlnAspLeuArgTrpLeuValGlIuIl  200

678  CATGTTGAAAAAGACAGTTGGT.........TACGTG  726
     ::||| ||| :::::
189  ..................AlaGlu.........TACGTG  726

678  CATGTTGAAAAAGACAGTTGGT.........  699

700  ...ATCTATCCGAATGCCCAAATA............TACGTG  726
        ||:::|  |||||              :::|||
217  euLysLeuLeuTyrLysGlnTyrGlnIleArgIleLeuArgIleLeuAsp  233

727  ACCACAGAGAAG......CGCATGAGTTACTGTGATGGAGTTTTTAAGAA  770
     |||::::|||     :::||||          ||||| |
234  ThrSerGluAlaAlaPheGlnMetLeuArgPheProArgValPheProLy  250

771  GGAA  774

250  sAsp  251
```

```
      ||||||                          |||:::|||::|||||||||:::||
  259 IleAspThrHisAspIleValMetArgPheAsnHisAlaProThrGlnGl 275

  507 TTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCCCATA 556
      |::||| |||||||           |||   |||||||||:::
  275 yHisGluValAspValGlySerLysThrThrIleArgValValAsnSerG 292

  557 CCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTTCAAGGAAGCG 606
      ::::: ::| |||   |||||||||||| |||      |||||
  292 In.........ValValThrLysProGluPheAspPheThrArgAla 304

  607 ..........AATACTACTATTTGTGTTATTGGGGACCTTTCCGCAA 644
      |||:::|||||||::::: ||| |||     :::
  305 ProIlePheArgAsnValThrIleAlaAla...TrpAspProGlyLysTy 320

  645 TATGAGGAAAGATGGCCATCGTTTACAACATGTTGAAAAAGACA. 693
      ||||| |||   |||
  320 r.......AsnGlyThrLeuGluAspTrpLeuThrSerAlaA 332

  694 ..GTTGGTATCATCCGAATGCCCAAATATAC 723
      ::::: ||| :::|||||
  332 spTyrAspLeuPheSerAsnTyrGluLeuTyr 342
```

seq_name: sp_mammal:O18974

seq_documentation_block:
ID   O18974   PRELIMINARY;   PRT;   405 AA.
AC   O18974;
DT   01-JAN-1998 (TrEMBLrel. 05, Created)
DT   01-JAN-1998 (TrEMBLrel. 05, Last sequence update)
DT   01-DEC-2001 (TrEMBLrel. 19, Last annotation update)
DE   BETA-GALACTOSIDE ALPHA-2,6-SIALYLTRANSFERASE (EC 2.4.99.1).
GN   ST6 GAL I.
OS   Bos taurus (Bovine).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC   Bovidae; Bovinae; Bos.
OX   NCBI_TaxID=9913;
RN   [1]
RP   SEQUENCE FROM N.A.
RA   Mercier D., Wierinckx A., Oulmouden A., Gallet P.F., Palcic M.M.,
RA   Harduin-Lepers A., Delannoy P., Petit J.M., Leveziel H., Julien R.;
RT   "Molecular cloning, expression and exon/intron organization of the
RT   bovine beta-galactoside alpha-2,6-sialyltransferase gene.";
RL   Submitted (OCT-1997) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; Y15111; CAA75385.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase.
SQ   SEQUENCE 405 AA; 46246 MW; 9EA94823A7711DAC CRC64;

alignment_scores:
         Quality: 143.00   Length: 137
         Ratio: 2.167   Gaps: 3
Percent Similarity: 48.175   Percent Identity: 24.088

alignment_block:
US-09-714-936-218 x O18974

Align seg 1/1 to: O18974 from: 1 to: 405

```
  403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
      ||||||:::|||||::||::|||||| ::::::::|||::
  181 CysAlaValValSerSerAlaGlyserSerLeuLysSerSerArgLeuGlyAr 197

  453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATCCCCCACCA 502
      :||||||| |||:::||:: ||
  197 gGluIleAspAspHisAspPheAlaValLeuArgPheAsnGlyAlaProThrV 214

  503 AAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCC 552
      :::|||:::|||||||| || |||||||| ||||||:::|||
  214 aLeuValAlaIlePheLysThrThrIleArgLeuValAsn 230
```

```
  552 .............................................. 552
      ::::::::::::::::::::::::::::::::::
  231 SerGlnLeuValThrThrGluAlaGlyPheLeuLysAspSerLeuTyrAs 247

  553 ........................................CATACCAGGGTTC 565
      |||::::::::
  247 nGluGlyIleLeuIleValTrpAspProSerValTyrHisSerAspIleP 264

  566 CTCTTTGCTAAAAAACCCTGATTATTTTTTCAAGGAGGAGGAATACTACT 615
      || :::||||||||||| |||
  264 roLysTrpTyrArgAsnProAspTyrSerPhe. 274

  616 ATTTGTTGTTATTGGGGACCTTTCCGCAATATGAGGAAAGAATGGCCAATGG 665
      ||||| |||::::::: |||||
  275 .........PheAsnAsnPheLysSerTyrArgLys............ 283

  666 CATCGTTTACAACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCC 715
      ::::::|||::: |||||
  284 ...........................LeuHisProAspGlnP 289

  716 AAATATACGTG 726
      :::||:::
  289 roPheTyrIle 292
```

seq_name: sp_rodent:Q9WVG2

seq_documentation_block:
ID   Q9WVG2   PRELIMINARY;   PRT;   329 AA.
AC   Q9WVG2;
DT   01-NOV-1999 (TrEMBLrel. 12, Created)
DT   01-NOV-1999 (TrEMBLrel. 12, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   UBIQUITOUS ALPHA-2,3-SIALYLTRANSFERASE VI.
GN   SIAT10.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=BRAIN;
RA   Kapitonov D.;
RT   "Molecular cloning and expression of ceramide galactosyltransferases.
RT   Comparison with other glycosyltransferases.";
RL   Thesis (1997), Medical College of Virginia,..
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=BRAIN;
RA   Kapitonov D., Yu R.K.;
RT   "Sialyltransferases.";
RL   Submitted (JAN-1999) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AF119390; AAD39130.1; -.
DR   MGD; MGI:1888707; Siat10.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase.
SQ   SEQUENCE 329 AA; 37854 MW; AD38A825253F6352 CRC64;

alignment_scores:
         Quality: 140.50   Length: 268
         Ratio: 1.201   Gaps: 11
Percent Similarity: 43.657   Percent Identity: 22.761

alignment_block:
US-09-714-936-218 x Q9WVG2

Align seg 1/1 to: Q9WVG2 from: 1 to: 329

```
  193 GTGTAGGCTGTGAGCTTCATAGCAGCGTTCCTTTTCCTGCTGGTT..... 237
      ::::|||::: ::: |||||:::|| |||||||::|||
    5 LeuValAlaIlePheLeuSerIlePheLeuTyrTyrValLeuTyrCy 21
```

RA   Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
RA   Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
RA   Borkova D., Botchan M.R., Bouck J., Brokstein P., Brottier P.,
RA   Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
RA   Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
RA   de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
RA   Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
RA   Durbin K.J., Evangelista C.C., Ferraz C., Ferriera S., Fleischmann W.,
RA   Fosler C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
RA   Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
RA   Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
RA   Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
RA   Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
RA   Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
RA   Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
RA   Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
RA   Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
RA   Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
RA   Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
RA   Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
RA   Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
RA   Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
RA   Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
RA   Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
RA   Wang Z.-Y., Wassarman D.A., Weinstock G.M., Weissenbach J.,
RA   Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
RA   Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
RA   Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
RA   Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
RT   "The genome sequence of Drosophila melanogaster.";
RL   Science 287:2185-2195(2000).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   STRAIN=ISOGENIC Y; CN BW SP; TISSUE=HEAD;
RA   Kim K., Lawrence S.M., Park J., Pitts L., Vann W.F., Betenbaugh M.J.,
RA   Palter K.B.;
RT   "Expression of a functional Drosophila melanogaster N-acetylneuraminic
RT   acid (Neu5Ac) phosphate synthase gene: Evidence for endogenous sialic
RT   acid biosynthetic ability in insects.";
RL   Glycobiology 0:0-0(2001).
DR   EMBL; AE003465; AAF47256.1; -.
DR   EMBL; AF397532; AAK92126.1; -.
DR   FlyBase; FBgn0035050; ST6Gal.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase.
SQ   SEQUENCE   451 AA;   51218 MW;   5FCA1B8C86B983F4 CRC64;

alignment_scores:
      Quality: 159.00   Length: 144
        Ratio: 1.916   Gaps: 7
Percent Similarity: 57.639   Percent Identity: 31.944

alignment_block:
US-09-714-936-218 x Q9W121

Align seg 1/1 to: Q9W121 from: 1 to: 451

307 ATACCATTCTCCTACACATACAGGCGGCCCCTTCGAACTCACTATGGATA 356
    :::||||||||::::   ::: ||||::::||::::||
197 LeuProPheGlyArgLeuPheProArgGlnLysLeu..........Ph 209

357 CATAAATGTGAAGACACAAGAGCCTTTGCAACTGGACTGTGACCTTTGTG 406
    : |||||||| ||| |||
209 eArgAsnValLys..............AspIleLysThrCysA 219

407 CCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAG 456
    ||||||||:::::||::||:::|:||::::|||||:::||::||:
219 laIleValSerSerAlaGlySerLeuAlaGlySerLysLeuGlyArgphe 235

457 ATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCCACCAAAGG 506
    |||||| ::: |||::||||||||||||:::::||

---

236 IleAspThrHisAspIleValMetArgPheAsnHisAlaProThrGlnGl 252
507 TTATGAGAAGATGTCGGCCGCCATGACCGATGATTCGAGTTGTGTCCCATA 556
    |:::||| ||||||||| ||| |||||||||||||||||:::
252 yHisGluValAspValGlySerLysThrThrIleArgValValAsnSerG 269
557 CCAGCGTTCCTCTTTTGCTAAAAAACCTGATTATTTTTCAAGGAAGCG 606
    :::||: ::|||||: ||| ||| :::|||
269 ln..........ValValThrLysProGluPheAspPheThrArgAla 281
607 ..........AATACTACTATTTGTGTTATTGGGACCTTTCCGCAA 644
    ||:::|||||||:::::|| |||
282 ProIlePheArgAsnValThrIleAlaAla...TrpAspProGlyLysTy 297
645 TATGAGGAAAGATGGCAATGGCATCGTTTACACACATGTGAAAAAGACA 693
    |||||| ::: ||| |||
297 r......AsnGlyThrLeuGluAspTrpLeuThrSerAlaA 309
694 ..GTTGGTATCTATCCGAATGCCCAAATATAC 723
    :::||| ||| :::||||||
309 spTyrAspLeuPheSerAsnTyrGluLeuTyr 319

seq_name: sp_invertebrate:Q9GU23

seq_documentation_block:
ID   Q9GU23   PRELIMINARY;   PRT;   474 AA.
AC   Q9GU23;
DT   01-MAR-2001 (TrEMBLrel. 16, Created)
DT   01-MAR-2001 (TrEMBLrel. 16, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   BETA-GALACTOSIDE ALPHA-2,6-SIALYLTRANSFERASE (EC 2.4.99.1).
GN   ST6GAL OR CG4871.
OS   Drosophila melanogaster (Fruit fly).
OC   Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC   Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC   Ephydroidea; Drosophilidae; Drosophila.
OX   NCBI_TaxID=7227;
RN   [1]
RP   SEQUENCE FROM N.A.
RA   Farkas R., Medvedova L., Mechler B.M.;
RT   "Cloning of Drosophila beta-galactoside alfa-2,6-sialyltransferase.";
RL   Submitted (DEC-1999) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AF218237; AAG13185.1; -.
DR   FlyBase; FBgn0035050; ST6Gal.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase.
SQ   SEQUENCE   474 AA;   53879 MW;   9D710F3088922AC0 CRC64;

alignment_scores:
      Quality: 159.00   Length: 144
        Ratio: 1.916   Gaps: 7
Percent Similarity: 57.639   Percent Identity: 31.944

alignment_block:
US-09-714-936-218 x Q9GU23

Align seg 1/1 to: Q9GU23 from: 1 to: 474

307 ATACCATTCTCCTACACATACAGGCGGCCCCTTCGAACTCACTATGGATA 356
    ::::||||||| ::: ||| |||::::::::||:|::   .Ph 232
220 LeuProPheGlyArgLeuPheProArgGlnLysLeu...........Ph 232

357 CATAAATGTGAAGACACAAGAGCCTTTGCAACTGGACTGTGACCTTTGTG 406
    : |||||||| ||| |||
232 eArgAsnVallys..............AspIleLysThrCysA 242

407 CCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAG 456
    ||||||||:::::||::||:::|:||::::|||||:::||::||:
242 laIleValSerSerAlaGlySerLeuAlaGlySerLysLeuGlyArgPhe 258

457 ATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCCACCAAAGG 506

```
273 ................................................Pro 273

313 TTCCTCTACACATACAGGCGGCGGCCCCTTCGAACTCACTATGGATACATAAA
    ::|||       :: |||    ||||||||:::
274 LeuSerGlnLeuHisProArgGlyLeuArgSer.................. 284

363 TGTGAAGACACAAGAGCCTTTGCAACTGCACTGTGACCTTTGTGCCCATAG 412
                                    ||||||:::|
285 ...................................CysAlaValV 288

413 TGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGAT 462
    || ::||||||    :::::::::::|||:||||||||
288 alMetSerAlaGlyAlaIleLeuAsnSerLeuGlyGluGluIleAsp 304

463 CGATCCTCCTGCATTTGGAGAATGAACAATGCCCCACCAAAGGTTATGA 512
    ::::::||||    |||:||||||||||::||||||
305 SerHisAspAlaValLeuArgPheAsnSerAlaProThrArgGlyTyrGl 321

513 AGAAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCCCATACCAGCG 562
    |:::||||||||||:::    |||  ||||||
321 uLysAspValGlyAsnLysThrThrArgIleIleAsnSerGln...... 336

563 TTCCTCTTTTGCTAAAAACCCTGATTATTTTTTCAAGGAAGCGAAT... 609
    ::|||    ||||||    |||    ::|:::::
337 .........IleLeuThrAsnProSerHisHisPheIleAspSerSerLeu 350

610 .....ACTACTATTTGTGTTATTTGGGGACCT 636
         ::|||    |||    |||
351 TyrLysAspValIleLeuValAlaTrpAspPro 361
```

seq_name: sp_human:Q96JF0

seq_documentation_block:
```
ID   Q96JF0     PRELIMINARY;       PRT;       534 AA.
AC   Q96JF0;
DT   01-DEC-2001 (TrEMBLrel. 19, Created)
DT   01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT   01-DEC-2001 (TrEMBLrel. 19, Last annotation update)
DE   KIAA1877 PROTEIN (FRAGMENT).
GN   KIAA1877.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=BRAIN;
RX   MEDLINE=21245130; PubMed=11347906;
RA   Nagase T., Nakayama M., Nakajima D., Kikuno R., Ohara O.;
RT   "Prediction of the coding sequences of unidentified human genes. XX.
RT   The complete sequences of 100 new cDNA clones from brain which code
RT   for large proteins in vitro.";
RL   DNA Res. 8:85-95(2001).
DR   EMBL; AB058780; BAB47506.1; -.
FT   NON_TER       1       1
SQ   SEQUENCE   534 AA;  60707 MW;  39230FAE977BF098 CRC64;
```

alignment_scores:
```
    Quality:    163.00           Length:     211
    Ratio:        1.663           Gaps:         6
Percent Similarity:   46.445     Percent Identity:  24.645
```

alignment_block:
US-09-714-936-218 x Q96JF0

Align seg 1/1   to: Q96JF0   from: 1   to: 534
```
13 GGTCGACGATTCCGTCCGCGGTCCCCGTCCCTTATTTGGATCTGCGGGAATGTGG 62
   ||| ||||||||:::    ::|    ||||||:::||
240 GlyValArgPheArgGlyLys.......................ArgGluAlaGl 250

63 GCTGGAGAGGTCCTGCCGTGGTACCAGCCTCCAGCCTGCCCCCAGGACTG 112
```

```
250 yLeuSerArgAlaGlnLeuLeuCysGlnLeuArgSerArgAlaArg.... 265
    ::|||::|||
113 CCCCTGACCCAGGCGCGCGCCCGCTGCTCCGGTGGCAGGAGGGCCGGCGGAGGC 162
                                        :::|||    :::|||
266 ...................................ValArgThrLeuAspGlyThrGluAla 274

163 GCCATGGCTGCTGCATCCTGAAGAGAAAGTCTGTGATTGCTGTGAGCTTCAT 212
    :::::::|||    ||||  |||    ||||  |||||
275 ProPheSerAlaLeuGlyTrpArgArgLeuValProAlaVal....... 288

213 AGCAGCGTTCCTTTCCTGCTGGTGTGCGCGTCTTGTAAATGAAGTGAATT 262
    ............................................
288 ...................................... 288

263 TCCCATTGCTACTAAACTGCTTTGGACAACCTGGTACAAAGTGGATACCA 312
    ............................................|||
289 ..........................................Pro 289

313 TTCTCCTACACATACAGGCGGCGCCCCTTCGAACTCACTATGGATACATAAA 362
    ::|||       :: |||    ||||||:::
290 LeuSerGlnLeuHisProArgGlyLeuArgSer................. 300

363 TGTGAAGACACAAGAGCCTTTGCAACTGCACTGTGACCTTTGTGCCCATAG 412
                                    ||||||:::|
301 ...................................CysAlaValV 304

413 TGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGAT 462
    || ::||||||    :::::::::::|||:||||||||
304 alMetSerAlaGlyAlaIleLeuAsnSerLeuGlyGluGluIleAsp 320

463 CGATCCTCCTGCATTTGGAGAATGAACAATGCCCCACCAAAGGTTATGA 512
    ::::::||||    |||:||||||||||::||||||
321 SerHisAspAlaValLeuArgPheAsnSerAlaProThrArgGlyTyrGl 337

513 AGAAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCCCATACCAGCG 562
    |:::||||||||||:::    |||  ||||||
337 uLysAspValGlyAsnLysThrThrArgIleIleAsnSerGln...... 352

563 TTCCCTTTTGCTAAAAACCCTGATTATTTTTCAAGGAAGCGAAT. 609
    ::|||    ||||||    |||    ::|:::::
353 .........IleLeuThrAsnProSerHisHisPheAspSerSerLeu 366

610 .....ACTACTATTTGTGTTATTTGGGGACCT 636
         ::|||    |||    |||
367 TyrLysAspValIleLeuValAlaLeuValAlaTrpAspPro 377
```

seq_name: sp_invertebrate:Q9W121

seq_documentation_block:
```
ID   Q9W121     PRELIMINARY;       PRT;       451 AA.
AC   Q9W121;
DT   01-MAY-2000 (TrEMBLrel. 13, Created)
DT   01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT   01-DEC-2001 (TrEMBLrel. 19, Last annotation update)
DE   CG4871 PROTEIN (SIALYLTRANSFERASE).
GN   ST6GAL OR CG4871.
OS   Drosophila melanogaster (Fruit fly).
OC   Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC   Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC   Ephydroidea; Drosophilidae; Drosophila.
OX   NCBI_TaxID=7227;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=BERKELEY;
RX   MEDLINE=20196006; PubMed=10731132;
RA   Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
RA   Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,
RA   George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
RA   Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
RA   Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
RA   Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
RA   Abril J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
```

ID   Q9H8A2   PRELIMINARY;   PRT;   299 AA.
AC   Q9H8A2;
DT   01-MAR-2001 (TrEMBLrel. 16, Created)
DT   01-MAR-2001 (TrEMBLrel. 16, Last sequence update)
DT   01-DEC-2001 (TrEMBLrel. 19, Last annotation update)
DE   THYRO1000756 PROTEIN.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=THYROID;
RA   Isogai T., Ota T., Hayashi K., Sugiyama T., Otsuki T., Suzuki Y.,
RA   Nishikawa T., Nagai K., Sugano S., Takahashi-Fujii A., Hara H.,
RA   Tanase T., Nomura Y., Togiya S., Komai F., Hara R., Takeuchi K.,
RA   Arita M., Nabekura T., Ishii S., Kawai Y., Saito K., Yamamoto J.,
RA   Wakamatsu A., Nakamura Y., Nagahari K., Masuho Y., Oshima A.;
RT   "NEDO human cDNA sequencing project.";
RL   Submitted (AUG-2000) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AK023900; BAB14715.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
SQ   SEQUENCE   299 AA; 34261 MW; 10C27604122F4BBD CRC64;

alignment_scores:
           Quality: 293.50   Length: 227
           Ratio: 2.142   Gaps: 6
Percent Similarity: 60.352   Percent Identity: 32.599

alignment_block:
US-09-714-936-218 x Q9H8A2

Align seg 1/1 to: Q9H8A2   from: 1   to: 299

181 AAGAGAAAGTCTGTGATTGCTGTGAGCTTC...ATAGCAGCGTTCCTTTT 227
       :::||||:||||||::||:|| ::: ::   :::||||::|||:::
  7 GlnArgSerAlaValPheValIleLeuPheAlaLeuIleThrIleLeuIl   23

228 CCTGCTGGTTCGCGTCTTCGTAAATGAAGTGAATTTCCCATTGCTACTAA 277
       :|| : ::|||||||||: ::|||||:::||||||||
 23 eLeuTyrSerSerAsnSerAlaAsnGluVal..................   33

278 ACTGCTTTGGACAACCTGGTACAAAGTGGATACCATTCCTAC......... 321
       |||::||||||||:||| :: :||||||:::||||
 34 ....PheHisTyrGlySer   38

322 .........ACATACAGGCGGCCCCTTCGAACTCACTAT........... 351
                |||||||||:::|||
 39 LeuArgGlyArgSerArgArgProValAsnLeuLysLysTrpSerIleTh   55

352 ..GGATACATAAATGTGAAGAACACAAGAGCCTTGCAACTGGACTGTG 397
      ::|||||::: :: ||||||:|||||:::: ||| || |||
 55 ..rAspGlyTyrValProIleLeuGlyAsnLysThrLeuProSerArgCysH   72

398 ACCTTTGTGCCATAGTGTCAAACTCAGTCAGATGGTTGGCCAGAAGGTG 447
       |||:::|||||||:||:::||| ||| :|||:::||||
 72 isGlnCysValIleValSerSerSerHisLeuGlyThrLysLeu   88

448 GGAAATGAGATAGATCCGATCCTCCTGCATTTGGAGAATGAACAATGCCCC 497
       ||||||||:|||||| ||||| :::||| :: :||:
 89 GlyProGluIleGluArgIleLeuGlucysThrIleArgMetAsnAspAlaPr 105

498 CACCAAAGGTTATGAAGAAGAAGATGTCGCCGCCATGACCATGACGAGTTG 547
       ||| |||||||||| |||||||:: ||| |||||||||||
105 oThrThrGlyTyrSerAlaAspValGlyAsnLysThrThrTyrArgValV 122

548 TGTCCCATACCAGCGTCCTCCTTTTGTCTAAAAAAACCCTGATTATTTTTTC 597
       ||:::||:::|||||| :::||||||::||| |||
122 aAlaHisSerSerValPheArgValLeuArgProGlnGluPheVal 138

598 AAGGAAGCGAATACTACTATTTGTGTTATTTGGGGACCTTTCCGCAATAT 647

seq_name: sp_human:Q96HE4

seq_documentation_block:
ID   Q96HE4   PRELIMINARY;   PRT;   455 AA.
AC   Q96HE4;
DT   01-DEC-2001 (TrEMBLrel. 19, Created)
DT   01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT   01-DEC-2001 (TrEMBLrel. 19, Last annotation update)
DE   UNKNOWN (PROTEIN FOR MGC:9765).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=OVARY, AND ADENOCARCINOMA;
RA   Strausberg R.;
RL   Submitted (MAY-2001) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BC008680; AAH08680.1; -.
SQ   SEQUENCE   455 AA; 51437 MW; 264C1114DFB1F5B CRC64;

alignment_scores:
           Quality: 163.00   Length: 211
           Ratio: 1.663   Gaps: 6
Percent Similarity: 46.445   Percent Identity: 24.645

alignment_block:
US-09-714-936-218 x Q96HE4

Align seg 1/1 to: Q96HE4   from: 1   to: 455

 13 GGTCGACGATTCCGTCCGCGGTCCCCTTATTGGATCTGCGGAATGTGG 62
       |||||||| |||||| :: ::|||||||:::
224 GlyValArgPheArgGlyLys.............ArgGluAlaGl 234

 63 GCTGGAGAGGTCCTGCGTGTACCAGCCTCCAGCCTGCCCCCAGGACTG 112
       ||||:||||| |||||:: ::||:::|||||:::
234 yLeuSerArgAlaGlnLeuLeuCysGlnLeuArgSerArgAlaArg..... 249

113 CCCCTGACCCAGGCGCGCCCCGCTCCTCGGTGGCAGGAGGCCGGCGGAGC 162
       ::||| :::|| ::: :::|||
250 ....ValArgThrLeuAspGlyThrGluAla 258

163 GCCATGGCCTGCCATCCTGAAGAGAAAGTCTGTGATTGCTGTGAGCTTCAT 212
       :::::||:::||| ||| |||:::
259 ProPheSerAlaLeuGlyTrpArgArgLeuValProLeuVal........ 272

213 AGCAGCGTTCCTTTTGTCTGGTTGTGCGTCTTCGTAAATGAAGTGAATT 262
       ::|:::|||:::
272 272

263 TCCCATTGCTACTAAACTGCTTTGGACAACCTGGTACAAAGTGGATACCA 312
       |||

```
alignment_block:
US-09-714-936-218 x Q9R0G9

Align seg 1/1  to: Q9R0G9  from: 1  to: 295

346 CACTATGGATACATAAATGTGAAGACACAAGAGCCTTTGCAACTGGAC.. 393
    |||||||  ::::::-|||   :::::|||:::::|||:::::|||
 31 HisTyrGlySerLeuArgGlyArgThrArgArgProValAsnLeuLysLy  47

393 .................................................. 393

 47 sTrpSerPheSerAlaTyrPheProIleLeuGlyAsnLysThrLeuP  64

394 ......TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTT 435
      |||::  |||:::|||:::|||||:::::|||:::::|||:::::||
 64 roSerArgCysAsnGlnCysValIleIleThrSerSerHisLeuLeu  80

436 GGCCAGAAGGTTGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAAT 485
    ::|||   ||:::||   ||||||:::||||| |||||  :::|||||
 81 GlyThrLysLeuGlyProGluIleGluArgAlaGluCysThrIleArgMe  97

486 GAACAATGCCCCACCAAAGGTTATGAAGAAGAGATGTCGGCCGCATGACCA 535
    ||:::||||||||||||:::|||::  |||:::|||  :::|||||
 97 tAsnAspAlaProThrSerGlyTyrSerAlaAspValGlyAsnLysThrT 114

536 TGATTCGAGTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCT 585
    ::|||||||||||:::|||::|||||   :::|||:::::|||
114 hrPheArgValValAlaHisSerSerValPheArgValLeuArgLysPro 130

586 GATTATTTTTTCAAGAAGCAAATACTACTATTTGTGTTATTGTTTGGGGACC 635
    ::: |||  |||:::||| |||||:::::||  :::: |||| |||||
131 GlnGluPheValAsnArgThrProGluThrValPheIlePheTrpGlyPr 147

636 TTTCCGCAATATGAGGAAAGATGGCAATGGCATCGTTACACATGTTGA 685
    |- :::::|||:::||||   :::|||  :::::|||  :::::||
147 oProAsnLysMetGlnLysPro...GlnGlySerLeuLeuArgValIleG 163

686 AAAAGACAGTTGGTATCTATCCGAATGCCCCAAATATACGTGACCACAGAG 735
    |: :::::|| :::::|||||   ::: ||||||:::||| :::::||
163 lnArgAlaGlyLeuMetPheProAsnMetGluAlaLeuTyrAlaValSerPro 179

736 AAGCGCATGAGTTACTGTGATGGAGTTTTTAAGAAGGAAGCTGGGAAGGA 785
    |||||||  |||  :::::|||  :::::|||||  |||||||||||
180 AlaArgMetGlnGlnPheAspAspLeuPheArgGlyGluThrGlyLysAs 196

786 CAGGGGGCATGCAAGGCGACTGCTGATTTCTACAGACACTTTT 828
    ||||  ::::::|||  ||  :::||| :::||  ||||||
196 pArgGluLysSerHisSerTrpLeu...SerThrGlyTrpPhe 209
```

```
KW   Transferase; Glycosyltransferase.
SQ   SEQUENCE  299 AA;  34291 MW;  F9DAFF04008A0C5F CRC64;

alignment_scores:
                    Quality:  293.50           Length:     227
                    Ratio:     2.142            Gaps:         6
Percent Similarity:  60.352   Percent Identity:  32.599

alignment_block:
US-09-714-936-218 x Q9ULB8

Align seg 1/1  to: Q9ULB8  from: 1  to: 299

181 AAGAGAAAGTCTGTGATTGCTGTGAGCTTC...ATAGCAGCGTTCCTTTT 227
    ::|||:::::|||:::::|||  ||| :::::|||::::::|||
  7 GlnArgSerAlaValPheValIleLeuPheAlaLeuIleThrIleLeuIl  23

228 CCTGCTGGTTGCGCTCTTGTAAATGAAGTGAATTTCCCATTGCTACTAA 277
    :||| ::::: ::||||||||   ::: ||||||||
 23 eLeuTyrSerSerAsnSerAlaAsnGluVal................ 33

278 ACTGCTTTGACAACCTGGTACAAAGTGGATACCATTCCTAC........ 321
    ::::::||||||||||:::::|||||   |||  |||||
 34 ................................PheHisTyrGlySer 38

322 .........ACATACAGGCGGCCCCTTCGAACTCACTAT.......... 351
             ||||||||||:::::|||:::::||
 39 LeuArgGlyArgSerArgArgProValAsnLeuLysLysTrpSerIleTh 55

352 ...GGATACATAAATGTGAAGACACAAGAGCCTTGCAACTGGACTGTG 397
    |||:|||   |||:::  :::::: |||||:::||
 55 rAspGlyTyrValProIleLeuGlyAsnLysThrLeuProSerArgCysH 72

398 ACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTG 447
    |||:::|||||||||:::||||||:::::|||:::::|||||||
 72 isGlnCysValIleValSerSerSerHisLeuLeuGlyThrLysLeu 88

448 GGAAATGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCC 497
    ||| :::::|||||:::|||||:::||| |||||||||||:::|||
 89 GlyProGluIleGlyLeuArgAlaGluCysThrIleArgMetAsnAspAlaPr 105

498 CACCAAAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTG 547
    |||||||||:::||||| ::::::|||:::|||  :::|||||||
105 oThrThrGlyTyrSerAlaAspValGlyAsnLysThrThrTyrArgValV 122

548 TGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTTC 597
    ||:::::|||:::::|||||  ::: |||||  ||||||
122 alAlaHisSerValPheArgValLeuArgProGlnGluPheVal 138

598 AAGGAAGCGAATACTACTATTTGTGTTATTGGGGACCTTTCCGCAATAT 647
    ::::::::  |||::  :::::|||||::||||:::::||
139 AsnArgThrProGluThrValPheIlePheTrpGlyProSerLysMe 155

648 GAGGAAAGATGGCAATGGCATCGTTACAACATGTTGAAAAAGACAGTTG 697
    :::|||||  ::::||| ||||||  :::|||:::|||||
155 tGlnLysPro...GlnGlySerLeuValArgValIleGlnArgAlaGlyL 171

698 GTATCTATCCGAATGCCCAAATATACGTGACCACAGAGAAGCGCATGAGT 747
    :::::||||||  |||:::::|||||  :::::|||||||||||
171 euValPheProAsnMetGluAlaTyrAlaValSerProGlyArgMetArg 187

748 TACTGTGATGGAGTTTTTAAGAAGGAAACTGGGAAGGACAGGGGGCATGC 797
    |||  :::||||||  :::::|||||||||||||||||||
188 GlnPheAspAspLeuPheArgGlyGluThrGlyLysAspArgGluLysSe 204

798 AAGGCGACTGCTGATTTCTACAGACACTTTT 828
    :::: |||  ::::::||||
204 rHisSerTrpLeu...SerThrGlyTrpPhe 213

seq_name: sp_human:Q9H8A2

seq_documentation_block:
```

```
seq_name: sp_human:Q9ULB8

seq_documentation_block:
ID   Q9ULB8     PRELIMINARY;     PRT;   299 AA.
AC   Q9ULB8;
DT   01-MAY-2000 (TrEMBLrel. 13, Created)
DT   01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   N-ACETYLGALACTOSAMINIDE ALPHA2,6-SIALYLTRANSFERASE.
GN   ST6GALNAC VI.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=LIVER;
RA   Yoshida A.;
RT   "human N-acetylgalactosaminide alpha2,6-sialyltransferase.";
RL   Submitted (NOV-1999) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AB035173; BAA87035.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
```

```
         79 ArgProValAsnLeuLysLysTrpSerIleThrAspGlyTyrValProIl 95

US-09-714-936-218 x Q9NUC5

Align seg 1/1 to: Q9NUC5  from: 1 to: 249

       366 GAAGACACAAGAGCCTTTGCAACTGACTGCGACCTTTGTGCCATAGTGT 415
                :::::|| |||  |||   |||:::||||||||
        95 eLeuGlyAsnLysThrLeuProSerArgCysHisGlnCysValIleVals 112

       379 CCTTTGCAACTGGACTGCGACCTTTGTGCCATAGTGTCAAAACTCAGGTCA 428
            |||||||::||| |||  ||:::||||||||||||||::||||||||
         1 ProLeuLysMetHisCysArgAspCysAlaLeuValThrSerGlyHi 17
```

(Remainder of page consists of nucleotide/protein sequence alignment blocks and documentation blocks for Q9NUC5, Q9R0G9; details including seq_name: sp_human:Q9NUC5, sp_rodent:Q9R0G9, alignment scores, Quality, Ratio, Percent Similarity, Percent Identity, Length, Gaps, etc.)

DR   EMBL; AB028840; BAA89292.1; -.
DR   EMBL; AB030836; BAA85747.1; -.
DR   MGD; MGI:1349471; Siat7e.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Transmembrane; Signal-anchor;
KW   Golgi stack; Glycoprotein.
FT   DOMAIN   1   8   CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM   9   29   SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN).
FT   DOMAIN   30   336   LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD   137   137   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   161   161   N-LINKED (GLCNAC...) (POTENTIAL).
FT   DOMAIN   38   49   POLY-GLN.
FT   VARIANT   48   48   MISSING (IN STRAIN C57BL-6J).
FT   VARIANT   49   49   MISSING (IN STRAINS C57BL-6N AND C57BL-
FT   6J; REF. 2).
SQ   SEQUENCE   336 AA; 38430 MW; 128516E3815985E6 CRC64;

alignment_scores:
          Quality: 319.50   Length: 175
          Ratio: 2.619   Gaps: 3
Percent Similarity: 69.714   Percent Identity: 38.857

alignment_block:
US-09-714-936-218 x Q9QYJ1

Align seg 1/1 to: Q9QYJ1 from: 1 to: 336

278 ACTGCTTTGGACAACCTGTACAAAGTGGATACCATTCCT........ 319
      |||::| ::|||||||::|||| ||||||
 54 ...ThrGlySerThrGlnLeuValGluSer........SerProGlnProAr 67

320 ....ACACATACAGGCGGCCCCTTCGAACTCACTATGGATACATAAATGT 365
        ||| ::||| ::||||::|||::|||::||
 67 gArgThrAlaProAlaGlyProArgGlnLeuGlu..GlyTyrLeuGlyVa 83

366 GAAGACACAAGAGCCTTTGCAACTGGACTGCGTGACCTTTGTGCCATAGTGT 415
      | ::::|||||||::|| ||| ||||:::|||||:||
 83 lAlaAspHisLysProLeuLysMetHisCysLysAspCysAlaLeuValT 100

416 CAAACTTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGA 465
      :::::||||||||:::   :::::||| ||| :::||||||:::
100 hrSerSerGlyHisLeuArgSerGlnGlnGlyProHisIleAspGln 116

466 TCCTCCTGCATTTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGA 515
      ::::||::::||| |||||||||||||||::|||::|| ||
117 ThrGluCysValIleArgMetAsnAsnAlaProThrArgGlyTyrGlyLe 133

516 AGATGTCGGCCGCATGACCATGATCGAGTTGTGTCCATACCAGCGTTC 565
      ||||||||::: ||| ::|||||:::||::::|||:||
133 uAspValGlyAsnArgThrSerLeuArgValIleAlaHisSerSerIleG 150

566 CTCTTTTGCTAAAAAACCCTGATTATTTTTTCAAGGAAGCGAATACTACT 615
      ::::||::::||| ||||||||||| ::::::||||| |||
150 lnArgIleLeuArgAsnArgHisAsnValSerGlnGlyThr 166

616 ATTTGTTGTTATTTGGGGACCTTTCCCCAATATGAGGAAAGATGGCAATGG 665
      ::: ||::||||||||||::|||| ||||||::::|||::|||
167 ValPheIlePheTrpGlyProSerTyrMetArgArgAspAspGlyLysGl 183

666 CATCGTTTACACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCC 715
      | ||::||||::   :: ||| :: |||||::||
183 yGlnAlaTyrAsnAsnLeuGlnLeuLeuSerGlnValLeuProArgLeuL 200

716 AAATATACGTGACCACAGAGAGCCATGAGTTACTGTGATGGAGTTTT 765
      :::::|||||||| |||||| |||||| || |||::||
200 ysAlaPheMetIleThrArgHisArgMetLeuGlnPheAspGluPhe 216

766 AAGAAGGAAACTGGGAAGGACAGG 789
      |||::||||::|||||||||||||
217 LysGlnGluThrGlyLysAspArg 224

seq_name: sp_human:Q969X2

alignment_scores:
          Quality: 317.50   Length: 271
          Ratio: 2.075   Gaps: 9
Percent Similarity: 56.458   Percent Identity: 32.103

alignment_block:
US-09-714-936-218 x Q969X2

Align seg 1/1 to: Q969X2 from: 1 to: 333

 76 TGCCGTGGTACCAGCCTCCAGCCTGCCCCAGGACTGCCCCTGACCCAGG 125
     |||:: ||||||||| |||::::|| ||:::::|||
 10 CysGluProThrSerLeuProProGlyPro..................... 19

126 CGGCGCCGCTGCTCGGTGGCCAG........GAGGGCCGGCGGAGCGCCA 166
     ||||||::||| ::: ||||||
 20 ....ProAlaGlyArgArgHisLeuProLeuSerArgArgArgArgGluM 35

167 TGGCCTGCATCCTGAAGAAGAAGTCTGTAGTTGCTGTGAGCTTCATAGCA 216
     ||::: |||||||||||||||::|| |||||
 35 etSerSerAsnLysGluGlnArgSerAlaValPheVal.............. 47

217 GCGTTCCTTTCCTGCTGGTGTGCGTCTGTA.................... 249
     ::|||||| ||||||||||| |||
 48 ...IleLeuPheAlaLeuIleThrIleLeuIleLeuTyrSerSerAsnSe 63

250 ....AATGAAGTGAATTCCCATTGCTACTAAACTGCTTTGGACAACCTG 295
     ||||||||| ::| ::|||| :::
 63 rAlaAsnGluVal........................GAGGGCCGGCAGC 67

296 GTACAAAGTGGATACCATTCTCCTAC...............ACATACAGG 330
     ||| |||||| ::::::||||||
 68 ....PheHisTyrGlySerLeuArgGlyArgSerArg 78

331 CGGCCCCTTCGAACTCACTAT.................GGATACATAAATGT 365
     ||||||:::||| ::: ||||||:: ::
217 LysGlnGluThrGlyLysAspArg 224

```
217 ProAlaArgMetGlnGlnPheAspPheArgGlyGluThrGlyLy  233
    ||||||||:::       |||       :::||||::  |||||||||||
783 GGACAGGGGGCATGCAAGGCGACTGCTGATTTCTACAGACACTTTT  828
    |||||||          :::::      |||   ||||||   |||
233 sAspArgGluLysSerHisSerTrpLeu...SerThrGlyTrpPhe  247

seq_name: sp_human:Q9BVH7

seq_documentation_block:
ID  Q9BVH7          PRELIMINARY;          PRT;          336 AA.
AC  Q9BVH7;
DT  01-JUN-2001 (TrEMBLrel. 17, Created)
DT  01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
DT  01-DEC-2001 (TrEMBLrel. 19, Last annotation update)
DE  SIMILAR TO SIALYLTRANSFERASE 7 ((ALPHA-N-ACETYLNEURAMINYL
DE  2,3-BETAGALACTOSYL-1,3)-N-ACETYL GALACTOSAMINIDE
DE  ALPHA-2,6-SIALYLTRANSFERASE) E (CDNA FLJ31679 FIS, CLONE NT2RI2005150,
DE  HIGHLY SIMILAR TO MUS MUSCULUS ST6GALNAC V GD1 ALPHA SYNTHASE).
OS  Homo sapiens (Human).
OC  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC  Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX  NCBI_TaxID=9606;
RN  [1]
RP  SEQUENCE FROM N.A.
RC  TISSUE=EYE, RETINOBLASTOMA;
RA  Strausberg R.;
RL  Submitted (DEC-2000) to the EMBL/GenBank/DDBJ databases.
RN  [2]
RP  SEQUENCE FROM N.A.
RA  Ishibashi T., Kanehori K., Yosida M., Watanabe S., Ishida S., Ono Y.,
RA  Hotuta T., Hiraoka S., Murakawa K., Takiguchi S., Kusano J.,
RA  Watanabe M., Fujimori K., Tanai H., Ishida H., Yamashita H., Chiba Y.,
RA  Sugiyama T., Irie R., Otsuki T., Sato H., Wakamatsu A., Ishil S.,
RA  Yamamoto J., Isono K., Kawai-Hio Y., Saito K., Nishikawa T.,
RA  Kimura K., Matsuo K., Nakamura Y., Sekine M., Kikuchi H., Kanda K.,
RA  Wagatsuma M., Takahashi-Fujii A., Oshima A., Sugiyama A., Kawakami B.,
RA  Suzuki Y., Sugano S., Nagahari K., Masuho Y., Nagai K., Isogai T.;
RT  "NEDO human cDNA sequencing project.";
RL  Submitted (OCT-2001) to the EMBL/GenBank/DDBJ databases.
DR  EMBL; BC001201; AAH01201.1; -.
DR  EMBL; AK056241; BAB71127.1; -.
DR  InterPro; IPR001675; Glyco_transf_29.
DR  Pfam; PF00777; Glyco_transf_29; 1.
KW  Transferase; Glycosyltransferase.
SQ  SEQUENCE   336 AA;  38443 MW;  F5FDD43D45CA11CE CRC64;

alignment_scores:
           Quality:    328.50         Length:    172
           Ratio:      2.761          Gaps:      2
Percent Similarity:   69.186     Percent Identity:   37.791

alignment_block:
US-09-714-936-218 x Q9BVH7

Align seg 1/1  to: Q9BVH7     from: 1  to: 336

289 CAACCTGGTACAAAGTGGATACCATTCTCCTACACATACAGGCGGCCC...  336
    ||||||::::::|        |||  ||  :::|||||
 57 GlnProAlaAlaGlu........CTTCGAACTCACTATGGATACATAAATGTGAAGAGAC  373
    |||      |||||||::::|||      ;
 69 yValProAlaGlyProArgProLeuAspGlyTyrLeuGlyValAlaAspH  86

337 .............CTTCGAACTCACTATGGATACATAAATGTGAAGAGAC  373
                 |||  |||::::||||::::|||   ;
 69 yValProAlaGlyProArgProLeuAspGlyTyrLeuGlyValAlaAspH  86

374 AAGAGCCTTTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCA  423
    :::|||||::::|||   ||||||||:::|||    :::::::::||||
 57 isLysProLeuLysMetHisCysArgAspCysAlaLeuValThrSerSer  102

424 GGTCAGATGTGTTGGCCAGAAGGTGGGAAATGAGAATAGAATCGATCCTCCTG  473
    ||:::::: :::|| |||:::||| |||||||::::||:::::::||
103 GlyHisLeuLeuHisSerArgGlnIleSerGlnIleAspGlnThrGluCy  119
```

474 CATTTGGAGAATGAACAATGCCCCACCAAAGTTAATGAAGAGAGATGTCG 523
    |::: ||||||| |||||||||||| ::|||||||
119 sValIleArgMetAsnAspAlaProThrArgGlyTyrGlyArgAspValG 136

524 GCCGCATGACCATGATTCGAGTTGTGTCCCATACCAGCGTTCCTCCTTTG 573
    ||::: |||| ||||||||||||| ||||||||||||:::::
136 lyAsnArgThrSerLeuArgValIleAlaHisSerIleGlnArgIle 152

574 CTAAAAAACCCTGATTATTTTTCAAGGAAGCGAATACTACTATTTGTGT 623
    ||::::||| :::::::||| |||::   :: ::
153 LeuArgAsnArgHisAspLeuLeuAsnValSerGlnGlyThrValPheI 169

624 TATTTGGGGACCTTCCGCAATATGAGGAAAGATGAGCAATGGCATCGTTT 673
    :::::|||::: |||||| ||||::   :::||
169 ePheTrpGlyProSerSerTyrMetArgArgAspGlyLysGlyGlnValT 186

674 ACAACATGTTGAAAAAGACAGCAGTTGGTATCTATCCGAATGCCCAAATATAC 723
    ||||| ||| :::||||| |||:: ||| :::::::
186 yrAsnAsnLeuHisLeuLeuSerGlnValLeuProArgLeuLysAlaPhe 202

724 GTGACCACAGAGAAGCCATGACTACTGTGATGGAGTTTTAAGAAGGA 773
    |||:::: ||::::||| || :::|||||||:::|
203 MetIleThrArgHisLysMetLeuGlnPheAspGluLeuPheLysGlnGl 219

774 AACTGGGAAGGACAGG 789
    ||||||||||||||
219 uThrGlyLysAspArg 224

seq_name: sp_rodent:Q9QYJ1

seq_documentation_block:
```
ID  Q9QYJ1          PRELIMINARY;          PRT;          336 AA.
AC  Q9QYJ1; Q9R0K6;
DT  01-MAY-2000 (TrEMBLrel. 13, Created)
DT  01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT  01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE  ALPHA-N-ACETYLGALACTOSAMINIDE ALPHA-2,6-SIALYLTRANSFERASE
DE  (EC 2.4.99.-) (ST6GALNACV).
GN  ST6GALNAC V.
OS  Mus musculus (Mouse).
OC  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC  Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX  NCBI_TaxID=10090;
RN  [1]
RP  SEQUENCE FROM N.A., FUNCTION, AND TISSUE SPECIFICITY.
RC  STRAIN=C3H/HEN, C57BL-6N, AND C57BL-6J; TISSUE=BRAIN;
RX  MEDLINE=20069453; PubMed=10601645;
RA  Ikehara Y., Shimizu N., Kono M., Nishihara S., Nakanishi H.,
RA  Kitamura T., Narimatsu H., Tsuji S., Tatematsu M.;
RT  "A novel glycosyltransferase with a polyglutamine repeat; a new
RT  candidate for GD1alpha synthase (ST6GalNAc V).";
RL  FEBS Lett. 463:92-96(1999).
RN  [2]
RP  SEQUENCE FROM N.A., FUNCTION, AND TISSUE SPECIFICITY.
RC  STRAIN=C57BL-6J; TISSUE=BRAIN;
RX  MEDLINE=99452943; PubMed=10521438;
RA  Okajima T., Fukumoto S., Ito H., Kiso M., Hirabayashi Y., Urano T.,
RA  Furukawa K.;
RT  "Molecular cloning of brain specific GD1alpha synthase (ST6GalNAc V)
RT  containing CAG/glutamine repeats.";
RL  J. Biol. Chem. 274:30557-30562(1999).
CC  -!- FUNCTION: INVOLVED IN THE BIOSYNTHESIS OF GANGLIOSIDE GD1A FROM
CC      GM1B. IT EXHIBITS HIGHER ACTIVITY WITH GLYCOLIPIDS THAN WITH
CC      GLYCOPROTEINS.
CC  -!- PATHWAY: GLYCOSYLATION.
CC  -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN, GOLGI.
CC  -!- TISSUE SPECIFICITY: HIGH EXPRESSION IN FOREBRAIN AND TO A LESSER
CC      EXTENT IN CEREBELLUM. NO EXPRESSION IN SALIVARY GLAND, INTESTINE,
CC      LIVER, KIDNEY, HEART, LUNG, THYMUS AND SPLEEN.
CC  -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC  -!- CAUTION: STRAIN C57BL-6J IN REF.2 HAS ONE MORE GLUTAMINE THAN THE
CC      SAME STRAIN IN REF. 1.
```

FT   NON_TER   138   138
SQ   SEQUENCE   138 AA; 15660 MW; 1E5329BE17E5EDAE CRC64;

alignment_scores:
           Quality: 363.00   Length: 138
           Ratio: 3.457   Gaps: 0
  Percent Similarity: 79.545   Percent Identity: 79.545

alignment_block:
US-09-714-936-218 x Q9JHP2

Align seg 1/1 to: Q9JHP2 from: 1 to: 138

394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
        ||| |||::::|||||||||::||||||||||:::|||||||::
  7 CysHisSerCysAlaValValSerSerGlyGlnMetLeuGlySerGl   23

444 GGTGGGAAATGAAGATGAGATGATCGATCCTCCTGCATTTGGAGAATGAACAATG 493
       ::|||:: |||::|||||||||::| ||||||||||||||||
 23 yLeuGlyAlaGInIleAspGlyAlaGluCysValLeuArgMetAsnGlnA   40

494 CCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGA 543
        ||||||| |||::|||||||||||||::: :::|||||||||||||
 40 laProThrValGlyPheGluGluAspValGlyGlnArgSerThrLeuArg   56

544 GTTGTGTCCCATACCAGCGTTCCTCTTTGCTAAAAAAACCCTGATTATTT 593
        ||:::|||||||||||||||||||||||||::||| :::::::|||
 57 ValIleSerHisThrSerValProLeuLeuLeuArgAsnTyrSerHisTy   73

594 TTTCAAGGAAGCGAATACTACTATTTGTGTATTTGGGACCTTTCCGCA 643
        :::::|||::||||| :::|||:::|||||||||||:::|||||
 73 rPheGlnHisAlaArgAspThrLeuTyrValValTrpGlyGlnGlyArgH   90

644 ATATGAGGAAAGATGGCAATGCCATCGTCTTACAACATGTTGAAAAAGACA 693
        ::||| ::||| |||| ::::|||| |||| |||||::|
 90 lsMetAspArgValLeuGlyGlyArgThrTyrArgThrLeuLeuGlnLeu 106

694 GTTGGTATCTATCCGAATGCCCAAATATACGTGACCACAGAGAGCGGCCAT 743
        ::: :::|||::| |||:::||| ||||||:::|| ::::|||
107 ThrArgMetTyrProGlyLeuGlnValTyrThrProThrGluArgMetMe 123

744 GAGTTACTGTGATGGAGTTTTTTAAGAAGGAGAAACTGGAAGGACAGG 789
     |::|||||||| ||||||||||::::||||||| :::|| |||||
123 tAlaTyrCysAspGlnIlePheGlnAspGluThrGlyLysAsnArg 138

seq_name: sp_rodent:Q9JM95

seq_documentation_block:
ID   Q9JM95   PRELIMINARY;   PRT;   333 AA.
AC   Q9JM95;
DT   01-OCT-2000 (TrEMBLrel. 15, Created)
DT   01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   GD1 ALPHA/GT1A ALPHA/GQ1B ALPHA SYNTHASE.
GN   SIAT7F OR ST6GALNAC VI.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=C57BL/6; TISSUE=BRAIN;
RA   Okajima T., Chen H., Ito H., Kiso M., Tai T., Furukawa K., Urano T.,
RA   Furukawa K.;
RT   "Molecular cloning and expression of mouse GD1 alpha/GT1a alpha/GQ1b
RT   alpha synthase (ST6GalNAc VI) gene.";
RL   Submitted (NOV-1999) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AB035123; BAA95940.1; -.
DR   MGD; MGI:1355316; Siat7f.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
SQ   SEQUENCE   333 AA; 38166 MW; D3841828D389CDEA CRC64;

alignment_scores:
           Quality: 334.00   Length: 282
           Ratio: 2.127   Gaps: 8
  Percent Similarity: 55.674   Percent Identity: 30.142

alignment_block:
US-09-714-936-218 x Q9JM95

Align seg 1/1 to: Q9JM95 from: 1 to: 333

73   TCCTGCCGTGGTACCAGCCTCCAGCCTGCCCCCCAGGACTGCCCTGACCC 122
     ::::||| ||| ||| |||||| ||| ||| || ||
  2 AlaCysSerArgProProSerGlnCysAspProThrLeuPro...Pr   17

123 AGGGCCGCCCGCTGCTCGGTGGCAG.........GAGGGCCGCCGGAGCG 163
     ||| ||||| |||||:::||||| ::: |||||
 17 oGlyProProAlaGlyArgTrpProLeuProPheSerArgArgArgArgG   34

164 CCATGGCCTGCATCCTGAAGAGAAAGTCTGATGTCGTGAGCTTCATA 213
     |||::: :::|||::||||:::|||| ||
 34 luMetSerSerAsnLysGluGlnArgSerAlaValPheVal.......   47

214 GCAGCGTTCCTTTTCCTGCGTGGTGTGCGTCTTGTA............. 249
        :::|||||||||||||::: |||
 48 .....IleLeuPheAlaLeuIleThrIleLeuIleLeuTyrSerSerAs   62

250 ....AATGAAGTGAATTTCCCATTGCTACTAAACTGCTTGGACAAC 292
        |||||||
 62 nSerAlaAsnGluVal...............................   67

293 CTGGTACAAAGTGGATACCATTCTCCTACACATACAGGCCGGCCCCCTTCGA 342
     |||||||
 67   67

343 ACTCACTATGGATACATAAATGTGAAGACACAAGAGCCTTTGCAACTGGA 392
     ||||||| ::::: |||||| ||| :::::::||
118 LeuGlyThrLysLeuGlyProGluIleGluArgAlaGluCysThrIleAr 134

483 AATGAACAATGCCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGA 532
     |||||::: |||::|||||::::|| ::::||||| :::||| |
134 gMetAsnAspAlaProThrSerGlyTyrSerAlaAspValGlyAsnLysT 151

533 CCATGATTCGAGTTGTGTCCCATACCAGCGTTCCTCTTTGCTAAAAAAC 582
     || ::||||||||| ||::::|| :::|||||
151 hrThrPheArgValValAlaHisSerValPheArgValLeuArgLys 167

583 CCTGATTATTTTTCAAGGAAGCGAATACTACTATTTGTGTTATTTGGGG 632
     ||::::| ||||||||| ::||| |||||::||
168 ProGlnGluPheValAsnArgThrProGluThrValPhePheTrpGl 184

633 ACCTTTCCGCAAATATGAGGAAAGATGGCAATGCCATCGTTTACAACATGT 682
     ||| :::|||||||||::::||| |||||| ::::::::||
184 yProProAsnLysMetGlnLysPro...GlnGlySerLeuLeuArgValI 200

683 TGAAAAAGACAGTTGGTATCTATCCCGAATGCCCAAATATACGTGACCACA 732
     ::::::::||||| |||::||||:::|| |||::: ::|||||
200 leGlnArgAlaGlyLeuMetPheProAsnMetGluAlaValTyrAlaValSer 216

733 GAGAGCGGCCATGAGTTACTGTGATGGAGTTTTTTAAGAAGGAAACTGGGAA 782

us-09-714-936-218.rspt

Left column:

```
453 TGAGATAGATCGATCCTGCTGCATTGGAGAATGAACAATGCCCCCACCA 502
    |||||||::  :::::::::||::::|||||||:::::|||||||
 92 aGluIleAspSerAlaGluCysValPheArgMetAsnGlnAlaProThrV 109

503 AAGGTTATGAAGAAGATGTCGGCCGATGACCATGATTCGAGTTGTGTCC 552
    |||::|||  ||||||::::           :::||||||||||||
109 alGlyPheGluAlaAspValGlyGlnArgGlnAlaLeuArgValValSer 125

553 CATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    ||||||||||||||||||||||:     :::::::::::||
126 HisThrSerValProLeuLeuArgAsnTyrSerHisTyrLeuGlnLy 142

603 AGCGAATACTACTATTTGTGTATTTGGGACCTTTCCGCAATATGAGGA 652
    :|||::|||  ||:::  :|||||||||    |||::::||
142 sAlaArgAspThrLeuTyrMetValTrpGlyGlnGlyArgHisMetAspA 159

653 AAGATGGCAATGGCATCGTTTACAACATGTTGAAAAAGACAGTTGGTATC 702
    ::  :::|||  :::|||:::  ||   |||    :::  :::||||
159 rgValLeuGlyGlyArgThrTyrArgThrTyrArgThrLeuLeuGlnLeuThrArgMet 175

703 TATCCGAATGCCCAAATATACGTGACCACAGAGAAGCGCCATGAGTTACTG 752
    |||||:::  |||||:::::  :::||||  |||||||:::::||
176 TyrProGlyLeuGlnValTyrThrPheThrGluArgMetMetAlaTyrCy 192

753 TGATGGAGTTTTAAGAAGGAAACTGGAAGGACCAGGGGGCATGCAAGGC 802
    |||  :::||||:  :|||||||||||:::||:::
192 sAspGlnIlePheGlnAspGluThrGlyLysAsnArgArgGlnSerGlyS 209

803 GACTGCTGATTTCTACAGACACTTTT 828
    ::|||  ||||||    |||
209 erPheLeu...SerThrGlyTrpPhe 216
```

seq_name: sp_human:Q9NWU6

seq_documentation_block:
```
ID   Q9NWU6        PRELIMINARY;    PRT;   302 AA.
AC   Q9NWU6;
DT   01-OCT-2000 (TrEMBLrel. 15, Created)
DT   01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   CDNA FLJ20593 FIS, CLONE KAT08984.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RA   Watanabe K., Kumagai A., Itakura S., Yamazaki M., Tashiro H., Ota T.,
RA   Suzuki Y., Obayashi M., Nishi T., Shibahara T., Tanaka T.,
RA   Nakamura Y., Isogai T., Sugano S.;
RT   "NEDO human cDNA sequencing project.";
RL   Submitted (FEB-2000) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AK000600; BAA91281.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
SQ   SEQUENCE  302 AA;  34166 MW;  00BC696305CA3763 CRC64;
```

alignment_scores:
```
      Quality:     376.00         Length:    209
      Ratio:         2.686          Gaps:      7
Percent Similarity:  66.986  Percent Identity:   40.670
```

alignment_block:
```
US-09-714-936-218 x Q9NWU6

Align seg 1/1  to: Q9NWU6  from: 1  to: 302

230 TGCTGG..........TTGTGCGTCTTGTAAATGAAGTGAATTCCCA 267
    ||||||          ||||||:::
 26 CysTrpAlaGlyLeuProLeuCysLeuAla................ 35
```

Right column:

```
268 TTGCTACTAAAACTGCTTTGGACAACCTGGTACAAAGTGGATACCATTCTC 317
    ||||::||||||                      ::|||  -
 36 .........ThrCysLeuAsp.................HisHisPheP 43

318 CTACACATACA...............GGGGCCCCTTCGAACTCACTATGGAT 355
    |||||  :::                :::::::::::::::||  |||
 43 roThrGlySerArgProThrValProGlyProLeuHisPheSer..GlyT 59

356 ACATAAATGTGAAGACAACAAGAGACCCTTTGCAACTGGAC...TGTGACCTT 402
    ||  :::||||||||:::||||||          ::  |||
 59 yrSerSerValProAspGlyLysProLeuValArgGluProCysArgSer 75

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||||||:::::::::||||||||||||:::::||  ::|||
 76 CysAlaValSerSerSerGlyGlnMetLeuGlySerGlyLeuGlyVAl 92

453 TGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCCACCA 502
    ||||||::  :::::::::||::||||||:::::|||||||
 92 aGluIleAspSerAlaGluCysValPheArgMetAsnGlnAlaProThrV 109

503 AAGGTTATGAAGAAGATGTCGGCCGATGACCATGATTCGAGTTGTGTCC 552
    |||::||||  ||||||:::           :::||||||||||||
109 alGlyPheGluAlaAspValGlyGlnArgGlnAlaLeuArgValValSer 125

553 CATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    ||||||||||||||||||||||:     ::::::::||
126 HisThrSerValProLeuLeuArgAsnTyrSerHisTyrLeuGlnLy 142

603 AGCGAATACTACTATTTGTGTATTTGGGACCTTTCCGCAATATGAGGA 652
    :|||::|||  ::::   :|||||||||  |||::::||
142 sAlaArgAspThrLeuTyrMetValTrpGlyGlnGlyArgHisMetAspA 159

653 AAGATGCAATGGCATCGTTTACAACATGTTGAAAAAGACAGTTGGTATC 702
    ::|||  ::|||:::  ||   |||    :::  :::||||
159 rgValLeuGlyGlyArgThrTyrArgThrLeuLeuGlnLeuThrArgMet 175

703 TATCCGAATGCCCAAATATACGTGACCACAGAGAAGCGCCATGAGTTACTG 752
    |||||::::  |||||:::::  :::||||  |||||||:::::||
176 TyrProGlyLeuGlnValTyrThrPheThrGluArgMetMetAlaTyrCy 192

753 TGATGGAGTTTTAAGAAGGAAACTGGAAGGACCAGGGGGCATGCAAGGC 802
    |||  :::||||:  :|||||||||||::||:::
192 sAspGlnIlePheGlnAspGluThrGlyLysAsnArgArgGlnSerGlyS 209

803 GACTGCTGATTTCTACAGACACTTT 828
    ::|||  ||||    |||
209 erPheLeu...SerThrGlyTrpPhe 216
```

seq_name: sp_rodent:Q9JHP2

seq_documentation_block:
```
ID   Q9JHP2        PRELIMINARY;    PRT;   138 AA.
AC   Q9JHP2;
DT   01-OCT-2000 (TrEMBLrel. 15, Created)
DT   01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   GALNAC ALPHA-2,6-SIALYLTRANSFERASE (FRAGMENT).
GN   ST6GALNAC IV;
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=20198252; PubMed=10731711;
RA   Takashima S., Kurosawa N., Tachida Y., Inoue M., Tsuji S.;
RT   "Comparative analysis of the genomic structures and promoter
RT   activities of mouse Siaa2,3Galb1,3GalNAc GalNAca2,6-Sialyltransferase
RT   genes (ST6GalNAc III and IV): Characterization of their Sp1 binding.";
RL   J. Biochem. 127:399-409(2000).
DR   EMBL; Y19055; CAB93946.1; -.
KW   Transferase; Glycosyltransferase.
FT   NON_TER      1      1
```

seq_name: sp_human:Q9ULB9

seq_documentation_block:
ID   Q9ULB9   PRELIMINARY;   PRT;   302 AA.
AC   Q9ULB9;
DT   01-MAY-2000 (TrEMBLrel. 13, Created)
DT   01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   N-ACETYLGALACTOSAMINIDE ALPHA2,6-SIALYLTRANSFERASE.
GN   ST6GALNAC4.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=LUNG;
RA   Yoshida A.;
RT   "N-acetylgalactosaminide alpha2,6-sialyltransferase.";
RL   Submitted (NOV-1999) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AB035172; BAA87034.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase.
SQ   SEQUENCE   302 AA; 34200 MW; 08A4CDC749A6D783 CRC64;

alignment_scores:
        Quality: 382.00   Length: 209
        Ratio: 2.729   Gaps: 7
Percent Similarity: 66.986   Percent Identity: 41.148

alignment_block:
US-09-714-936-218 x Q9ULB9

Align seg 1/1 to: Q9ULB9 from: 1 to: 302

230 TGCTGG..........TTGTGCGTCTTGTAAATGAAGTGAATTCCCA 267
     ||||| ||||||||:::
26   CysTrpAlaGlyLeuProLeuCysLeuAla.................. 35

268 TTGCTACTAAACTGCTTTGGACAACCTGGTACAAAGTGGATACCATTCTC 317
     ||:::||||||| :: ::|||||||
36   ....ThrCysLeuAsp........HisHisPheP 43

318 CTACACATACA..........GGCGGCCCCTTCGAACTCACTATGGAT 355
     |||| :: ||||||||:::||:::::|||| |||
43   roThrGlySerArgProThrValProGlyProLeuHisPheSer..GlyT 59

356 ACATAAATGTGAAGACACAAGAGCCTTTGCAACTGGAC...TGTGACCTT 402
     || :::|||||| ||:|||||||| :: :||||
59   yrSerSerValProAspGlyLysProLeuValArgGluProCysArgSer 75

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
     |||||||||::::::||||||||||:||||||||:::||:::||:|||
76   CysAlaValValSerSerGlyGlnMetLeuGlySerGlyLeuGlyAl 92

453 TGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCCACCA 502
     || ::::||| |||||||||||:::|||||||||||
92   aGluIleAspSerAlaGluArgMetAsnGlnAlaProThrV 109

503 AAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGTTGTGTCC 552
     ||||||||||::|| || :::|||||||||||||||
109 alGlyPheGluAlaAspValGlyArgSerThrLeuArgValValSer 125

553 CATACCAGCCGTTCCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
     ||||||||||||||::::||| :::::||| :|||:::::::
126 HisThrSerArgProLeuLeuLeuArgAsnTyrSerHisTyrPheGlnLy 142

603 AGCGAATACTACTATTTGTGTTATTTGGGACCTTTCCGCAATATGAGGA 652
     ||:::||| :::::|:||||| :::||||||||||
142 sAlaArgAspThrLeuTyrMetValTrpGlyGlnGlyArgHisMetAspA 159

DR   EMBL; Y17466; CAB44338.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase.
FT   NON_TER   1   1
SQ   SEQUENCE   234 AA; 26937 MW; 6F9C8FCE1BC93FC8 CRC64;

alignment_scores:
            Quality: 411.00   Length: 136
              Ratio: 3.736   Gaps: 0
Percent Similarity: 80.882 Percent Identity: 55.147

alignment_block:
US-09-714-936-218 x Q9W6U6   ..

Align seg 1/1 to: Q9W6U6 from: 1 to: 234

382 TTGCAACTGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGAT 431
     |||| ::   ::||| ||||||:::|||||||:::|||||||||||||
  2 LeuAlaValHisCysAsnGlnCysAlaLeuValSerSerGlyGlnMe   18

432 GGTTGGCCAGAAGGTGGGAAATGAGATGAGATAGATCGATCCTCCTGCATTTGGA 481
     |:::|| :|||||||||||||||| ::   :: ::|||||||||:::
 18 tLeuGlyAlaGlyLeuGlyGluGluIleAspLysIleCysValIleA   35

482 GAATGAACAATGCCCCCACCAAAGGTTATGAGAAGAGAGTGTCGGCCGCCATG 531
     ||||||||||||| |||||||||||||||||||||||||||| :::
 35 rgMetAsnAsnAlaProThrAlaGlyTyrGluGluAspValGlySerLeu   51

532 ACCATGATTCGAGTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAA 581
     ||| :::||||||||||||||||||||||||||||||||:::||||
 52 ThrSerLeuArgValValSerHisThrSerValProLeuLeuValLysAs   68

582 CCCTGATTATTTTTTCAAGGAAGCGAATACTACTATTTGTGTTATTTGGG 631
     | |||::||| ::||| ::|||||||||:::|||||||||||||||
 68 nGluLeuTyrTyrPheHisGlnAlaAlaAsnThrThrTyrValPheTrpG   85

632 GACCTTTCCGCAATGATGAGGAAAGATGGCAATGGCATCGTTTACAACATG 681
     ||||| :::||||||||||||:|||| ||||||||:::||| :::|||
 85 lyProAspSerLysMetArgGlnAspGlyAsnGlyIlePheAsnVal   101

682 TTGAAAAGACCAGTTGGTATCTATCCGAATGCCCAAATATACGTGACCAC 731
     ||||||||| ::: ||||||||||||||||||||||||||||||||||
102 LeuLeuLysIleAlaLysLysTyrProAsnValLysMetTyrSerMetTh   118

732 AGAGAAGCGCCATGACGTTACTCGTGATGGAGTTTTAAGAAGGAAACTGGGA 781
     |:::::::::||||||||||||| ||||||||||||||||||||||||||||
118 rSerGluLysIleLysTyrCysAspGlnValPheGlnAsnGluThrGlyL   135

782 AGGACAGG 789
     ||:::|||
135 ysAsnArg 137

seq_name: sp_human:Q9H4F1

seq_documentation_block:
ID   Q9H4F1   PRELIMINARY;   PRT;   302 AA.
AC   Q9H4F1;
DT   01-MAR-2001 (TrEMBLrel. 16, Created)
DT   01-MAR-2001 (TrEMBLrel. 16, Last sequence update)
DT   01-DEC-2001 (TrEMBLrel. 19, Last annotation update)
DE   ALPHA2,6-SIALYLTRANSFERASE.
GN   ST6GALNAC IV.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=20517254; PubMed=11062056;
RA   Harduin-Lepers A., Stokes D.C., Steelant W.F.A., Samyn-Petit B.,
RA   Krzewinski-Recchi M.A., Vallejo-Ruiz V., Zanetta J.P., Auge C.,

RA   Delannoy P.;
RT   "Cloning, expression and gene organization of a human Neu5Acalpha2-
RT   3Galbeta1-3GalNAc alpha2,6-sialyltransferase: hST6GalNAc IV.";
RL   Biochem. J. 352:37-48(2000).
DR   EMBL; AJ271734; CAC07404.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase.
SQ   SEQUENCE   302 AA; 34214 MW; 7FA7D9D45EA6D081 CRC64;

alignment_scores:
            Quality: 386.00   Length: 209
              Ratio: 2.757   Gaps: 7
Percent Similarity: 66.986 Percent Identity: 41.627

alignment_block:
US-09-714-936-218 x Q9H4F1   ..

Align seg 1/1 to: Q9H4F1 from: 1 to: 302

230 TGCTGG..........TTGTGCGTCTTGTAAATGAACTGAATTCCCA 267
     |||||| ||||||:::
 26 CysTrpAlaGlyLeuProLeuCysLeuAla.................. 35

268 TTGCTACTAAACTGCTTTGGACAACCTGGTACAAAGTGATACCATTCTC 317
     |||||||||||||::||||||||||| :::||||||||
 36 ....ThrCysLeuAsp...............HisHisPheP   43

318 CTACACATACA............GGCGGCCCCTTCGAACTCACTATGGAT 355
     |||| :: ||||||::::::::: |||
 43 roThrGlySerArgProThrValProGlyProLeuHisPheSer..GlyT 59

356 ACATAAATGTGAAGACACAAGAGCCTTTGCAACTGGAC...TGTGACCTT 402
     || ::|||||:::||||||||||||||:::||||||| ::: |||
 59 yrSerSerValProAspGlyLysProLeuValArgGluProCysArgSer 75

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
     ||||||||||||||||||||||||:::||||||||:::||||||||||||
 76 CysAlaValSerSerSerGlyGlnMetLeuGlySerGlyLeuGlyVal   92

453 TGAGATAGATGCATCCTCCTGCATTTGGAGAATGAACAATGCCCCACCA 502
     ||||||||| :::::::||||||:||||||||||||||||||:||||||
 92 aGluIleAspSerAlaGluCysValPheArgMetAsnGlnAlaProThrV 109

503 AAGGTTATGAAGAAGATGTCGGCCCGCATGACCATGATTCGAGTTGTGTCC 552
     ||:::||| ||||||||| • ||||||::: |||::|||||||||||||
109 alGlyPheGluAlaAspValGlyGlnArgThrThrLeuArgValValSer 125

553 CATACCAGCGTTCCTCTTTGCTAAAAAACCCTGATTATTTTTTCAAGGA 602
     ||||||||||||||||||:::||| ||||||||||||||||||||||||
126 HisThrSerValProLeuLeuArgAsnTyrSerHisTyrPheGlnIny 142

603 AGCGAATACTACTATTTGTGTTATTTGGGACCTTTCCGCAATATGAGGA 652
     :||||::: ||:::||||||||||||||||::|||::||||||::||| :
142 sAlaArgAspThrLeuTyrMetValTrpGlyGlyLeuArgHisMetAspA 159

653 AAGATGGCAATGGCATCGTTTACAACATGTTGAAAAAGACAGTTGGTATC 702
     ::||| :::||||| :::||| ::|||| ::: :::||||||||
159 rgValLeuGlyIleArgThrTyrArgThrLeuLeuGlnLeuThrArgMet 175

703 TATCCGAATGCCCAAATATACGTGACCACAGAGAAGCGCCATGAGTTACTG 752
     |||::|| |||:::|||||||||||::|||||||||||||||||||||||||
176 TyrProGlyLeuGlnValTyrThrPheThrGluArgMetAlaTyrCy 192

753 TGATGGAGTTTTTAAGAAGGAAACTGGGAAGGACAGGGGGCATGCAAGGC 802
     ||| :::|||||||||||||||||||||||||||||||||:::   :::
192 sAspGlnIlePheGlnAspGluThrGlyLysAsnArgGlnSerGlyLyS 209

803 GACTGCTGATTTCTACACACTTTT 828
     :::||| ||||||| |||
209 erPheLeu...SerThrGlyTrpPhe 216

```
RT    genes (ST6GalNac III and IV): Characterization of their Sp1 binding.";
RL    J. Biochem. 127:399-409(2000).
CC  -!- FUNCTION: INVOLVED IN THE BIOSYNTHESIS OF GANGLIOSIDE GD1A FROM
CC      GM1B. TRANSFERS CMP-NEUAC WITH AN ALPHA-2,6-LINKAGE TO GALNAC
CC      RESIDUE ON NEUAC-ALPHA-2,3-GAL-BETA-1,3-GALNAC OF GLYCOPROTEINS
CC      AND GLYCOLIPIDS. ST6GALNACIV PREFERS GLYCOPROTEINS TO
CC      GLYCOLIPIDS.
CC  -!- CATALYTIC ACTIVITY: CMP-N-ACETYLNEURAMINATE + ALPHA-N-
CC      ACETYLNEURAMINYL-2,3-BETA-D-GALACTOSYL-1,3-N-ACETYL-D-
CC      GALACTOSAMINYL-GLYCOPROTEIN = CMP + ALPHA-N-ACETYLNEURAMINYL-2,3-
CC      BETA-D-GALACTOSYL-1,3-(ALPHA-N-ACETYLNEURAMINYL-2,6)-N-ACETYL-D-
CC      GALACTOSAMINYL-GLYCOPROTEIN.
CC  -!- PATHWAY: GLYCOSYLATION.
CC  -!- ALTERNATIVE PRODUCTS: 3 ISOFORMS; A LONG FORM 2 (SHOWN HERE), A
CC      LONG FORM 1 AND A SHORT FORM; MAYBE PRODUCED BY ALTERNATIVE
CC      SPLICING.
CC  -!- TISSUE SPECIFICITY: HIGH EXPRESSION IN BRAIN AND COLON AND TO A
CC      LESSER EXTENT IN LUNG, HEART, KIDNEY, SPLEEN AND THYMUS.
CC  -!- DEVELOPMENTAL STAGE: DEVELOPMENTALLY REGULATED.
CC  -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
DR    EMBL; Y15780; CAB43511.1; -.
DR    EMBL; Y15780; CAB43515.1; -.
DR    EMBL; Y15779; CAB43507.1; -.
DR    EMBL; Y15779; CAB43508.1; -.
DR    EMBL; AJ007310; CAA07446.1; -.
DR    EMBL; Y19057; CAB93948.1; -.
DR    MGD; MGI:1341894; Siat7d.
DR    InterPro; IPR001675; Glyco_transf_29.
DR    InterPro; IPR001482; GSPII_E.
DR    Pfam; PF00777; Glyco_transf_29; 1.
DR    Pfam; PF00437; GSPII_E; 1.
KW    Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW    Signal-anchor; Golgi stack; Alternative splicing.
FT    DOMAIN        1     71     CYTOPLASMIC (POTENTIAL).
FT    TRANSMEM     72     94     SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN).
FT    DOMAIN       95    360     LUMENAL, CATALYTIC (POTENTIAL).
FT    CARBOHYD    193    193     N-LINKED (GLCNAC...) (POTENTIAL).
FT    VARSPLIC      1     58     MISSING (IN SHORT ISOFORM).
FT    VARSPLIC      1     28     MEHVVTCWRLKLLSWPVFLWICLSLAS -> MSSEQRILS
FT                               PQRTPIRSF (IN LONG ISOFORM 1).
SQ    SEQUENCE    360 AA;  40773 MW;  7CF4101B8FDA369A CRC64;
```

```
alignment_scores:
          Quality:   415.00               Length:    274
          Ratio:       2.293                 Gaps:     12
Percent Similarity:   66.058      Percent Identity:  38.321
```

```
alignment_block:
US-09-714-936-218 x Q9R2B6

Align seg 1/1  to: Q9R2B6  from: 1  to: 360

38  CTTATTGGATCGCGGGAATGTGGGCTGGA...GAGTTCTGCCGTGGT    84
    ||||||||||||||       :::::::::  ::::::::::     |||
19  LeuIleTrpIleCysLeuSerLeu.AlaSerValSerLeuIleSerTrpA  35

85  ACCAGCCTCCAGCC......TGCCCCAGGACTGCCCCTGACCCAGGCGC   128
    |||:||||||||:|      |||:||| :||::      :::
35  spGlnLeuProAlaPheLeuIleProSer.ThrGly...AspSerSerLe  50

129 GCCCGCGTCGCTGCCGAGGAGGAGCCGGCGGAGCGCCGCCTGCATCC    178
    :::||:: ||||||||  ::::::  :::|     :::|
50  uGlnThrAlaLysSerArgAspSerMetLysAlaProGlyArgLeuLeuL  67

179 TGAAGAGAAAGTCTGTGATTGCTGTGAGCTTCATAGCAGCGTTCCTTTTC  228
    :::::::      |||   ::::::::::::|||||
67  euLeuThrLeuCysIleLeuThrPheSerAlaValCysValPheLeu.Cy  83

229 CTGCTGGTTGTGCGTCTTGTAAATGATGAGTGAATTCCCATTGCTACTAAA 278
    ||||| |||      :::   ::|||         |||   ||
83  sCysTrpAlaCys.........LeuProLeuCysLeuaT            94

279 CTGCTTGGACAACCTGGTACAAAGTGGATACCATTCTCCT.........  319
    ::::||||:::    |||                        |||
94  hrCysLeuAspArg...................HisLeuProAlaAlaPro 104

320 ...ACACATACAGGCGGCCCCTTGAACTCACTATGGATACAATAAATGTG 366
    ::  ||||||||||||||||||||||||||||||||||||||| :  :
105 ArgSerThrValProGlyProLeuHisPheSer..GlyTyrSerSerVal 120

367 AAGACACAAGAGCCTTGCAACTGGAC...TGTGACCTTGTGCCCATAGT  413
    :::|||||| |:||||||         |||   :  :      ::: :::|
121 ProAspGlyLysProLeuIleArgGluLeuCysHisSerCysAlaValVa 137

414 GTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGAAATGAGATAGATC  463
    ||||||||||||||||||||||    :::||   :::||||||   |||||
137 lSerAsnSerGlyGlnMetLeuGlySerGlyLeuGlyAlaGlnIleAspG 154

464 GATCCTCCTGCATTGGAGAATGAACAATGCCCCACCAAAGGTTATGAA   513
    :::::||||:  :||||||||||||||||::::||||||||||| ||||||
154 lyAlaGluCysValLeuArgMetAsnGlnAlaProThrValGlyPheGlu 170

514 GAAGAtGTCGGCCGCATGACCATGATTCGAGTGGTGTCCCATACCAGCGT 563
    |||||||||||:::::|  ||   :::||||||::|||||||||||||||
171 GluAspValGlyGlnArgThrThrLeuArgValIleSerHisThrSerVa 187

564 TCCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGAAGCGAATACTA   613
    :::||||||||||:::||||       |||::::::||:|||:|     |
187 lProLeuLeuArgAsnTyrSerHisTyrPheGlnHisAlaArgAspT    204

614 CTATTTGTGTTATTTGGGGACCTTTCCGCAATATGAGGAAAGATGGCAAT  663
    |::   :::|||||::||        ||||:|||||||||     :::::|
204 hrLeuTyrValValTrpGlyGlnGlyArgHisMetAspArgValLeuGly 220

664 GGCATCGTTTACAACATGTTGAAAAAGACAGTGGTATCTATCCGAATGC   713
    |||   :::::::|  |||  :::     :::||||||||||||||||||
221 GlyArgThrTyrArgThrLeuLeuGlnLeuThrArgMetTyrProGlyLe 237

714 CCAAATATACGTGACCACAGAGAACCGCATGAGTTACTGTGATGGAGTTT  763
    |||||:::|:::    |||||||   :::|||||||::||||||||   :::
237 uGlnValTyrPheThrPheGluArgMetAlaTyrCysAspGlnIleP    254

764 TTAAGAAGAAACTGGAAGGACAGAGGGGCATGCAAGGCGACTGCTGATT   813
    |:::    |||||||||||||    :::|||       :::||   :::||
254 heGlnAspGluThrGlyLysAsnArgArgGlnSerGlySerPheLeu... 269

814 TCTACAGACACTTT                                     828
    ||||||
270 SerThrGlyTrpPhe                                     274
```

```
seq_name: sp_vertebrate:Q9W6U6

seq_documentation_block:
ID   Q9W6U6       PRELIMINARY;       PRT;    234 AA.
AC   Q9W6U6;
DT   01-NOV-1999 (TrEMBLrel. 12, Created)
DT   01-NOV-1999 (TrEMBLrel. 12, Last sequence update)
DT   01-DEC-2001 (TrEMBLrel. 19, Last annotation update)
DE   ALPHA-N-ACETYLGALACTOSAMINE ALPHA-2,6-SIALYLTRANSFERASE
DE   (FRAGMENT).
GN   SIAT3C.
OS   Fugu rubripes (Japanese pufferfish) (Takifugu rubripes).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC   Acanthomorpha; Acanthopterygii; Percomorpha; Tetraodontiformes;
OC   Tetraodontidae; Takifugu.
OX   NCBI_TaxID=31033;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=9299247; PubMed=10369878;
RA   Gilley J., Fried M.;
RT   "Extensive gene order differences within regions of conserved synteny
RT   between the Fugu and human genomes: implications for chromosomal
RT   volution and the cloning of disease genes.";
RL   Hum. Mol. Genet. 8:1313-1320(1999).
```

```
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A., AND CHARACTERIZATION.
RC   STRAIN=ICR; TISSUE=BRAIN;
RX   MEDLINE=99223522; PubMed=10207017;
RA   Lee Y.-C., Kaufman M., Kitazume-Kawaguchi S., Kono M., Takashima S.,
RA   Kurosawa N., Liu H., Pircher H., Tsuji S.;
RT   "Molecular cloning and functional expression of two members of mouse
RT   NeuAcalpha2,3Galbeta1,3GalNAc GalNAcalpha2,6-sialyltransferase family,
RT   ST6GalNAc III and IV.";
RL   J. Biol. Chem. 274:11958-11967(1999).
CC   -!- FUNCTION: INVOLVED IN THE BIOSYNTHESIS OF GANGLIOSIDE GD1A FROM
CC       GM1B. TRANSFERS CMP-NEUAC WITH AN ALPHA-2,6-LINKAGE TO GALNAC
CC       RESIDUE ON NEUAC-ALPHA-2,3-GAL-BETA-1,3-GALNAC OF GLYCOPROTEINS
CC       AND GLYCOLIPIDS. ST6GALNACIII PREFERS GLYCOLIPIDS TO
CC       GLYCOPROTEINS.
CC   -!- CATALYTIC ACTIVITY: CMP-N-ACETYLNEURAMINATE + ALPHA-N-
CC       ACETYLNEURAMINYL-2,3-BETA-D-GALACTOSYL-1,3-(N-ACETYL-D-
CC       GALACTOSAMINYL)-GLYCOLIPID = CMP + ALPHA-N-ACETYLNEURAMINYL-2,3-
CC       BETA-D-GALACTOSYL-(2,6-ALPHA-N-ACETYLNEURAMINYL)-(N-ACETYL-D-
CC       GALACTOSAMINYL)-GLYCOLIPID.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN. GOLGI (POTENTIAL).
CC   -!- TISSUE SPECIFICITY: HIGH EXPRESSION IN BRAIN, LUNG AND HEART AND
CC       TO A LESSER EXTENT IN KIDNEY, MAMMARY GLAND, SPLEEN, TESTIS AND
CC       THYMUS.
CC   -!- DEVELOPMENTAL STAGE: IN BRAIN, EXPRESSION REACHES MAXIMUM LEVELS
CC       AT DAY 12 OF THE EMBRYONIC STAGE. KEEPS ALMOST SIMILAR LEVELS
CC       DURING MOUSE DEVELOPMENT.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
DR   EMBL; Y11342; CAA72181.2; -.
DR   EMBL; Y11343; CAB95031.1; -.
DR   EMBL; Y11344; CAB95031.1; JOINED.
DR   EMBL; Y11345; CAB95031.1; JOINED.
DR   EMBL; Y11346; CAB95031.1; JOINED.
DR   MGD; MGI:1341828; Siat7c.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN         1      9       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM      10     25       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN).
FT   DOMAIN        26    305       LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD     239    239       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD     301    301       N-LINKED (GLCNAC...) (POTENTIAL).
SQ   SEQUENCE    305 AA;  35414 MW;  63C749B615BF6A3F CRC64;
```

```
alignment_scores:
        Quality:    917.00           Length:      208
        Ratio:        4.703          Gaps:          0
Percent Similarity:  93.750   Percent Identity:  81.250

alignment_block:
US-09-714-936-218 x Q9WUV2

Align seg 1/1  to: Q9WUV2   from: 1  to: 305

166 ATGGCCTGCATCCTGAAGAGAAAGTCTGTGATTGCTGTGTGAGCTTCATAGC 215
    ||||||||||||||||||||||||||||   ||||||||:::||||||||||
  1 MetAlaCysIleLeuLysArgLysSerValIleAlaValSerPheIleAl   17

216 AGCGTTCCTTTCCTGCTGGTTGTGCGTCTTGTAAATGAAGTGAATTTCC 265
    |    :::||||||||||||||||||||||:||||||||:::::||||||
 17 aLeuCysIleLeuLeuLeuAlaMetArgLeuValAsnAspAlaThrPheP   34

266 CATTGCTACTAAACTGCTTTGGACAACCTGGTACAAAGTGGATACCATTC 315
    ||||||||||||||||||||||||||||||| |||||||||||||||:::
 34 roLeuLeuLeuAsnCysPheGlyGlnProLysThrLysTrpIleProLeu   50

316 TCCTACACATACAGGCGCGGCCCCTTCGAACTCACTATGGATACATAAATGT 365
```

```
     ||||||::::::||||||::|||||||||||||||||||||||||||||||
51   ProTyrThrPheArgGlnProLeuArgThrHisTyrGlyTyrIleAsnVa   67

366 GAAGACACAAGAGCCTTGCAACTCGACTGGACCTTGTGCCATAGTGT 415
    |:::||||||||||||||||||||||||||::||||::    ||||||||||
67  lArgThrGlnGluProLeuGlnLeuAspTrpThrLeuCysAlaIleValS   84

416 CAAACTCAGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGA 465
    :::|||||||||||||||||||||||||||||||||||||||||||||||
84  erAsnSerGlyGlnMetValGlyGlnLysValGlyGluIleAspHis   100

466 TCCTCCCCATTGGAGAATGAACAATGCCCCACCAAAGGTTATGAAGA 515
    ::::||||||||||||||||||||||||||||||||||||||:::||||
101 AlaSerCysIleTrpArgMetAsnAsnAlaProThrLysGlyPheGluGl  117

516 AGATGTCGGCGCGATGACCATGATTCGAGTTGTGTCCCATACCAGCGTTC 565
    |||||||||  ||||||||||||||||||||||||||||||||||||||||
117 uAspValGlyTyrMetThrMetValArgValValSerHisThrSerValP  134

566 CTCTTTGCTAAAAACCCTGATTATTTTTCAAGGAAGCGAATACTACT 615
    |||||||||||||||||||||||||||||||||:||:::||||||||||
134 roLeuLeuLeuLysAsnProAspTyrPhePheLysGluAlaSerArgThr  150

616 ATTTGTGTTATTGGGGACCTTTCCCAATATGAGGAAAGATGGCAATGG 665
    |||  |||||||||||||||||||||||||||||||||||||||||||||
151 IleTyrValIleTrpGlyProPheArgAsnMetArgLysAspGlyAsnGl  167

666 CATCGTTTACAACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCC 715
    |||||||||||||||||||||||||||||||||||  ||||:::||||
167 yIleValTyrAsnMetLeuLysLysThrValAspAlaTyrProAspAlaG  184

716 AAATATACGTGACCACCAGAGAAGCCATGAGTTACTGTGATGGAGTTTTT 765
    ||||||||||||||||||||||||||||||||||||||||||||||||||
184 lnIleTyrValThrThrArgGluGlnMetThrHisCysAspGlyValPhe  200

766 AAGAGGAAACTGGGAAGGACGAGG 789
    ||| ||||||||||||||||||||
201 LysAspGluThrGlyLysAspArg  208
```

```
seq_name: sp_rodent:Q9R2B6

seq_documentation_block:
ID   Q9R2B6      PRELIMINARY;      PRT;   360 AA.
AC   Q9R2B6; Q9R2B5; Q9QUP9; O88725; Q9JHP0;
DT   01-MAY-2000 (TrEMBLrel. 13, Created)
DT   01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   (ALPHA-N-ACETYL-NEURAMINYL-2,3-BETA-GALACTOSYL-1,3)-N-
DE   ACETYLGALACTOSAMINIDE ALPHA-2,6-SIALYLTRANSFERASE (EC 2.4.99.-)
DE   (ALPHA-N-ACETYLGALACTOSAMINIDE ALPHA-2,6-SIALYLTRANSFERASE)
DE   (ST6GALNACIV).
GN   ST6GALNAC IV.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A., AND CHARACTERIZATION.
RC   STRAIN=ICR; TISSUE=BRAIN;
RX   MEDLINE=99223522; PubMed=10207017;
RA   Lee Y.-C., Kaufman M., Kitazume-Kawaguchi S., Kono M., Takashima S.,
RA   Kurosawa N., Liu H., Pircher H., Tsuji S.;
RT   "Molecular cloning and functional expression of two members of mouse
RT   NeuAc-alpha-2,3Gal-beta-1,3GalNAc GalNAc-alpha2,6-sialyltransferase
RT   family, ST6GalNAc III and IV.";
RL   J. Biol. Chem. 274:11958-11967(1999).
RN   [2]
RP   SEQUENCE OF 299-360 FROM N.A.
RC   STRAIN=C57BL/6;
RX   MEDLINE=20198252; PubMed=10731711;
RA   Takashima S., Kurosawa N., Tachida Y., Inoue M., Tsuji S.;
RT   "Comparative analysis of the genomic structures and promoter
RT   activities of mouse Siaa2,3Galb1,3GalNAc GalNAca2,6-Sialyltransferase
```

```
OM of: US-09-714-936-218 to: SPTREMBL_19:*    out_format : pfs
Date: May 7, 2002   5:05 PM
About: Results were produced by the GenCore software, version 4.5,
       Copyright (c) 1993-2000 Compugen Ltd.

Command line parameters:
-MODEL=frame+_n2p.model -DEV=xlh
-Q=/cgn2_1/USPTO_spool/US09714936/runat_07052002_093907_25038/app_query.fasta_1.1375
-DB=SPTREMBL_19 -QFMT=fastan -SUFFIX=rspt -GAPOP=12.000
-GAPEXT=4.000 -MINMATCH=0.100 -LOOPCL=0.000 -LOOPEXT=0.000
-QGAPOP=4.500 -QGAPEXT=0.050 -XGAPOP=10.000 -XGAPEXT=0.500
-FGAPOP=6.000 -FGAPEXT=7.000 -YGAPOP=10.000 -YGAPEXT=0.500
-DELOP=6.000 -DELEXT=7.000 -START=1 -MATRIX=blosum62
-TRANS=human40.cd1 -LIST=100 -DOCALIGN=200 -THR_SCORE=pct
-THR_MAX=100 -THR_MIN=0 -ALIGN=45 -MODE=LOCAL -OUTFMT=pfs
-NORM=ext -HEAPSIZE=500 -MINLEN=0 -MAXLEN=2000000000
-USER=US09714936_@CGN1_1.176 -NCPU=6 -ICPU=3 -LONGLOG
-DEV_TIMEOUT=120 -WARN_TIMEOUT=30 -NO_XLPXY -WAIT -THREADS=1

Search information block:
Query: US-09-714-936-218
Query length: 1294
Database: SPTREMBL_19:*
Database sequences: 562222
Database length: 172994929
Search time (sec): 85.340000
```

score_list:

Sequence	Strd	Orig	ZScore	EScore	Len	Documentation
sp_rodent:Q9WUV2	+	917.00	1705.27	4.0e-87	305	Q9wuv2 mus musculus (mouse). al
sp_rodent:Q9R2B6	+	415.00	758.53	1.8e-34	360	Q9r2b6 mus musculus (mouse). (a
sp_vertebrate:Q9W6U6	+	411.00	755.39	4.3e-34	234	Q9w6u6 fugu rubripes (japanese
sp_human:Q9H4F1	+	386.00	705.73	1.9e-31	302	Q9h4f1 homo sapiens (human). al
sp_human:Q9ULB9	+	382.00	698.20	5.0e-31	302	Q9ulb9 homo sapiens (human).
sp_human:Q9UKU1	+	380.00	694.43	8.2e-31	302	Q9uku1 homo sapiens (human). ne
sp_human:Q9NWU6	+	376.00	686.90	2.1e-30	302	Q9nwu6 homo sapiens (human). co
sp_rodent:Q9JHP2	+	363.00	670.40	3.9e-29	138	Q9jhp2 mus musculus (mouse). ga
sp_rodent:Q9JM95	+	334.00	606.84	5.6e-26	333	Q9jm95 mus musculus (mouse). go
sp_human:Q9BVH7	+	328.50	596.39	2.1e-25	336	Q9bvh7 h similar to sialyltrans
sp_rodent:Q9QYJ1	+	319.50	579.45	1.9e-24	336	Q9qyj1 mus musculus (mouse). hy
sp_human:Q969X2	+	317.50	575.78	3.0e-24	333	Q969x2 homo sapiens (human). di
sp_rodent:Q9NUC5	+	308.00	560.85	2.7e-23	249	Q9nuc5 homo sapiens (human). n-
sp_rodent:Q9R0G9	+	296.00	536.53	5.2e-22	295	Q9r0g9 mus musculus (mouse). n-
sp_human:Q9ULB8	+	293.50	531.69	9.6e-22	299	Q9ulb8 homo sapiens (human). n-
sp_human:Q9H8A2	+	293.50	531.69	9.6e-22	299	Q9h8a2 homo sapiens (human). th
sp_human:Q96HE4	+	163.00	281.74	5.3e-08	455	Q96he4 homo sapiens (human). un
sp_human:Q96JF0	+	163.00	280.11	5.5e-08	534	Q96jf0 homo sapiens (human). ki
sp_invertebrate:Q9W121	+	159.00	274.30	1.4e-07	451	Q9w121 drosophila melanogaste
sp_invertebrate:Q9GU23	+	159.00	273.80	1.4e-07	474	Q9gu23 drosophila melanogaste
sp_mammal:O18974	+	143.00	245.27	6.4e-06	405	O18974 bos taurus (bovine). bet
sp_rodent:Q9WVG2	+	140.50	242.68	1.1e-05	329	Q9wvg2 mus musculus (mouse). ub
sp_rodent:Q9C248	+	139.00	239.00	1.6e-05	358	Q9c248 mus musculus (mouse). si
sp_rodent:Q9DBB6	+	138.50	237.61	1.8e-05	374	Q9dbb6 mus musculus (mouse). si
sp_rodent:Q9QXF6	+	137.50	236.15	2.3e-05	359	Q9qxf6 mesocricetus auratus (go
sp_human:Q9Y274	+	137.50	235.73	2.9e-05	374	Q9y274 homo sapiens (human). al
sp_rodent:Q91Y74	+	136.50	234.52	3.0e-05	350	Q91y74 mus musculus (mouse). ga
sp_human:Q96L53	+	134.00	230.11	5.0e-05	340	Q96l53 homo sapiens (human). si
sp_rodent:Q9CUJ6	+	131.50	225.11	9.8e-05	350	Q9cuj6 mus musculus (mouse). si
sp_rodent:P97354	+	131.00	228.71	9.6e-05	224	P97354 m cmp-n-acetylneuraminat
sp_human:Q9Y274	+	130.00	223.04	0.0001	325	Q9y274 homo sapiens (human). al
sp_mammal:Q9N257	+	129.50	221.85	0.0002	333	Q9n257 oryctolagus cuniculus (r
sp_rodent:P97877	+	129.50	221.85	0.0002	333	P97877 rattus norvegicus (rat).
sp_rodent:Q9QXF5	+	129.50	221.09	0.0002	359	Q9qxf5 mesocricetus auratus (gd
sp_plant:Q9SGD2	+	123.00	207.80	0.0008	398	Q9sgd2 arabidopsis thaliana.
sp_rodent:Q9JJM6	+	121.50	216.84	0.0008	124	Q9jjm6 mus musculus (mouse).
sp_plant:Q9M301	+	120.00	200.46	0.0017	470	Q9m301 arabidopsis thaliana
sp_rodent:O88829	+	119.00	201.32	0.0020	359	O88829 mus musculus (mouse).
sp_rodent:Q9QWF8	+	119.00	201.32	0.0020	359	Q9qwf8 mus musculus (mouse).
sp_rodent:Q9C265	+	119.00	200.56	0.0021	387	Q9c265 mus musculus (mouse).
sp_rodent:Q9QWF9	+	118.50	200.56	0.0021	387	Q9qwf9 mus musculus (mouse).
sp_human:Q96Q09	+	118.50	200.96	0.0022	339	Q96qq9 homo sapiens (human).
sp_virus:Q9Q8U2	+	117.00	199.73	0.0031	290	Q9q8u2 shope fibroma virus (
sp_virus:Q9YJT5	+	116.50	198.78	0.0035	290	Q9yjt5 myxoma virus. alpha-2
sp_virus:Q9YJT3	+	115.50	196.90	0.0044	290	Q9yjt3 myxoma virus (strain
sp_rodent:Q9DC24	+	115.50	194.34	0.0047	373	Q9dc24 m sialyltransferase 7
sp_rodent:O88830	+	115.00	193.79	0.0053	359	O88830 rattus norvegicus (ra
sp_human:O43173	+	114.00	191.33	0.0069	380	O43173 homo sapiens (human).
sp_virus:Q9YN04	+	112.50	191.25	0.0091	290	Q9yn04 myxoma virus. alpha(2
sp_human:Q94902	+	112.50	189.00	0.0097	362	Q94902 homo sapiens (human).
sp_human:Q9UNP4	+	112.50	189.00	0.0097	362	Q9unp4 homo sapiens (human).
sp_rodent:Q9Q239	+	112.00	184.26	0.0123	526	Q9q239 mus musculus (mouse).
sp_vertebrate:P79783	+	111.50	187.69	0.0121	342	P79783 gallus gallus (chicke
sp_rodent:P70554	+	111.00	186.26	0.0139	359	P70554 rattus norvegicus (ra
sp_rodent:P70277	+	109.50	183.05	0.0202	373	P70277 mus musculus (mouse).
sp_rodent:Q9CVE8	+	108.50	186.72	0.0218	216	Q9cve8 mus musculus (mouse).
sp_human:Q9NXQ7	+	108.50	184.34	0.0234	273	Q9nxq7 homo sapiens (human).
sp_human:Q9NSC7	+	108.50	176.33	0.0297	600	Q9nsc7 homo sapiens (human).
sp_plant:Q94DD4	+	107.00	177.81	0.0376	393	Q94dd4 oryza sativa (rice).
sp_human:Q12971	+	105.50	175.49	0.0531	374	Q12971 homo sapiens (human).
sp_human:Q9UJ37	+	105.50	175.49	0.0531	374	Q9uj37 homo sapiens (human).
sp_phage:Q9TOQ3	+	104.50	171.75	0.0594	540	Q9toq3 bacteriophage mb78 (s
sp_rodent:Q9JJM5	+	104.00	187.03	0.0452	100	Q9jjm5 mus musculus (mouse).
sp_rodent:Q64468	+	101.00	173.60	0.0742	341	Q64468 mus musculus (mouse).
sp_bacteria:Q935Y7	+	98.50	160.09	0.3078	465	Q935y7 synechococcus sp. (st
sp_plant:Q9FRR9	+	97.50	158.68	0.3864	444	Q9frr9 arabidopsis thaliana
sp_vertebrate:Q93234	+	95.50	156.64	0.5948	375	Q93234 xenopus laevis (afric
sp_invertebrate:Q95YW6	-	95.00	151.69	0.7568	556	Q95yw6 leishmania major. (afric
sp_bacteria:Q9X927	-	95.00	147.61	0.8552	830	Q9x927 streptomyces coelicol
sp_rodent:O35615	-	93.00	142.00	1.46	995	O35615 mus musculus (mouse).
sp_rodent:Q9JKW7	-	93.00	140.85	1.52	1114	Q9jkw7 mus musculus (mouse)
sp_human:Q9BRB3	-	92.50	143.80	1.52	760	Q9brb3 homo sapiens (human).
sp_mammal:Q9TT09	-	92.00	158.78	1.07	159	Q9tt09 cercopithecus aethiop
sp_rodent:Q9QXF4	-	91.50	150.52	1.37	358	Q9qxf4 mesocricetus auratus
sp_virus:Q9WHB5	-	91.00	152.91	1.39	258	Q9whb5 kaposi's sarcoma-asso
sp_rodent:O35412	+	90.50	132.08	2.86	1822	O35412 rattus norvegicus (r
sp_vertebrate:O73724	-	90.50	150.79	1.79	264	O73724 gallus gallus (chicke
sp_invertebrate:Q9VD05	-	90.50	142.12	2.32	619	Q9vd05 drosophila melanoga
sp_invertebrate:Q23249	+	89.50	144.24	2.62	418	Q23249 caenorhabditis eleg
sp_plant:Q9AYJ0	-	89.50	139.08	3.06	694	Q9ayj0 oryza sativa (rice).
sp_human:Q9NYB5	-	89.50	138.82	3.08	712	Q9nyb5 homo sapiens (human).
sp_rodent:O08563	-	89.00	145.01	2.81	353	O08563 rattus norvegicus (ra
sp_human:Q9HAA9	-	89.00	144.93	2.81	356	Q9haa9 homo sapiens (human).
sp_virus:P89958	-	89.00	143.39	2.94	414	P89958 hepatitis c virus. ge
sp_plant:Q9LZU6	-	88.50	139.07	3.35	633	Q9lzu6 arabidopsis thaliana
sp_plant:Q9SG86	+	88.50	137.48	3.86	675	Q9sg86 arabidopsis thaliana
sp_human:Q9Y6R7	-	88.50	122.85	5.98	2843	Q9y6r7 homo sapiens (human).
sp_bacteria:Q9EXN1	-	88.00	135.09	4.54	778	Q9exn1 enterococcus faecalis
sp_virus:Q9YTL0	-	88.00	134.37	4.64	835	Q9ytl0 ateline herpesvirus 3
sp_virus:Q98V36	+	87.50	142.97	3.94	327	Q98v36 hepatitis c virus. ge
sp_human:Q9Y5G1	-	87.50	132.34	5.41	929	Q9y5g1 homo sapiens (human).
sp_human:Q96KJ4	-	87.50	131.07	5.62	1053	Q96kj4 homo sapiens (human).
sp_human:Q9NR41	-	87.00	146.25	3.91	216	Q9nr41 homo sapiens (human).
sp_mammal:Q9MZ37	+	87.00	146.25	3.91	216	Q9mz37 pan troglodytes (chim

```
seq_name= sp_rodent:Q9WUV2

seq_documentation_block:
ID   Q9WUV2     PRELIMINARY;   PRT;   305 AA.
AC   Q9WUV2; Q9JHP5;
DT   01-NOV-1999 (TrEMBLrel. 12, Created)
DT   01-MAR-2001 (TrEMBLrel. 16, Last sequence update)
DT   01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE   ALPHA-N-ACETYLGALACTOSAMINIDE ALPHA-2,6-SIALYLTRANSFERASE
DE   (EC 2.4.99.-) (ST6GALNACIII).
GN   SIAT7C OR ST6GALNACIII.
OS   Mus musculus (Mouse).
```

```
CC    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC    the European Bioinformatics Institute.  There are no restrictions on its
CC    use by non-profit institutions as long as its content is in no way
CC    modified and this statement is not removed.  Usage by and for commercial
CC    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC    or send an email to license@isb-sib.ch).
CC
DR    EMBL; D50930; BAA09489.1; -.
KW    Hypothetical protein.
SQ    SEQUENCE   422 AA;  45796 MW;  8F607F093408CEAC CRC54;

alignment_scores:
       Quality:    82.00           Length:     426
       Ratio:       0.477          Gaps:        26
Percent Similarity:   40.376    Percent Identity:  23.005

alignment_block:
US-09-714-936-218/rev x Y140_HUMAN    ..

Align seg 1/1   to: Y140_HUMAN   from: 1   to: 422

1121 AAGGAACTAAGACACTCAGGTTGCCGTATCAGGCAGGGGATTGCTCCCT 1072
     :::||||||||||||           |||||||||||::
   7 GluSerLeuSerThr..........ArgIleAlaAspSerIleAl 18

1071 GTGTGTGCAATTCACA..........CACAGACCCTGCTCCCTCAGAAATA 1031
     |||    |||   ||| |||||:::: ||
  18 aCysGlyThrPheSerArgGluLeuHisThrProLysLysMetSerGlnG 35

1030 AGAACACCACTCTGGGTGTTGGGATGCTTGCTGCTGCCATATGCCAATCAACA 981
     ||| :::::: |||::|
  35 lyProThrLeuPheSerCysGlyIle.................. 43

980 ATGAGATTTGTTACGTGGAAGGAGGAGGAGGAGGATGCAATGATCCTGGC 931
    |||::|::       ::  :: :::
  44 MetGluAsnAspArgTrpArgArgArgLeuAspArgLysCysProLeuGlnIl 60

930 CTGTCAGCAGGTTTATATCGCTTATGACATTTCAGCAAGTGACTGGATGC 881
    |||:::||| ||| |||::::
  60 eAspGlnPro..........SerThrSerIleTrpGluC 70

880 TTGTAAGAGGACCGGAAAGGTAGTTCCACTTGCCACTGGTAATCGCT 831
    |||||||:: :::|||::: ||      :::::
  70 ysLeu.....ProGluLys.AspSerSerLeuTrpHisArgGluAlaVa 84

830 TAAAAAGTGTCTGTAGAAATCA..........GCAGTCGCCTTGC 796
    :  |||||||||||||||| |       ::::::::: |
  84 lThrAlaCysValThrSerLeuIleLysAspLeuSerIleSerAspH 101

795 ATGCCCCTGCTCCCCAGTTCCTTCCTTCTTAAAAACTCCATCACAGT... 749
    ||  |||||||| ||||||   :::   ::||||
 101 lsAsnGlyAsnProSerAlaProSerLysArgGlnCysArgSerLeu 117

748 ..........................AACTCATGCGCCTTCTCTGTGG.......... 728
                              :::||||||  :::
 118 SerPheSerAspGluMetSerSerCysArgThrSerTrpArgProLeuGl 134

727 .TCACGTATATT............................GGGC 712
    |||::::::::                             |||
 134 ySerLysValTrpThrProValGluLysArgArgCysTyrSerGlyGlyS 151

711 ATTCGGATAGATACCAACTGTCTTTTTCAACATGTGTAAACGATGCCAT 662
    :::|||||||||:: ::||||||||||      :::
 151 erValGlnArgTyrSerAsnGlyPheSerThrMetGlnArgSer...... 165

661 TGCCATCTTTCCTCATATTGCGGAAAGGTCCCAAAATAACACAAATAGTA 612
    ||||||                  :::
 166 .........SerSer....................  167

611 GTATTCGCTTCCTTGAAAAAAAATAATCAGGGTTTTTAGCAAAAGAGGAAC 562
    :::||||||||||  :::  |||
 168 .PheSerLeuProSerArgAlaAsn..........  175
```

```
561 GCTGGTATGGGACAACTCGAATCATGGTCATGCGGCCGACATCTTCTT 512
    :::  |||   |||  ::: |||             |||
176 ..........ValLeuSerProCysAspGlnAlaGlyLeu 186

511 CATAACCTTTGGTGGGGCATTGTTCATTCTCCAAATGCAGGAGGATCGA 462
    |||::||| :::: |||               :::::    |||
187 HisHisArgPheGlyGly..........GlnProCysGlnGlyValPr 199

461 TCTATCTCATTTCCCACCTTCTGGCCAACCATCTGACCTGAGTTTGACAC 412
    |||    |||   ||||||| :::|||
199 oGlySer......AlaProCysGlyGlnAlaGlyAsp...........T 210

411 TATGGCACAAAGTCACAGTCCAGTTGCAAAGGCT..........CTTGTG 371
    |||||||||     ||||||::::    |||
210 hrTrpSerProAspLeuHisProValGlyValGlyArgLeuAspLeuGln 226

370 TCTTCACATTTATGTATCCATAGTGAGTTCGAAGGGCCGCCGCCTGTATGTG 321
    ||| |||:::::::::::|::::   :::
227 ArgSerLeuSerCysSerHisGlnInPheSerPheValGlu...TyrCy 242

320 T...............AGGAGAATGTGTATCCACTTTGTACCAGGTTGTCC 286
    |                          :::||||||           :
242 sProProSerAlaAsnSerThrProAlaSerThrProGluLeuAlaArgA 259

285 AAAGCAGTTTAGTAGCAATGGGAAATTCACTT.................. 254
    ::||||||  :::::   ::::::|||
259 rgSerSerGlyLeuSerArgSerArgSerGlnProCysValLeuAsnAsp 275

253 .........................CATTTACAAGACGCACA 237
                             ::||||||||::
276 LysLysValGlyValLysArgArgProGluGluValGlnGluGlnInAr 292

236 ACCAGCAGGAAAAGGAACGCTGCTATGAAGCTCACAGCAATCACAGACTT 187
    ::||||:::            ::||||||||  :::|||
292 gProSer......LeuAspLysMetAlaGlnAsnCysGlnThrP 307

186 TCTCTTCA..........................GGATGCAGGCCATGG 164
    ||||||||                           |||   |||
307 heSerSerLeuSerCysLeuSerAlaGlyThrGluAspCysGlyPro... 322

163 CGCTCCGCGGCCCTCCTGCCACCGAGCAGCGGCGCGCCCTGGGTC..... 118
    ::||||| |||                ||||||||||:::::
323 GlnSer.ProPheAlaArgHisValSerAsnThrArgAlaTrpThrAlaL 339

117 ..........AGGGGCAGTCCTGCGGGGCAGGCTGGAGGCTGGTACC...ACG 79
            :::|||||||||||||||| |||||||          |||
339 euLeuSerAlaSerGlyProGlyGlyArgThrProAlaGlyThrProVal 355

78 GCAGGACCCTCTCCAGCCCACCATTC 55
   |||||  |||::::||
356 ProGluProLeuProProSerPhe 363
```

```
RX   MEDLINE=98425501; PubMed=9754630;
RA   Kawanishi Y., Harada S., Tachikawa H., Okubo T., Shiraishi H.;
RT   "Novel mutations in the promoter and coding region of the human 5-HT1A
RT   receptor gene and association analysis in schizophrenia.";
RL   Am. J. Med. Genet. 81:434-439(1998).
CC   -!- FUNCTION: THIS IS ONE OF THE SEVERAL DIFFERENT RECEPTORS FOR 5-
CC       HYDROXYTRYPTAMINE (SEROTONIN), A BIOGENIC HORMONE THAT FUNCTIONS
CC       AS A NEUROTRANSMITTER, A HORMONE, AND A MITOGEN. THE ACTIVITY OF
CC       THIS RECEPTOR IS MEDIATED BY G PROTEINS THAT INHIBITS ADENYLATE
CC       CYCLASE ACTIVITY.
CC   -!- SUBCELLULAR LOCATION: Integral membrane protein.
CC   -!- SIMILARITY: BELONGS TO FAMILY 1 OF G-PROTEIN COUPLED RECEPTORS.
CC       STRONGEST TO THE OTHER 5HT-1 SUBTYPE RECEPTORS.
CC   -----------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute.  There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed.  Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   -----------------------------------------------------------------------
DR   EMBL; M28269; AAA36440.1; -.
DR   EMBL; X13556; CAA31908.1; -.
DR   EMBL; X57829; CAA40962.1; -.
DR   EMBL; M83181; AAA66493.1; -.
DR   PIR; S07343; S07343.
DR   PIR; S31438; S31438.
DR   HSSP; P29274; 1MMH.
DR   GCRDb; GCR_0087; -.
DR   GCRDb; GCR_0381; -.
DR   GCRDb; GCR_0624; -.
DR   MIM; 109760; -.
DR   InterPro; IPR000276; GPCR_Rhodpsn.
DR   Pfam; PF00001; 7tm_1; 1.
DR   PRINTS; PR00237; GPCRRHODOPSN.
DR   PROSITE; PS00237; G_PROTEIN_RECEP_F1_1; 1.
DR   PROSITE; PS50262; G_PROTEIN_RECEP_F1_2; 1.
KW   G-protein coupled receptor; Transmembrane; Glycoprotein;
KW   Multigene family; Polymorphism.
FT   DOMAIN        1     36       EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM     37     62       1 (POTENTIAL).
FT   DOMAIN       63     73       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM     74     98       2 (POTENTIAL).
FT   DOMAIN       99    109       EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM    110    132       3 (POTENTIAL).
FT   DOMAIN      133    152       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM    153    178       4 (POTENTIAL).
FT   DOMAIN      179    191       EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM    192    217       5 (POTENTIAL).
FT   DOMAIN      218    345       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM    346    367       6 (POTENTIAL).
FT   DOMAIN      368    378       EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM    379    403       7 (POTENTIAL).
FT   DOMAIN      404    422       CYTOPLASMIC (POTENTIAL).
FT   CARBOHYD     10     10       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD     11     11       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD     24     24       N-LINKED (GLCNAC...) (POTENTIAL).
FT   DISULFID    109    187       BY SIMILARITY.
FT   VARIANT      16     16       P -> L.
FT                                /FTId=VAR_003446.
FT   VARIANT      22     22       G -> S (IN DBSNP:1799920).
FT                                /FTId=VAR_011826.
FT   VARIANT      28     28       I -> V (IN DBSNP:1799921).
FT                                /FTId=VAR_011827.
FT   VARIANT     184    184       P -> L (IN DBSNP:1800043).
FT                                /FTId=VAR_011828.
FT   VARIANT     220    220       R -> L (IN DBSNP:1800044).
FT                                /FTId=VAR_011829.
FT   VARIANT     272    272       G -> D.
FT                                /FTId=VAR_003447.
FT   VARIANT     273    273       G -> D (IN DBSNP:1800042).
FT                                /FTId=VAR_011830.
```

```
FT   CONFLICT    152    154       RAA -> PR (IN REF. 1).
FT   CONFLICT    172    172       M -> I (IN REF. 1).
FT   CONFLICT    418    418       K -> N (IN REF. 1).
SQ   SEQUENCE   422 AA;  46106 MW;  76266L4FCF62CFD8F CRC64;
```

```
alignment_scores:
    Quality:          82.00          Length:     121
    Ratio:             1.206         Gaps:         7
Percent Similarity: 56.198          Percent Identity: 28.099

alignment_block:
US-09-714-936-218 x 5H1A_HUMAN    ..

Align seg 1/1  to: 5H1A_HUMAN  from: 1  to: 422

  97  CCTGCCCCAGGACTGCC...CCTGACCCAGGCGCGCCCGCTGCTCGGTG 143
      .::::::::::::::||||||||||::::::::::::::::::
 306  ProLeuProSerGluAlaGlyProThrProCysAlaProAlaSerPheGl 322

 144  GCAGGAGGGCCGGCGGAGGCGCC.............ATGGCCTGCATCC 178
      .::::::::::::::|||:::||                    |||||
 322  uArgLysAsnGluArgAsnAlaGluAlaLysArgLysMetAlaLeuAlaA 339

 179  TGAAGAGAAAGTCTGTG.............ATTGCTGTGAGCTTCATA 213
      .:::||||||::::||||             |||       ::|||||||
 339  rgGluArgLysThrValLysThrLeuGlyIleIleMetGlyThrPheIle 355

 214  GCAGCGGTCCTTTCCTGCGTTGTTGGTCTTGTA............ 249
      .:::::||||   ::::::::|||||| |||||||
 356  LeuCysTrpLeuProPhePheIleValAlaLeuValLeuProPheCysGl 372

 250  .AATGAAGTGAATTTCCCATTGCTACTAAACTGCTTTGGACACCTGTA 298
      .:::::::::::::|| |||:|||||||::
 372  uSerSerCysHisMetProThrLeuLeuGlyAlaIle...........I 385

 299  CAAAGTGGATACCATTCTCCTACACATACAGGCGGCCCCTCGAACTCAC 348
      .::||||::.    :::|| :::   :::||||:::
 385  leAsnTrpLeuGlyTyrSerAsnSerLeuLeuAsnProVal......Ile 399

 349  TATGGATACATAAATGTGAAGACACAAGAGCCTTTGCAA.....CTGGA 392
      .:||:|||:|||:|||| :::||||||              ::
 400  TyrAlaTyrPheAsnLysAspPheGlnAsnAlaPheLysLysLysIleIleLeuIleLeuIleLeuTyr 416

 393  CTGTGACCTTTGT 405
      .||    :::|||
 416  sCysLysPheCys 420
```

```
seq_name: SwissProt_40:Y140_HUMAN

seq_documentation_block:
ID   Y140_HUMAN     STANDARD;     PRT;   422 AA.
AC   Q14153;
DT   01-NOV-1997 (Rel. 35, Created)
DT   01-NOV-1997 (Rel. 35, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   Hypothetical protein KIAA0140.
GN   KIAA0140.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Bone marrow;
RX   MEDLINE=96127530; PubMed=8590280;
RA   Nagase T., Seki N., Tanaka A., Ishikawa K.-I., Nomura N.;
RT   "Prediction of the coding sequences of unidentified human genes. IV.
RT   The coding sequences of 40 new genes (KIAA0121-KIAA0160) deduced by
RT   analysis of cDNA clones from human cell line KG-1.";
RL   DNA Res. 2:167-174(1995).
CC   -----------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
```

```
ID   POLG_HCVH8     STANDARD;      PRT;      321 AA.
AC   P27956;
DT   01-AUG-1992 (Rel. 23, Created)
DT   01-AUG-1992 (Rel. 23, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   Genome polyprotein [Contains: Matrix protein (Envelope protein M);
DE   Major envelope protein E; Nonstructural protein NS1] (Fragment).
OS   Hepatitis C virus (isolate HCT18) (HCV).
OC   Viruses; ssRNA positive-strand viruses, no DNA stage; Flaviviridae;
OC   Hepacivirus.
OX   NCBI_TaxID=11110;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=91112009; PubMed=1846505;
RA   Weiner A.J., Brauer M.J., Rosenblatt J., Richman K.H., Tung J.,
RA   Crawford K., Bonino F., Saracco G., Choo Q.-L., Houghton M.,
RA   Han J.H.;
RT   "Variable and hypervariable domains are found in the regions of HCV
RT   corresponding to the flavivirus envelope and NS1 proteins and the
RT   pestivirus envelope glycoproteins.";
RL   Virology 180:842-848(1991).
CC   -!- SUBUNIT: THE VIRION OF THIS VIRUS IS A NUCLEOCAPSID COVERED BY A
CC       LIPOPROTEIN ENVELOPE. THE ENVELOPE CONSISTS OF TWO PROTEINS:
CC       PROTEIN M AND GLYCOPROTEIN E. THE NUCLEOCAPSID IS A COMPLEX OF
CC       PROTEIN C AND MRNA.
CC   --------------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --------------------------------------------------------------------------
DR   EMBL; X53131; CAA37291.1; -.
DR   InterPro; IPR002531; HCV_NS1.
DR   InterPro; IPR002521; HCV_core.
DR   InterPro; IPR002519; HCV_env.
DR   Pfam; PF01542; HCV_core; 1.
DR   Pfam; PF01539; HCV_env; 1.
DR   Pfam; PF01560; HCV_NS1; 1.
DR   ProDom; PD186062; HCV_NS1; 1.
KW   Polyprotein; Glycoprotein; Coat protein; Envelope protein;
KW   Transmembrane; Nonstructural protein.
FT   NON_TER       1      1
FT   CHAIN        <1     76       MATRIX PROTEIN (POTENTIAL).
FT   CHAIN        77    267       MAJOR ENVELOPE PROTEIN E (POTENTIAL).
FT   CHAIN       268   >321       NONSTRUCTURAL PROTEIN NS1/E2 (POTENTIAL).
FT   CARBOHYD     80     80       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD     93     93       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    118    118       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    189    189       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    301    301       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    307    307       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    314    314       N-LINKED (GLCNAC...) (POTENTIAL).
FT   NON_TER     321    321
SQ   SEQUENCE   321 AA;  34238 MW;  2F5DE79F7C7845C8 CRC64;
```

alignment_scores:
```
       Quality:    82.00           Length:      161
         Ratio:     1.367            Gaps:        6
Percent Similarity:  37.267  Percent Identity:  21.739
```

alignment_block:
```
US-09-714-936-218  to: POLG_HCVH8    ..

Align seg 1/1  to: POLG_HCVH8    from: 1  to: 321

854  GGAACTACCTTTCCGGTCCTCTTACAAGCATCCAGTCACTCACTTGCTGAAATG  903
         |||  ||  :::||| ||       |||     |||||||:::||
55   GlyCysSerPheSerIlePheLeuLeuAla........LeuLeuSerCy  68
```

```
904  TCATAAGCGATATAAACCTCGTGAGACGGCCAGGATCCATTCGCATTCCTGC  953
                                                 |||
68   s...........................................LeuThrV  71

954  CTCCCCTTCCACGTAACAAATCTCATTCGTTGATTGGCATATGGCAGCAA  1003
        ||| |||::: :||:::       |||:::::::::::::::::
71   aIProAlaSerAlaHisGlnValArgAsnSerThrGlyLeuTyrHisVal  87

1004 GCATCCAACACCCAGAGTGGTGTTCTTATTTCTGAGGAGCAGGGTCTG  1053
        :::::::: ||| :::::: :::::: |||:::||| :::::
88   ThrAsnAspCysPro.AsnSerSerIleValTyrGluAlaAlaAspAlaI  104

1054 TGTGTGAATGTCACACACAGGGAGCAATCCCCTGCCCTGATACAGGCAAC  1103
        :: ||||||| ||||||||:::::||||||
104  le......LeuHisThrProGlyCysValHisGluGlyAsn  118

1104 CTGAGTGCTTAGTTCCTT  1121
        :::||| |||
119  ValSerArgCysTrpValAlaValThrProThrValAlaThrArgAspGl  135

1121 ................................................  1121

135  yLysLeuProThrThrGlnLeuArgArgHisIleAspLeuLeuValGlyS  152

1122 .......CTCTGCTCAGAACTTAGTGTG.................  1142
              ||||||||  |||
152  erAlaThrLeuCysSerAlaLeuTyrValGlyAspLeuCysGlySerVal  168

1143 ...........................ACTATGTGGCCTAC  1156
                                   ||  ||
169  PheLeuValGlyGlnLeuPheThrPheSerProArgArgHisTrpThrTh  185

1157 CTCACATTGTTGTGTTACACCTACACAGGA  1187
        |::: ||| |||  ||   ||
185  rGlnGlyCysAsnCysSerIleTyrProGly  195
```

seq_name: SwissProt_40:5H1A_HUMAN

seq_documentation_block:
```
ID   5H1A_HUMAN     STANDARD;      PRT;      422 AA.
AC   P08908;
DT   01-NOV-1988 (Rel. 09, Created)
DT   01-APR-1993 (Rel. 25, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   5-hydroxytryptamine 1A receptor (5-HT-1A) (Serotonin receptor) (5-
DE   HT1A) (G-21).
GN   HTR1A.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=87315369; PubMed=3041227;
RA   Kobilka B.K., Frielle T., Collins S., Yang-Feng T.L., Kobilka T.S.,
RA   Francke U., Lefkowitz R.J., Caron M.G.;
RT   "An intronless gene encoding a potential member of the family of
RT   receptors coupled to guanine nucleotide regulatory proteins.";
RL   Nature 329:75-79(1987).
RN   [2]
RP   SEQUENCE FROM N.A.
RA   Saltzman A.G., Morse B., Felder S.;
RL   Submitted (FEB-1991) to the EMBL/GenBank/DDBJ databases.
RN   [3]
RP   FUNCTION
RX   MEDLINE=88334700; PubMed=3138543;
RA   Fargin A., Raymond J.R., Lohse M.L., Kobilka B.K., Caron M.G.,
RA   Lefkowitz R.J.;
RT   "The genomic clone G-21 which resembles a beta-adrenergic receptor
RT   sequence encodes the 5-HT1A receptor.";
RL   Nature 335:358-360(1988).
RN   [4]
RP   VARIANT ASP-272.
```

```
CC   -1- FUNCTION: GH AND GL FORM A COMPLEX THAT INDUCES NEUTRALIZING AND
CC       SYNCYTIA INHIBITING ANTIBODIES.
CC   -1- MISCELLANEOUS: THERE ARE SEVEN EXTERNAL GLYCOPROTEINS IN HSV1 AND
CC       2: GH, GB, GC, GG, GI, AND GE.
CC   -1- SIMILARITY: BELONGS TO THE HERPESVIRUSES GLYCOPROTEIN H FAMILY.
CC   ------------------------------------------------------------------
CC       This SWISS-PROT entry is copyright. It is produced through a collaboration
CC       between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC       the European Bioinformatics Institute. There are no restrictions on its
CC       use by non-profit institutions as long as its content is in no way
CC       modified and this statement is not removed. Usage by and for commercial
CC       entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC       or send an email to license@isb-sib.ch).
CC   ------------------------------------------------------------------
DR   EMBL; D10879; BAA01668.1; -.
DR   EMBL; X14112; CAA32335.1; -.
DR   EMBL; X03896; CAA27534.1; -.
DR   PIR; A24018; VGBEG1.
DR   PIR; D30084; D30084.
KW   Glycoprotein; Transmembrane; Signal.
FT   SIGNAL        1     20
FT   CHAIN        21    838       GLYCOPROTEIN H.
FT   TRANSMEM    811    827
FT   CARBOHYD     73     73       N-LINKED (GLCNAC...).  (POTENTIAL).
FT   CARBOHYD    120    120       N-LINKED (GLCNAC...).  (POTENTIAL).
FT   CARBOHYD    216    216       N-LINKED (GLCNAC...).  (POTENTIAL).
FT   CARBOHYD    332    332       N-LINKED (GLCNAC...).  (POTENTIAL).
FT   CARBOHYD    437    437       N-LINKED (GLCNAC...).  (POTENTIAL).
FT   CARBOHYD    670    670       N-LINKED (GLCNAC...).  (POTENTIAL).
FT   CARBOHYD    784    784       N-LINKED (GLCNAC...).  (POTENTIAL).
SQ   SEQUENCE   838 AA;  90366 MW;  9AFDE1E690BD498F CRC64;
```

```
alignment_scores:
              Quality:       82.50        Length:     403
              Ratio:          0.477         Gaps:      21
Percent Similarity:         42.928       Percent Identity:  23.077

alignment_block:
US-09-714-936-218 x VGLH_HSV11

Align seg 1/1  to: VGLH_HSV11   from: 1  to: 838
```

```
248 leTrpThrThrGlyGluLeuValLeuGlyCysAsp.......................   259

 27 TCCGGGGTCCCCTATTTGGATCTGCGGGAATGTGGGCTGCTGAGAGTCCT         76
    ||||||||||||           ::        ::  ||||||||:          ::
164 SerAlaValProAspProGluAlaLeuThrPhePro ArgGlyAspAsnVa      180

415 TCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCG         464
     :::  :||||         ::  :||        ||:::||||::||:
260 ........AlaAlaLeuValArgAlaArgTyrGlyArgGluPhe........      271

 77 GCCGGTGGTACCAGCCTCCAGCCTGCGCCCAGGACTGCCCCTGACCCAGGC       126
     |||||    ||:::||  ||::::|||  |||:|:|||  ||||||
180 lAlaThrAlaSerHisProSerGlyProArgAspThrProProArg.          196

465 ATCCTCCTGCATTTGGAGAATGAACAATGCCCCACCAAAGGTTATGAAG         514
     :::   :||||||       ||||:::::::|||::|
272 .MetGlyLeuValIleSerMetHisAspSerProProValGluValMetV        288

127 GCGGCCGCTGCTCGGTGGCAGGAGGGCCGCGGCGAGCCCATGGCCTGCAT       176
    ||||||||||||  ::::|||  ||:|:|||  ||  ||||  ||||:||
197 ..........ProProValGlyAlaArgArgHis                       204

515 AAGATTGCGGCCGCATGACCCATGATTCGAGTT......GTGTCCCATACC       558
     ::  :::||:::::    ||||||          ||||||
288 alValProAlaGlyGlnThrLeuAspArgValGlyAspProAlaAspGlu        304

177 CCTGAAGAGAAAGTCTGTGATTGCTGTGAGGCTTCATAGCAGCGTTCCTTT       226
     |||       ||        ::::|||||||||::::::
205 ProThrThrGluLeu...AspIleThrHisLeuHisAsnAlaSer......      218

559 AGGGTTCCTCTTTTGCTAAAAACCCTGATTATTTTTCAAGGAAGCGAA         608
     :::   |||     |||        ::::|||
305 AsnProProGlyAlaLeuProGlyProPro.....................      314

227 TCCTCCTGGTTGTGGCGTCTTGTAAATGAAGTGAATTCCCATTGCTACTA       276
     ||||:|||||   |||         ||||||| |||:::   ||||||:
219 ..........ThrThrTrpLeuAlaThrArgGlyLeuLeuArgSerPro         231

609 TACTACTATTTGTGTTATTTGGGACCT...................TTCC      640
                        :::::|||                       :::
315 ...................GlyGlyProArgTyrArgValPheValLeuG       325

218 .......................................................  218
                                                               
218 ProThrAlaArgLeuGln...LeuGluAlaArgLeuG                     218

641 GCAATATGAGGAAAGATGGCAATGGCATCGTTACAACATGTTGAAAAAG       690
     :::::  ||||  :::   ||||:::|||      ||:::|||
325 lySerLeuThrArgAlaAspAspAsnGlySerAlaLeuAspAlaLeuArgArg      341

277 AACTGCTTTGACAACCTGGTACAAAGTGGATACCATTCTC..........     317
    ||||||||   :::|||  ::|||           ::|||:
219 ..........ThrThrGluAlaLeuHisLeuHisAsnAlaSer.........     218

691 ACAGTTGGTATCTATCCGAATGCCCAAATATACGTGACCACAGAGAAGCG       740
    |||||| ||||||::: ||||:::    ::
342 ...ValGlyGlyTyrProGluGluGlyThrAsnTyrAlaGlnPheLeuSe        357

318 ..CTACACATACAGGGCGCGCCCCTTCGAACTCACTATGGATACAATAAATG     364
     :::||||| |||||||::|||||| |||      |||  :::::|||
232 GlyArgTyrValTyrPheSerProSerAlaSerThrTrp.ProValGlyI       248

741 CATGAGTTACTGTGATGGAGTTTTTAAGAGGAAAACTGGGAAGGACAGGG       790
    ||||| |||||||  ||  ::::|||    ||||   :::::|||  :::
357 rArgAlaTyrAlaGlu...PhePheSerGlyAspAlaSerArgAlaGluGluG      373

365 TGAAGACACAGAGAGCCTTTGCAACTGGACTGGACCTTTGTGCCATAGTG      414
    :: ||||||    ||:::|||::||   |||      ::|||  ||||||
791 GGCATGCAAGGCGACTG..................CTGATTTCTACAGAC       822
    ||                                 ||::::||:::|||:
373 lyProArgProProLeuPheTrpArgLeuThrGlyLeuLeuAlaThrSer        389

823 ACTTTTTTAAGCGATTACCAGTGCTGCGGCAAGTCGAAC............     858
    |||                                    |||
390 GlyPhe...AlaPheValAsnAlaAlaHisAlaAsnGlyAlaValCysLe        405

859 ....TACCTTTCCGGTCCTCTTACAGACATCCAGTCACTTGCTGAAATGT      904
         |||  ||  ||:|||||:||:|||  ||||::||:||||||| |||
405 uSerAspLeuLeuGlyPheLeuAlaHisSerArgAlaLeuAlaGlyLeuA        422

905 CATAAGCGATATAAACCTGCTGACAGGCCAGGATCATCATCCTGCC         954
    ||| ||||::|::|||||||||||||  |||||:||:||::::|
422 la.......AlaArgGlyAlaAlaGlyCysAla                         430

955 TCCTCC.......TTCCACGTAACAAATCTCATTGTGATTGGCATAT        995
    |:::::      ||||:|||||::||:         ::::|||
431 AlaAspSerValPheProAsnValSer.....ValLeuAsp.........       442

996 GGCAGCAAGCATCCCAACACCCAGAGTGGTGTCTTATTCTGAGGGAGC       1045
    ||||||   :::|||||||||||||||||||::::||||  |||||||:
443 ............ProThrAlaArgLeuGln...LeuGluAlaArgLeuG        454

1046 AGGGTCTGTGTGAATTGCACACACAGGGAGCAATCCCCGCCCTG.....    1092
    ||   ||                   :::|||||||||||||| ||||||
454 lnHisLeuValAlaGluIleLeuGluArgGluUlnSerLeuAlaLeuHis       470

1093 ........ATACAGGCAACCTGAGTGCTTAGTTCCTTCTCGTCCTCAGAA    1133
    :::::    ||| ::: |||||:::|||      ||||  :::||:|||
471 AlaLeuGlyTyrGlnLeuAlaPheValLeuAspSerProSerAlaTyrAs       487

1134 CTTAGTG    1140
    ||||||
487 pAlaVal    489
```

```
seq_name: SwissProt_40:POLG_HCVH8

seq_documentation_block:
```

```
 84  TACCAGCCTCCAGCCCTGCCCCCAGGACTGCCCTGACCCAGGCGCGCCCG  133
       |||   ||| |||   |||||||||||  :::::||||||
 94  TyrTrpGlyProAspCysArgGluSerCysProCysHisProHisGlyGl  110

134  CTGCTCCGTGGCAGGAGGG..........CCGGCGGAGCGCCCATGGCC   171
      :||||::  ||  |||   |||::::|||  |||::||| |||
110  nCysGluProAlaThrGlyAlaCysGlnAlaAspArgTrpGlyA  127

172  TGCAT.......................................CCT   179
      ::                                         |||
127  laArgCysGluPheProCysAlaCysGlyProHisGlyArgCysAspPro  143

180  GAAGAGAAAGTCTGTGATTGC....................          200
       ||||||  |||||||
144  AlaThrGlyValCysHisCysGluProGlyTrpTrpSerThrCysAsAr  160

201  ......TGTGAGCTTCATAGCAGCCGTTCCTTTCCTGCTGGTGTGCGGT  243
            |||::  :::::::::                   :::|||
160  gArgProCysGlnCysAsnThrAla...........AlaAlaA  171

244  CTTGTAAATGAAGTGAATTTCCCATTGCTACTAAACTGCTTTGGACAACC  293
      |||::  :::   |||     |::   |||  ||| |||||
171  rgCysGluGlnAlaThrGlyAlaCysValCysLysProGlyTyrp.....  185

294  TGGTACAAAGTGGATACCATTCTCTACACATACGGCGGCCCCTTCGAA   343
      |||::    |||::::|||||  |||  :::::::::||
186  TrpGlyArgArgCysSerPheArgCysAsnCysHisGlySerProCysGl  202

344  C.......................TCACTATGGATACATAAAT   363
      :::                     :::   |||
202  uGlnAspSerGlyArgCysAlaCysArgProGlyTrpTrpProGluC  219

364  GTGAAGACACAAGAGCCCTTGCAACTGGACTGTGACCTTGTGCCATAGT   413
      |||:::                             |||::
219  ysGlnGlnGln...........................CysGluCys   225

414  GTCAAACTCAGGTCAGATGGT.............TGCCAGAAGG   445
      |||::  ||  |||                   ||| |||
226  ValArgGlyArgCysSerAlaAlaSerGlyGluCysThrCysProProGl  242

446  TGGGAAATGAGATAGATCGATCCTC..........CTGCCATTGGAGAATG  486
       |   :::||||||||:::::             :::|||||
242  yPheArgGlyAlaArgCysGluLeuProCysProAlaGlySerHisGlyv  259

487  AACAATGCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACCAT  536
       ||||||  |||::||                 |||  |||
259  alGlnCysAlaHisSer...............CysGlyArgCysLysHis  270

537  GATTCGAGTTGTGTCCCATACCAGCCGGTCCTCTTTTGCTAAAAACCCTG  586
      ::|||  |||  |||  |||         ||  :::  |||
271  AsnGluProCysSerProAspThrGlySerCysGluSerCysPro..     286

587  ATTATTTTTTCAAGGAAGCGAATACTACTATTTGTTATTTGGGGACCT   636
       :::::::||||||           |||  ||||||
287  ...GlyTrpTrpAsnGlyThrGlnCysGlnGlnProGlyLeuProGlyThrP  302

637  TTCCGCAATATGAGGAAAGATGGCAATGGCATCGTTTACACACATGTTGAA  686
       |||||  |||  |||||||            |||||||
302  heGlyGlnSerCysGluGln...........          308

687  AAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGTGACCACCAGAGA  736
       |||||||||::  |||  |||::|||||||    |||  |||
309  .................GlnCysProHisCysArg...HisGlyGl  317

737  AGCCCATGAGTTACTCTGATGGAGTTTTTAAGAAGAAACTGGGAAGGAC  786
      |||| |||
317  uAlaCysGlu...........          320

787  AGGGGCCATGCAAGGCGACTGCTGATTTCTACAGACACTTTTAAGCGAT  836
320  .......................          320

837  TACCAGTGCTGCGGCAAGTGGAACTACCTTTCCGGTCCTCCTTCTCAAGCATCC  886
```

```
321  ............................................||  321
                                                    Pr

887  AGTCACTTGCTGAAATGTCATAAGCGATATAAACCTGCTGCAGGCCAGG  936
       |  |||                                  |||
321  oAspThr..................................G   324

937  ATCATTGCATCCTCCTGC......CTCCTCCTTCCACGTAACAAATCT   977
      ||||||                  ||| |||     ||||||
324  lyHisCysGlnArgCysAspProGlyTrpLeuGlyProArgCysGluAsp  340

978  CATTGTTGATTGGCATATGGCAGCAAGCATCCCAACCACCAGAGTGGTGT  1027
       |||||||||                   |||::::         |||
341  ProCys...........................ProThrGlyThrPheGly.  348

1028  TCTTATTTCTGAGGAGCAGGGTCTGTGTGTGAATTGCACACAGGGAG  1077
       |||  :::|||||||||::|||              ::|||||||
349  ..........GluAspCysGlySerThrCysProThrCysValGlnGlyLys  362

1078  CAATCCCTGCCCTGAT..ACAGGCAACCTGAGTGCTTAGTTCCTTCTC  1124
      ::     ||||||||||  |||
362  er......CysAspThrValThrGlyAsp...............CysVal  371

1125  TGCTCAGAACTTAGTGTGACTATGTGGCCTACCTCACCATTGTTGTGTTA  1174
      |||:::  |||  |||  |||    |||   |||
372  Cys........SerAlaGlyTyrTrpGlyTyrProSer...CysAsnAlaSe  384

1175  CACCTACACAGGAGAAAAAGGAAAAAATGTCCTTTGATTCCATGCTTGTAGA  1224
       :::||  |||   :::   |||        :::||||||
384  rCysProAlaGlyPheHisGlyAsnAsnCysSerValProCys......G  399

1225  GATGTTCATCCAATTTG....................          1241
       :|||   :::|:||||
399  luCysProGluGlyLeuCysHisProValSerCysGlnProGly  415

1242  ........AATGAACATGTAGCCAAGTAGTCTCTTCC......CCCTTTCT  1279
       :::::    |||||  :::|||:::|||        |||::::|
416  SerGlySerArgAspThrAlaLeuIleValGlySerLeuValProLeuLe  432

1280  TCTCCTTTTT  1289
       ||||||||||
432  uLeuLeuPhe  435
```

seq_name: SwissProt_40:VGLH_HSV11

seq_documentation_block:
ID   VGLH_HSV11   STANDARD;   PRT;   838 AA.
AC   P06477;
DT   01-JAN-1988 (Rel. 06, Created)
DT   01-JAN-1988 (Rel. 06, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   Glycoprotein H precursor.
GN   GH OR UL22.
OS   Herpes simplex virus (type 1 / strain 17).
OC   Viruses; dsDNA viruses, no RNA stage; Herpesviridae;
OC   Alphaherpesvirinae; Simplexvirus.
OX   NCBI_TaxID=10299;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=88274327; PubMed=2839594;
RA   McGeoch D.J., Dalrymple M.A., Davison A.J., Dolan A., Frame M.C.,
RA   McNab D., Perry L.J., Scott J.E., Taylor P.;
RT   "The complete DNA sequence of the long unique region in the genome of
RT   herpes simplex virus type 1.";
RL   J. Gen. Virol. 69:1531-1574(1988).
RN   [2]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=86232558; PubMed=3012465;
RA   McGeoch D.J., Davison A.J.;
RT   "DNA sequence of the herpes simplex virus type 1 gene encoding
RT   glycoprotein gH, and identification of homologues in the genomes of
RT   varicella-zoster virus and Epstein-Barr virus.";
RL   Nucleic Acids Res. 14:4281-4292(1986).

alignment_scores:
```
        Quality:      83.00              Length:       118
        Ratio:         1.537             Gaps:           7
Percent Similarity:   45.763     Percent Identity:  29.661
```

alignment_block:
US-09-714-936-218/rev x AD17_MOUSE ..
Align seg 1/1 to: AD17_MOUSE from: 1 to: 827

```
1066 TGCAATTCACACACAGACCCTGCTCCCT.....CAGAAATAAGAACACC  1023
      |||||||  ||  |||||||  |||     |||     ||||||||||
 502 CysAsnSerAspCys.ThrLeuLysProGlyValGlnCysSerAspArgA   518

1022 ACTCTGGGTGTTGGGATGCTTGC.................TGC          997
      ::|||  ||| |||      |||                 |||
 518 snSerProCysLysAsnCysGlnPheGluThrAlaGlnLysLysCys     534

 996 CATATGCCAATCAAC........AATGAGATTGTTACGTGGAAGGAGG     956
      :::   |||||      ::: ||   ||   |||||:::
 535 GlnGluAlaIleAsnAlaThrCysLysGlyValSerTyrCysThrGlyAs   551

 955 AGGCAGGAGGATGCAATGATCCTGGC....................C     930
      ::::  :|:||| ||||||
 551 nSerSerGluCysProProGlyAspAlaGluAspAspThrValCysL    568

 929 TGTCAGCAGGTTTATATCGCTTATGACATTTCAGCAAGTGACTGGATGCT  880
      ||::: |||   :::                ::|||  :::
 568 euAspLeuGlyLysCysLysAla........GlyLysCysIleProPhe   581

 879 TGTAAGAGGACCGGAAAGTAGTTCCACTTGCC.....AGCACTGGTAA    836
      ||||||||     :::::::            ::||||
 582 CysLysArgGluGlnLeuGluGluSerCysAlaCysValAspThrAspPAs  598

 835 TCGCTTAAAAAGTGTCGTAGAAAATCAGCAGTGCGCCTTGCATGCCCCCTG  786
      |    |||||||||       ::::::||||:::||||
 598 nSerCysLysValCysGluSerGlyArgAsnLeuSerGlyProCysValProTyrV 615
```

```
785 TC 784
     ||
615 al 615
```

seq_name: SwissProt_40:SREC_HUMAN

seq_documentation_block:
```
ID   SREC_HUMAN      STANDARD;      PRT;    830 AA.
AC   Q14162; O43701;
DT   01-MAR-2002 (Rel. 41, Created)
DT   01-MAR-2002 (Rel. 41, Last sequence update)
DT   01-MAR-2002 (Rel. 41, Last annotation update)
DE   Endothelial cells scavenger receptor precursor (Acetyl LDL receptor).
GN   SREC OR KIAA0149.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Umbilical vein endothelial cells;
RX   MEDLINE=98058897; PubMed=9395444;
RA   Adachi H., Tsujimoto M., Arai H., Inoue K.;
RT   "Expression cloning of a novel scavenger receptor from human
RT   endothelial cells.";
RL   J. Biol. Chem. 272:31217-31220(1997).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Bone marrow;
RX   MEDLINE=96127530; PubMed=8590280;
RA   Nagase T., Seki N., Tanaka A., Ishikawa K.-I., Nomura N.;
RT   "Prediction of the coding sequences of unidentified human genes. IV.
RT   The coding sequences of 40 new genes (KIAA0121-KIAA0160) deduced by
RT   analysis of cDNA clones from human cell line KG-1.";
RL   DNA Res. 2:167-174(1995).
```

```
CC   -!- FUNCTION: Mediates the binding and degradation of acetylated low
CC       density lipoprotein (Ac-LDL).
CC   -!- SUBCELLULAR LOCATION: Type I membrane protein (Potential).
CC   -!- TISSUE SPECIFICITY: Endothelial cells.
CC   -!- SIMILARITY: CONTAINS 6 EGF-LIKE DOMAINS.
CC   -----------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute.  There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   -----------------------------------------------------------------------
DR   EMBL; D86864; BAA24070.1; -.
DR   EMBL; D63483; BAA09770.1; -.
DR   HSSP; P01180; 2BN2.
DR   InterPro; IPR000561; EGF-like.
DR   SMART; SM00181; EGF; 5.
DR   SMART; SM00001; EGF_like; 2.
DR   PROSITE; PS00022; EGF_1; 6.
DR   PROSITE; PS01186; EGF_2; 6.
KW   Receptor; Glycoprotein; Signal; Transmembrane; EGF-like domain;
KW   Repeat.
FT   SIGNAL        1     19
FT   CHAIN        20    830       ENDOTHELIAL CELLS SCAVENGER RECEPTOR.
FT   DOMAIN       20    421       EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM    422    442       POTENTIAL.
FT   DOMAIN      443    830       CYTOPLASMIC (POTENTIAL).
FT   DOMAIN       53     87       EGF-LIKE 1.
FT   DOMAIN       95    130       EGF-LIKE 2.
FT   DOMAIN      155    191       EGF-LIKE 3.
FT   DOMAIN      215    249       EGF-LIKE 4.
FT   DOMAIN      302    339       EGF-LIKE 5.
FT   DOMAIN      351    382       EGF-LIKE 6.
FT   DOMAIN      476    620       PRO/SER-RICH.
FT   DOMAIN      622    798       GLY-RICH.
FT   DOMAIN      431    438       POLY-LEU.
FT   DISULFID     57     69       POTENTIAL.
FT   DISULFID     63     75       POTENTIAL.
FT   DISULFID     77     86       POTENTIAL.
FT   DISULFID     99    111       POTENTIAL.
FT   DISULFID    105    118       POTENTIAL.
FT   DISULFID    120    129       POTENTIAL.
FT   DISULFID    159    172       POTENTIAL.
FT   DISULFID    165    179       POTENTIAL.
FT   DISULFID    181    190       POTENTIAL.
FT   DISULFID    219    230       POTENTIAL.
FT   DISULFID    225    237       POTENTIAL.
FT   DISULFID    239    248       POTENTIAL.
FT   DISULFID    306    319       POTENTIAL.
FT   DISULFID    313    326       POTENTIAL.
FT   DISULFID    329    338       POTENTIAL.
FT   DISULFID    355    363       POTENTIAL.
FT   DISULFID    358    370       POTENTIAL.
FT   DISULFID    372    381       POTENTIAL.
FT   CARBOHYD    289    289       N-LINKED (GLCNAC. . .) (POTENTIAL).
FT   CARBOHYD    382    382       N-LINKED (GLCNAC. . .) (POTENTIAL).
FT   CARBOHYD    393    393       N-LINKED (GLCNAC. . .) (POTENTIAL).
FT   CONFLICT    662    662       R -> W (IN REF. 2).
SQ   SEQUENCE   830 AA;  87430 MW;  F560D9E1AA64D779 CRC64;
```

alignment_scores:
```
        Quality:      83.00              Length:       470
        Ratio:         0.509             Gaps:          26
Percent Similarity:   34.681     Percent Identity:  19.574
```

alignment_block:
US-09-714-936-218 x SREC_HUMAN ..

Align seg 1/1 to: SREC_HUMAN from: 1 to: 830

```
RP   SEQUENCE FROM N.A. (LONG ISOFORM).
RX   MEDLINE=99307144; PubMed=10375622;
RA   Mizui Y., Yamazaki K., Sagane K., Tanaka I.;
RT   "cDNA cloning of mouse tumor necrosis factor-alpha converting enzyme
RT   (TACE) and partial analysis of its promoter.";
RL   Gene 233:67-74(1999).
RN   [4]
RP   SEQUENCE FROM N.A. (SHORT ISOFORM).
RA   Cerretti D.P.;
RT   "Isolation of murine TNF-alpha converting enzyme.";
RL   Submitted (SEP-1996) to the EMBL/GenBank/DDBJ databases.
RN   [5]
RP   CHARACTERIZATION.
RX   MEDLINE=20261593; PubMed=10799547;
RA   Reddy P., Slack J.L., Davis R., Cerretti D.P., Kozlosky C.J.,
RA   Blanton R.A., Shows D., Peschon J.J., Black R.A.;
RT   "Functional analysis of the domain structure of tumor necrosis
RT   factor-alpha converting enzyme.";
RL   J. Biol. Chem. 275:14608-14614(2000).
RN   [6]
RP   CHARACTERIZATION.
RX   MEDLINE=20337911; PubMed=10882063;
RA   Brou C., Logeat F., Gupta N., Bessia C., LeBail O., Doedens J.R.,
RA   Cumano A., Roux P., Black R.A., Israel A.;
RT   "A novel proteolytic cleavage involved in Notch signaling: the role of
RT   the disintegrin-metalloprotease TACE.";
RL   Mol. Cell 5:207-216(2000).
CC   -!- FUNCTION: CLEAVES THE MEMBRANE-BOUND PRECURSOR OF TNF-ALPHA TO ITS
CC       MATURE SOLUBLE FORM. RESPONSIBLE FOR THE PROTEOLYTIC RELEASE OF
CC       SEVERAL OTHER CELL-SURFACE PROTEINS, INCLUDING P55 TNF-RECEPTOR,
CC       INTERLEUKIN 1 RECEPTOR TYPE II, P55 TNF-RECEPTOR, TRANSFORMING
CC       GROWTH FACTOR-ALPHA, L-SELECTIN, AND THE AMYLOID PRECURSOR
CC       PROTEIN. ALSO INVOLVED IN THE ACTIVATION OF NOTCH PATHWAY.
CC   -!- CATALYTIC ACTIVITY: CLEAVES TNF-ALPHA AT 79-THR-|-LEU-80.
CC   -!- COFACTOR: BINDS 1 ZINC ION (BY SIMILARITY).
CC   -!- ENZYME REGULATION: INHIBITED BY METALLOPROTEINASE INHIBITOR 3
CC       (TIMP-3), BUT NOT BY TIMP-1, -2, -4.
CC   -!- SUBCELLULAR LOCATION: TYPE I MEMBRANE PROTEIN (LONG FORM). A
CC       SECRETED FORM (SHORT FORM) IS PRODUCED BY ALTERNATIVE SPLICING.
CC   -!- ALTERNATIVE PRODUCTS: 2 ISOFORMS; A LONG FORM (SHOWN HERE) AND A
CC       SHORT FORM; ARE PRODUCED BY ALTERNATIVE SPLICING.
CC   -!- TISSUE SPECIFICITY: UBIQUITOUSLY EXPRESSED. EXPRESSED AT HIGHEST
CC       LEVELS IN HEART, LIVER, SKELETAL MUSCLE, KIDNEY AND TESTES.
CC       EXPRESSED AT LOWER LEVELS IN BRAIN, SPLEEN AND LUNG.
CC   -!- DOMAIN: MUST BE MEMBRANE ANCHORED TO CLEAVE THE DIFFERENT
CC       SUBSTRATES. THE CYTOPLASMIC DOMAIN IS NOT REQUIRED FOR THE THIS
CC       ACTIVITY. ONLY THE CATALYTIC DOMAIN IS ESSENTIAL TO SHED TNF AND
CC       P75 TNFR.
CC   -!- PTM: THE PRECURSOR IS CLEAVED BY A FURIN ENDOPEPTIDASE (BY
CC       SIMILARITY).
CC   -!- SIMILARITY: BELONGS TO PEPTIDASE FAMILY M12B.
CC   -!- SIMILARITY: CONTAINS 1 EGF-LIKE DOMAIN.
CC   -!- SIMILARITY: CONTAINS 1 DISINTEGRIN DOMAIN.
CC   --------------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between  the Swiss Institute of Bioinformatics  and the  EMBL outstation -
CC   the European Bioinformatics Institute.  There are no restrictions on its
CC   use  by non-profit institutions as long  as its content is in no  way
CC   modified and this statement is not removed.  Usage  by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --------------------------------------------------------------------------
DR   EMBL; U69613; AAD09627.1; -.
DR   EMBL; AF056359; AAC62934.1; JOINED.
DR   EMBL; AF056345; AAC62934.1; JOINED.
DR   EMBL; AF056346; AAC62934.1; JOINED.
DR   EMBL; AF056347; AAC62934.1; JOINED.
DR   EMBL; AF056348; AAC62934.1; JOINED.
DR   EMBL; AF056349; AAC62934.1; JOINED.
DR   EMBL; AF056350; AAC62934.1; JOINED.
DR   EMBL; AF056351; AAC62934.1; JOINED.
DR   EMBL; AF056352; AAC62934.1; JOINED.
DR   EMBL; AF056353; AAC62934.1; JOINED.
DR   EMBL; AF056354; AAC62934.1; JOINED.
DR   EMBL; AF056355; AAC62934.1; JOINED.
DR   EMBL; AF056356; AAC62934.1; JOINED.
DR   EMBL; AF056357; AAC62934.1; JOINED.
DR   EMBL; AF056358; AAC62934.1; JOINED.
DR   EMBL; AJ007365; CAA07480.1; -.
DR   EMBL; AB021709; BAA78578.1; -.
DR   EMBL; U69614; AAD09628.1; -.
DR   HSSP; P78536; 1BKC.
DR   MEROPS; M12.217; -.
DR   MGD; MGI:1096335; Adam17.
DR   InterPro; IPR001762; Disintegrin.
DR   InterPro; IPR000561; EGF-like.
DR   InterPro; IPR001818; Matrixin.
DR   InterPro; IPR001590; Reprolysin.
DR   InterPro; IPR000130; Zn_MTpeptdse.
DR   Pfam; PF00200; disintegrin; 1.
DR   Pfam; PF01421; Reprolysin; 1.
DR   ProDom; PD000664; Disintegrin; 1.
DR   SMART; SM00050; DISIN; 1.
DR   PROSITE; PS50215; ADAM_MEPRO; 1.
DR   PROSITE; PS00427; DISINTEGRIN_1; FALSE_NEG.
DR   PROSITE; PS50214; DISINTEGRIN_2; 1.
DR   PROSITE; PS00022; EGF_1; FALSE_NEG.
DR   PROSITE; PS01186; EGF_2; FALSE_NEG.
DR   PROSITE; PS00142; ZINC_PROTEASE; 1.
DR   PROSITE; PS00546; CYSTEINE_SWITCH; FALSE_NEG.
KW   Hydrolase; Metalloprotease; Zinc; Signal; Glycoprotein; Zymogen;
KW   Transmembrane; EGF-like domain; SH3-binding; Alternative splicing.
FT   SIGNAL         1     17       POTENTIAL.
FT   PROPEP        18    214       BY SIMILARITY.
FT   CHAIN        215    827       ADAM 17.
FT   DOMAIN       215    671       EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM     672    692       POTENTIAL.
FT   DOMAIN       693    827       CYTOPLASMIC (POTENTIAL).
FT   DOMAIN        96     99       POLY-VAL.
FT   DOMAIN       215    474       METALLOPROTEASE.
FT   DOMAIN       475    563       DISINTEGRIN-LIKE.
FT   DOMAIN       569    601       EGF-LIKE.
FT   DOMAIN       603    671       CRAMBIN-LIKE.
FT   SITE         731    738       SH3-BINDING (POTENTIAL).
FT   SITE         184    184       CYSTEINE SWITCH (POTENTIAL).
FT   ACT_SITE     405    405       ZINC (CATALYTIC) (BY SIMILARITY).
FT   METAL        406    406       BY SIMILARITY.
FT   METAL        409    409       ZINC (CATALYTIC) (BY SIMILARITY).
FT   METAL        415    415       ZINC (CATALYTIC) (BY SIMILARITY).
FT   DISULFID     225    333       BY SIMILARITY.
FT   DISULFID     365    469       BY SIMILARITY.
FT   DISULFID     423    453       POTENTIAL.
FT   DISULFID     478    501       POTENTIAL.
FT   DISULFID     573    582       BY SIMILARITY.
FT   DISULFID     578    591       BY SIMILARITY.
FT   DISULFID     593    600       BY SIMILARITY.
FT   CARBOHYD     157    157       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD     264    264       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD     452    452       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD     498    498       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD     539    539       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD     551    551       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD     606    606       N-LINKED (GLCNAC...) (POTENTIAL).
FT   VARSPLIC     639    655       GKCEKRVQDVIERFWDF -> CDFFSPYRANVRNEYRT
FT                                 (IN SHORT ISOFORM).
FT   VARSPLIC     656    827       MISSING (IN SHORT ISOFORM).
FT   CONFLICT       3      4       RR -> QS (IN REF. 2).
FT   CONFLICT       7      7       I -> F (IN REF. 2).
FT   CONFLICT      28     28       A -> S (IN REF. 1).
FT   CONFLICT     149    149       I -> V (IN REF. 1).
FT   CONFLICT     594    594       V -> I (IN REF. 1).
FT   CONFLICT     752    752       S -> P (IN REF. 1).
FT   CONFLICT     775    775       V -> A (IN REF. 1).
SQ   SEQUENCE   827 AA;  93073 MW;  7951D0F1B52DC01 CRC64;
```

```
seq_name: SwissProt_40:M3KC_HUMAN

seq_documentation_block:
ID   M3KC_HUMAN      STANDARD;      PRT;      859 AA.
AC   Q12852;
DT   16-OCT-2001 (Rel. 40, Created)
DT   16-OCT-2001 (Rel. 40, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   Mitogen-activated protein kinase kinase kinase 12 (EC 2.7.1.37)
DE   (Leucine-zipper protein kinase) (ZPK).
GN   MAP3K12 OR ZPK.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Teratocarcinoma;
RX   MEDLINE=94311945; PubMed=8037767;
RA   Reddy U.R., Pleasure D.;
RT   "Cloning of a novel putative protein kinase having a leucine zipper
RT   domain from human brain.";
RL   Biochem. Biophys. Res. Commun. 202:613-620(1994).
CC   -!- FUNCTION: May be an activator of the JNK/SAPK pathway.
CC       Phosphorylates beta-casein, histone 1 and myelin basic protein in
CC       vitro.
CC   -!- CATALYTIC ACTIVITY: ATP + a protein = ADP + a phosphoprotein.
CC   -!- COFACTOR: Magnesium.
CC   -!- SUBCELLULAR LOCATION: Cytoplasmic and membrane-associated (By
CC       similarity).
CC   -!- TISSUE SPECIFICITY: Highly expressed in brain and kidney.
CC   -!- PTM: Autophosphorylated on Ser/Thr. Phosphorylated in cytosol
CC       under basal conditions and dephosphorylated when membrane-
CC       associated (By similarity).
CC   -!- SIMILARITY: BELONGS TO THE SER/THR FAMILY OF PROTEIN KINASES.
CC       MAP KINASE KINASE SUBFAMILY.
CC   --------------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --------------------------------------------------------------------------
DR   EMBL; U07358; AAA67343.1; -.
DR   HSSP; P06213; 1IRK.
DR   MIM; 600447; -.
DR   InterPro; IPR000719; Euk_pkinase.
DR   InterPro; IPR004040; STY_pkinase.
DR   InterPro; IPR002290; Ser_thr_pkinase.
DR   Pfam; PF00069; pkinase; 1.
DR   SMART; SM00221; STYKc; 1.
DR   PROSITE; PS00107; PROTEIN_KINASE_ATP; FALSE_NEG.
DR   PROSITE; PS00108; PROTEIN_KINASE_ST; 1.
DR   PROSITE; PS50011; PROTEIN_KINASE_DOM; 1.
KW   Transferase; Serine/threonine-protein kinase; ATP-binding;
KW   Phosphorylation; Magnesium; Membrane.
FT   DOMAIN       125    366       PROTEIN KINASE.
FT   NP_BIND      131    139       ATP (BY SIMILARITY).
FT   BINDING      152    152       ATP (BY SIMILARITY).
FT   ACT_SITE     236    236       BY SIMILARITY.
FT   DOMAIN       665    668       POLY-PRO.
FT   DOMAIN       720    725       POLY-GLU.
SQ   SEQUENCE   859 AA;  93188 MW;  0E5209792C5C6F05 CRC64;

alignment_scores:
      Quality:       83.50          Length:       142
        Ratio:        1.392          Gaps:           7
Percent Similarity:   42.254   Percent Identity:   27.465

alignment_block:
```

```
US-09-714-936-218/rev x M3KC_HUMAN                                    ..

Align seg 1/1   to: to: M3KC_HUMAN   from: 1   to: 859

299 GTACCAGGTTGTCCAAAGCAGTTTAGTAGCAGAATGGAAATTCACTTCATT 250
    ::||||||||||||||||||||     |||  |||||||||
527 LeuProGlyCysProLysAlaProProSerProGlyArg.......... 539

249 TACAAGACGCCACAACCAGGAGGAAAAAGGAACGGCTGCTATGAAG....... 207
    ::||||||         :::||||  |||::||||:  |||
540 .SerArgArgGlyLysThrArgHisArgLysAlaSerAlaLysGlySerC 556

206 ...............CTCACAGCAATCACA................... 192
                   ||||||::
556 ysGlyAspLeuProGlyLeuArgThrAlaValProProHisGluProGly 572

192 ..............................................     192

573 GlyProGlySerProGlyGlyGlyLeuGlyGlyGlyProSerAlaTrpGluAl 589

191 ...............................GACTTTCTTCAGGATGC 173
                                   ||||:::||:::|||
589 aCysProProAlaLeuArgGlyLeuHisHisAspLeuLeuLeuArg..... 604

172 AGGCCATGAGCGCTCCGCGCCCTCCTGCCACCGAGCAGCG...GGCGCG 126
    ||:|::       |||:::      ||||||      ||||||
605 ..LysMetSerSerSerProAspLeuLeuSerAlaAlaLeuGlySer 620

125 CCTGGGTCAGGGGCAGTCCTGGGGGCCAGGCTGGAGGCTGGTACCACGGCA 76
    |||||||        |||||||      ||   ||:|
621 ArgGlyArgGlyAlaThrGlyGlyAlaGly........AspPro.GlyS 634

75 GGACCTCTCCAGCCCACCACCATTCCGCAGATCCAAATAAGGGGACCGCGGAC 26
   ||||||:         :::      ||::::||||:::||:::|||
634 erProProAlaArgGlyAspThrProProSerGluSerAlaPro 650

25 GGAATCTGCGACCCGGAAATTCCG 2
   |||  :::::::||||::   |||
651 GlySerThrSerProAspSerPro 658


seq_name: SwissProt_40:AD17_MOUSE

seq_documentation_block:
ID   AD17_MOUSE      STANDARD;      PRT;      827 AA.
AC   Q9Z0F8; O88726; Q9RIU4; Q9Z0K3;
DT   16-OCT-2001 (Rel. 40, Created)
DT   16-OCT-2001 (Rel. 40, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   ADAM 17 precursor (EC 3.4.24.-) (A disintegrin and metalloproteinase
DE   domain 17) (TNF-alpha converting enzyme) (TNF-alpha convertase).
GN   ADAM17 OR TACE.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A. (LONG AND SHORT ISOFORMS).
RX   MEDLINE=99365039; PubMed=10433800;
RA   Cerretti D.P., Poindexter K., Castner B.J., Means G., Copeland N.G.,
RA   Gilbert D.J., Jenkins N.A., Black R.A., Nelson N.;
RT   "Characterization of the cDNA and gene for mouse tumour necrosis
RT   factor alpha converting enzyme (TACE/ADAM17) and its location to
RT   mouse chromosome 12 and human chromosome 2p25.";
RL   Cytokine 11:541-551(1999).
RN   [2]
RP   SEQUENCE FROM N.A. (LONG ISOFORM).
RX   MEDLINE=98427286; PubMed=9755855;
RA   Amour A., Slocombe P.M., Webster A., Butler M., Knight C.G.,
RA   Smith B.J., Stephens P.E., Shelley C., Hutton M., Knauper V.,
RA   Docherty A.J., Murphy G.;
RT   "TNF-alpha converting enzyme (TACE) is inhibited by TIMP-3.";
RL   FEBS Lett. 435:39-44(1998).
RN   [3]
```

```
RP   SEQUENCE FROM N.A.
RX   MEDLINE=86291165; PubMed=3016991;
RA   Gompels U., Minson A.;
RT   "The properties and sequence of glycoprotein H of herpes simplex
RT   virus type 1.";
RL   Virology 153:230-247(1986).
CC   -!- FUNCTION: GH AND GL FORM A COMPLEX THAT INDUCES NEUTRALIZING AND
CC       SYNCYTIA INHIBITING ANTIBODIES.
CC   -!- MISCELLANEOUS: THERE ARE SEVEN EXTERNAL GLYCOPROTEINS IN HSV1 AND
CC       2: GH, GB, GC, GG, GD, GI, AND GE.
CC   -!- SIMILARITY: BELONGS TO THE HERPESVIRUSES GLYCOPROTEIN H FAMILY.
CC   --------------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --------------------------------------------------------------------------
DR   EMBL; M14884; AAA45815.1; -.
DR   PIR; B24187; VGBEHF.
KW   Glycoprotein; Transmembrane; Signal.
FT   SIGNAL        1     20
FT   CHAIN        21    838       GLYCOPROTEIN H.
FT   TRANSMEM    804    824
FT   CARBOHYD     73     73       N-LINKED (GLCNAC...)   (POTENTIAL).
FT   CARBOHYD    120    120       N-LINKED (GLCNAC...)   (POTENTIAL).
FT   CARBOHYD    216    216       N-LINKED (GLCNAC...)   (POTENTIAL).
FT   CARBOHYD    332    332       N-LINKED (GLCNAC...)   (POTENTIAL).
FT   CARBOHYD    437    437       N-LINKED (GLCNAC...)   (POTENTIAL).
FT   CARBOHYD    670    670       N-LINKED (GLCNAC...)   (POTENTIAL).
FT   CARBOHYD    784    784       N-LINKED (GLCNAC...)   (POTENTIAL).
SQ   SEQUENCE   838 AA;  90323 MW;  D98DC809145BB4E CRC64;
```

```
alignment_scores:
        Quality:   83.50              Length:      403
        Ratio:      0.483             Gaps:         21
Percent Similarity: 42.928    Percent Identity:  23.077
```

```
alignment_block:
US-09-714-936-218 x VGLH_HSV1E

Align seg 1/1  to: VGLH_HSV1E  from: 1  to: 838


 27 TCCGCGGTCCCCTTATTTGGATCTCGCGGAATGTGGCTGCGAGAGGTCCT 76
    ||||||||||||             ::       |||::: |||  |||||
164 SerAlaValProAspProGlnAlaLeuThrPheProArgGlyAspAsnVa 180

 77 GCCGGTGGTACCAGCCTCCAGCCTGCCCCCAGGACTGCCCCTGACCCAGGC 126
    |||||||||           |||::|||  |||::::||| ||  ||||||
180 lAlaThrAlaSerHisProSerGlyProArgAspThrProProProArg. 196

197 ..........................ProProValGlyAlaArgArgHis 204
    ........................... ::   |||
127 GCGCCCGCTGCTCGGTGGCAGGAGGCCGGCGGAGCGCCATGGCCCTGCAT 176

177 CCTGAAGAGAAAGTCTGTGATTGCTGTGAGCTTCATAGCAGCGGTTCCTTT 226
    ||| :::::|| |||     |||||||:::||||||::::::
205 ProThrThrGluLeu..AspIleThrHisLeuHisAsnAlaSer..... 218

227 TCCTGCTGCTGGTTGTGCGTCTTGTAAATGAAGTGAATTTCCCATTGCTACTA 276
    |||||||||| ||:::|||  |||::|| ||||||
218 .................................................... 218

277 AACTGCTTGGACACCTGGTACAAAGTGGATACCATTCTC.......... 317
    ||||||||| |:: :|||
219 ........ThrThrTrpAlaThrArgGlyLeuLeuArgSerPro 231

318 ...CTACACATACAGGCGGCCCCTTCGAACTCACTATGGATACATAAATG 364
    :::|| :|||||| |||   ||| |||
232 GlyAlaTyrValTyrPheSerProSerAlaSerThrTrp.ProValGlyI 248
```

```
365 TGAAGACACAAGAGCCTTGCAACTGACTGTGACCTTTGTGCCATAGTG 414
    ::  |||      ||| |||    |||||
248 leTrpThrThrGlyLeuValLeuGlyCysAsp................ 259

415 TCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGACAGATAGATCG 464
    :::  :::||||   |||::::||| |||:::|||
260 ........AlaAlaLeuValArgAlaAlaTyrGlyArgGluPhe..... 271

465 ATCCTCCTGCCATTGGAGAATGAACAATGCCCCACCAAAGTTATGAAG 514
    :::  |||::|| |||     |||:::|||
272 .MetGlyLeuValIleSerMetHisAspSerProProAlaGluValMetV 288

515 AAGATGTCGGCCGCATGACCATGATTCGAGTT.....GTGTCCCATACC 558
    :::  :::|||::|||       ||||||      |||||||
288 alValProAlaGlyGlnThrLeuAspArgValGlyAspProAlaAspGlu 304

559 AGCGGTTCCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGAAGCGAA 608
    :::  |||   |||:::|||
305 AsnProProGlyAlaLeuProGlyProPro.................... 314

609 TACTACTATTTGTGTTATTGGGACCT.................TTCC 640
                 |||||||             :::
315 .............GlyGlyProArgTyrArgValPheValLeuG 325

641 GCAATAGAGGAAAGATGGCAATGGCATCGTTACAACATGTGAAAAAG 690
    :::  |||  :::     |||||||  |||:::  |||||
325 lySerLeuThrArgAlaAspAsnGlySerAlaLeuAspAlaLeuArgArg 341

691 ACAGTTGGTATCATCCGAATGCCCAAAATACGTGACCACAGAGAAGCG 740
    |||||| |||::: |||||| :::
342 ..ValGlyGlyTyrProGluGlyGlyThrArgAsnTyrAlaGlnPheLeuSe 357

741 CATGAGTACTGTGATGGAGTTTTAAGAAGGAAACTGGAAGGACAGG 790
    ::||||:::::  :::||| ||||||||  ::|||:|
357 rArgAlaTyrAlaGlu...PhePheSerGlyAspAlaGlyAlaGlnG 373

791 GGCATGCAAGGCGACTG...................CTGATTTCTACAGAC 822
    ||  |||                        |||:::|||::||||||
373 lyProArgProPheTrpArgLeuThrArgLeuLeuAlaThrSer 389

823 ACTTTTTAAGCGATTACCAGTGCTGCTGGCAAGTGGAAC........ 858
    |||  :::::::||::::|||               |||
390 GlyPhe..AlaPheValAsnAlaAlaHisAlaAsnGlyAlaValCysLe 405

859 ....TACCTTTCCGGTCCTCTTACAAGCATCCAGTCACTTGCTGAAATGT 904
    ....:::  |||:::||| |||    ::||::||||
405 uSerAspLeuGlyLeuGlyPheLeuAlaHisSerArgAlaLeuAlaGlyLeuA 422

905 CATAAGGCGATATAAACCTGCTGACAGGCCAGGATCATTGCATCTCCTGCC 954
    ::  |||              |||    |||:::|||
422 la.................AlaArgGlyAlaAlaGlyLeuGlyCysAla 430

955 TCCTCC........TTCCACGTAACAAAATCCATTGTTGATTGGCATAT 995
    ::::::          |||:::||||| ::::::
431 AlaAspSerValPhePheAsnValSer.....ValLeuAsp........ 442

996 GGCAGCAAGCAGCATCCCAACACCCAGAGTGGTGTTCTTATTTCTGAGGGAGC 1045
    ||  |||              |||::: |||::
443 ..........ProThrAlaArgLeuGln..LeuGluLeuAlaArgLeuG 454

1046 AGGGTCTGTGTGTGAATTGCACACACAGGGAGCAATCCCCTGCCCTG... 1092
    ||  |||::::::: |||:::|||||         |||
454 lnHisLeuValAlaGlyIleLeuGluArgGluGlnSerLeuAlaLeuHis 470

1093 ........ATACAGGCAACCTGAGTGCTTAGTGTTCCTTCTCTGCTCAGAA 1133
    |||  :::                |||||||||   |||:::
471 AlaLeuGlyTyrGlnLeuValLeuAspAspSerProSerAlaArgTyrAs 487

1134 CTTAGTG 1140
    :::::
487 palAlaVal 489
```

RT   disease.";
RL   Genome Res. 7:1020-1026(1997).
CC   -!- SUBCELLULAR LOCATION: Integral membrane protein (Potential).
CC   -!- TISSUE SPECIFICITY: WIDELY EXPRESSED.
CC   -!- SIMILARITY: TO HUMAN KIAA0574.
CC   --
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --
DR   EMBL; AF023268; AAC51822.1; -.
KW   Transmembrane.
FT   TRANSMEM   34   54   POTENTIAL.
FT   TRANSMEM   67   87   POTENTIAL.
FT   TRANSMEM   91   111   POTENTIAL.
FT   TRANSMEM   174   194   POTENTIAL.
FT   DOMAIN   244   250   POLY-PRO.
FT   DOMAIN   635   639   POLY-SER.
SQ   SEQUENCE   669 AA; 71482 MW; E30360AC9A571E6 CRC64;

alignment_scores:
        Quality: 84.00   Length: 398
        Ratio: 0.500   Gaps: 22
Percent Similarity: 42.211   Percent Identity: 22.362

alignment_block:
US-09-714-936-218/rev x COTE_HUMAN

Align seg 1/1 to: COTE_HUMAN from: 1 to: 669

 938 ATCCTGGCCTGCAGCAGGTTATATCGCTTATGACATTTCAGCAAGTGA 889
     ::!|::||::!|:|:::|||| :::|| ||| |||||||||
 114 ValLeuSerCysLysAsnAlaGlnLeuAlaArgAsp.PheGlnGln... 128

 888 CTGGATGCTTGTAAGAGGACCCGGAAAGTAGTTCCACTTGCCAGCACTGG 839
     |||||| ||| |||
 129 ....CysSerLeuGluGly......................... 133

 838 TAATCGCTTAAAAAGTGTCTGTAGAAATCAGCAGTCGCCTTGCATGCCCC 789
     |||| ||::| |||:::|| ::||| ||| ||| |
 134 ....LysValCysValCysProSerValProLeuLeuArgPr 147

 788 CTGTCCTTCCCAGTTTCCTTCTTAAAAACTCCATCACAGTAACTCATGCG 739
     |||||||||:::|| ::: |||::: :::|:::|||
 147 oCysProGluSerGlyGlnGluLeuLysValAlaProAsnSerThrCysA 164

 738 CTTCTCGTGGTCACGTATATTTGGGCATTCGGATAGAGTACCAACTGTCT 689
     ||:: |:: |::: :||| :::||| :::|| |||
 164 spGluAlaArgGlyAlaLeu.............LysAsnLeuLeu 174

 688 TTTTCAACATGT.......TGTAAACGATGCCATTGCCATCTTTC 651
     ||||||:||:||| ||| :::||:|| ||||||
 175 PheSerValCysGlyLeuThrIleCysAlaAlaIleIleCysThrLeuSe 191

 650 CTCTCATAT....TGCGGAAAGGTCCCCAAATAACACAAATAGTAGTATT 607
     |:|: ||| ||| :::||:|:| ::||| :::|
 191 rAlaIleValCysSerIleGlnIle.....................PheS 201

 606 CGCTTCCTTGAAAAAATAATCAGGGTTTTTTTAGCAAAAGAGGAACGCTGG 557
     ||||| :::|||| ||||||| ||||| |||::
 201 erLeuAspLeuValHisThrGln.....LeuAlaProGluArgServal 215

 556 TATGGGACAACAACTCGAATCATGGTCATGC.........GGCCGACA 519
     |||| ||||:||||| :::|||
 216 SerGly...ProLeuGlyProLeuGlyCysThrSerProProAlaPr 231

 518 TCTTCTTCATAACCTTTGGTGGGGGCATTGTTCATTCTCCAAATGCAGGA 469
     |||||||::|:::::
 231 oLeuLeuHisThrMet.............................. 236

 468 GGATCGATCTATCTCATTCCCACCTTCTGGCCAACCA.......... 431
     ::::||!||:::::||| |||||||::||| |||
 237 ..LeuAspLeuGluPheValProProValProProProTyrTyr 252

 431 431

 253 ProProGluTyrThrCysSerSerGluThrAspAlaGlnSerIleThrTy 269

 430 ......TCTGACCTGAGTTTGACACTATGGCACAAAGTCACAGTC 391
     ::: ||||||||||||||||||||||||||||||||
 269 rAsnGlySerMetAspSerProValProLeuTyrProThrAspCysProP 286

 390 CAGTTGCAAAGGCTCTGTG...........TCTTCACATTTATGT 356
     || :::!|::|||||| |||
 286 roSerTyrGluAlaValMetGlyLeuArgGlyIleAspSerGlnAlaThrLeu 302

 355 ATCCATAGTGAGTTCGAAGGGGCCGCCTGTATGTGTAGGAGAATGGTATC 306
     || :::::||| ::::|||:::||::::||::::|:::|||
 303 PheAspProGlnLeuHisAspGlySerCysIleCysGluArgValAlaSe 319

 305 CACTTTGTACCAGGTTGTCCAAAGCAGT........TTAGTAGCAATGG 265
     | ::: ||||||||||||||||||| ||||:::|||
 319 rIleValAspValSerMetAspSerGlySerLeuValLeuSerAlaIleG 336

 264 GAAAT.........................TCACTTCAT 251
     ||:::: |||::||
 336 lyAspLeuProGlyGlySerSerProSerGluAspSerCysLeuLeuGlu 352

 250 TTACAAGACGCACAACCAGCAGGAGGAAAAGGAACGCTGCTATGAAGCTCACA 201
     ::: |::||| :::||:|| |||
 353 LeuGlnGlySerValArgSerValAspTyrValLeuPheArgSerIleGl 369

 200 GCAATCACAGA..........CTTTCTCTTCAGGATGCAGGC........ 169
     |:::|||||| |||||||||::|||||||||||
 369 nArgSer.ArgAlaGlyTyrCysLeuSerLeu..AspCysGlyLeuArg 384

 168 ........CATGGCGTCCGCGCCGCCGCCGCCCTGCCACCGAGCAGCGGGCG 128
     ::: |||||| :::|:::||
 385 GlyProPheGluGluSerProLeuProValArgArgProProAlaAlaAr 401

 127 CGCCTGGCTCAGGGGCCAGTCCTGGGGGC........AGGCTGGAGGCTGTA 84
     |||| :::||| :::: |||
 401 gSerTyrSerCysHisArgLeuGluAlaProProLeuGlyAlaProT 418

  83 CCACGGCCAGGACCT........................CTCCAG 64
     ||:::||||||| :::
 418 hrAlaAlaArgSerCysHisArgLeuGluGlyTrpProProIpValGly 434

  63 CCCACATTCCCCAGATCCAAATAAGGGGACCCCGG............ 28
     ||| |||||||:::|:::: || ||||||
 435 ProCysPheProGluLeuArgArgValProArgGlyGlyGlyArgPr 451

  27 ..........................ACGGAATCGTCGACCCGGAAATTC 4
     ::: ||| |||||||||||
 451 oAlaAlaAlaProProThrArgAlaProThrArgArgPhe 464

seq_name: SwissProt_40:VGLH_HSV1E

```
RT   "Structure of quinoprotein methylamine dehydrogenase at 2.25-A
RT   resolution.";
RL   EMBO J. 8:2171-2178(1989).
RN   [4]
RP   X-RAY CRYSTALLOGRAPHY (2.25 ANGSTROMS).
RX   MEDLINE=91197438; PubMed=2085423;
RA   Vellieux F.M.D., Kalk K.H., Hol W.G.J.;
RT   "Structure determination of quinoprotein methylamine dehydrogenase
RT   from Thiobacillus versutus.";
RL   Acta Crystallogr. B 46:806-823(1990).
CC   -!- FUNCTION: METHYLAMINE DEHYDROGENASE CARRIES OUT THE OXIDATION OF
CC       METHYLAMINE. ELECTRONS ARE PASSED FROM METHYLAMINE DEHYDROGENASE
CC       TO AMICYANIN.
CC   -!- CATALYTIC ACTIVITY: RCH(2)NH(2) + H(2)O + acceptor = RCHO + NH(3)
CC       + reduced acceptor.
CC   -!- COFACTOR: EACH OF THE SMALL SUBUNITS CONTAINS A COVALENTLY BOUND
CC       PQQ-LIKE COFACTOR CALLED TRYPTOPHAN TRYPTOPHYLQUINONE (TTQ).
CC   -!- PATHWAY: METHYLAMINE UTILIZATION.
CC   -!- SUBUNIT: TETRAMER OF TWO LIGHT AND TWO HEAVY CHAINS.
CC   -!- SUBCELLULAR LOCATION: Periplasmic.
CC   -!- SIMILARITY: HIGH, TO OTHER SPECIES MADH LIGHT CHAIN.
CC
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC
DR   EMBL; M58001; AAA50570.1; -.
DR   PDB; 2MAD; 31-JAN-94.
DR   PDB; 1MAE; 31-JAN-94.
DR   PDB; 1MAF; 31-JAN-94.
DR   InterPro; IPR004229; Me-amine-deh_L.
DR   Pfam; PF02975; Me-amine-deh_L; 1.
KW   Oxidoreductase; Electron transport; Periplasmic; TTQ; Signal;
KW   3D-structure.
FT   SIGNAL        1     57
FT   CHAIN        58    188       METHYLAMINE DEHYDROGENASE LIGHT CHAIN.
FT   BINDING     114    114       TTQ.
FT   BINDING     165    165       TTQ.
FT   DISULFID     80    145
FT   DISULFID     86    118
FT   DISULFID     93    178
FT   DISULFID     95    143
FT   DISULFID    103    134
FT   DISULFID    135    166
FT   CONFLICT     89     89       D -> A (IN REF. 2).
FT   CONFLICT     97     97       G -> A (IN REF. 2).
FT   CONFLICT    102    102       N -> S (IN REF. 2).
FT   CONFLICT    108    112       KLATA -> LVASG (IN REF. 2).
FT   CONFLICT    116    116       A -> G (IN REF. 2).
FT   CONFLICT    122    129       TDGQSYLI -> PDPNKYIT (IN REF. 2).
FT   CONFLICT    144    144       P -> A (IN REF. 2).
FT   CONFLICT    156    159       RPEF -> NKD (IN REF. 2).
FT   CONFLICT    169    169       A -> G (IN REF. 2).
FT   CONFLICT    172    173       DA -> G (IN REF. 2).
FT   CONFLICT    179    179       T -> S (IN REF. 2).
FT   CONFLICT    183    188       IVGKAS -> VSGA (IN REF. 2).
FT   TURN         66     67
FT   STRAND       73     73
FT   TURN         77     78
FT   TURN         80     82
FT   STRAND       83     85
FT   HELIX        86     87
FT   TURN         89     92
FT   STRAND       93     95
FT   HELIX        96     97
FT   TURN        105    106
FT   STRAND      108    109
FT   STRAND      114    120
FT   TURN        121    124
FT   STRAND      125    131
FT   STRAND      133    135
FT   STRAND      144    146
FT   TURN        149    150
FT   TURN        154    155
FT   HELIX       157    158
FT   TURN        167    168
FT   HELIX       170    171
FT   STRAND      176    179
FT   STRAND      183    185
SQ   SEQUENCE   188 AA;  20358 MW;  923C5461737C63FA CRC64;
```

```
alignment_scores:
                Quality:    84.00              Length:    117
                Ratio:      1.273              Gaps:        7
        Percent Similarity:  56.410    Percent Identity:  29.915

alignment_block:
US-09-714-936-218 x DHML_PARVE

Align seg 1/1  to: DHML_PARVE    from: 1  to: 188

  5 AATTTCCGGTGCGACGATTCCGTCCGCGGTCCCCTTATTCGGATCTGCGG  54
    ||||||||| ||||||  |||::|                   ::::::|
  4 AsnPheArgPheAspAspMetValGluLysSerArgArgValAlaGl     20

 55 GAATGTGGGCTGGAGAGGTCCT.....................GCCGTGGTACCAG  89
    |::::::::: |||||                           ::|||::::  :
 20 yArgThrSerArgArgGlyAlaAlaIleGlyArgLeuGlyThrValLeuAlaG   37

 90 CCTCCAGCCTGCCCCCAGGACTGCCCCTGACCAGGCGCGCCGCCGCTGCTC 139
    ::::::::::||| ||| ||||||||:::        |||||||:::||| ||
 37 lyAlaAlaLeuValProLeuLeuProVal.AspArgArgGlyArgValSe    53

140 G........GTGCAGGAGGGCGGCGGAGCGCCATGGCCTGCATCCTGAAG 183
    ||.......|||::::::|||||||           |||:::  |||::::
 53 rArgAlaAsnAlaAlaGlyProAlaGlu.........GlyValAspPtoArgA   68

184 AGAAA...................................GTCTGTGATTGC...... 200
    ||                                     ::|||||||
 68 laLysTrpGlnProGlnAsnAspIleGlnAlaCysAspTyrTrpArg      84

201 ...TGTGAGCTTCATAGCAGCAGGGTTCCTTTTCTGCGGTTGCGGCGTCTTG 247
       |||::::::::::  :::::::           :::  |||:::::::
 85 HisCysSerIleAspGlyAsnIle.........CysAspCysSerSerGlyGl  98

248 TAAATGAAGTGAATTTCCCATTGCTACTAAACTGCTTTGGACAACCTGG 296
    :::||||||||||  :::::||  :||||||:::||||||||
 98 ySerLeuThrAsnCysProProGlyThrLysLeuAlaThrAlaSerTrp    114
```

```
seq_name: SwissProt_40:COTE_HUMAN

seq_documentation_block:
ID   COTE_HUMAN     STANDARD;       PRT;   669 AA.
AC   P81408;
DT   30-MAY-2000 (Rel. 39, Created)
DT   30-MAY-2000 (Rel. 39, Last sequence update)
DT   30-MAY-2000 (Rel. 39, Last annotation update)
DE   COTE1 protein.
GN   COTE1.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Hippocampus;
RX   MEDLINE=97474796; PubMed=9331372;
RA   Winfield S.L., Tayebi N., Martin B.M., Ginns E.I., Sidransky E.;
RT   "Identification of three additional genes contiguous to the
RT   glucocerebrosidase locus on chromosome 1q21: implications for Gaucher
```

```
859  TACCTTTCCGGTCCTCCTTACAAGGCATCCAGTCACTGCTGCTGAAAATGTCATA 908
       |||:::   :::::|||:::||::|||          |||
318  rCysGlnProThrGlnPheArgCysSerAsn.GlyGlyCys..........  330

909  AGGCGATATAAACCTGCTGACAGGCCCAGGATCATTGCATCTCCTGCCTCCT 958
                                       |||||||  :::|||
331  ..........................CysIleAspSerPheLe  336

959  CCTTCCACGTAACAAATCTCATTGTTGATTGGCCATATGGCAGCAAGCATC 1008
     |                          ||  :::||
336  uGluCysAspAspThrProAsnCys........................P  345

1009 CCAACACCCAGAGTGGTGTGTTCTTATTTCTGAGGAGGAGCAGGGTCTGTGT 1058
     ||::::::::::                           ::::|||||
345  roAspAlaSerAsp..................GluAlaAlaCys  353

1059 GAATTGCACACACAGGGA............................  1076
     ||::|||||||||::::
354  GluLysTyrThrSerGlyPheAspGluLeuGlnArgIleHisPheProS  370

1077 ........GCAAATCCCCTGCCCTGATACAGGCAACCTGAGTGCTT 1113
             :::::||||||||||:::|||||||||
370  rAspLysGlyHisCysValAspLeuProAspThrGly........  382

1114 AGTTCCTTCTCTGCTCCAGAACTTAGTGTGACTATGTGG..........CCT 1154
     ||||||::::||   |||:::  |||          ||
383  ........LeuCysLysGlu...SerIleProArgTrpTyrTyrAsnPro  395

1155 ACCTCA...CATTGTTGTGTTACACCTACACAGGAAAAAGGAAAAATGT 1201
     :::::|||       |||  |||||||||||
396  PheSerGluHisCysAlaArgPheThrArgTyrGlyGly.........  407

1202 CCTTTTGATTCCATGCTGTGAGAGATGTTCATCCAATTTGAAT 1244
     |||||||      |||:::  |||
408  .........CysTyrGlyAsnLysAsn  413
```

seq_name: SwissProt_40:DHML_PARVE

seq_documentation_block:
ID   DHML_PARVE   STANDARD;   PRT;   188 AA.
AC   P22641; Q56458;
DT   01-AUG-1991 (Rel. 19, Created)
DT   01-NOV-1997 (Rel. 35, Last sequence update)
DT   15-JUL-1998 (Rel. 36, Last annotation update)
DE   Methylamine dehydrogenase light chain precursor (EC 1.4.99.3) (MADH)
DE   (Methylamine dehydrogenase beta subunit).
GN   MAUA OR MADB.
OS   Paracoccus versutus (Thiobacillus versutus).
OC   Bacteria; Proteobacteria; alpha subdivision; Rhodobacter group;
OC   Paracoccus.
OX   NCBI_TaxID=34007;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=92111471; PubMed=1765062;
RA   Ubbink M., van Kleef M.A., Kleinjan D.J., Hoitink C.W.;
RA   Huitema F., Beintema J.J., Duine J.A., Canters G.W.;
RT   "Cloning, sequencing and expression studies of the genes encoding
RT   amicyanin and the beta-subunit of methylamine dehydrogenase from
RT   Thiobacillus versutus.";
RL   Eur. J. Biochem. 202:1003-1012(1991).
RN   [2]
RP   SEQUENCE OF 58-188.
RX   MEDLINE=90005420; PubMed=2792083;
RA   Huitema F., Duine J.A., Beintema J.J.;
RL   Unpublished results, cited by:
RL   Vellieux F.M.D., Huitema F., Groendijk H., Kalk K.H., Jzn J.F.,
RL   Jongejan J.A., Duine J.A., Petratos K., Drenth J., Hol W.G.J.;
RL   EMBO J. 8:2171-2178(1989).
RN   [3]
RP   X-RAY CRYSTALLOGRAPHY (2.25 ANGSTROMS).
RX   MEDLINE=90005420; PubMed=2792083;
RA   Vellieux F.M.D., Huitema F., Groendijk H., Kalk K.H., Jzn J.F.,
RA   Jongejan J.A., Duine J.A., Petratos K., Drenth J., Hol W.G.J.;

```
127  .............GCGCCGCTGCCTGCTGGCAGGAGGGCCG 155
                  ::::|||:|||       ::||||
71   AsnGlyAlaThrPheLeuGluSerProThrValArg.....ArgGlyTyr  85

156  GCGGAGCGCCATGGCCTGCATCCTGAAGAGAAAGTCTGTGATTGCTGTG. 204
          ::     |||||          ::::|||
85   pAspCysValArgAlaCysThrThrGlnAsnCysAsnLeuAlaLeuV  102

205  .............AGCTTCATAGCAGCCGTTCCTT 225
                  ::::||   |||::||||||
102  aIleLeuGlnProAspArgGlyGluAlaIleAlaAlaCysPheLeu  118

226  TTCCTGCTGGTTGCGTCTTGTAAATGAAGTGAATTCCCATTGCTACT 275
               ::::||   ||||||
119  .........IleAsnCysLeuTyrGluGlnAsnPheVal........  128

276  AAACTGCTTTGGACAACCTGTACAAAGTGGATACCATTC.......... 315
          |||     ||  ::|
129  ...CysLysPheAlaProArgGluGlyPheIleAsnTyrLeuThrArgG  144

316  ..TCCTACACATACAGGCGGCCCCCTTCGAACTCACTATGGATAC...... 357
           |||     ||||||||||:::   |||::
144  luValIleTyrArgSerTyrArgGlnLeuArgThrGln...GlyPheGlyGly 159

358  .............ATAAATGTGAAGACACA 374
                  ::::::||||| ||
160  SerGlyIleProLysAlaTrpAlaGlyIleAspAspIleLysValGlnProGl 176

375  AGAGCCTTTGCAACTG.........GACTGTGACCTTTGTGCCATAG 412
     ||||||||| ||          :::   ||| |||
176  nGluProLeuValLeuLysLysAspValGluAsnThrAspTrpArgArgLeuLeuA 193

413  TGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGAATAGAT 462
     :::::||||   :||||          |||:::||||
193  rgGlyThrAspValArgValGluArgLysValAspGlnInValGlu  209

463  CGATCCTCCTGCCATTTCGAGAATGAAC..................... 489
               ::::||
210  .............LeuTrpGlyLeuLysGluGlyThrTyrLeuPheGlnLe 222

490  .AATGCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCATGACCATG. 537
     :::::: ::::   ||||||||||:::||||:|
222  uThrValThrSerSerAspHisProGluAspThrAlaAsnValThrValT 239

538  .ATTCGAGTTGTGTCCATACCAGCGTTCCTCTTTTGCTAAAAAAC... 582
     :::   |||||||||||||||:::|||||   ||||
239  hrValLeuSerThrLysGlnThrGlnAspTyrCysLeuAlaSerAsnLys 255

583  .............CCTGATTATTTTTCAAGGAAGCGAA 608
                  |||   |||:::||||||||
256  ValGlyCysArgGlyArgGlySerPheProArgTrpTyrTyr...AspProTh 271

609  TACTACTATTTCGTTATTTGGGAGACCTTTCCGCAATATGAGGAAAGATG 658
     ||||||:::|||      |||||||||:::||||||
271  rGluGlnIleCys................................  275

659  GCAATGGCATCGTTTACAACATGTTGAAAAAGACAGTTGTATCTATCCG 708
     |||||||||||   |||||:::|||||||||||||||
276  ..LysSerPheValTyrGly.................GlyCysLeuGly 285

709  AATGCCCAAATATACGTGACCACAGAGAGCGCATGAGTTACTGTGATGG 758
     |||   ::::|||      :::
286  AsnLysAsnAsnTyrLeuArgGluGluGluCysIleLeuLeuAlaCys..... 300

759  AGTTTTTAAGGAAGGAAAACTCGGAAGGACACAGGGGCATGCAAGGCGACTGC 808
              |||  ||::||||||
301  .......Arg.GlyValGlnGly.......GlyCysLeuGlyGly  305

809  TGATTTCTACAGACACTTTTTAAGCGATTACCAGTGCTGCCAAGTGGAAC 858
     ::::::    :::||   ||||||||   ::||||||||||||
306  ........ProSerMetGluArgArgHisProVal...CysSerGlyTh 318
```

```
RT       and a Kunitz-type serine protease inhibitor from human milk.";
RL       J. Biol. Chem. 274:18237-18242(1999).
CC   -!- FUNCTION: INHIBITOR OF HGF ACTIVATOR. ALSO ACTS AS AN INHIBITOR OF
CC       MATRIPTASE (ST14).
CC   -!- SUBCELLULAR LOCATION: Secreted.
CC   -!- DOMAIN: THIS INHIBITOR CONTAINS TWO INHIBITORY DOMAINS.
CC   -!- SIMILARITY: CONTAINS 1 LDL-RECEPTOR CLASS A DOMAIN.
CC   -!- SIMILARITY: CONTAINS 2 BPTI/KUNITZ INHIBITOR DOMAINS.
CC       -------------------------------------------------------------------
CC       This SWISS-PROT entry is copyright. It is produced through a collaboration
CC       between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC       the European Bioinformatics Institute. There are no restrictions on its
CC       use by non-profit institutions as long as its content is in no way
CC       modified and this statement is not removed. Usage by and for commercial
CC       entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC       or send an email to license@isb-sib.ch).
CC       -------------------------------------------------------------------
DR   EMBL; AB000095; BAA25014.1; -.
DR   EMBL; BC004140; AAH04140.1; -.
DR   HSSP; P31713; 1SHP.
DR   MIM; 605123; -.
DR   InterPro; IPR002223; Kunitz_BPTI.
DR   InterPro; IPR002172; LDL_recept_A.
DR   Pfam; PF00014; Kunitz_BPTI; 2.
DR   Pfam; PF00057; ldl_recept_a; 1.
DR   PRINTS; PR00759; BASICPTASE.
DR   SMART; SM00131; KU; 2.
DR   SMART; SM00192; LDLa; 1.
DR   PROSITE; PS00280; BPTI_KUNITZ_1; -.
DR   PROSITE; PS50279; BPTI_KUNITZ_2; 2.
DR   PROSITE; PS01209; LDLRA_1; 1.
DR   PROSITE; PS50068; LDLRA_2; 1.
KW   Serine protease inhibitor; Repeat; Glycoprotein; Signal.
FT   SIGNAL        1     35
FT   CHAIN        36    513       KUNITZ-TYPE PROTEASE INHIBITOR 1.
FT   DOMAIN      250    300       BPTI/KUNITZ INHIBITOR 1.
FT   DOMAIN      318    354       LDL-RECEPTOR CLASS A.
FT   DOMAIN      375    425       BPTI/KUNITZ INHIBITOR 2.
FT   DISULFID    250    300       BY SIMILARITY.
FT   DISULFID    259    283       BY SIMILARITY.
FT   DISULFID    275    296       BY SIMILARITY.
FT   ACT_SITE    260    261       REACTIVE BOND (BY SIMILARITY).
FT   DISULFID    375    425       BY SIMILARITY.
FT   DISULFID    384    408       BY SIMILARITY.
FT   DISULFID    400    421       BY SIMILARITY.
FT   ACT_SITE    385    386       REACTIVE BOND (BY SIMILARITY).
FT   CARBOHYD     66     66       N-LINKED (GLCNAC...  .) (POTENTIAL).
FT   CARBOHYD    235    235       N-LINKED (GLCNAC...  .) (POTENTIAL).
FT   CARBOHYD    507    507       N-LINKED (GLCNAC...  .) (POTENTIAL).
SQ   SEQUENCE   513 AA;  56885 MW;  D6E05F3A5885CDDD CRC64;
```

```
alignment_scores:
       Quality:           84.50          Length:             499
       Ratio:             0.427          Gaps:                32
       Percent Similarity: 39.679        Percent Identity:  20.040

alignment_block:
US-09-714-936-218 x SPT1_HUMAN

Align seg 1/1  to: SPT1_HUMAN  from: 1  to: 513

  41 ATTTGGATCTCGCGGAATGTGGGCTGGAGAGGTCCTCCCGTGGTACCAGC  90
     :::||:|||    :::||||   :::|||    ::  :::||| |||
  22 LeuTrpLeuLeuCysThrLeuGlyLeuGlnGlyThrGlnAlaGlyProPr  38

  91 CTCCAGCCTGCCCCCAGGACTGCCCCTGAC....................  120
     :::  ||||||||||||||||
  38 oProAla...ProProGlyLeuProAlaGlyAlaAspCysLeuAsnSerP  54

 121 ..........................CCAGGC..................  126
                               ||||||
  54 heThrAlaGlyValProGlyPheValLeuAspThrAsnAlaSerValSer  70
```

```
Percent Similarity:  41.406        Percent Identity:  28.125

alignment_block:
US-09-714-936-218/rev x AD17_RAT

Align seg 1/1  to: AD17_RAT  from: 1  to: 827

1066 TGCAATTCACACACAGACCCTGCTCCCT......CAGAAATAAGAACACC 1023
     ||||||||  |||| ||  |||          :::||||
 502 CysAsnSerAspCys.ThrLeuLysProGlyValGlnCysSerAspArgA  518
1022 ACTCTGGGTGTTGGGATGCTTGC..................TGC  997
     ::||   |||  ||  |||                   |||
 518 snSerProCysLysAsnCysLysCysGlnPheGluThrAlaGlnLysLysCys  534
 996 CATATGCCAATCAAC.......AATGAGATTTGTTACGTGGAAGGAGG  956
     :::   ||||||         ::  :|| :|    :||||||
 535 GlnGluAlaIleAsnAlaThrCysLysGlyValSerTyrTyrCysThrGlyAs  551
 955 AGGCAGGAGGATGCCAATGATCCTGGC.................C  930
     :::   :||   ||| ||||||||
 551 nSerSerGluCysProProGlyAspAlaGluAspThrValCysL  568
 929 TGTCAGCAGGTTATATCGCTTATGACATTTCAGCAAGTGACTGGATGCT  880
     ||:||  |||   |||  ||||||||||||
 568 euAspLeuGly.....................................Lys  572
 879 TGTAAGAGGACCGGAAAGGTAGTTCCACTT....................  850
     ||||||  ::||||||  :::::
 573 CysLys...AlaGlyLysCysIleProPheCysLysArgGluGlnGluGluLe  588
 849 ..........GCCAGCACTGGTAATCGCTTAAAAAGTGTCTGTA  816
               |||||||  |||   |||      ||| || |
 588 uGluSerCysAlaCysAlaAspThrAspAsnSerCysLysValCysCysA  605
 815 GAAATCAGCAGTCGCCTTGCATGCCCCCTGTC  784
     ||||  ::::||||||::|||||||::|||
 605 rgAsnLeuSerGlyProCysValProTyrVal  615
```

seq_name: SwissProt_40:SPT1_HUMAN

```
seq_documentation_block:
ID   SPT1_HUMAN     STANDARD;      PRT;   513 AA.
AC   O43278;
DT   16-OCT-2001 (Rel. 40, Created)
DT   16-OCT-2001 (Rel. 40, Last sequence update)
DT   01-MAR-2002 (Rel. 41, Last annotation update)
DE   Kunitz-type protease inhibitor 1 precursor (Hepatocyte growth factor
DE   activator inhibitor type 1) (HAI-1).
GN   SPINT1 OR HAI1.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=97197808; PubMed=9045658;
RA   Shimomura T., Denda K., Kitamura A., Kawaguchi T., Kito M., Kondo J.,
RA   Kagaya S., Qin L., Takata H., Miyazawa K., Kitamura N.;
RT   "Hepatocyte growth factor activator inhibitor, a novel Kunitz-type
RT   serine protease inhibitor.";
RL   J. Biol. Chem. 272:6370-6376(1997).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Colon;
RA   Strausberg R.;
RL   Submitted (MAR-2001) to the EMBL/GenBank/DDBJ databases.
RN   [3]
RP   PARTIAL SEQUENCE, AND CHARACTERIZATION.
RC   TISSUE=Milk;
RX   MEDLINE=99303582; PubMed=10373425;
RA   Lin C.Y., Anders J., Johnson M., Dickson R.B.;
RT   "Purification and characterization of a complex containing matriptase
```

```
312 GluGlnAspGlu..........                                 315
         |||  |||:::
    AGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGTTGTGTCCC    553
504  :::||:::   ||        :::||||
316 .....GluLysIleSerAsnArgLeuArgLysArgLysLeuThrG          330

554 ATACCAGCGTTCCTCTTTTGCTAAAAACCCTGATTATTTTTCAAGGAA       603
        :::::::            |||       :::::::   :::||
330 luAsnAsn..........AsnValGluPheLeuGlnAsnGlu             340

604 GCGAATACTACTATTTGTGTTATTTGGGGACCTTTCCGCAATATGAGGAA     653
         ::::                   ::::::::::::::
341 ValAspLeuGlu..........                LysArgLeuGluSe    349

654 AGATGGCAATGGCCATCGTTACAACACATGTTGAAAAAGACAGTTGGT...   699
        ||||||::          |||:|||     :::|||||||||
349 rGlyGluAsnGlyLeu.....AsnLeuLeuAsnThrValGlyArgL         364

700 ..........ATCTATCCGAAT...GCCCAAATATACGTGACCACAGAG      735
         :::||   ||||            |||     :||
364 ysTyrArgCysPheTyrAsnAsnCysSerArgThrPheLysThrLysGlu    380

736 AAGCCCATGAGTTACTGTGATGGA..........                     759
        |||    :::::||    |||
381 LysTyrGluLysHisIleAspPLysHisLysValHisGluLeuLysLeuY    397

760 ....GTTTTTAAGAAGGAAACTGGGAAG..........GACAGGGGGCATG   796
         :::   ||||||     :::|||             :::||||
397 sIleLeuGlnGluLysGluLeuAsnLysThrLeuValAspGlnAsnHisL    414

797 CAAGGCGACTGCTGATTTCTACAGACACTTTTAAGGCGATTACCAGTGCT     846
         |   ::::|||:::||   :::|||                :::||||
414 ysGluProPheIleGlnLysGluThr..........      GlnSerAla    426

847 GGC  849
    |||
427 Gly  427


seq_name: SwissProt_40:AD17_RAT

seq_documentation_block:
ID   AD17_RAT      STANDARD;        PRT;     827 AA.
AC   Q9Z1K9;
DT   16-OCT-2001 (Rel. 40, Created)
DT   16-OCT-2001 (Rel. 40, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   ADAM 17 precursor (EC 3.4.24.-) (A disintegrin and metalloproteinase
DE   domain 17) (TNF-alpha converting enzyme) (TNF-alpha convertase).
GN   ADAM17 OR TACE.
OS   Rattus norvegicus (Rat).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX   NCBI_TaxID=10116;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Testis;
RA   Hall L., Beaumont A.J., Jury J.A., Frayne J.;
RT   "Sequence analysis of rat TNF-alpha converting enzyme (TACE) cDNA.";
RL   Submitted (NOV-1998) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: CLEAVES THE MEMBRANE-BOUND PRECURSOR OF TNF-ALPHA TO ITS
CC       MATURE SOLUBLE FORM. RESPONSIBLE FOR THE PROTEOLYTIC RELEASE OF
CC       SEVERAL OTHER CELL-SURFACE PROTEINS, INCLUDING P75 TNF-RECEPTOR,
CC       INTERLEUKIN 1 RECEPTOR TYPE II, P55 TNF-RECEPTOR, TRANSFORMING
CC       GROWTH FACTOR-ALPHA, L-SELECTIN, AND THE AMYLOID PRECURSOR
CC       PROTEIN. ALSO INVOLVED IN THE ACTIVATION OF NOTCH PATHWAY (BY
CC       SIMILARITY).
CC   -!- CATALYTIC ACTIVITY: CLEAVES TNF-ALPHA AT 79-THR-|-LEU-80.
CC   -!- COFACTOR: BINDS 1 ZINC ION (BY SIMILARITY).
CC   -!- SUBCELLULAR LOCATION: Type I membrane protein.
CC   -!- DOMAIN: MUST BE MEMBRANE ANCHORED TO CLEAVE THE DIFFERENT
CC       SUBSTRATES. THE CYTOPLASMIC DOMAIN IS NOT REQUIRED FOR THE THIS
CC       ACTIVITY. ONLY THE CATALYTIC DOMAIN IS ESSENTIAL TO SHED TNF AND
CC       P75 TNFR (BY SIMILARITY).
CC   -!- PTM: THE PRECURSOR IS CLEAVED BY A FURIN ENDOPEPTIDASE (BY
CC       SIMILARITY).
CC   -!- SIMILARITY: BELONGS TO PEPTIDASE FAMILY M12B.
CC   -!- SIMILARITY: CONTAINS 1 EGF-LIKE DOMAIN.
CC   -!- SIMILARITY: CONTAINS 1 DISINTEGRIN DOMAIN.
CC   -----------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   -----------------------------------------------------------------------
DR   EMBL; AJ012603; CAA10072.1; -.
DR   HSSP; P78536; 1BKC.
DR   MEROPS; M12.217; -.
DR   InterPro; IPR001762; Disintegrin.
DR   InterPro; IPR000561; EGF-like.
DR   InterPro; IPR001818; Matrixin.
DR   InterPro; IPR001590; Reprolysin.
DR   InterPro; IPR000130; Zn_MTpeptdse.
DR   Pfam; PF00200; disintegrin; 1.
DR   Pfam; PF01421; Reprolysin; 1.
DR   ProDom; PD000664; Disintegrin; 1.
DR   SMART; SM00050; DISIN; 1.
DR   PROSITE; PS50215; ADAM_MEPRO; 1.
DR   PROSITE; PS00427; DISINTEGRIN_1; FALSE_NEG.
DR   PROSITE; PS50214; DISINTEGRIN_2; 1.
DR   PROSITE; PS00022; EGF_1; FALSE_NEG.
DR   PROSITE; PS01186; EGF_2; FALSE_NEG.
DR   PROSITE; PS00142; ZINC_PROTEASE; 1.
DR   PROSITE; PS00546; CYSTEINE_SWITCH; FALSE_NEG.
KW   Hydrolase; Metalloprotease; Zinc; Signal; Glycoprotein; Zymogen;
KW   Transmembrane; EGF-like domain; SH3-binding.
FT   SIGNAL          1     17       POTENTIAL.
FT   PROPEP         18    214       BY SIMILARITY.
FT   CHAIN         215    827       ADAM 17.
FT   DOMAIN        215    671       EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM      672    692       POTENTIAL.
FT   DOMAIN        693    827       CYTOPLASMIC (POTENTIAL).
FT   DOMAIN         96     99       POLY-VAL.
FT   DOMAIN        215    474       METALLOPROTEASE.
FT   DOMAIN        475    563       DISINTEGRIN-LIKE.
FT   DOMAIN        569    601       EGF-LIKE.
FT   DOMAIN        603    671       CRAMBIN-LIKE.
FT   SITE          731    738       SH3-BINDING (POTENTIAL).
FT   SITE          184    184       CYSTEINE SWITCH (POTENTIAL).
FT   METAL         405    405       ZINC (CATALYTIC) (BY SIMILARITY).
FT   ACT_SITE      406    406       BY SIMILARITY.
FT   METAL         409    409       ZINC (CATALYTIC) (BY SIMILARITY).
FT   METAL         415    415       ZINC (CATALYTIC) (BY SIMILARITY).
FT   DISULFID      225    333       BY SIMILARITY.
FT   DISULFID      365    469       BY SIMILARITY.
FT   DISULFID      423    453       BY SIMILARITY.
FT   DISULFID      478    501       POTENTIAL.
FT   DISULFID      573    582       BY SIMILARITY.
FT   DISULFID      578    591       BY SIMILARITY.
FT   DISULFID      593    600       BY SIMILARITY.
FT   CARBOHYD      157    157       N-LINKED (GLCNAC...  )  (POTENTIAL).
FT   CARBOHYD      264    264       N-LINKED (GLCNAC...  )  (POTENTIAL).
FT   CARBOHYD      452    452       N-LINKED (GLCNAC...  )  (POTENTIAL).
FT   CARBOHYD      498    498       N-LINKED (GLCNAC...  )  (POTENTIAL).
FT   CARBOHYD      539    539       N-LINKED (GLCNAC...  )  (POTENTIAL).
FT   CARBOHYD      551    551       N-LINKED (GLCNAC...  )  (POTENTIAL).
FT   CARBOHYD      606    606       N-LINKED (GLCNAC...  )  (POTENTIAL).
SQ   SEQUENCE    827 AA;  93016 MW;  EF82239C067F2AFF CRC64;

alignment_scores:
     Quality:    85.00        Length:      128
     Ratio:       1.604       Gaps:          8
```

```
RA   Kucaba T., Hallsworth K., Hawkins J., Hillier L., Jier M.,
RA   Johnson D., Johnston L., Langston Y., Latreille P., Le T.,
RA   Mardis E., Menezes S., Miller N., Nhan M., Pauley A., Peluso D.,
RA   Rifkin L., Riles L., Taich A., Trevaskis E., Vignati D.,
RA   Wilcox L., Wohldman P., Vaudin M., Wilson R., Waterston R.;
RL   Submitted (APR-1995) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: INTERACTS WITH THE INTERNAL CONTROL REGION (ICR) OF
CC       APPROXIMATELY 50 BASES WITHIN THE 5S RNA GENES, IS REQUIRED FOR
CC       CORRECT TRANSCRIPTION OF THESE GENES BY RNA POLYMERASE III. ALSO
CC       BINDS THE TRANSCRIBED 5S RNA'S.
CC   -!- SUBCELLULAR LOCATION: Nuclear.
CC   --------------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --------------------------------------------------------------------------
DR   EMBL; M80611; AAB08014.1; -.
DR   EMBL; M90638; -; NOT_ANNOTATED_CDS.
DR   EMBL; U25841; AAB64615.1; -.
DR   PIR; S20050; S20050.
DR   PIR; A44086; A44086.
DR   HSSP; P25490; 1UBD.
DR   TRANSFAC; T03530; -.
DR   SGD; S0006390; PZF1.
DR   InterPro; IPR000822; Znf-C2H2.
DR   Pfam; PF00096; zf-C2H2; 9.
DR   PRINTS; PR00048; ZINCFINGER.
DR   SMART; SM00355; ZnF_C2H2; 9.
DR   PROSITE; PS00028; ZINC_FINGER_C2H2_1; 8.
DR   PROSITE; PS50157; ZINC_FINGER_C2H2_2; 6.
KW   Transcription regulation; Zinc-finger; Metal-binding; DNA-binding;
KW   RNA-binding; Repeat; Nuclear protein.
FT   DOMAIN       24     43       SER-RICH.
FT   ZN_FING      49     74       C2H2-TYPE.
FT   ZN_FING      80    102       C2H2-TYPE.
FT   ZN_FING     108    130       C2H2-TYPE.
FT   ZN_FING     134    159       C2H2-TYPE.
FT   ZN_FING     163    186       C2H2-TYPE.
FT   ZN_FING     194    219       C2H2-TYPE.
FT   ZN_FING     222    244       C2H2-TYPE.
FT   ZN_FING     253    277       C2H2-TYPE.
FT   DOMAIN      321    327       ARG/LYS-RICH (BASIC).
FT   ZN_FING     365    389       C2H2-TYPE.
SQ   SEQUENCE   429 AA;  50027 MW;  209B1EDEA20422D9 CRC64;
```

alignment_scores:
```
          Quality:   85.00                    Length:    201
          Ratio:      0.833                    Gaps:       11
Percent Similarity:  50.746    Percent Identity:  50.746
```

alignment_block:
```
US-09-714-936-218 x TF3A_YEAST
```

Align seg 1/1 to: TF3A_YEAST   from: 1   to: 429

```
316 TCCTACACATACAGGCGGCGGCCCCTTCGAACTCACTATGGATACATAAATGT 365
    :::::::::   :::::::   ||| |||||||||||||   ||:::::||
262 SerPheSerArgLysHisAspLeuLeuThrHisTyrGlySerIleHisTh 278

366 GAAGACAACAAGAGCCTTTGCAACTGGAC.......TGTGACCTTTGTG 406
    ::::  |||  |||||||||:::||                |||:::
278 rGluGluAspIleProLeuGluLeuLysTyrLysIleSerAspIleGlnG 295

407 CCATAGTGTCAAACTCAGGTCAGATGGTTGGC...CAGAAGGTGGGAAAT 453
    ::||:::::::::  ::::::|||  :::|||    :::|||  :::|||
295 lnLeuValGlnAspHisGlyLysValGlnLeuGlyAsnSerLysHisSerAsn 311

454 GAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCACCAA 503
```

Left column (separate alignment segments):

```
888 CTGGATGCTTGTAAGAGGACCGGAAAGTAGTTCCACTT......GCCAG 845
    |||            :::  |||:::  |||  |||
318 ......................GlyAspLeuAsnProMetLeuPheArgAl 327

844 CACTGGTAATCGCTTAAAAAGTGTCTGTAGAAATCAGCAGTCG...... 802
    ::::  ||| ||| :::::::::::::::::::||
327 aValGlnAsnGlyLeuCysAlaMetAlaGluLysLysSerSerProGluL 344

801 ...........................CCTTGCATGCCCCCTGTCCTTCCC 778
    |||||  ||| |||  |||
344 ysAsnGluValProAlaProCysProProCysProProGluValAspPro 360

778 ......................................Gly 407
361 IleGluSerHisThrPheAlaThrSerThrLeuThrGlnPheCysIleLe 377

777 ......AGTTCCTT......CTTAAAAACTCCATCACAGTAACTC 744
    :::|||||      ||:::::::::   :::|||
377 uPheLysArgThrPheLeuSerIleLeuArgAspThrVal...LeuThrH 393

743 ATGCGCTTCTCTGTGGTCACGTATATTTGGGCATTCCGATAGATACCAAAC 694
    ||   :::  :::|||||||  ||:||||||  :::||| |||
393 lsLeuArgPheMetSerHisSerValValIleGlyValLeuIle.....Gly 407

693 TGTCTTTTCAACATGTTGTAAACGATGCCATTGCCATCTTCCTCATAT 644
    |||:::  ||| :::|||||  :::|||||
408 LeuLeuTyrLeuHisIleGlyAspAspAlaSerLysValPhe........ 421

643 TGCGGAAAGGTCCCAAATAACACAAATAGT.........AGTATTCCCT 603
    ||||||||||:::        |||  :::|
422 ............AsnAsnThrGlyCysLeuPheSerMetLeuP 433

602 TCCTT 598
    |||||
433 heLeu 434
```

seq_name: SwissProt_40:TF3A_YEAST

seq_documentation_block:
```
ID   TF3A_YEAST     STANDARD;      PRT;   429 AA.
AC   P39933;
DT   01-FEB-1995 (Rel. 31, Created)
DT   01-FEB-1995 (Rel. 31, Last sequence update)
DT   30-MAY-2000 (Rel. 39, Last annotation update)
DE   Transcription factor IIIA (TFIIIA).
GN   TFC2 OR PZF1 OR TFIIIA OR YPR186C OR P9677.9.
OS   Saccharomyces cerevisiae (Baker's yeast).
OC   Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC   Saccharomycetales; Saccharomycetaceae; Saccharomyces.
OX   NCBI_TaxID=4932;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=92147684; PubMed=1737784;
RA   Archambault J., Milne C.A., Schappert K.T., Baum B., Friesen J.D.,
RA   Segall J.;
RT   "The deduced sequence of the transcription factor TFIIIA from
RT   Saccharomyces cerevisiae reveals extensive divergence from Xenopus
RT   TFIIIA.";
RL   J. Biol. Chem. 267:3282-3288(1992).
RN   [2]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=92237295; PubMed=1570325;
RA   Woychik N.A., Young R.A.;
RT   "Genes encoding transcription factor IIIA and the RNA polymerase
RT   common subunit RPB6 are divergently transcribed in Saccharomyces
RT   cerevisiae.";
RL   Proc. Natl. Acad. Sci. U.S.A. 89:3999-4003(1992).
RN   [3]
RP   SEQUENCE FROM N.A.
RC   STRAIN=S288C / AB972;
RA   Johnston M., Andrews S., Brinkman R., Cooper J., Ding H., Du Z.,
RA   Favello A., Fulton L., Gattung S., Greco T., Kirsten J.,
```

```
alignment_block:
US-09-714-936-218 x PST_MOUSE      ..
Align seg 1/1  to: PST_MOUSE  from: 1  to: 359

   403  TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA  452
        |||||||||:::|||:||||||||||  :::  |||::  ||||::
   142  CysAlaValValGlyAsnSerGlyIleLeuLeuAspSerGlyCysGlyLy  158

   453  TGAGATAGATGATCCTCTGCCATTGGAGAATGAACAATGCCCCCACCA    502
        :||||||    :::  ||||:|||  :||  |||  ||||||:::::
   158  sGluIleAspSerHisAsnPheValIleArgCysAsnLeuAlaProValv  175

   503  AAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATCCAGTTGTGTCC   552
        :::||||   |||||||||
   175  alGluPheAlaAlaAspValGly.............................  182

   553  CATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTTCAAGGA   602
        |||:::     ||||||
   183  ...ThrLysSerAspPheIleThrMetAsnPro...................  192

   603  AGCGAATACTACTATTTGTTGTTATTGGGGACCTTTCCGCAATATGAGGA   652
        :::|||  |||||||||   :::
   193  ......SerValValGlnArgAlaPheGlyPheArgAsn...GluS  206

   653  AAGATGGCAATGGCATCGTTAC.....AACATGTTGAAAAAGACAGTT   696
        ::|||  :::|||::|    ::|||||||:||  :::|||
   206  erAspArgGluLysPheValHisArgLeuSerMetLeuAsnAspSerVal  222

   697  GGTATCTATCCGAATGCCCAAATATACGTGACCACAGAGAAGGCCATGAG  746
        ::::   ::              |||||||::::|||||
   223  ..LeuTrpIleProAlaPheMetValLysGlyGlyGlyHisValGl  238

   747  TTACTGTGATGGAGTTTTTAAGAAG  771
        ||  ::::::||||||      |||
   238  uTrpValAsnAlaLeuIleLeuLys  246


seq_name: SwissProt_40:ABG4_HUMAN

seq_documentation_block:
ID  ABG4_HUMAN    STANDARD;      PRT;    646 AA.
AC  Q9H172;
DT  01-MAR-2002 (Rel. 41, Created)
DT  01-MAR-2002 (Rel. 41, Last sequence update)
DT  01-MAR-2002 (Rel. 41, Last annotation update)
DE  ATP-binding cassette, sub-family G, member 4.
GN  ABCG4 OR WHITE2.
OS  Homo sapiens (Human).
OC  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC  Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX  NCBI_TaxID=9606;
RN  [1]
RP  SEQUENCE FROM N.A.
RC  TISSUE=Dorsal root ganglion;
RX  MEDLINE=21518231; PubMed=11606068;
RA  Engel T., Lorkowski S., Lueken A., Rust S., Schlueter B., Berger G.,
RA  Cullen P., Assmann G.;
RT  "The human ABCG4 gene is regulated by oxysterols and retinoids in
RT  monocyte-derived macrophages.";
RL  Biochem. Biophys. Res. Commun. 288:483-488(2001).
RN  [2]
RP  SEQUENCE OF 20-646 FROM N.A.
RC  TISSUE=Dorsal root ganglion;
RA  Oldfield S., Lowry C.A., Lightman S.L.;
RT  "Cloning and expression of a novel mammalian white family
RT  ABC-transporter: WHITE2.";
RL  Submitted (NOV-2000) to the EMBL/GenBank/DDBJ databases.
CC  -!- FUNCTION: May be involved in macrophage lipid homeostasis.
CC  -!- SUBCELLULAR LOCATION: Integral membrane protein (Probable).
CC  -!- SIMILARITY: BELONGS TO THE ABC TRANSPORTER FAMILY. ABCG (WHITE)
CC      SUBFAMILY.
CC  --------------------------------------------------------------------------
CC  This SWISS-PROT entry is copyright. It is produced through a collaboration
CC  between the Swiss Institute of Bioinformatics and the EMBL outstation -
```

```
CC  the European Bioinformatics Institute.  There are no restrictions on  its
CC  use by non-profit institutions as long  as its content is in no  way
CC  modified and this statement is not removed.  Usage by and for commercial
CC  entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC  or send an email to license@isb-sib.ch).
DR  EMBL; AJ300465; CAC17140.1; -.
DR  InterPro; IPR003593; AAA.
DR  InterPro; IPR003439; ABC_transportr.
DR  InterPro; IPR001687; ATP_GTP_A.
DR  Pfam; PF00005; ABC_tran; 1.
DR  SMART; SM00382; AAA; 1.
DR  PROSITE; PS00211; ABC_TRANSPORTER; 1.
KW  ATP-binding; Glycoprotein; Transmembrane; Transport.
FT  DOMAIN         1    393       CYTOPLASMIC (POTENTIAL).
FT  TRANSMEM     394    414       1 (POTENTIAL).
FT  DOMAIN       415    425       EXTRACELLULAR (POTENTIAL).
FT  TRANSMEM     426    446       2 (POTENTIAL).
FT  DOMAIN       447    472       CYTOPLASMIC (POTENTIAL).
FT  TRANSMEM     473    493       3 (POTENTIAL).
FT  DOMAIN       494    503       EXTRACELLULAR (POTENTIAL).
FT  TRANSMEM     504    524       4 (POTENTIAL).
FT  DOMAIN       525    532       CYTOPLASMIC (POTENTIAL).
FT  TRANSMEM     533    553       5 (POTENTIAL).
FT  DOMAIN       554    617       EXTRACELLULAR (POTENTIAL).
FT  TRANSMEM     618    638       6 (POTENTIAL).
FT  DOMAIN       639    646       CYTOPLASMIC (POTENTIAL).
FT  NP_BIND      102    109       ATP (POTENTIAL).
FT  CARBOHYD     422    422       N-LINKED (GLCNAC. ...) (POTENTIAL).
SQ  SEQUENCE    646 AA;   71895 MW;   9CCEC6E150772611 CRC64;


alignment_scores:
            Quality:     86.00              Length:      269
            Ratio:       0.754              Gaps:         16
Percent Similarity: 42.379     Percent Identity: 21.561

alignment_block:
US-09-714-936-218/rev x ABG4_HUMAN      ..

Align seg 1/1  to: ABG4_HUMAN  from: 1  to: 646

  1162  TGTGAGGTAGGCCACATAGTCACACTAAGTTCTGAGCAGAGAAGGAACTA  1113
        |||:||::||:::||||     :::  |||||||::::  ||||::::::::
   193  CysSerHisThrArgThrAlaLeuSerGlyGlyGlnArgLysArgLe  209

  1112  AGCACTCAGGTTG.....................................  1100
        |||||  ::||||
   209  uAlaIleAlaLeuGluLeuValAsnAsnProProValMetPhePheAspG  226

  1099  ..CCTGTATCAGGGCAGGGGATTGCTCCCTGT...................  1070
        ||||:::||||||  |||     |||
   226  luProThrSerGlyLeuAspSerAlaSerCysPheGlnValValSerLeu  242

  1069  .............................GTGTGCAATTCACACAC  1053
        :::  :::::  ||| |||::
   243  MetLysSerLeuAlaGlnGlyArgThrIleIleCysThrIleHisGl  259

  1052  AGACCCTGCTCCC...TCAGAAATAAGAACAACCACTCTGGGTGTGGGA.  1007
        ||||:::  :||| ||  |||||||||:||::::||
   259  nProSerAlaLysLeuPheGluMetPheAspLysLeuTyrIleLeuSerG  276

  1006  .......TGCTTGCTGCCATATGCCAATCAACAATGAGATTGTTACGT  965
        |||:::::||| |||::|||
   276  lnGlyGlnCysIlePheLysGlyVal.ValThrAsnLeuIleProTyrLe  292

   964  GGAAGGAGGAGGCCAGGAGATGC........AATGAtCCTGGC........  931
        :::|||  ||| |||:::|||
   292  uLysGlyLeuGlyLeuHisCysProThrTyrHisAsnProAlaAspPheI  309

   930  .......CTGTCAGCCAGGTTTATATCGCTTATGACATTTCAGCAAGTGA  889
        :::::||||||  ||| |||::
   309  leIleGluValAlaSerGlyGluTyr.........................  317
```

RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=95157675; PubMed=7854457;
RA Eckhardt M., Muehlenhoff M., Bethe A., Koopman J., Frosch M.,
RA Gerardy-Schahn R.;
RT "Molecular characterization of eukaryotic polysialyltransferase-1.";
RL Nature 373:715-718(1995).
CC -!- FUNCTION: CATALYZES THE POLYCONDENSATION OF ALPHA-2,8-LINKED
CC   SIALIC ACID REQUIRED FOR THE SYNTHESIS OF POLYSIALIC ACID (PSA),
CC   WHICH IS PRESENT ON THE EMBRYONIC NEURAL CELL ADHESION MOLECULE
CC   (N-CAM), NECESSARY FOR PLASTICITY OF NEURAL CELLS.
CC -!- PATHWAY: GLYCOSYLATION.
CC -!- SUBCELLULAR LOCATION: Type II membrane protein. Golgi (Potential).
CC -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   --
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --
DR EMBL; Z46801; CAA86822.1; -.
DR InterPro; IPR001675; Glyco_transf_29.
DR Pfam; PF00777; Glyco_transf_29; 1.
KW Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW Signal-anchor; Golgi stack.
FT DOMAIN   1   7   CYTOPLASMIC (POTENTIAL).
FT TRANSMEM   8   20   SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN).
FT DOMAIN   21   359   LUMENAL, CATALYTIC (POTENTIAL).
FT CARBOHYD   50   50   N-LINKED (GLCNAC...) (POTENTIAL).
FT CARBOHYD   74   74   N-LINKED (GLCNAC...) (POTENTIAL).
FT CARBOHYD   119   119   N-LINKED (GLCNAC...) (POTENTIAL).
FT CARBOHYD   204   204   N-LINKED (GLCNAC...) (POTENTIAL).
FT CARBOHYD   219   219   N-LINKED (GLCNAC...) (POTENTIAL).
SQ SEQUENCE   359 AA;   41227 MW; C31AF4C27F8A336F CRC64;

alignment_scores:
         Quality: 87.00   Length: 131
           Ratio: 1.225   Gaps: 5
Percent Similarity: 54.198   Percent Identity: 26.718

alignment_block:
US-09-714-936-218 to: PST_CRIGR x PST_CRIGR
Align seg 1/1 to: PST_CRIGR   from: 1 to: 359

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    |||||::||::|||:|||||||| :::::: ::: |||::
142 CysAlaIleValGlyAsnSerGlyIleLeuLeuAspSerGlyCysGlyLy 158

453 TGAGATAGATGCGATCCTCCTGCATTGGAGAATGAACAATGCCCCCCACCA 502
    :||||||||| ::: ||| : ||| ||| |||||||:::
158 sGluIleAspSerHisAsnPheValIleArgCysAsnLeuAlaProValV 175

503 AAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCC 552
    ||||||||| ||||||||
175 alGluPheAlaAlaAspValGly................................ 182

553 CATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    ||||:: :::::: ||||||
183 ...ThrLysSerAspPheIleThrMetAsnPro................ 192

603 AGCGAATACTACTATTTGTGTTATTTGGGGACCTTTCCGCAATATGAGGA 652
    ::::||| |||||||| ||||||||
193 ......SerValGlnArgAlaPheGlyGlyPheArgAsn...GluS 206

653 AAGATGGCAATGGCATCGTTTAC.....AACATGTTGAAAAAGACAGTT 696
    ::||| :::||::|||::|||||| |||::
206 erAspArgAlaLysPheValHisArgLeuSerMetLeuAsnAspSerVal 222

seq_name: SwissProt_40:PST_MOUSE

seq_documentation_block:
ID PST_MOUSE   STANDARD;   PRT;   359 AA.
AC Q64692;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE Alpha-2,8-polysialyltransferase (EC 2.4.99.-) (ST8SIAIV) (CMP-N-
DE acetylneuraminate-poly-alpha-2,8-sialyl transferase).
GN SIAT8D OR PST.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Lung;
RX MEDLINE=96115941; PubMed=8690732;
RA Yoshida Y., Kojima N., Tsuji S.;
RT "Molecular cloning and characterization of a third type of N-glycan
RT alpha 2,8-sialyltransferase from mouse lung.";
RL J. Biochem. 118:658-664(1995).
CC -!- FUNCTION: CATALYZES THE POLYCONDENSATION OF ALPHA-2,8-LINKED
CC   SIALIC ACID REQUIRED FOR THE SYNTHESIS OF POLYSIALIC ACID (PSA),
CC   WHICH IS PRESENT ON THE EMBRYONIC NEURAL CELL ADHESION MOLECULE
CC   (N-CAM), NECESSARY FOR PLASTICITY OF NEURAL CELLS.
CC -!- PATHWAY: GLYCOSYLATION.
CC -!- SUBCELLULAR LOCATION: Type II membrane protein. Golgi (Potential).
CC -!- TISSUE SPECIFICITY: STRONGLY EXPRESSED IN LUNG, HEART AND SPLEEN
CC   AND WEAKLY IN BRAIN.
CC -!- DEVELOPMENTAL STAGE: EXPRESSED THROUGHOUT DEVELOPMENT AT A LOW
CC   LEVEL.
CC -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   --
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --
DR EMBL; X86000; CAA59992.1; -.
DR MGD; MGI:106018; Siat8d.
DR InterPro; IPR001675; Glyco_transf_29.
DR Pfam; PF00777; Glyco_transf_29; 1.
KW Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW Signal-anchor; Golgi stack.
FT DOMAIN   1   7   CYTOPLASMIC (POTENTIAL).
FT TRANSMEM   8   20   SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN).
FT DOMAIN   21   359   LUMENAL, CATALYTIC (POTENTIAL).
FT CARBOHYD   50   50   N-LINKED (GLCNAC...) (POTENTIAL).
FT CARBOHYD   74   74   N-LINKED (GLCNAC...) (POTENTIAL).
FT CARBOHYD   119   119   N-LINKED (GLCNAC...) (POTENTIAL).
FT CARBOHYD   204   204   N-LINKED (GLCNAC...) (POTENTIAL).
FT CARBOHYD   219   219   N-LINKED (GLCNAC...) (POTENTIAL).
SQ SEQUENCE   359 AA;   41256 MW; 81FE9346B579D1EE CRC64;

alignment_scores:
         Quality: 87.00   Length: 125
           Ratio: 1.261   Gaps: 5
Percent Similarity: 55.200   Percent Identity: 26.400

697 GGTATCTATCCGAATGCCCAAATATACGTGACCACAGAGAAGCCGATGAG 746
    ||| :::: ||||||||:::::::
223 ...LeuTrpIleProAlaPheMetValLysGlyGlyGluLysHisValGl 238

747 TTACTGTGATGGAGTTTTAAGAAGGAAAACTGGGAAGGAGGACAGG 789
    ::::   ::::::: |||:::: ||||: ||: |||
238 uTrpValAsnAlaLeuIleLeuLysAsnLysLeuLysValArg 252

us-09-714-936-218.rsp

```
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=91178434; PubMed=2007850;
RA   Houchins J.P., Yabe T., McSherry C., Bach F.H.;
RT   "DNA sequence analysis of NKG2, a family of related cDNA clones
RT   encoding type II integral membrane proteins on human natural killer
RT   cells.";
RL   J. Exp. Med. 173:1017-1020(1991).
RN   [2]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=98350122; PubMed=9683661;
RA   Glienke J., Sobanov Y., Brostjan C., Steffens C., Nguyen C.,
RA   Lehrach H., Hofer E., Francis F.;
RT   "The genomic organization of NKG2C, E, F, and D receptor genes in the
RT   human natural killer gene complex.";
RL   Immunogenetics 48:163-173(1998).
CC   -!- FUNCTION: PLAYS A ROLE AS A RECEPTOR FOR THE RECOGNITION OF MHC
CC       CLASS I HLA-E MOLECULES BY NK CELLS AND SOME CYTOTOXIC T-CELLS.
CC   -!- SUBUNIT: CAN FORM DISULFIDE-BONDED HETERODIMER WITH CD94.
CC   -!- SUBCELLULAR LOCATION: Type II membrane protein.
CC   -!- TISSUE SPECIFICITY: NATURAL KILLER CELLS.
CC   -!- SIMILARITY: CONTAINS 1 C-TYPE LECTIN FAMILY DOMAIN.
CC   --------------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute.  There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed.  Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --------------------------------------------------------------------------
DR   EMBL; X54870; CAA38652.1; -.
DR   EMBL; AJ001687; CAA04925.1; -.
DR   EMBL; AJ001688; CAA04925.1; JOINED.
DR   EMBL; AJ001689; CAA04925.1; JOINED.
DR   PIR; PT0375; PT0375.
DR   PIR; S19110; S19110.
DR   MIM; 602893; -.
DR   InterPro; IPR001304; lectin_c.
DR   Pfam; PF00059; lectin_c; 1.
DR   SMART; SM00034; CLECT; 1.
DR   PROSITE; PS00615; C_TYPE_LECTIN_1; FALSE_NEG.
DR   PROSITE; PS50041; C_TYPE_LECTIN_2; 1.
KW   Receptor; Transmembrane; Multigene family; Signal-anchor; Lectin;
KW   Glycoprotein.
FT   DOMAIN        1     51       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM     52     72       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT                               (POTENTIAL).
FT   DOMAIN       73    216       EXTRACELLULAR (POTENTIAL).
FT   DOMAIN       98    213       C-TYPE LECTIN (LONG FORM).
FT   DISULFID     99    110       BY SIMILARITY.
FT   DISULFID    127    211       BY SIMILARITY.
FT   DISULFID    189    203       BY SIMILARITY.
FT   CARBOHYD    131    131       N-LINKED (GLCNAC...)  (POTENTIAL).
FT   CARBOHYD    163    163       N-LINKED (GLCNAC...)  (POTENTIAL).
FT   CARBOHYD    202    202       N-LINKED (GLCNAC...)  (POTENTIAL).
SQ   SEQUENCE   216 AA;  25274 MW;  C22F6BD533D7800E CRC64;
```

```
alignment_scores:
     Quality:      87.00        Length:     250
     Ratio:         0.777        Gaps:        21
Percent Similarity:  44.800     Percent Identity:  26.800

alignment_block:
US-09-714-936-218/rev x NKGD_HUMAN   ..

Align seg 1/1  to: NKGD_HUMAN  from: 1  to: 216
```

```
920  GTTTATCGCTTATGACATTCAGCAAGTGACTGGATGCTTGTAAGAGG  871
     :|||  :::|||::::::::|||:|:|||::|::|||:||::|||:||  -
17   uPheHisAsnTyrAsnLeu.............................A  24

870  ACCGGAAAGGAGTGCCACTTGCCAGCACTGGTAATCGC..........  832
     |||||  ||:|| ::||||::|:::::|||||  :::|||  :::|:::
24   sPLeuLysLysSerAspPheSerThrArgTrp.GlnLysGlnArgCysPr  40

831  ...TTAAAAGTGTCTGTAGAAATCAGCAGTCGCCT.........TGCA  795
     ::||||||  ||||:|||  ||||||  ||||||     ||||||  |||
40   oValValLysSerLysCysArgGluAsnAlaSerProPhePheCys.  56

794  TGCCCCCTGCTCTTCCCAGTTTCCTTCTTAAAAACTCCATCACAGTAACT  745
     |||  :::||:|  :::|||||||::|||||||||||||::|||::|||
57   CysPheIleAlaValAlaMetGly........................A  76

744  CATGGGCTTCTCTGGTCACGTATATTTGGGCATTCGGATAGATACCAA  695
     ::|||||||:|:|||||||||||||||||||||  ||:||||  ||||||
65   .IleArgPheIleIleMetValAlaIleTrpSer...............:  76

694  CTGTCTTTTCAACATGTTGTAAACG.......ATGCCATTGCCATCTTC  651
     ::||||||:::|||| ||| ||||||  :::|||  ||:::||| :::||
76   laValPheLeuAsnSerLeuPheAsnGlnValGlnIleIlePro.LeuTh  92

650  C...TCATATTGCGGAAAGGTCCCAAATAACACAAATAGTAGTATTCGC  604
     |  ||||||||||||||||  :::|||||||||||||||||||||||||
92   rGluSerTyrCysGlyProCysProLys....................  92

603  TTCCTTGAAAAATAAT...CAGGGTTTTTAGCAAAAGAGAACGCTGG  557
     ||||||  :::|| :||  :::||||||||  :::||||  :::|| |||
104  leCysTyrLysAsnAsnCysTyrGlnPhePheAspGluSerLysAsnTrp  120

556  TATGGGACACAACTCGAATCATGGTCATGCGGCCGACATCTTCTT.....  512
     ||:  :::|||  ::||| ::::|||  ||| :::||||  ||||||
121  TyrGluSerGlnAlaSerCysMetSerGlnAsnAlaSerLeuLeuLysVa  137

511  .............................................CATA  508
                                                  |||
137  lTyrSerLysGluAspGlnAspLeuLeuLysLeuValLysSerTyrHis.  153

507  ACCTTGGTGGGGACATTGTCATTCTCCAAATGCAGA.............  469
     |||  :::::||||||||||  ::|||||||||||||
154  ....TrpMet.GlyLeuValHisIleProThrAsnGlySerTrpGlnTr  168

468  ......GGATCGATCTATCCATTCCCACCTTCTGGCCAACCATCTGA  426
        |||||||||||||  :::|||||  |||||  :::|| |||||
168  pGluAspGlySerIle.................LeuSerProAsnLeuLeuT  180

425  CCTGAGTTGACACATGGCACAAAGGTCACAGTCCAGTTGCAAAGGCTC  376
     ||  :::::|||||||||||  :::|||::|||||||::|||||||:
180  hr..................IleIleGluMetGlnLysGly.LysLysGly  187

375  TTGTGTCTCACATTTATGTATCCATAGTAGTGAGTTCGAAGGGG  334
     |||  :::|||||||||||:::||||  ||:|||:::|||||||||
188  AspCysAla...LeuTyrAlaSer.....SerPheLysGly  198
```

```
seq_name:  SwissProt_40:PST_CRIGR

seq_documentation_block:
ID   PST_CRIGR      STANDARD;      PRT;     359 AA.
AC   Q64690;
DT   01-NOV-1997 (Rel. 35, Created)
DT   01-NOV-1997 (Rel. 35, Last sequence update)
DT   01-NOV-1997 (Rel. 35, Last annotation update)
DE   Alpha-2,8-polysialyltransferase (EC 2.4.99.-)   (ST8SIAIV)  (CMP-N-
DE   acetylneuraminate-poly-alpha-2,8-sialyl transferase)
DE   (Polysialyltransferase-1).
GN   SIAT8D OR PST1 OR PST-1.
OS   Cricetulus griseus (Chinese hamster).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Cricetinae;
OC   Cricetulus.
OX   NCBI_TaxID=10029;
```

```
970  TTACGTGAAGGAGGCAGGAGGATGCAATGATCCTGGCCTGTCAGCAG  921
     :||:||||||||||  :::|||  :::||||||||||||:::|:||::
4    IleArgGlyArgArgSerArgHis........SerTrpGluMetSerGl  17
```

```
530 TGACCATGATTCGAGTTGT...GTCCCATACCAGCGTTCCTCTTTTGCTA 576
    |||||||       ::   |||:|||
35  eArgValAspSerGlyCysTrpMetLeuTyrGluArgProAsn....... 49

577 AAAAACCCTGATTATTTTTCAAGGAAGCGAATACTACTATTTGTGTTAT 626
    ::|||||        |||   ||:::
50  ............TyrGlnGly.....TyrGlnTyrPheLeuArg 58

627 TTGGGGACCTTTCCGAATATGAGGAAAGATGGCAATGG............ 665
    |||  ::|||::||:||:           ||||||
59  ArgGlyAspTyrProAspTyrGln........GlnTrpMetGlyPheSe 72

666 ............................................CATCGTT 672
                                                |||||||
72  rAspSerIleArgSerCysArgSerIleProTyrThrSerSerHisArgI 89

673 TACAACATGTTGAAAAGACACAGTGG..................TATCTA 704
    :::::         |||:||::::::                   ::
89  leArgLeuTyrGluArgAspAspTyrArgGlyLeuValSerGluLeuMet 105

705 TCCGAATGCCCAAATATACGTGACCACAGAGAAGCCATGAGTTACTGTG 754
    |||::||||      |||:::||:    :::  ||||||:::
106 AspAspCysSerCysIleHisAspArgPheArgLeuHisGluIleTyrSe 122

755 ATGGAGTTTTAAGAAGGAAACTGG 779
    |||||||      |||
122 rMetHisValLeuGluGlyCysTrp 130
```

seq_name: SwissProt_40:CYB_SCHPO

seq_documentation_block:
```
ID   CYB_SCHPO     STANDARD;      PRT;    387 AA.
AC   P05501;
DT   01-NOV-1988 (Rel. 09, Created)
DT   15-DEC-1998 (Rel. 37, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   Cytochrome B.
GN   COB OR CYTB.
OS   Schizosaccharomyces pombe (Fission yeast).
OG   Mitochondrion.
OC   Eukaryota; Fungi; Ascomycota; Schizosaccharomycetes;
OC   Schizosaccharomycetales; Schizosaccharomycetaceae;
OC   Schizosaccharomyces.
OX   NCBI_TaxID=4896;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=AD7-50;
RX   MEDLINE=86011547; PubMed=4046021;
RA   Lang B.F., Ahne F., Bonen L.;
RT   "The mitochondrial genome of the fission yeast Schizosaccharomyces
RT   pombe. The cytochrome b gene has an intron closely related to the
RT   first two introns in the Saccharomyces cerevisiae coxI gene.";
RL   J. Mol. Biol. 184:353-366(1985).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   STRAIN=AD7-50;
RA   Lang B.F.;
RL   Submitted (AUG-1990) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: COMPONENT OF THE UBIQUINOL-CYTOCHROME C REDUCTASE
CC       COMPLEX (COMPLEX III OR CYTOCHROME B-C1 COMPLEX), WHICH IS A
CC       RESPIRATORY CHAIN THAT GENERATES AN ELECTROCHEMICAL POTENTIAL
CC       COUPLED TO ATP SYNTHESIS.
CC   -!- COFACTOR: TWO HEME GROUPS (B562 AND B566) WHICH ARE NOT COVALENTLY
CC       BOUND TO THE PROTEIN.
CC   -!- SUBUNIT: THE MAIN SUBUNITS OF COMPLEX B-C1 ARE: CYTOCHROME B,
CC       CYTOCHROME C1 AND THE RIESKE PROTEIN.
CC   -!- SIMILARITY: BELONGS TO THE CYTOCHROME B FAMILY.
CC   ---------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   ---------------------------------------------------------------------
DR   EMBL; X02819; CAA26588.1; -.
DR   EMBL; X54421; CAA38287.1; ALT_SEQ.
DR   InterPro; IPR000179; Cyt_b_b6.
DR   Pfam; PF00032; cytochrome_b_C; 1.
DR   Pfam; PF00033; cytochrome_b_N; 1.
DR   PROSITE; PS00192; CYTOCHROME_B_HEME; 1.
DR   PROSITE; PS00193; CYTOCHROME_B_QO; 1.
KW   Electron transport; Mitochondrion; Respiratory chain; Transmembrane;
KW   Heme.
FT   METAL         82     82       (HEME B562 AXIAL LIGAND).
FT   METAL         96     96       (HEME B566 AXIAL LIGAND).
FT   METAL        183    183       (HEME B562 AXIAL LIGAND).
FT   METAL        197    197       (HEME B566 AXIAL LIGAND).
SQ   SEQUENCE   387 AA;  43736 MW;  3C6B9E3E4FC4494 CRC64;
```

alignment_scores:
```
          Quality:  87.50          Length:      103
          Ratio:    1.562          Gaps:          4
Percent Similarity: 54.369      Percent Identity: 29.126
```

alignment_block:
```
US-09-714-936-218 x CYB_SCHPO  ..

Align seg 1/1  to: CYB_SCHPO   from: 1   to: 387

112 GCCCCTGACCCAGCCGCCGCCCGCTGCTCGGTGGCAGGAGGGCCGGCGGAG 161
    ||||||||||           ::           |||||::          ||
20  AlaProGluProSerAsnIleSerTyrPheArgAsnPheGly......Se 34

162 CGCCATGGCCTGCATCCTGAAGAGAAGAAAAGTCTGATTGCTGTGAGCTTCA 211
    |   :::|||||||:::|||  ||||||::  ||||||:::
34  rLeuLeuAlaCysValLeuValIleGlnIleValIleGlyIle...LeuL 50

212 TAGCAGCGTTC................CTTTTCCTGCTGGTTGTG 240
    ::||::::|||                 ||:|||   |||||
50  euAlaCysPheTyrIleProAsnMetAspLeuAlaPheLeuSerValGlu 66

241 CGTCTTGTAAATGAAGTGAATTTCCCATTGCTACTACTAAACTGCTTTGGACA 290
    |||::|||:::||:::|||||:::|||||:::
67  ArgIleValArgAspValAsnTyrGlyPheLeuLeuArgAlaPheHisAl 83

291 ACCTGGTACAAAGTGGATACCATTC................. 315
    |||:::::::::::::  :::
83  aAsnGlyAlaSerPhePheIlePheLeuTyrLeuHisIleGlyArgG 100

316 .............TCCTACACATACAGGCGGCGCCCCTCGAACTCACTAT 351
              ||||||   ||    :::     :::
100 lyLeuTyrTyrGlySerTyrLysTyrProArgThrMetThrTrpAsnIle 116

352 GGATACATA 360
    ||| |||
117 GlyValIle 119
```

seq_name: SwissProt_40:NKGD_HUMAN

seq_documentation_block:
```
ID   NKGD_HUMAN    STANDARD;      PRT;    216 AA.
AC   P26718;
DT   01-AUG-1992 (Rel. 23, Created)
DT   01-AUG-1992 (Rel. 23, Last sequence update)
DT   01-MAR-2002 (Rel. 41, Last annotation update)
DE   NKG2-D type II integral membrane protein (NKG2-D activating NK
DE   receptor).
GN   KLRC4 OR NKG2D.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
```

US-09-714-936-218/rev x ZAN_RABIT

Align seg 1/1 to: ZAN_RABIT from: 1 to: 2282

```
1119 GGAACTAAGCACTCAGGTTGCCTGATCAGGGCAGGGGATTGCTCCCTGT 1070
        |||  ::||  |||  ||  :::::||||||||||:::::||
 806 GlyProGlnPheCysGlyGlnLeuValAspSerArgGlyValPheLysTh 822

1069 GTGTGCAATTCACACAGACCCTGCTCCCTCAGAAATAAGAACACCACT 1020
        :||| :::|||  :::::
 822 rCysLeuLeuHisLeuLysAla..........................S 830

1019 CTGGGTGTTGGGATGCTTGCTGCTGCCATATGCCAATCAACAATGAGATTTGT 970
        ||||:::|||  |||
 830 erSerPhePheAspAsnCysValPhe....................... 838

 969 TACGTGGAAGGAGGAGGAGGCAGGAGATGCAATGATCCTGGCCTGCTCAGCAGG 920
                        ||||||  ||||||:::|
 839 ...........AspThrCysAsnPheGlnGlyLeuGlnLeuMe 849

 919 TTTATATCGCTTATGACATTCAGCAAGTGACTGGATGCTTGTAAGAGGA 870
        |||:::|||         ||||||:::  :
 849 tLeuCysAla......HisMetSerAlaValThrAlaAlaCysGlnAspA 864

 869 CCGGAAAGGTAGTT........................CCACTTGCC 847
        ::|||  :::|||                        |||||||||
 864 laGlyTyrAlaValLysProTrpArgGlnPheCysProLeuAla 880

 846 AGCACTGGTAATCGCTTAAAAAGTGTCTGAGAAATCAGCAGTCGCCTTG 797
        |||:::|||                              |||||||
 881 CysProProAsnSerArgTyrSerLeuCys.......ThrSerProCy 894

 796 CAT.....................GCCCCTGTCCTTCCCAGT 775
        |                          ||||||||:::|||
 894 sProLysThrCysHisThrGlyTyrValGlyMetProCysProGluGln. 910

 774 TTCCTTCTTAAAAACTCCATACACAGTAACTCATCGCGTTCTCTGTGGTCA 725
        |||:::||||||||                      |||
 725 TTCCTTCTTAAAAACTCCATACACAGTAACTCATCGCGTTCTCTGTGGTCA 725

 910 ............................................... 910

 724 CGTATATTTGGGCATTCGGATAGATACCAACTGTCTTTTCAACATGTTG 675
        ::::::||||||  |||:::|||
 675 ...........SerArgGlyTyrPheLysValGlyGluGlnTr 950

 911 ................................CysLe 912

 674 TAAACGATGCCATTGCCAT.......................... 656
        ::: |||:::||:::
 912 uGluGlyCysGluCysAsnProGlyPheIleLeuSerGlyLeuGluCysV 929

 655 ..CTTTCCTCATATTGCGGAAAGGTCCCCAAATAACACAAATAGTAGTAT 608
        |||::: |||||||
 929 alProSerAlaGlnCysGlyCysLeuAspPro................. 939

 607 TCGCTTCCTTGAAAAAATAATCAGGGTTTTTTAGCAAAAGAGGAACGGCTG 558
                ::::::||||||:::||||||  |||:::|||
 967 leArgCysGlnProTrpLysCysGlyProHis 977

 557 GTATGGGACA................................ 548
        |::: :::
 950 pPheLysSerAspCysLysGlnLeuCysIleCysGluCysGluSerAsnGlnI 967

 547 ..CAACTCGAATCATGGTCATGCGGCCGACAT 518
        :::::||||:::|||||||||  |||
 967 leArgCysGlnProTrpLysCysGlyProHis 977
```

seq_name: SwissProt_40:CRGA_MOUSE

```
seq_documentation_block:
ID   CRGA_MOUSE     STANDARD;       PRT;       173 AA.
AC   P04345;
DT   20-MAR-1987 (Rel. 04, Created)
DT   01-APR-1988 (Rel. 07, Last sequence update)
DT   01-NOV-1997 (Rel. 35, Last annotation update)
DE   Gamma crystallin A (4).
GN   CRYGA.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=85088487; PubMed=6096855;
RA   Breitman M.L., Lok S., Wistow G., Platigorsky J., Treton J.A.,
RA   Gold R.J.M., Tsui L.-C.;
RT   "Gamma-crystallin family of the mouse lens: structural and
RT   evolutionary relationships.";
RL   Proc. Natl. Acad. Sci. U.S.A. 81:7762-7766(1984).
RN   [2]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=84247318; PubMed=6330674;
RA   Lok S., Tsui L.-C., Shinohara T., Platigorsky J., Gold R.,
RA   Breitman M.L.;
RT   "Analysis of the mouse gamma-crystallin gene family: assignment of
RT   multiple cDNAs to discrete genomic sequences and characterization of
RT   a representative gene.";
RL   Nucleic Acids Res. 12:4517-4529(1984).
CC   -!- FUNCTION: CRYSTALLINS ARE THE DOMINANT STRUCTURAL COMPONENTS
CC       OF THE VERTEBRATE EYE LENS.
CC   -!- DOMAIN: HAS A TWO-DOMAIN BETA-STRUCTURE, FOLDED INTO FOUR
CC       VERY SIMILAR GREEK KEY MOTIFS.
CC   -!- MISCELLANEOUS: THERE ARE SIX DIFFERENT GAMMA CRYSTALLINS
CC       IDENTIFIED IN MOUSE LENS.
CC   -!- SIMILARITY: BELONGS TO THE BETA/GAMMA-CRYSTALLIN FAMILY.
CC   --------------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between  the Swiss Institute of Bioinformatics  and the  EMBL outstation -
CC   the European Bioinformatics Institute.  There are no  restrictions on  its
CC   use  by  non-profit institutions as long  as its content  is  in  no  way
CC   modified and this statement is not removed. Usage by  and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --------------------------------------------------------------------------
DR   EMBL; X00635; CAA25266.1; -.
DR   EMBL; X00654; CAA25275.1; -.
DR   EMBL; K02587; AAA37473.1; -.
DR   EMBL; K02586; AAA37473.1; JOINED.
DR   PIR; A02935; CYMSG4.
DR   HSSP; A02526; 1AMM.
DR   MGD; MGI:88521; Cryga.
DR   InterPro; IPR001064; Crystallin.
DR   Pfam; PF00030; crystall; 2.
DR   PRINTS; PR01367; BGCRYSTALLIN.
DR   SMART; SM00247; XTALbg; 2.
DR   PROSITE; PS00225; CRYSTALLIN_BETAGAMMA; 4.
KW   Eye lens protein; Multigene family; Repeat.
FT   INIT_MET       0      0
FT   DOMAIN         1     39       MOTIF 1.
FT   DOMAIN        40     83       MOTIF 2.
FT   DOMAIN        84     86       CONNECTING PEPTIDE.
FT   DOMAIN        87    127       MOTIF 3.
FT   DOMAIN       128    173       MOTIF 4.
SQ   SEQUENCE  173 AA;   21017 MW;  A45CFAFB148CE6D2 CRC64;
```

alignment_scores:
                Quality: 87.50   Length: 125
                  Ratio: 1.535   Gaps: 7
Percent Similarity: 45.600   Percent Identity: 24.800

alignment_block:
US-09-714-936-218 x CRGA_MOUSE

Align seg 1/1 to: CRGA_MOUSE from: 1 to: 173

```
 483 AATGAACAATGCCCCCAC...CAAAGGTTATGAAGAAGATGTCGGCCGCA 529
        :::::::||||||        |||||
  19 SerSerAspCysProAsnLeuGlnThrTyrPheSerArgCysAsnSerIl 35
```

```
  885  ....CCAGTC.................................................  890
           ||:::||
 1226  erCysProThrGlyMetTyrLeuTrpLeuGlnAlaCysValProSerCys 1242

  891  .................................................ACTTGCTGAAATGTCAT  907
                                                        ::||||  :::|||
 1243  ProGlnGlyThrTrpProSerValThrSerGlySerCysGluLysCysSe 1259

  908  AAGGGATAAAACCTGCTGACAGGCCAGGATCATTGCATCCTGCCTCC  957
           :::||||   |||  |||  |||  ::||||||
 1259  rGluAspCysValSerCysSerGlyAlaAspLeuCysGlnGlnCysLeuS 1276

  958  TCCTTCCACGTAACAAATCTCATTCTTGATTGGCCATATGGCAGCAAGCAT 1007
           |||     |||                      :::
 1276  erGlnProAspAsnThr......LeuLeuLeuHisGluGlyArgCysTyr 1290

 1008  CCCAACCCCAGAGTGGTGTCTTATTCTGAGGAGGAGCAGGGTCTGTGTG 1057
           :||        :::||||         ||||||
 1291  HisSerCysProGluGlyPheTyrAlaLysAspGly........ValCy 1304

 1058  TGAATTGCACACACAGGGAGCAATCCCCTGCCCTGAT...ACAGGCAACC 1104
           ||||   |||  :::::::                   ||||||
 1304  sGlu...HisCysSerSer......ProCysThrCysGluGlyAsnA 1318

 1105  TGAGTGCTTAGTTCCTTCCTCTGCTCAGAACTTAGTGTGACTATGTGGCCT 1154
           ||||:||||                 |||||||
 1318  laThrSer........CysAsnSerCysGluGlyAsp...PheVal 1329

 1155  ACCTCACATTGTTTGTGTTACACCTACACAGGAAAAAAGGAAAAATGTC.. 1202
           :::||||    ||||||||   |||              |||||
 1330  LeuAspHisGlyValCysTrpLys...ThrCysProGluLysHisValAl 1345

 1203  ........CTTTGATTCCATGCTTGTGAGAGATGTTCATCCAATTGA 1242
           :::         ||||||:::::::   ::::
 1345  aValGluGlyValCysLysHisCysProGluArgCysSerIleH 1362

 1243  ATGAACATGTAGCCAAGGTAGTGTCTTCCCCCTTTCTTCCTCCTTT 1287
           ::||||||  ||||::|| ||:::||
 1362  isGluLysThrCysLysGlu.CysMetProAspPhePheLeuTyr 1376
```

seq_name: SwissProt_40:ZAN_RABIT

seq_documentation_block:
```
ID   ZAN_RABIT      STANDARD;      PRT;   2282 AA.
AC   P57999;
DT   16-OCT-2001 (Rel. 40, Created)
DT   01-MAR-2002 (Rel. 41, Last sequence update)
DT   01-MAR-2002 (Rel. 41, Last annotation update)
DE   Zonadhesin (Fragment).
GN   ZAN.
OS   Oryctolagus cuniculus (Rabbit).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Lagomorpha; Leporidae; Oryctolagus.
OX   NCBI_TaxID=9986;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Testis;
RA   Lea I.A., Sivashanmugam P., Richardson R.T., O'Rand M.G.;
RT   "Sequence of rabbit zonadhesin.";
RL   Submitted (AUG-2000) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: BINDS IN A SPECIES-SPECIFIC MANNER TO THE ZONA PELLUCIDA
CC       OF THE EGG. MAY BE INVOLVED IN GAMETE RECOGNITION AND/OR
CC       SIGNALING (BY SIMILARITY).
CC   -!- SUBUNIT: PROBABLY FORMS COVALENT OLIGOMERS (BY SIMILARITY).
CC   -!- SUBCELLULAR LOCATION: TYPE I MEMBRANE PROTEIN, EXCLUSIVELY ON THE
CC       APICAL REGION OF THE SPERM HEAD (BY SIMILARITY).
CC   -!- DOMAIN: THE MAM DOMAINS PROBABLY MEDIATE SPERM ADHESION TO THE
CC       ZONA PELLUCIDA.
CC   -!- DOMAIN: DURING SPERM MIGRATION THROUGH THE REPRODUCTIVE TRACTS,
CC       THE MUCIN-LIKE DOMAIN MIGHT INHIBIT INAPPROPRIATE TRAPPING OF
CC       SPERMATOZOA OR PROMOTING ADHESION TO THE OVIDUCTAL ISTHMUS.
CC   -!- DOMAIN: THE VWFD DOMAINS 2 AND 3 MAY MEDIATE COVALENT
CC       OLIGOMERIZATION (BY SIMILARITY TO HUMAN INTESTINAL MUCIN MUC2).
CC   -!- SIMILARITY: CONTAINS AT LEAST 2 MAM DOMAINS.
CC   -!- SIMILARITY: CONTAINS 4.5 VWFD DOMAINS.
CC   -!- SIMILARITY: CONTAINS 1 EGF-LIKE DOMAIN.
CC   --------------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between  the Swiss Institute of Bioinformatics  and the  EMBL outstation -
CC   the European Bioinformatics Institute.  There are no  restrictions on  its
CC   use  by non-profit  institutions as long  as its content  is in  no   way
CC   modified and this statement is not removed.  Usage  by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --------------------------------------------------------------------------
DR   EMBL; AF244982; AAF63342.2; -.
DR   InterPro; IPR000561; EGF-like.
DR   InterPro; IPR000742; EGF_2.
DR   InterPro; IPR000998; MAM.
DR   InterPro; IPR002919; TIL.
DR   InterPro; IPR003328; TILa.
DR   InterPro; IPR001007; VWFC.
DR   InterPro; IPR001846; Vwd.
DR   Pfam; PF00629; MAM; 2.
DR   Pfam; PF01826; TIL; 5.
DR   Pfam; PF02345; TILa; 5.
DR   Pfam; PF00094; vwd; 4.
DR   SMART; SM00001; EGF_like; 1.
DR   SMART; SM00137; MAM; 1.
DR   SMART; SM00214; VWC; 5.
DR   SMART; SM00216; VWD; 4.
DR   PROSITE; PS00022; EGF_1; 1.
DR   PROSITE; PS01186; EGF_2; 4.
DR   PROSITE; PS00740; MAM_1; FALSE_NEG.
DR   PROSITE; PS50060; MAM_2; 2.
KW   Glycoprotein; Transmembrane; EGF-like domain; Cell adhesion;
KW   Repeat.
FT   NON_TER       1      1
FT   DOMAIN       <1   2235
FT   TRANSMEM   2236   2256
FT   DOMAIN     2257   2282   CYTOPLASMIC (POTENTIAL).
FT   DOMAIN      150    315   MAM 2.
FT   DOMAIN      315    498   26 X HEPTAPEPTIDE REPEATS (APPROXIMATE)
FT                            (MUCIN-LIKE DOMAIN).
FT   DOMAIN      499    610   VWFD 1 (PARTIAL).
FT   DOMAIN      611    995   VWFD 2.
FT   DOMAIN      996   1384   VWFD 3.
FT   DOMAIN     1385   1787   VWFD 4.
FT   DOMAIN     1788   2189   VWFD 5.
FT   DOMAIN     2185   2221   EGF-LIKE.
FT   DISULFID   2189   2200   BY SIMILARITY.
FT   DISULFID   2194   2209   BY SIMILARITY.
FT   DISULFID   2211   2220   BY SIMILARITY.
FT   CARBOHYD    112    112   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    272    272   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    541    541   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    569    569   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   1141   1141   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   1259   1259   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   1270   1270   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   1355   1355   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   1467   1467   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   1483   1483   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   1662   1662   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   1997   1997   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   2178   2178   N-LINKED (GLCNAC...) (POTENTIAL).
SQ   SEQUENCE   2282 AA;  248290 MW;  380FA81093454892 CRC64;
```

TRANSMEM 2236 2256 EXTRACELLULAR (POTENTIAL).
TRANSMEM POTENTIAL.
MAM 1.

alignment_scores:
```
          Quality:    89.50              Length:     244
            Ratio:     1.119                Gaps:      10
Percent Similarity:  32.787      Percent Identity:  19.262
```

alignment_block:

```
DR   MEROPS; S08.076; -.
DR   MGD; MGI:97515; Pcsk5.
DR   InterPro; IPR005561; EGF-like.
DR   InterPro; IPR002174; Furin-like.
DR   InterPro; IPR002884; P_domain.
DR   InterPro; IPR000209; Peptidase_S8.
DR   Pfam; PF01483; P; 1.
DR   Pfam; PF00082; Peptidase_S8; 1.
DR   PRINTS; PR00723; SUBTILISIN.
DR   ProDom; PD000717; P_domain; 1.
DR   SMART; SM00181; EGF; 3.
DR   SMART; SM00001; EGF_like; 2.
DR   SMART; SM00261; FU; 22.
DR   PROSITE; PS00136; SUBTILASE_ASP; 1.
DR   PROSITE; PS00137; SUBTILASE_HIS; 1.
DR   PROSITE; PS00138; SUBTILASE_SER; 1.
KW   Hydrolase; Serine protease; Glycoprotein; Zymogen; Signal;
KW   Cleavage on pair of basic residues; Repeat; Alternative splicing;
KW   Transmembrane.
FT   SIGNAL        1     34
FT   PROPEP       35    116
FT   CHAIN       117   1877       PROPROTEIN CONVERTASE SUBTILISIN/KEXIN
FT                               TYPE 5.
FT   DOMAIN      117   1768       EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM   1769   1789       POTENTIAL.
FT   DOMAIN     1790   1877       CYTOPLASMIC (POTENTIAL).
FT   DOMAIN      117    452       CATALYTIC.
FT   DOMAIN      464    602       HOMO B.
FT   DOMAIN      638   1753       CYS-RICH MOTIF (CRM) REGION.
FT   DOMAIN     1825   1844       AC 1.
FT   DOMAIN     1856   1877       AC 2.
FT   SITE        116    117       CLEAVAGE (AUTO-) (BY SIMILARITY).
FT   SITE        521    523       CELL ATTACHMENT SITE (POTENTIAL).
FT   ACT_SITE    173    173       CHARGE RELAY SYSTEM (BY SIMILARITY).
FT   ACT_SITE    214    214       CHARGE RELAY SYSTEM (BY SIMILARITY).
FT   ACT_SITE    388    388       CHARGE RELAY SYSTEM (BY SIMILARITY).
FT   CARBOHYD    227    227       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    383    383       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    667    667       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    754    754       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    804    804       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    854    854       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    951    951       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   1016   1016       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   1220   1220       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   1317   1317       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   1523   1523       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   1711   1711       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   1733   1733       N-LINKED (GLCNAC...) (POTENTIAL).
FT   VARSPLIC    878    915       GEYIDDQGHCQTCEASCAKCWGPTQEDCISCPVTRVLD ->
FT                               ATEESWAEGGFCMLVKKNNLCQRKVLQQLCCKTCTFQG
FT                               (IN ISOFORM PC5A).
FT   VARSPLIC    916   1877       MISSING (IN ISOFORM PC5A).
SQ   SEQUENCE   1877 AA;  209287 MW;  EC850E2DF20EA1C3 CRC64;
```

alignment_scores:
```
      Quality:   92.00         Length:      499
        Ratio:   0.497         Gaps:         28
Percent Similarity: 37.074     Percent Identity: 19.238
```

alignment_block:
US-09-714-936-218 x PCK5_MOUSE ..

Align seg 1/1 to: PCK5_MOUSE from: 1 to: 1877

```
  99 TGCCCCCAGGACTGCCCCTGACCCAGGCGCGCCCCGCTCGGTCGGCAGG 148
     ||| :::::|||||||        |||:::
 971 CysLeuGluAsnCysPro................ValGlyHi 979

 149 AGGGCGCGGGAGCCCATGGCCTGCATCCTGAGAGAAAGTCTGAT 198
     ||||||| ||    ||        |||:::||||
 979 sTyrProAlaLysGlyHisThrCysLeuProCysProAspAsnCysGluL 996
```

```
 199 GCTGT................................................. 203
     |||
 996 euCysTyrAsnProHisIleCysSerArgCysMetSerGlyTyrValIle 1012

 203 ................................................. 203
```

```
1013 IleProProAsnHisThrCysGlnLysLeuGluCysArgGlnGlyGluPh 1029
 204 ........GAGCTTCATAGCAGCGGTTCCTTTCCTCGCTGGTTGTGCGT 243
                 ||| :::|||  :::|||    |||||| :
1029 eGlnAspSerGluTyrGluGluCysMetProCysGluGluGlyCysLeuG 1046
```

```
 244 CTTGTAAATGAAGTGAATTTCCCATTGCTACTAAACTGCTTTGGACAACC 293
     ::||     ||| |||        ||| |||        ||
1046 lyCysThr..GluAspAspProGlyAlaCysThrSerCysAlaThrGly 1061
```

```
 294 TGGTACAAAGTGGATACCATTCTCCTACAC..ATACAGGCGCCCCTTC 340
     ::||||       ||     |||        :::||:|::||||
1062 TyrTyrMetPheGluArg........HisCysTyrLysAlaCysProGl 1075
```

```
 341 GAACTCACTA........TGGATACATAAATGTGAAGACACAAGAGCCT 381
     :::::::::::         ||        ::: |||||||
1075 uLysThrPheGlyValLysTrp................GluCysArgGlnAlaC 1087
```

```
 382 TTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGAT 431
                 |||  |||    |||||
1087 ysGlySerCysAspGlnHisGluCys 1099
```

```
 432 GGGTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCATTTGGA 481
     ||| ||| |||              ::: |||:::  PhePheLeuSe
1100 TyrTrpCysGluGluGly........................ 1109
```

```
 482 GAATGAACAATGCCCCACCAAAGGTTATGAAGAAGATGTCCGCCGCCATG 531
     :::: :::|||   :::|||             |||  |||
1109 rGlyGlySerCysValGlnAsp........CysGlyProGlyP 1121
```

```
 532 ACCATGAT.........TCGAGTTGTGTCCCA..................... 554
     |||            ||:::|||
1121 heHisGlyAspGlnGluLeuGlyCysLysProCysHisArgAlaCys 1137
```

```
 555 ................TACCAGCGGTTCCTCTTTTGCTAAAAAACC 583
                     |||:::||||| ||| :::::::::
1138 GluThrCysThrGlySerGlyTyrAsnGlnCysSerSerCysGlnGluGl 1154
```

```
 584 CTTGATTATTTTTCAAGGAAGCGAATACTACTATTCTGTTATTGGGGA 633
         :::::::|||:| |||   |||     :::|
1154 yLeuGlnLeuTrpHisGlyThr........CysLeuTrpSerT 1166
```

```
 634 CCTTTCCGCAATATGAGGAAAGATGCCAATGGCATCGTTCAACATGTT -> 683
     ||:::|||||| |||  :::||||:::  |||
1166 hrTrpProGlnValGluGlyLys...AspTrpAsnGluAlaValProThr 1181
```

```
 684 GAAAAGACAGTTGGTATCATCCGAATGCCCAAATATACGTGACCACAG 733
     ||||||  |||
1182 GluLysProSer..................................... 1185
```

```
 734 AGAAGCGCATGAGTTACTGTGATGGAGTTTTTAAGAAGGAAACTGGAAG 783
     ||||| ||   :::
1185 ................................................. 1185
```

```
 784 GACAGGGGGCATGCAAGGCAAGGCGACTGCTGTCTGATTCTACAGACACTTTTAAGC 833
                                  ::: ||| :::|||:::
1186 ................LeuValArgSerLeuLeuGln 1192
```

```
 834 GATTACCAGTGCTGCCAAGTGGAACTA.............................. 860
     ||| :::  :::||||:::||||||
1193 AspArgArgLysTrpLysValGlnIleLysArgAspAlaThrSerGlnAs 1209
```

```
 861 ....CCTTTCCGGTCCTCTTTACAAGCAT........................... 884
          |||  :::||||||   |||
1209 nGlnProCysHisSerSerCysLysThrCysAsnGlySerLeuCysAlaS 1226
```

```
175 alGluPheAlaAlaAspValGly...................... 182
         |||||||||
553 CATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
       |||||       ||||||
183 ...ThrLysSerAspPheIleThrMetAsnPro................ 192
603 AGCGAATACTACTATTTCTGTTATTTGGGGACCTTTCCGCAATATGAGGA 652
       :::::::::      :::|||   ||||||||
193 ......SerValGlnArgAlaPheGlyGlyPheArgAsn...GluS 206
653 AAGATGGCAATGGCATCGTTTAC......AACAGTGTGAAAAAGACAGTT 696
       ::|||  :::  :::||||:   ::|||||::   ::|||
206 erAspArgGluLysPheValHisArgLeuSerMetLeuAsnAspSerVal 222
697 GGTATCTATCCGAATGCCCAAATATACGTGACCACAGAGAGCCGCATGAG 746
       :::::::          |||           |||||||||||
223 ...LeuTrpIleProAlaPheMetValLysGlyGlyGluGluLysHisValGl 238
747 TTACTGTGATGAGTTTTTAAGGAAGGAAACTGGGAAGGACAGG 789
       ::::  ::::::::::::   |||   |||   |||
238 uTrpValAsnAlaLeuIleLeuLysAsnLysLeuLysValArg 252
```

seq_name: SwissProt_40:PCK5_MOUSE

seq_documentation_block

```
ID   PCK5_MOUSE     STANDARD;      PRT;   1877 AA.
AC   Q04592; Q62040;
DT   01-FEB-1995 (Rel. 31, Created)
DT   16-OCT-2001 (Rel. 40, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   Proprotein convertase subtilisin/kexin type 5 precursor (EC 3.4.21.-)
DE   (Proprotein convertase PC5) (Subtilisin/kexin-like protease PC5)
DE   (Convertase PC5) (PC6) (Subtilisin-like proprotein convertase 6)
DE   (SPC6).
GN   PCSK5.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE OF 330-1877 FROM N.A. (ISOFORM PC5B).
RC   STRAIN=ICR; TISSUE=Intestine;
RX   MEDLINE=93327934; PubMed=8335106;
RA   Nakagawa T., Murakami K., Nakayama K.;
RT   "Identification of an isoform with an extremely large Cys-rich region
RT   of PC6, a Kex2-like processing endoprotease.";
RL   FEBS Lett. 327:165-171(1993).
RN   [2]
RP   SEQUENCE FROM N.A. (ISOFORM PC5A).
RC   TISSUE=Brain, and Intestine;
RX   MEDLINE=93224489; PubMed=8468318;
RA   Nakagawa T., Hosaka M., Torii S., Watanabe T., Murakami K.,
RA   Nakayama K.;
RT   "Identification and functional expression of a new member of the
RT   mammalian Kex2-like processing endoprotease family: its striking
RT   structural similarity to PACE4.";
RL   J. Biochem. 113:132-135(1993).
RN   [3]
RP   SEQUENCE FROM N.A. (ISOFORM PC5A).
RC   TISSUE=Adrenal cortex;
RX   MEDLINE=93342056; PubMed=8341687;
RA   Lusson J., Vieau D., Hamelin J., Day R., Chretien M., Seidah N.G.;
RT   "cDNA structure of the mouse and rat subtilisin/kexin-like PC5: a
RT   candidate proprotein convertase expressed in endocrine and
RT   nonendocrine cells.";
RL   Proc. Natl. Acad. Sci. U.S.A. 90:6691-6695(1993).
RN   [4]
RP   PARTIAL SEQUENCE, AND SUBCELLULAR LOCATION.
RX   MEDLINE=97103178; PubMed=8947550;
RA   De Bie I., Marcinkiewicz M., Malide D., Lazure C., Nakayama K.,
RA   Bendayan M., Seidah N.G.;
RT   "The isoforms of proprotein convertase PC5 are sorted to different
RT   subcellular compartments.";
RL   J. Cell Biol. 135:1261-1275(1996).
RN   [5]
RP   DEVELOPMENTAL EXPRESSION.
RX   MEDLINE=96293359; PubMed=8698813;
RA   Constam D.B., Calfon M., Robertson E.J.;
RT   "SPC4, SPC6, and the novel protease SPC7 are coexpressed with bone
RT   morphogenetic proteins at distinct sites during embryogenesis.";
RL   J. Cell Biol. 134:181-191(1996).
RN   [6]
RP   DEVELOPMENTAL EXPRESSION.
RX   MEDLINE=97436919; PubMed=9291583;
RA   Rancourt S.L., Rancourt D.E.;
RT   "Murine subtilisin-like proteinase SPC6 is expressed during embryonic
RT   implantation, somitogenesis, and skeletal formation.";
RL   Dev. Genet. 21:75-81(1997).
CC   -!- FUNCTION: LIKELY TO REPRESENT A WIDESPREAD ENDOPROTEASE ACTIVITY
CC       WITHIN THE CONSTITUTIVE AND REGULATED SECRETORY PATHWAY. CAPABLE
CC       OF CLEAVAGE AT THE RX(K/R)R CONSENSUS MOTIF. MAY BE RESPONSIBLE
CC       FOR THE MATURATION OF GASTROINTESTINAL PEPTIDES. MAY BE INVOLVED
CC       IN THE CELLULAR PROLIFERATION OF ADRENAL CORTEX VIA THE ACTIVATION
CC       OF GROWTH FACTORS.
CC   -!- CATALYTIC ACTIVITY: RELEASE OF MATURE PROTEINS FROM THEIR
CC       PROPROTEINS BY CLEAVAGE OF ARG-XAA-YAA-ARG-|-ZAA BONDS, WHERE XAA
CC       CAN BE ANY AMINO ACID AND YAA IS ARG OR LYS.
CC   -!- SUBCELLULAR LOCATION: PC5A IS SECRETED THROUGH THE REGULATED
CC       SECRETORY PATHWAY. PC5B IS A TYPE I MEMBRANE PROTEIN LOCALIZED TO
CC       A PARANUCLEAR POST-GOLGI NETWORK COMPARTMENT IN COMMUNICATION WITH
CC       EARLY ENDOSOMES.
CC   -!- ALTERNATIVE PRODUCTS: AT LEAST 2 ISOFORMS; PC5B/LONG (SHOWN HERE)
CC       AND PC5A/SHORT; ARE PRODUCED BY ALTERNATIVE SPLICING.
CC   -!- TISSUE SPECIFICITY: PC5A IS EXPRESSED IN MOST TISSUES BUT IS MOST
CC       ABUNDANT IN THE INTESTINE AND ADRENALS. PC5B IS EXPRESSED IN THE
CC       INTESTINE, ADRENALS AND LUNG BUT NOT IN THE BRAIN.
CC   -!- DEVELOPMENTAL STAGE: WEAKLY EXPRESSED THROUGHOUT THE EMBRYO,
CC       EXCEPT IN THE DEVELOPING NERVOUS SYSTEM, THE RIBS AND THE LIVER,
CC       BUT MARKEDLY UPREGULATED AT DISCRETE SITES DURING DEVELOPMENT. AT
CC       E6.5, PROMINENT EXPRESSION OBSERVED IN DIFFERENCIATED DECIDUA. AT
CC       E7.5, INTENSE EXPRESSION IN EXTRAEMBRYONIC ENDODERM, AMNION AND
CC       NASCENT MESODERM. AT 8.5, ABUNDANT EXPRESSION IN SOMITES AND YOLK
CC       SAC FOLLOWED BY A CONFINATION TO DERMAMYOTOME COMPARTMENT. BETWEEN
CC       E9.5 AND E11.5, ABUNDANT EXPRESSION IN AER (THICKENED ECTODERMAL
CC       CELLS OF LIMB BUDS). AT E12.5, EXPRESSION IN THE LIMBS IS CONFINED
CC       TO THE CONDENSING MESENCHYM SURROUNDING THE CARTILAGE. AT THIS
CC       STAGE, STRONG EXPRESSION ALSO DETECTED IN VERTEBRAL AND FACIAL
CC       CARTILAGE PRIMORDIA AND IN THE MUSCLE OF THE TONGUE. AT E16.5,
CC       ABUNDANT EXPRESSION IN EPITHELIAL CELLS OF THE INTESTINAL VILLI.
CC       ISOFORM A IS MOST ABUNDANT AT ALL STAGES BUT SIGNIFICANT LEVELS OF
CC       ISOFORM B OCCUR AT E12.5.
CC   -!- DOMAIN: THE PROPEPTIDE DOMAIN ACTS AS AN INTRAMOLECULAR CHAPERONE
CC       ASSISTING THE FOLDING OF THE ZYMOGEN WITHIN THE ENDOPLASMIC
CC       RETICULUM.
CC   -!- DOMAIN: AC 1 AND AC 2 (CLUSTERS OF ACIDIC AMINO ACIDS) CONTAIN
CC       SORTING INFORMATION. AC 1 DIRECTS TGN LOCALIZATION AND INTERACTS
CC       WITH THE TGN SORTING PROTEIN PACS-1.
CC   -!- SIMILARITY: BELONGS TO PEPTIDASE FAMILY S8; ALSO KNOWN AS THE
CC       SUBTILASE FAMILY.
CC   -!- SIMILARITY: CONTAINS 1 HOMO B/P DOMAIN.
```

```
DR   EMBL; D17583; BAA04507.1; -.
DR   EMBL; D12619; BAA02143.1; -.
DR   EMBL; L14932; AAA74636.1; -.
DR   PIR; JX0248; JX0248.
DR   PIR; A48225; A48225.
DR   HSSP; Q99405; 1MPT.
```

DE   Alpha-2,8-polysialyltransferase (EC 2.4.99.-) (ST8SIAIV) (CMP-N-
DE   acetylneuraminate-poly-alpha-2,8-sialyl transferase).
GN   SIAT8D OR PST1 OR PST.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Fetal brain;
RX   MEDLINE=9350205; PubMed=7624364;
RA   Nakayama J., Fukuda M.N., Fredette B., Ranscht B., Fukuda M.;
RT   "Expression cloning of a human polysialyltransferase that forms the
RT   polysialylated neural cell adhesion molecule present in embryonic
RT   brain.";
RL   Proc. Natl. Acad. Sci. U.S.A. 92:7031-7035(1995).
CC   -!- FUNCTION: CATALYZES THE POLYCONDENSATION OF ALPHA-2,8-LINKED
CC   SIALIC ACID REQUIRED FOR THE SYNTHESIS OF POLYSIALIC ACID (PSA),
CC   WHICH IS PRESENT ON THE EMBRYONIC NEURAL CELL ADHESION MOLECULE
CC   (N-CAM), NECESSARY FOR PLASTICITY OF NEURAL CELLS.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: Type II membrane protein. Golgi (Potential).
CC   -!- TISSUE SPECIFICITY: HIGHLY EXPRESSED IN FETAL BRAIN, LUNG AND
CC   KIDNEY AND IN ADULT HEART, SPLEEN AND THYMUS. PRESENT TO A LESSER
CC   EXTENT IN ADULT BRAIN, PLACENTA, LUNG, LARGE AND SMALL INTESTINE
CC   AND PERIPHERAL BLOOD LEUKOCYTES.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   ----
CC   ----
DR   EMBL; L41680; AAC41775.1; -.
DR   MIM; 602547; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN   1   7   CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM   8   20   SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN).
FT   DOMAIN   21   359   LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD   50   50   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   74   74   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   119   119   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   204   204   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   219   219   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   327   327   N-LINKED (GLCNAC...) (POTENTIAL).
SQ   SEQUENCE   359 AA; 41295 MW; C53FDF658926D61 CRC64;

alignment_scores:
          Quality: 92.00   Length: 131
          Ratio: 1.260   Gaps: 5
Percent Similarity: 55.725   Percent Identity: 26.718

alignment_block:
US-09-714-936-218 x PST_HUMAN   ..

Align seq 1/1 to: PST_HUMAN   from: 1 to: 359

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    |||||||||:||||::|||||||: :::::: ::::: ||:|||:||||
142 CysAlaValGlyAsnSerGlyIleLeuLeuAspSerGluCysGlyGlyLy 158

453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCACCA 502
    :|||||||| ::: ||::: ||| ||| |||||| ::::
158 sGluIleAspSerHisAsnPheValIleArgCysAsnLeuAlaProValV 175

503 AAGGTTATGAAGAAGATGTCGGCGCCATGACCATGATTCGAGTTGTGTCC 552

CC   -!- FUNCTION: MAY TRANSFER SIALIC ACID THROUGH ALPHA-2,8-LINKAGES TO
CC   THE ALPHA-2,3-LINKED AND ALPHA-2,6-LINKED SIALIC ACID OF N-LINKED
CC   OLIGOSACCHARIDES OF GLYCOPROTEINS AND MAY BE INVOLVED IN PSA
CC   (POLYSIALIC ACID) EXPRESSION.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: Type II membrane protein. Golgi (Potential).
CC   -!- TISSUE SPECIFICITY: EXPRESSED ONLY IN NEWBORN BRAIN.
CC   -!- DEVELOPMENTAL STAGE: NEWBORN.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   ----
CC   ----
DR   EMBL; L13445; AAA42147.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN   1   6   CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM   7   23   SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN).
FT   DOMAIN   24   375   LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD   60   60   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   72   72   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   89   89   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   134   134   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   219   219   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   234   234   N-LINKED (GLCNAC...) (POTENTIAL).
SQ   SEQUENCE   375 AA; 42400 MW; F7B3AC1E1E503675 CRC64;

alignment_scores:
          Quality: 100.00   Length: 76
          Ratio: 2.381   Gaps: 1
Percent Similarity: 55.263   Percent Identity: 32.895

alignment_block:
US-09-714-936-218 x CAG9_RAT   ..

Align seq 1/1 to: CAG9_RAT   from: 1 to: 375

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    |||||||||:|||||||| ::::::::::: |||:::
157 CysAlaIleValGlyAsnSerGlyValLeuLeuAsnSerGlyCysGlyGl 173

453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCACCA 502
    :|||||||| ||| ||| |||||| ::::
173 nGluIleAspThrHisSerPheValIleArgCysAsnLeuAlaProValG 190

503 AAGGTTATGAAGAAGATGTCGGCGCCATGACCATGATTCGAGTTGTGTCC 552
    ::|||||||| ::||||||||| |||
190 lnGluTyrArgAlaArgAspValGlyLeuLysThr............... 200

553 CATACCAGGGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTTCAAGGA 602
    |||::: ::::::: ||||::   ::: ::
201 ....AspLeuValThrMetAsnProSerValIleGlnArgAl 213

603 AGCGAATACTACTATTGTGTTATTTGG 630
    :::::::::   ::: |||
213 aPheGluAspLeuValAsnAlaThrTrp 222

seq_name: SwissProt_40:PST_HUMAN

seq_documentation_block:
ID   PST_HUMAN   STANDARD;   PRT;   359 AA.
AC   Q92187; Q92693;
DT   01-NOV-1997 (Rel. 35, Created)
DT   01-NOV-1997 (Rel. 35, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)

```
553 CATACCAGCGTTCCTCTTTTGCTAAAAACCCTGATTATTTTTCAAGGA 602
            |||::     |||||||   ::    :::
201 .........AspLeuValThrMetAsnProSerValIleGlnArgAl 213

603 AGCGAATACTACTATTTGTGTTATTGG 630
            ::    :::  ||||||  |||
213 aPheGluAspLeuValAsnAlaThrTrp 222
```

seq_name: SwissProt_40:CAG9_HUMAN

seq_documentation_block:
```
ID   CAG9_HUMAN     STANDARD;       PRT;    375 AA.
AC   Q92186; Q92470; Q92746;
DT   01-NOV-1997 (Rel. 35, Created)
DT   01-NOV-1997 (Rel. 35, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   Alpha-2,8-sialyltransferase (EC 2.4.99.-) (ST8SIAII)
DE   (Sialyltransferase X) (STX).
GN   SIAT8B OR STX.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=96032684; PubMed=7559389;
RA   Scheidegger E.P., Sternberg L.R., Roth J., Lowe J.B.;
RT   "A human STX cDNA confers polysialic acid expression in mammalian
RT   cells.";
RL   J. Biol. Chem. 270:22685-22688(1995).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Brain;
RX   MEDLINE=97207279; PubMed=9054414;
RA   Angata K., Nakayama J., Fredette B., Chong K., Ranscht B., Fukuda M.;
RT   "Human STX polysialyltransferase forms the embryonic form of the
RT   neural cell adhesion molecule. Tissue-specific expression, neurite
RT   outgrowth, and chromosomal localization in comparison with another
RT   polysialyltransferase, PST.";
RL   J. Biol. Chem. 272:7182-7190(1997).
RN   [3]
RP   SEQUENCE OF 154-375 FROM N.A.
RC   TISSUE=Fetal brain;
RX   MEDLINE=94299495; PubMed=8027041;
RA   Kitagawa H., Paulson J.C.;
RT   "Differential expression of five sialyltransferase genes in human
RT   tissues.";
RL   J. Biol. Chem. 269:17872-17878(1994).
CC   -!- FUNCTION: MAY TRANSFER SIALIC ACID THROUGH ALPHA-2,8-LINKAGES
CC       TO THE ALPHA-2,3-LINKED AND ALPHA-2,6-LINKED SIALIC ACID OF
CC       N-LINKED OLIGOSACCHARIDES OF GLYCOPROTEINS AND MAY BE INVOLVED
CC       IN PSA (POLYSIALIC ACID) EXPRESSION.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: Type II membrane protein. Golgi (Potential).
CC   -!- TISSUE SPECIFICITY: HIGHLY EXPRESSED IN FETAL BRAIN, KIDNEY AND
CC       HEART AND TO A MUCH LESSER EXTENT IN ADULT HEART AND THYMUS.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   --------------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute.  There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --------------------------------------------------------------------------
DR   EMBL; U33551; AAC24458.1; -.
DR   EMBL; U82762; AAB51242.1; -.
DR   EMBL; L29556; AAA36613.1; -.
DR   MIM; 602546; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
```

```
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN        1      6       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM      7     23       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN).
FT   DOMAIN       24    375       LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD     60     60       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD     72     72       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD     89     89       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    134    134       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    219    219       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    234    234       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CONFLICT    155    155       G -> Q (IN REF. 2).
FT   CONFLICT    171    171       C -> Y (IN REF. 2).
SQ   SEQUENCE    375 AA;   42430 MW;   42F0BC5B33D62325 CRC64;
```

alignment_scores:
```
              Quality:   101.00         Length:    100
                Ratio:     2.061          Gaps:      3
Percent Similarity:   49.000    Percent Identity:  29.000
```

alignment_block:
US-09-714-936-218 x CAG9_HUMAN

Align seg 1/1 to: CAG9_HUMAN   from: 1 to: 375

```
334 CCCCTTCGAACT...CACTATGGATACATAAATGTGAAGACACAAGAGCC 380
    ||||||::::::  |||::::|||
148 ProLeuLysAsnLysHisPheGly...................... 155

381 TTTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGA 430
                  ||||::||||||||:::||||||||
156 ...................ThrCysAlaIleValGlyAsnSerGlyValL 166

431 TGGTTGGCCAGAAGGTGGGAAATGAGATAGATGAGATCGATCCTCCTGCATTGG 480
    :::::::::::  ||||::|||||||||
166 euLeuAsnSerGlyCysGlyGlnGluIleAspAlaHisSerPheValIle 182

481 AGAATGACAATGCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCAT 530
    ||| ||| |||||||:::::  ||| :::|||||||||
183 ArgCysAsnLeuAlaProValGlnGluTyrAlaArgAspValGlyLeuLy 199

531 GACCATGATTGCGAGTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAA 580
    ||||||:::::           |||:::
199 sThr........................AspLeuValThrMetA 206

581 ACCCTGATTATTTTTCAAGGAAGCGAATACTACTATTTGTGTTATTGG 630
    |||::::  :::  |||::::      ::: |||::   |||
206 snProSerValIleGlnArgAlaPheGluAspLeuValAsnAlaThrTrp 222
```

seq_name: SwissProt_40:CAG9_RAT

seq_documentation_block:
```
ID   CAG9_RAT       STANDARD;       PRT;    375 AA.
AC   Q07977; Q64688;
DT   01-NOV-1997 (Rel. 35, Created)
DT   01-NOV-1997 (Rel. 35, Last sequence update)
DT   15-JUL-1998 (Rel. 36, Last annotation update)
DE   Alpha-2,8-sialyltransferase (EC 2.4.99.-) (STX).
DE   (Sialyltransferase X).
GN   SIAT8B OR STX.
OS   Rattus norvegicus (Rat).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX   NCBI_TaxID=10116;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=SPRAGUE-DAWLEY; TISSUE=Brain;
RX   MEDLINE=93280099; PubMed=7685014;
RA   Livingston B.D., Paulson J.C.;
RT   "Polymerase chain reaction cloning of a developmentally regulated
RT   member of the sialyltransferase gene family.";
RL   J. Biol. Chem. 268:11504-11507(1993).
```

```
RT   synthase gene (mST8Sia II). Brain-specific expression from a
RT   TATA-less GC-rich sequence.";
RL   J. Biol. Chem. 271:30167-30173(1996).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Brain;
RX   MEDLINE=95180406; PubMed=7875291;
RA   Kojima N., Yoshida Y., Kurosawa N., Lee Y.C., Tsuji S.;
RT   "Enzymatic activity of a developmentally regulated member of the
RT   sialyltransferase family (STX): evidence for alpha 2,8-
RT   sialyltransferase activity toward N-linked oligosaccharides.";
RL   FEBS Lett. 360:1-4(1995).
CC   -!- FUNCTION: MAY TRANSFER SIALIC ACID THROUGH ALPHA-2,8-LINKAGES TO
CC       THE ALPHA-2,3-LINKED AND ALPHA-2,6-LINKED SIALIC ACID OF N-LINKED
CC       OLIGOSACCHARIDES OF GLYCOPROTEINS AND MAY BE INVOLVED IN PSA
CC       (POLYSIALIC ACID) EXPRESSION (BY SIMILARITY).
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: Type II membrane protein, Golgi (Potential).
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   --------------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --------------------------------------------------------------------------
DR   EMBL; X99646; CAA67965.1; -.
DR   EMBL; X99647; CAA67965.1; JOINED.
DR   EMBL; X99648; CAA67965.1; JOINED.
DR   EMBL; X99651; CAA67965.1; JOINED.
DR   EMBL; X99649; CAA67965.1; JOINED.
DR   EMBL; X99650; CAA67965.1; JOINED.
DR   EMBL; X83562; CAA58548.1; -.
DR   MGD; MGI:106020; Siat8b.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN        1      6       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM      7     23       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN).
FT   DOMAIN       24    375       LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD     60     60       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD     72     72       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD     89     89       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    134    134       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    219    219       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    234    234       N-LINKED (GLCNAC...) (POTENTIAL).
SQ   SEQUENCE   375 AA;  42454 MW;  1B18E971892F08C2 CRC64;


alignment_scores:
          Quality:   103.00                    Length:          76
            Ratio:     2.395                      Gaps:           1
Percent Similarity: 56.579       Percent Identity:   32.895

alignment_block:
US-09-714-936-218 x CAG9_MOUSE

Align seg 1/1  to: CAG9_MOUSE   from: 1  to: 375

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||||||||||||||||::||||||||   ::::::::::::::::
157 CysAlaIleValGlyAsnSerGlyValLeuLeuAsnSerGlyCysGlyGl 173

453 TCAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCCACCA 502
    :!||||||| ||| :::      |||    :::!!:!!!||| ::::
173 nGluIleAspThrHisSerPheValIleArgCysAsnArgAlaProValG 190

503 AAGGTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCC 552
    ::  |||   :: ||!!||||!|  |||
190 lnGluTyrAlaArgAspValGlyLeuLysThr................. 200
```

```
295 GGTACAAAGTGGATACCATTCTCCTACACATACAGGCGGCCCCTT...CG 341
    :::  |||   ::::: |||  :: ::
104 ...SerMetTrpTyrAspGlyGluPheLeuTyrSerPheThrIleAspAs 119

342 AACTCACTATGGATACATAAATGTGAAGACACAAGAGCCTTGCAACTGG 391
    :::  :::::  |||  ::  ::||||||
119 nSerThrTyrSerLeuPheProGlnAlaThr......ProPheGlnLeuP 134

392 ACTGTGACCTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAG 441
    ||||||||::|||||:::|||::|||     ::: |||
134 roLeuLysCysAlaValValGlyAsnGlyGlyIleLeuLysLysSer 150

442 AAGGTGGGAAATGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAA 491
    ||::||||||||||:::::  ::   |||   |||
151 GlyCysGlyArgGlnIleLeuAspGluAlaAsnPheValMetArgCysAsnLe 167

492 TGCCCC...ACCAAAGGTATGAAGAAGATGTCGGCCGCATGACCATGA 538
    :::::    |||     :: ||||||:::::::
167 uProProLeuSerSerGluTyrThrLysAspValGlySerLysSerGln 183

539 TTCGAGTTGTGTCCCATACCAGCGGTTCCTCTTTGCTAAAAAACCCTGAT 588
    |||:::: |||||||::::
184 ........................LeuValThrAlaAsnProSer 190

589 TATTTTTCAAGGAAGCGAATACTACTATTTGTGTTATTTGGGGACCTTT 638
    :::|||| ||
191 ....................IleIleArgGlnArgPh 196

639 CCGCAATATG.......AGGAAAGAT......GGCAATGGCATCGTTT 673
    |:::||| ||||| ||:::|
196 eGlnAsnLeuLeuTrpSerArgLysThrPheValAspAsnMetLysIleT 213

674 ACAAC.........ATGTTGAAAAAGACAGTTGGTATC 702
    |||||       ::: :||
213 yrAsnHisSerTyrIleTyrMetProAlaPheSerMetLysThrGlyTyr 229

703 TATCCGAATGCCCAAATATACGTGACC.............ACCAGAGAA 737
    ||||::  ::::::||| |||      :::::::
230 GluProSerLeuArgValTyrTyrThrLeuSerAspValGlyAlaAsnGl 246

738 GCGCATGAGTTACTGTGATGGAGTTTTAAGAAGAAACTGGG........ 780
    :  :  ::::::: || ::::: ||| :
246 nThrValLeuPheAlaAsnProAsnPheLeuArgSerIleGlyLysPheT 263

781 ..AAGGACAGGGGG...CATGCAAGGCGACTGCTGATTTCTACAGACACT 825
    ||||::|||||| ||||||
263 rpLysSerArgGlyIleHisAlaLysArgLeu......SerThrGlyLeu 277

826 TTT 828
    |||
278 Phe 278
```

seq_name: SwissProt_40:CAG9_MOUSE

```
seq_documentation_block:
ID   CAG9_MOUSE     STANDARD;      PRT;   375 AA.
AC   O35696;
DT   15-JUL-1998 (Rel. 36, Created)
DT   15-JUL-1998 (Rel. 36, Last sequence update)
DT   15-JUL-1998 (Rel. 36, Last annotation update)
DE   Alpha-2,8-sialyltransferase (EC 2.4.99.-) (ST8SIAII)
DE   (Sialyltransferase X) (STX) (Polysialic acid synthase).
GN   SIAT8B OR STX.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Brain;
RX   MEDLINE=97094733; PubMed=8939967;
RA   Yoshida Y., Kurosawa N., Kanematsu T., Kojima N., Tsuji S.;
RT   "Genomic structure and promoter activity of the mouse polysialic acid
```

Percent Similarity: 55.000   Percent Identity: 30.833

```
              Ratio:  1.697                       Gaps:      4
Percent Similarity: 55.000    Percent Identity: 30.833
```

alignment_block:
US-09-714-936-218 x CAG3_CHICK   ..

Align seg 1/1 to: CAG3_CHICK from: 1 to: 566

```
361 AATGTGAAGACACAAGAGCCTTTGCAACTGGACTGTGACCTTTGTGCCAT 410
    ||||||::|||                     |||      ||||||::
333 AsnValSerThr............CysIleSerCysAlaVa  342

411 AGTGTCAAACTCAGGTCAGATGGTTGGCCAGAGAGGTGGGAAATGAGATAG 460
    :||||:|||::|||         :: :::|||::|||:::||||||
342 lValGlyAsnGlyGlyIleLeuAsnAsnSerGlyMetGlyGlnGluIleA 359

461 ATCCATCCTCCTGCATTTGGAGAATGAACAATGCCCCACCAAAGGTTAT 510
    ||     :: :::||:::|:|||:||          |||||||
359 spSerHisAspTyrValPheArgValSerGlyAlaValIleLysGlyTyr 375

511 GAAGAAGATGTCGCGCCGCCATGACCATGAT............ 539
    |||:::||||||||      |||
376 GluLysAspValGlyThrLysThrSerPheTyrGlyPheThrAlaTyrSe 392

540 ......TCGAGTTGTGTGTCCCATACCAGCGTTCCTTCTTTTGCTAAAAAAC 582
    ||||||          |||   |||
392 rLeuValSerSerLeuGlnAsnLeuGlyHisLysGlyPheLysLysIleP 409

583 CCTGCATTATTTTTCAAGGAAGCCAATACTACTATTTGTGTTATTTGGGG 632
    ||                  ::||||    ::||||
409 ro..........GlnGlyLysHisIleArgTyrIleHisPheLeuGlu 421

633 ACCTTTCCGCAAATGAGGAAAGATGGCAATGGCCATCGTTTACAACATGT 682
    :::|||||||             |||  :::  ::
422 AlaValArgAspTyrGlu..........TrpLeuLysAlaLeuLeuLe 434

683 TGAAAAAGAC 692
    :::|||||||
434 uAspLysAsp 437
```

seq_name: SwissProt_40:CAG8_HUMAN

seq_documentation_block:
```
ID   CAG8_HUMAN     STANDARD;     PRT;   356 AA.
AC   Q92185; Q93064;
DT   01-NOV-1997 (Rel. 35, Created)
DT   01-NOV-1997 (Rel. 35, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   Alpha-N-acetyl-neuraminide alpha-2,8-sialyltransferase (EC 2.4.99.8)
DE   (Ganglioside GD3/GT3 synthase) (Sialyltransferase 8) (ST8SIAI).
GN   SIAT8A OR SIAT8.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=95024133; PubMed=7937974;
RA   Haraguchi M., Yamashiro S., Yamamoto A., Furukawa K., Takamiya K.,
RA   Lloyd K.O., Shiku H., Furukawa K.;
RT   "Isolation of GD3 synthase gene by expression cloning of GM3
RT   alpha-2,8-sialyltransferase cDNA using anti-GD2 monoclonal
RT   antibody.";
RL   Proc. Natl. Acad. Sci. U.S.A. 91:10455-10459(1994).
RN   [2]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=94336665; PubMed=8058740;
RA   Nara K., Watanabe Y., Maruyama K., Kasahara K., Nagai Y., Sanai Y.;
RT   "Expression cloning of a CMP-NeuAc:NeuAc alpha 2-3Gal beta 1-4Glc
RT   beta 1-1'Cer alpha 2,8-sialyltransferase (GD3 synthase) from human
RT   melanoma cells.";
RL   Proc. Natl. Acad. Sci. U.S.A. 91:7952-7956(1994).
RN   [3]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=96216472; PubMed=8631981;
RA   Nakayama J., Fukuda M.N., Hirabayashi Y., Kanamori A., Sasaki K.,
RA   Nishi T., Fukuda M.;
RT   "Expression cloning of a human GT3 synthase. GD3 AND GT3 are
RT   synthesized by a single enzyme.";
RL   J. Biol. Chem. 271:3684-3691(1996).
RN   [4]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=94253194; PubMed=8195250;
RA   Sasaki K., Kurata K., Kojima N., Kurosawa N., Ohta S., Hanai N.,
RA   Tsuji S., Nishi T.;
RT   "Expression cloning of a GM3-specific alpha-2,8-sialyltransferase
RT   (GD3 synthase).";
RL   J. Biol. Chem. 269:15950-15956(1994).
CC   -!- FUNCTION: MAY BE INVOLVED IN THE PRODUCTION OF GD3 AND GT3 FROM
CC       GM3.
CC   -!- CATALYTIC ACTIVITY: CMP-N-acetylneuraminate + alpha-N-
CC       acetylneuraminyl-2,3-beta-D-galactosyl-R = CMP + alpha-N-
CC       acetylneuraminyl-2,8-alpha-N-acetylneuraminyl-2,3-beta-D-
CC       galactosyl-R.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: Type II membrane protein. Golgi (Potential).
CC   -!- TISSUE SPECIFICITY: STRONGLY EXPRESSED IN MELANOMA CELL LINES,
CC       ADULT AND FETAL BRAIN AND TO A LESSER EXTENT IN ADULT AND FETAL
CC       LUNG.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   --------------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute.  There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --------------------------------------------------------------------------
DR   EMBL; L32867; AAA62366.1; -.
DR   EMBL; D26360; BAA05391.1; -.
DR   EMBL; L43494; AAC37586.1; ALT_INIT.
DR   EMBL; X77922; CAA54891.1; ALT_INIT.
DR   MIM; 601123; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN        1     29       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM     30     48       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN).
FT   DOMAIN       49    356       LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD     71     71       N-LINKED (GLCNAC...)  (POTENTIAL).
FT   CARBOHYD    119    119       N-LINKED (GLCNAC...)  (POTENTIAL).
FT   CARBOHYD    214    214       N-LINKED (GLCNAC...)  (POTENTIAL).
FT   CARBOHYD    245    245       N-LINKED (GLCNAC...)  (POTENTIAL).
SQ   SEQUENCE   356 AA;  40519 MW;  452FE0485696439S CRC64;
```

alignment_scores:
```
          Quality: 106.00                Length:    235
            Ratio:   0.938                  Gaps:     16
Percent Similarity:  48.085    Percent Identity:  24.255
```

alignment_block:
US-09-714-936-218 x CAG8_HUMAN   ..

Align seg 1/1 to: CAG8_HUMAN from: 1 to: 356

```
195 GATTGCTGTGGAGCTTCATAGCAGCGGTTCCTTTCCTGCTGCTGGTTGTGCGTC 244
    |||||||||||::::                              ||||||
84  AspCysCysAsp.....................ProAlaHisLeuPheAl 93

245 TTGTAAATGAAGTGAATTTCCCATTGCTACTAAACTGCTTTGGACAACCT 294
    :.:::||||||:|||  |||::                   |||:::
93  a.MetThrLysMetAsnSerProMet.............GlyLys... 103
```

```
FT   DOMAIN        1     28       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM     29     47       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN).
FT   DOMAIN       48    355       LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD     70     70       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    118    118       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    213    213       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    244    244       N-LINKED (GLCNAC...) (POTENTIAL).
SQ   SEQUENCE    355 AA;  40192 MW;  BEB08C5BD62F62F3 CRC64;

alignment_scores:
        Quality:      113.50
        Ratio:          0.901
Percent Similarity:    50.806          Percent Identity:   24.194

alignment_block:
US-09-714-936-218 x CAG8_MOUSE       .

Align seg 1/1 to: CAG8_MOUSE from: 1 to: 355

195  GATTGCTGCTGAGCTTCATAGCAGCGGTTCCTTTCCTGCTGGTTGTGGTC 244
        ||||||||||:::                               ||:||::
 83  AspCysCysAsp..........................ProAlaHisLeuPheAl 92

245  TTGTAAATGAAGTGAATTCCCATTGCTACTACAAACTGCTTTGGACAACCT 294
        ::: ||||||||:::                              ::|||
 92  aMetThrLysMetAsnSerProMetGlyLysSerLeu...........T 105

295  GGTACAAAGTGGATACCATTCTCCTACACATACAGGCGGCCCCCTTCGAAC 344
        |||||     |||  ||||||                    :::||:
105  rpTyr......AspGlyGluLeuTyrSerPheThrIleAspAsnSer 119

345  TCACTATGGATACATAAATGTGAAGACACAAGAGCCTTGCAACTGGACT 394
        :::  ||:: :::    ||||              |||::|||||
120  ThrTyrSerLeuPheProGlnAlaThr.......ProPheGlnLeuProL 134

395  GTGACCTTTGTGCCATAGTGTCAAACTCAGTCAGATGGTTGGCCAGAAG 444
        ||||||||||||::::||                          :::
134  euLysLysCysAlaValValGlyAsnGlyIleLeuLysMetSerGly 150

445  GTGGGAAATGAGATAGATCCGATGCCTCCTGCATTGGAGAAGTGAACAATGC 494
        ||||||||||:::::||||::::              |||  |||
151  CysGlyArgGlnIleAspGluAlaAsnPheValMetArgCysAsnLeuPr 167

495  CCCC...ACCAAAGGTATGAAGAAGATGTCGGCCGCCATGACCATGATTC 541
        |||  ::::::  |||  :::||||||||  |||:::  ||::::||
167  oProLeuSerSerGluTyrThrArgAspValGlySerLysThrGln..... 182

542  GAGTTGTGTCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTAT 591
        |||::            :::|||::||||
183  ..................................LeuValThrAlaAsnProSerIle 190

592  TTTTTCAAGAAGCGAATACTACTATTTGTGTTATTTGGGACCCTTTCCG 641
        ::: :::::::  ::::::::::                :::||:: |||
191  IleArgGlnArgPheGluAsn..........LeuLeuTrpSerArgLysLy 204

642  C........AATATGAGGAAAGATGCCAATGGCATCGTTTAC...AACA 679
        |  :::::::::||||::::::              |||
204  sPheValAspAsnMetLysIleTyrAsnHisSerTyrIleTyrMetProA 221

680  TGTTGAAAAAGACAGTTGGTATCTATCCGGATAGCCCCAAATATACGTGACC 729
        :::::    ||||| :::::||| :::: |||  |||
221  laPheSerMetLysThrGlyThrGluProSerLeuArgValTyrTyrThr 237

730  ...ACAGAGAAGCCCATGAGTTACTGTGATGGAGTTTT 764
        |||:::||||  :::::::::                  ||
238  LeuLysAspValGlyAlaAsnGlnThrValLeuPheAlaAsnProAsnPh 254

765  TAAGAAGGAAACTGGG........AAGGACAGGGGG...CATGCAAGGC 802
        |  :::: ||| ||||||||:::||| ||||:::::
254  eLeuArgAsnIleGlyLysPheTrpLysSerArgGlyIleHisAlaLysA 271

803  GACTTGCTGATTTCTACAGACACTTTTTAAGCGATTACCAGTTGCT...... 846
```

```
271  rgLeu.......SerThrGlyLeuPhe.....LeuValSerAlaAlaLeu 283
        |||||        ||||||           ::::::||||||
847  ...............................GGCAAGTGGAACTAC 861

284  GlyLeuCysGluGluValSerIleTyrGlySerTrpProPhe 297
        |||:::|||  ||:::::||
```

seq_name: SwissProt_40:CAG3_CHICK

seq_documentation_block:
ID   CAG3_CHICK   STANDARD;   PRT;   566 AA.
AC   Q92183;
DT   01-NOV-1997 (Rel. 35, Created)
DT   01-NOV-1997 (Rel. 35, Last sequence update)
DT   01-NOV-1997 (Rel. 35, Last annotation update)
DE   Alpha-N-acetylgalactosaminide alpha-2,6-sialyltransferase
DE   (EC 2.4.99.3) (ST6GALNACI).
OS   Gallus gallus (Chicken).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC   Gallus.
OX   NCBI_TaxID=9031;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Embryo;
RX   MEDLINE=94117458; PubMed=8288607;
RA   Kurosawa N., Hamamoto T., Lee Y.-C., Nakaoka T., Kojima N., Tsuji S.;
RT   "Molecular cloning and expression of GalNAC alpha
RT   2,6-sialyltransferase.";
RL   J. Biol. Chem. 269:1402-1409(1994).
CC   -!- CATALYTIC ACTIVITY: CMP-N-acetylneuraminate + glycano-1,3-(N-
CC   acetyl-D-galactosaminyl)-glycoprotein = CMP + glycano-(2,6-
CC   alpha-N-acetylneuraminyl)-(N-acetyl-D-galactosaminyl)-
CC   glycoprotein.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: Type II membrane protein. Golgi (Potential).
CC   -!- TISSUE SPECIFICITY: HEART, KIDNEY, TESTES, BRAIN, LIVER, AND LUNG.
CC   -!- DEVELOPMENTAL STAGE: EMBRYO.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   --
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --
DR   EMBL; X74946; CAA52902.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack; Repeat.
FT   DOMAIN   1   16   CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM   17   37   SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT   (POTENTIAL).
FT   DOMAIN   38   566   LUMENAL, CATALYTIC (POTENTIAL).
FT   DOMAIN   247   337   2 X 8 AA REPEATS OF S-S-S-X-V-S-T-C.
FT   REPEAT   247   254   1.
FT   REPEAT   330   337   2.
FT   CARBOHYD   66   66   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   132   132   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   192   192   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   275   275   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   286   286   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   306   306   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   329   329   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   333   333   N-LINKED (GLCNAC...) (POTENTIAL).
SQ   SEQUENCE   566 AA; 64781 MW; E529CA4027757DF CRC64;

alignment_scores:
        Quality: 112.00   Length: 120

```
503 AAGGTTATGAAGAGATGTCGGCCGCCATGACCATGATTCGAGTTGTGTCC 552
     |||||||| |||||||| |||    ||||| ::||||
153 laGlyTyrGluGluAspValGlySerLysThrThrMetArgLeuPheTyr 169

553 CATACCAGGTT........CCTCTTTGCTAAAAAACCCTGAT 588
     |||::: |||   ::||||||||||
170 ProGluSerAlaHisPheAspProLysValGluAsnAsnProAsp 184
```

seq_name: SwissProt_40:CAG5_CHICK

seq_documentation_block:
```
ID   CAG5_CHICK    STANDARD;    PRT;    404 AA.
AC   Q92184;
DT   01-NOV-1997 (Rel. 35, Created)
DT   01-NOV-1997 (Rel. 35, Last sequence update)
DT   01-NOV-1997 (Rel. 35, Last annotation update)
DE   Alpha-N-acetylgalactosaminide alpha-2,6-sialyltransferase
DE   (EC 2.4.99.-) (ST6GALNACII).
OS   Gallus gallus (Chicken).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC   Gallus.
OX   NCBI_TaxID=9031;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Testis;
RX   MEDLINE=94308168; PubMed=8034663;
RA   Kurosawa N., Kojima N., Inoue M., Hamamoto T., Tsuji S.;
RT   "Cloning and expression of Gal beta 1.3GalNAc-specific GalNAc alpha
RT   2,6-sialyltransferase.";
RL   J. Biol. Chem. 269:19048-19053(1994).
CC   -!- CATALYTIC ACTIVITY: CMP-N-ACETYLNEURAMINATE + GLYCANO-BETA-D-
CC       GALACTOSYL-1,3-(N-ACETYL-D-GALACTOSAMINYL)-GLYCOPROTEIN = CMP
CC       + GLYCANO-BETA-D-GALACTOSYL-(2,6-ALPHA-N-ACETYLNEURAMINYL)-
CC       (N-ACETYL-D-GALACTOSAMINYL)-GLYCOPROTEIN.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: Type II membrane protein. Golgi (Potential).
CC   -!- TISSUE SPECIFICITY: HEART, KIDNEY, TESTES, BRAIN, LIVER AND LUNG.
CC   -!- DEVELOPMENTAL STAGE: ABUNDANTLY EXPRESSED AT ALL EMBRYONIC STAGES
CC       BUT NOT PRESENT IN ADULT TISSUES.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   --------------------------------------------------------------------
```
```
DR   EMBL; X77775; CAA54813.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN        1      8       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM      9     25       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT                                (POTENTIAL).
FT   DOMAIN       26    404       LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD    161    161       N-LINKED (GLCNAC. .  .) (POTENTIAL).
FT   CARBOHYD    191    191       N-LINKED (GLCNAC. .  .) (POTENTIAL).
SQ   SEQUENCE   404 AA;  45826 MW;  DCC17AA01ABB60A CRC64;
```

alignment_scores:
```
     Quality:      116.50      Length:       85
     Ratio:         2.240      Gaps:          2
Percent Similarity: 61.176    Percent Identity: 35.294
```

alignment_block:
US-09-714-936-218 x CAG5_CHICK
Align seg 1/1 to: CAG5_CHICK from: 1 to: 404

```
394 TGTGACCTTTGCCATAGTGTCAAACTCAGTTCAGTGGTTGGCCAGAA 443
     ||| ||||||::::||||:::|||    :: :::||
178 CysIleArgCysAlaValValGlyAsnGlyGlyIleLeuAsnGlySerAr 194

444 GGTGGGAAATGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATG 493
     | |||::  |||||| :::  :::::||||:::|||:::||
194 gGlnGlyArgAlaIleAspAlaHisAspLeuValPheArgLeuAsnGlyA 211

494 CCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATG........... 531
     ||  |||||||| :::||||||||||||
211 laIleThrLysGlyPheGluGluPheGlyGlySerLysValSerPheTyr 227

532 ...........ACCATGAT.TCGAGTTGTGTCCCATACCAGCCGTTC 565
            |||||  :::||| ::||:::
228 GlyPheThrValAsnThrMetLysAsnSerLeuIleAlaTyrGluAlaTy 244

566 CTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGAAGGCGAATACTACT 615
     :::||::::::: ||| ||||||::::||
244 rGlyPheThrArgThrPro...........GlnGlyLysAspLeuLysT 257

616 ATTTG 620
     ||:::
257 yrIle 258
```

seq_name: SwissProt_40:CAG8_MOUSE

seq_documentation_block:
```
ID   CAG8_MOUSE    STANDARD;    PRT;    355 AA.
AC   Q64687;
DT   01-NOV-1997 (Rel. 35, Created)
DT   01-NOV-1997 (Rel. 35, Last sequence update)
DT   15-JUL-1998 (Rel. 36, Last annotation update)
DE   Alpha-N-acetyl-neuraminide alpha-2,8-sialyltransferase (EC 2.4.99.8)
DE   (Ganglioside GD3/GT3 synthase) (Sialyltransferase 8) (ST8SIAI)
DE   STA8A OR SIAT8.
GN   STA8A OR SIAT8.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Brain;
RX   MEDLINE=97067198; PubMed=8910600;
RA   Kono M., Yoshida Y., Kojima N., Tsuji S.;
RT   "Molecular cloning and expression of a fifth type of alpha2,8-
RT   sialyltransferase (ST8Sia V). Its substrate specificity is similar to
RT   that of SAT-V/III, which synthesize GD1c, GT1a, GQ1b and GT3.";
RL   J. Biol. Chem. 271:29366-29371(1996).
CC   -!- FUNCTION: MAY BE INVOLVED IN THE PRODUCTION OF GD3 AND GT3 FROM
CC       GM3.
CC   -!- CATALYTIC ACTIVITY: CMP-N-acetylneuraminate + alpha-N-
CC       acetylneuraminyl-2,3-beta-D-galactosyl-R = CMP + alpha-N-
CC       acetylneuraminyl-2,8-alpha-N-acetylneuraminyl-2,3-beta-D-
CC       galactosyl-R.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: Type II membrane protein. Golgi (Potential).
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   --------------------------------------------------------------------
```
```
DR   EMBL; X84235; CAA59014.1; -.
DR   MGD; MGI:106011; Siat8a.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
```

```
                    |||::::|||                        |||::::||
224 ThrThrThrGlyArgIleSerHisThrThrTyrValProValProAlaLysIl 240

720 ATACGTGACCACCAGAGAAGCGCATGAGTTACTGTGATGGGAGTTTTAAGA 769
       |||||         ||||||     ::: ||      ::: :::||||
240 eLysValLysLysGluLysGlyIleLeuIleTyrHisProAlaPheIleLysT 257

770 AGGAAACTGGGAAGGACAGG........GGCATGCAAGG 801
       |||||         |||||||::|||
257 yrValPhe......AspArgTrpLeuGlnGlyHisGlyArg 268
```

seq_name: SwissProt_40:CAGC_HUMAN

seq_documentation_block:
```
ID   CAGC_HUMAN       STANDARD;       PRT;      333 AA.
AC   Q11206; O60497;
DT   01-OCT-1996 (Rel. 34, Created)
DT   01-OCT-1996 (Rel. 34, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   CMP-N-acetylneuraminate-beta-galactosamide-alpha-2,3-sialyltransferase
DE   (EC 2.4.99.-) (Beta-galactoside alpha-2,3-sialyltransferase)
DE   (ST3GALIII) (Alpha 2,3-ST) (GAL-NAC6S) (STZ) (SIAT4-C) (SAT-3) (ST-4).
GN   SIAT4C OR STZ.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Placenta;
RX   MEDLINE=96132828; PubMed=8557707;
RA   Kitagawa H., Paulson J.C.;
RT   "Genomic organization and chromosomal mapping of the Gal beta
RT   1,3GalNAc/Gal beta 1,4GlcNAc alpha 2,3-sialyltransferase.";
RL   J. Biol. Chem. 271:931-938(1996).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Placenta;
RX   MEDLINE=94117457; PubMed=8286606;
RA   Kitagawa H., Paulson J.C.;
RT   "Cloning of a novel alpha 2,3-sialyltransferase that sialylates
RT   glycoprotein and glycolipid carbohydrate groups.";
RL   J. Biol. Chem. 269:1394-1401(1994).
RN   [3]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Colon carcinoma;
RX   MEDLINE=94043042; PubMed=7901202;
RA   Sasaki K., Watanabe E., Kawashima K., Sekine S., Dohi T., Oshima M.,
RA   Hanai N., Nishi T., Hasegawa M.;
RT   "Expression cloning of a novel Gal beta (1-3/1-4) GlcNAc alpha 2,3-
RT   sialyltransferase using lectin resistance selection.";
RL   J. Biol. Chem. 268:22782-22787(1993).
RN   [4]
RP   SEQUENCE OF 48-314 FROM N.A., AND FUNCTION.
RC   TISSUE=Colon carcinoma;
RX   MEDLINE=96196622; PubMed=8611500;
RA   Basu S.S., Basu M., Li Z., Basu S.;
RT   "Characterization of two glycolipid: alpha 2-3sialyltransferase, SAT-
RT   3 (CMP-NeuAc:nLcOse4Cer alpha 2-3sialyltransferase) and SAT-4 (CMP-
RT   NeuAc:GgOse4Cer alpha 2-3sialyltransferase), from human colon
RT   carcinoma (Colo 205) cell line.";
RL   Biochemistry 35:5166-5174(1996).
CC   -!- FUNCTION: IT MAY CATALYZE THE FORMATION OF THE NEUAC-ALPHA-2,3-
CC       GAL-BETA-1,3-GALNAC- OR NEUAC-ALPHA-2,3-GAL-BETA-1,3-GLCNAC-
CC       SEQUENCES FOUND IN TERMINAL CARBOHYDRATE GROUPS OF GLYCOPROTEINS
CC       AND GLYCOLIPIDS. IT MAY BE INVOLVED IN THE BIOSYNTHESIS OF THE
CC       SIALYL LEWIS X DETERMINANT.
CC   -!- CATALYTIC ACTIVITY: CMP-N-ACETYLNEURAMINATE + BETA-D-GALACTOSYL-
CC       1,4-N-ACETYL-D-GLUCOSAMINYL-GLYCOPROTEIN = CMP + ALPHA-N-
CC       ACETYLNEURAMINYL-2,3-BETA-D-GALACTOSYL-1,4-N-ACETYL-D-
CC       GLUCOSAMINYL-GLYCOPROTEIN.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN. MEMBRANE-BOUND
CC       FORM IN TRANS CISTERNAE OF GOLGI, SOLUBLE FORM IN BODY FLUIDS.
CC   -!- ALTERNATIVE PRODUCTS: 3 ISOFORMS; A1, A2 AND B1 (SHOWN HERE); ARE
CC       PRODUCED BY ALTERNATIVE SPLICING.
CC   -!- TISSUE SPECIFICITY: HIGHLY EXPRESSED IN ADULT PLACENTA, OVARY AND
CC       TESTES.
CC   -!- PTM: THE SOLUBLE FORM DERIVES FROM THE MEMBRANE FORM BY
CC       PROTEOLYTIC PROCESSING.
CC   -!- MISCELLANEOUS: ALSO ACTS ON THE CORRESPONDING 1,3-GALACTOSYL
CC       DERIVATIVE.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   --------------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --------------------------------------------------------------------------
DR   EMBL; L23767; AAA16460.1; -.
DR   EMBL; X74570; CAA52662.1; -.
DR   EMBL; AF035249; AAC14162.1; -.
DR   MIM; 104240; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack; Alternative splicing.
FT   DOMAIN        1      8       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM      9     26       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT                                (POTENTIAL).
FT   DOMAIN       27    333       LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD     61     61       N-LINKED (GLCNAC. . .) (POTENTIAL).
FT   CARBOHYD    131    131       N-LINKED (GLCNAC. . .) (POTENTIAL).
FT   CARBOHYD    310    310       N-LINKED (GLCNAC. . .) (POTENTIAL).
FT   CARBOHYD    329    329       N-LINKED (GLCNAC. . .) (POTENTIAL).
FT   VARSPLIC      1      6       MVSKSR -> MCPAG (IN ISOFORM A1).
FT   VARSPLIC      1     11       MISSING (IN ISOFORM A2).
FT   CONFLICT     30     34       RYIEL -> S (IN REF. 3).
FT   CONFLICT    182    183       NP -> KG (IN REF. 4).
FT   CONFLICT    200    200       I -> T (IN REF. 4).
FT   CONFLICT    304    304       M -> I (IN REF. 4).
SQ   SEQUENCE    333 AA;   38045 MW;  15E4BCE1F4F5B3C3 CRC64;
```

alignment_scores:
```
                    Quality:   118.50         Length:       115
                      Ratio:     1.943           Gaps:         4
     Percent Similarity:  53.043      Percent Identity:  28.696
```

alignment_block:
US-09-714-936-218 x CAGC_HUMAN   ..

Align seg 1/1 to: CAGC_HUMAN   from: 1 to: 333

```
304 TGGATACCATTCTCCTACACATACAGGCGGCCCCTTCGAACTTCACTATGG 353
    |||::::     :::||||||:: ::||||||:      |||
 77 TrpValLysThrProSerAlaTyrGluLeuPro...........TyrGl  89

354 ATACATAAATGTGAAGACACAAGAGCCTTTG................... 384
    |          ::|||  ::||| |||
 89 y..........ThrLysGlySerGluAspLeuLeuArgValLeuAlaI 103

385 ...................                CAACTGGACTGTGACCTT 402
                                      ::|||     |||
103 leThrSerSerSerIleProLysAsnIleGlnSerLeuArgCysArgArg 119

403 TGTGCCATAGTGTCAAACTCAGGTCAGCATGGTTGGCCAGAAGGTGGGAAA 452
    |||:||:||||:||||:    ::|||:    :::||:|:|||||:||||||
120 CysValValGlyAsnGlyHisArgLeuArgAsnSerLeuGlyAs 136

453 TGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCCACCA 502
       |||:      :::     :::     :::::||||||||||::::
136 pAlaIleAsnLysTyrAspValValIleArgLeuAsnAlaProValA 153
```

SQ   SEQUENCE   380 AA;   43881 MW;   B4FB6AF95CFB176E CRC64;

alignment_scores:
         Quality: 124.00   Length: 101
         Ratio: 2.067   Gaps: 3
Percent Similarity: 59.406   Percent Identity: 31.683

alignment_block:
US-09-714-936-218 x CAGD_MOUSE .

Align seg 1/1 to: CAGD_MOUSE from: 1 to: 380

397 GACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGT 446
     :::::||||||||:::|||:||||||||| :::::||||:||:::::::
160 AsnValCysAlaValGlyAsnSerGlyIleLeuThrGlySerGlnCy 176

447 GGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCC 496
     ||:::||||||||:::||::: ::: ||| ||| ||||
176 sGlyGlnGluIleAspLysSerAspPheValSerArgCysAsnPheAlaP 193

497 CCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGTT 546
     ||||::||||||||||||||||| || ::: :::
193 roThrGluAlaPheHisLysAspValGlyArgLysThrAsnLeuThrThr 209

547 GTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCTGATTATTTTTT 596
                         |||||::: :::
210 Phe................................AsnProSerIleLeuGl 216

597 CAAGGAAGCGAATACTACTATTTGTGTTATTTGGGGACCTTTCCGCAATA 646
     ||| ||| :::
216 uLysTyrTyrAsnAsnLeuLeuThrIle................... 225

647 TGAGGAAAGATGGCAATGGCATCGTTTCACACATGTTCAAAAAGACAGTT 696
     :::|| ||||||::: ::: |||||||||
226 ....GlnAspArgAsnAsnPhe...PheLeuSerLeuLysLysLeuAsp 239

697 GGT 699
    |||
240 Gly 240

seq_documentation_block:
ID   CAG4_PIG   STANDARD;   PRT;   343 AA.
AC   Q02745;
DT   01-FEB-1994 (Rel. 28, Created)
DT   01-FEB-1994 (Rel. 28, Last sequence update)
DT   01-NOV-1997 (Rel. 35, Last annotation update)
DE   CMP-N-acetylneuraminate-beta-galactosamide-alpha-2,3-sialyltransferase
DE   (EC 2.4.99.4) (Beta-galactoside alpha-2,3-sialyltransferase) (Alpha
DE   2.3-ST) (GAL-NAC6S) (GAL-beta-1,3-GALNAC-alpha-2,3-sialyltransferase)
DE   (ST3GALIA) (ST3O) (ST3GALA.1) (SIAT4-A).
GN   SIAT4A.
OS   Sus scrofa (Pig).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
OX   NCBI_TaxID=9823;
RN   [1]
RP   SEQUENCE FROM N.A., AND SEQUENCE OF 8-29 AND 56-77.
RC   TISSUE=Salivary gland, and Liver;
RX   MEDLINE=93016016; PubMed=1383214;
RA   Gillespie W.M., Kelm S., Paulson J.C.;
RT   "Cloning and expression of the Gal beta 1, 3GalNAc alpha 2,3-
RT   sialyltransferase.";
RL   J. Biol. Chem. 267:21004-21010(1992).
CC   -!- FUNCTION: IT MAY BE RESPONSIBLE FOR THE SYNTHESIS OF THE SEQUENCE
CC   NEUAC-ALPHA-2,3-GAL-BETA-1,3-GALNAC- FOUND ON SUGAR CHAINS
CC   O-LINKED TO THR OR SER AND ALSO AS A TERMINAL SEQUENCE ON CERTAIN
CC   GANGLIOSIDES. SIAT4-A AND SIAT4-B SIALYLATE THE SAME ACCEPTOR
CC   SUBSTRATES BUT EXHIBIT DIFFERENT KM VALUES.
CC   -!- CATALYTIC ACTIVITY: CMP-N-acetylneuraminate + beta-D-galactosyl-
CC   1,3-N-acetyl-alpha-D-galactosaminyl-R = CMP + alpha-N-

CC   acetylneuraminyl-2,3-beta-D-galactosyl-1,3-N-acetyl-alpha-D-
CC   galactosaminyl-R.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN. MEMBRANE-BOUND
CC   FORM IN TRANS CISTERNAE OF GOLGI, SOLUBLE FORM IN BODY FLUIDS.
CC   -!- ALTERNATIVE PRODUCTS: TWO FORMS OF THIS ENZYME MAY ARISE BY
CC   ALTERNATIVE SPLICING OF THE SAME GENE. A SHORTER FORM SEEMS
CC   TO LACK A 40 RESIDUES INTERNAL SEGMENT.
CC   -!- TISSUE SPECIFICITY: SALIVARY GLAND, LIVER, LUNG, AND COLON
CC   MUCOSA.
CC   -!- PTM: THE SOLUBLE FORM DERIVES FROM THE MEMBRANE FORM BY
CC   PROTEOLYTIC PROCESSING.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   --
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --
DR   EMBL; M97753; AAA31125.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack; Alternative splicing.
FT   DOMAIN   1   11   CYTOPLASMIC.
FT   TRANSMEM   12   27   SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT   (POTENTIAL).
FT   DOMAIN   28   343   LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD   28   28   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   82   82   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   117   117   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   326   326   N-LINKED (GLCNAC...) (POTENTIAL).
SQ   SEQUENCE   343 AA;   39769 MW;   1840274CEDA0E46D CRC64;

alignment_scores:
         Quality: 123.50   Length: 147
         Ratio: 1.692   Gaps: 5
Percent Similarity: 49.660   Percent Identity: 29.252

alignment_block:
US-09-714-936-218 x CAG4_PIG .

Align seg 1/1 to: CAG4_PIG from: 1 to: 343

388 CTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGG 437
     ::::::||| |||||||||:::|||||||||::::::::
140 ValSerCysArgArgCysAlaValValGlyAsnSerGlyIleLeuLysGl 156

438 CCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAATGA 487
     ::: :::|||||| ||| :::::: ||||||
156 uSerTyrTyrGlyProGlnIleAspSerHisAspPheValLeuArgMetA 173

488 ACAATGCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACCATG 537
     |||::||||||||||||::|||:::||| ||||||||
173 snLysAlaProThrGluGlyPheGluAlaAspValGlySerLysThrThr 189

538 ATTCGAGTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGA 587
     |||
190 HisHisPheValTyrProGluSer...................... 197

588 TTATTTTTTCAAGGAAGCGAATACTACTATTTGTGTTATTTGGGGACCTT 637
      |||:::||| :::
198 ......PheArgGluLeuAlaGlnGluValSerMetIleLeuValProP 212

638 TCCGCAATATGAGGAAAGATGGCAATGGCATCGTTTACAACATGTTGAAA 687
     ||:::|| ::: ::: :::
212 heLysThr.................ThrAspLeuGluTrpValIleSerAla 223

688 AAGACAGTTGGT..............ATCTATCCGAATGCCCCAAAT 719

CC   PROTEOLYTIC PROCESSING.
CC -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC ---
CC ---
DR   EMBL; X73523; CAA51919.1; -.
DR   MGD; MGI:98304; Siat4a.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN   1   4   CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM   5   25   SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT   (POTENTIAL).
FT   DOMAIN   26   337   LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD   76   76   N-LINKED (GLCNAC. . .) (POTENTIAL).
FT   CARBOHYD   109   109   N-LINKED (GLCNAC. . .) (POTENTIAL).
FT   CARBOHYD   320   320   N-LINKED (GLCNAC. . .) (POTENTIAL).
SQ   SEQUENCE   337 AA; 39073 MW; CB54929D1EC047D1 CRC64;

alignment_scores:
          Quality: 131.00   Length: 228
            Ratio: 1.394   Gaps: 8
Percent Similarity: 41.228   Percent Identity: 41.228

alignment_block:
US-09-714-936-218 x CAG4_MOUSE

Align seg 1/1 to: CAG4_MOUSE from: 1 to: 337

  178 CTGAAGAGAAAGTCTGTGATTGCTGCTGTGAGCTTCATAGCAGCGTTCCTTTT 227
      ::::::||||||:::||||||:::::||::::   :::::||::: |||:||||
    1 MetArgArgLysThrLeuLysTyrLeuThrPhePheLeuLeuPheIlePh 17

  228 CCTGCTGGTTGTGCGCTCTGTAAATGAAGTGAATTCCCATTGCTACTAA 277
      ||| :::::||| ||| :
   17 eLeu..............ThrSerPheValLeuAsnTyrS 26

  278 ACTGCTTTGGACAACCTGGTACAAAGTGGATACCA............. 312
      ||| |||:::|||
   26 erAsnThrGlyValPro...SerAlaTrpPheProLysGlnMetLeuLeu 41

  313 ...TTCTCCTACACATACAGGCGGCCCCCTTCGAACTCAC......... 348
      :::|| ||||||| |||
   42 GluLeuSerGluAsnPheArgArgPheIleLysSerGlnProCysThrCy 58

  349 ....TATGGATAC........A 358
                            ||| ::
   58 sArgHisCysIleSerGlnAspLysAspLysSerTyrTrpPheAspGlnArgP 75

  359 TAAATGTGAAGACAACAAGAGCCCTTTG.................. 384
      ::||| |||||||:::|:|||||
   75 heAsn...LysThrMetGlnProLeuLeuThrValHisAsnAlaLeuMet 90

  384 384
   91 GluGluAspThrTyrArgTrpTrpLeuArgLeuGlnArgGluArgLysPr 107

  384 384
  107 oAsnAsnLeuSerAspThrValLysGluLeuPheArgLeuValProGlyA 124

  385 ...............CAACTGGACTGTGACCTTTGTGCC 408
                   ||| ||||||
  124 snValAspProMetLeuAsnLysArgLeuValGlyValGlyCysArgArgCysAla 140

  409 ATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGAT 458
      :::|||::|||||||||||:::::::   ::::::: ||| |||||
  141 ValValGlyAsnSerGlyAsnLeuLysAspSerSerTyrGlyProGluIl 157

  459 AGATCGATCCTCCTGCATTTGGAGATGAACAATGCCCCACCAAGGTT 508
      ||| :: |||||||:::||||||||| |||:
  157 eAspSerHisAspPheValLeuArgMetAsnLysAlaProThrValGlyP 174

  509 ATGAAGAAGATGCGGCCGCCATGACCATGATTCGAGTTGTGTCCCATACC 558
      ::||| ||||||||| ||| ::::|||
  174 heGluAlaAspValGlySerArgThrThrHisHisLeuValTyrProGlu 190

  559 AGCGTTCCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGAAGCGAA 608
      ||| ||:::||| ::
  191 Ser..............................PheArgGluLeuGl 196

  609 TACTACTATTTGTGTTATTTGGGGACCTTCCGC 642
      :::::: ::::: |||||:::
  196 yGluAsnValAsnMetValLeuValProPheLys 207

seq_name: SwissProt_40:CAGD_MOUSE

seq_documentation_block:
ID   CAGD_MOUSE   STANDARD;   PRT;   380 AA.
AC   Q64689;
DT   01-NOV-1997 (Rel. 35, Created)
DT   01-NOV-1997 (Rel. 35, Last sequence update)
DT   30-MAY-2000 (Rel. 39, Last annotation update)
DE   Alpha-2,8-sialyltransferase (EC 2.4.99.-) (ST8SIAIII).
GN   SIAT8C.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Brain;
RX   MEDLINE=95301555; PubMed=7782326;
RA   Yoshida Y., Kojima N., Kurosawa N., Hamamoto T., Tsuji S.;
RT   "Molecular cloning of Sia alpha 2,3Gal beta 1,4GlcNAc alpha
RT   2,8-sialyltransferase from mouse brain.";
RL   J. Biol. Chem. 270:14628-14633(1995).
CC -!- FUNCTION: MAY TRANSFER SIALIC ACID THROUGH ALPHA-2,8-LINKAGES
CC   TO ALPHA-2,3-LINKED AND ALPHA-2,8-LINKED SIALIC ACID OF N-LINKED
CC   OLIGOSACCHARIDES OF GLYCOPROTEINS AND GLYCOLIPIDS.
CC -!- PATHWAY: GLYCOSYLATION.
CC -!- SUBCELLULAR LOCATION: Type II membrane protein. Golgi (Potential).
CC -!- TISSUE SPECIFICITY: EXPRESSED IN BRAIN AND TESTES.
CC -!- DEVELOPMENTAL STAGE: EXPRESSED FIRST IN 20 POSTCOITUM FETAL BRAIN
CC   AND DECREASES THEREAFTER DURING DEVELOPMENT.
CC -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC ---
CC ---
DR   EMBL; X80502; CAA56665.1; -.
DR   MGD; MGI:106019; Siat8c.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN   1   17   CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM   18   33   SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT   (POTENTIAL).
FT   DOMAIN   34   380   LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD   93   93   N-LINKED (GLCNAC. . .) (POTENTIAL).
FT   CARBOHYD   113   113   N-LINKED (GLCNAC. . .) (POTENTIAL).
FT   CARBOHYD   206   206   N-LINKED (GLCNAC. . .) (POTENTIAL).

```
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Placenta;
RX   MEDLINE=94299495; PubMed=8027041;
RA   Kitagawa H., Paulson J.C.;
RT   "Differential expression of five sialyltransferase genes in human
RT   tissues.";
RL   J. Biol. Chem. 269:17872-17878(1994).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Submaxillary gland;
RX   MEDLINE=95383839; PubMed=7655169;
RA   Chang M.-L., Eddy R.L., Shows T.B., Lau J.T.Y.;
RT   "Three genes that encode human beta-galactoside alpha 2,3-
RT   sialyltransferases. Structural analysis and chromosomal mapping
RT   studies.";
RL   Glycobiology 5:319-325(1995).
CC   -!- FUNCTION: IT MAY BE RESPONSIBLE FOR THE SYNTHESIS OF THE SEQUENCE
CC       NEUAC-ALPHA-2,3-GAL-BETA-1,3-GALNAC- FOUND ON SUGAR CHAINS
CC       O-LINKED TO THR OR SER AND ALSO AS A TERMINAL SEQUENCE ON CERTAIN
CC       GANGLIOSIDES. SIAT4-A AND SIAT4-B SIALYLATE THE SAME ACCEPTOR
CC       SUBSTRATES BUT EXHIBIT DIFFERENT KM VALUES.
CC   -!- CATALYTIC ACTIVITY: CMP-N-acetylneuraminate + beta-D-galactosyl-
CC       1,3-N-acetyl-alpha-D-galactosaminyl-R = CMP + alpha-N-
CC       acetylneuraminyl-2,3-beta-D-galactosyl-1,3-N-acetyl-alpha-D-
CC       galactosaminyl-R.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN. MEMBRANE-BOUND
CC       FORM IN TRANS CISTERNAE OF GOLGI, SOLUBLE FORM IN BODY FLUIDS.
CC   -!- TISSUE SPECIFICITY: EXPRESSED IN SEVERAL TISSUES. HIGHEST
CC       EXPRESSION IN LUNG, LIVER, SKELETAL MUSCLE, KIDNEY, PANCREAS,
CC       SPLEEN AND PLACENTA.
CC   -!- PTM: THE SOLUBLE FORM DERIVES FROM THE MEMBRANE FORM BY
CC       PROTEOLYTIC PROCESSING.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   -------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   -------------------------------------------------------------------
DR   EMBL; L29555; AAA36612.1; -.
DR   EMBL; L13972; AAC37574.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN        1     13       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM     14     34       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT                                (POTENTIAL).
FT   DOMAIN       35    340       LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD     79     79       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    114    114       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    201    201       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    323    323       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CONFLICT     12     12       L -> V (IN REF. 2).
SQ   SEQUENCE    340 AA;   39075 MW;  A3E81D9C85446843 CRC64;
```

alignment_scores:
    Quality: 134.00   Length: 128
     Ratio: 1.914   Gaps: 3
Percent Similarity: 54.688   Percent Identity: 31.250

alignment_block:
US-09-714-936-218 x CAG4_HUMAN   ..

Align seg 1/1 to: CAG4_HUMAN from: 1 to: 340

```
376 GAGCCTTTGCAACTGGACTGTGACCTTTGTGCCAATAGTGTCAAACTCAGG  425
    |||   :::::|||   |||   ||||||:|||:::|||:::||||||||
133 GluLysArgSerValGlyCysArgArgCysAlaValValGlyAsnSerGl  149

426 TCAGATGGTTGGCCAGAAGGTGGGAAATGACGATAGATCGATCCTCCTGCA  475
    |:::::|||     :::::::||  |||   ||||||||    :::   ::
149 yAsnLeuArgGluSerTyrGlyProGluIleAspSerHisAspPheV  166

476 TTTGGAGAATGAACAATGCCCCACCCAAAGGTTATGAAGAAGATGTCGGC  525
    ||  ||||||||:::|||||||||   |||::|||   ||||||||
166 aLeuArgMetAsnLysAlaProThrAlaGlyPheGluAlaAspValGly  182

526 CGCATGACCATGATTCGAGTTGTGTCCCATACCAGCGTTCCTCTCTTTTGCT  575
    |||                                         |||
183 ThrLysThrThrHisHisLeuValTyrProGluSer............  194

576 AAAAAACCCTGATTATTTTTTCAAGGAAGCGAATACTACTATTGTGTTA  625
    ||:::|||            :::   ||||||::   :::|
195 ................PheArgGluLeuGlyAspAsnValSerMetI  205

626 TTTGGGGACCTTCCGCAATATGAGGAAAGATGGCAATGGCATCGTTTAC  675
    ||  ||||||:::::::||            |||   :::|||
205 leLeuValProPheLysThrIle......AspLeuGluTrpValValSer  219

676 AACACATGTTGAAAAAGACAGTTGGT........ATCTATCCGAATGCCCA  716
    |||   ::                       :::
220 AlaIleThrThrGlyThrIleSerHisThrTyrIleProValProAlaLy  236

717 AATATACGTGACCCAGAGAAGCCGCATGAGTTAC  750
    :|||    |||             ::|||   |||
236 sIleArgValLysGlnAspLysSerLeuIleuIleTyr  247
```

seq_name: SwissProt_40:CAG4_MOUSE

```
seq_documentation_block:
ID   CAG4_MOUSE     STANDARD;       PRT;   337 AA.
AC   P54751; Q11202;
DT   01-OCT-1996 (Rel. 34, Created)
DT   01-OCT-1996 (Rel. 34, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   CMP-N-acetylneuraminate-beta-galactosamide-alpha-2,3-sialyltransferase
DE   (EC 2.4.99.4) (Beta-galactoside alpha-2,3-sialyltransferase) (Alpha
DE   2,3-ST) (GAL-NAC6S) (GAL-beta-1,3-GALNAC-alpha-2,3-sialyltransferase)
DE   (ST3GALIA) (ST3O) (ST3GALA.1) (SIAT4-A).
GN   SIAT4A OR SIAT4.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Brain;
RX   MEDLINE=93387288; PubMed=8375377;
RA   Lee Y.-C., Kurosawa N., Hamamoto T., Nakaoka T., Tsuji S.;
RT   "Molecular cloning and expression of Gal beta 1,3GalNAc alpha 2,3-
RT   sialyltransferase from mouse brain.";
RL   Eur. J. Biochem. 216:377-385(1993).
CC   -!- FUNCTION: IT MAY BE RESPONSIBLE FOR THE SYNTHESIS OF THE SEQUENCE
CC       NEUAC-ALPHA-2,3-GAL-BETA-1,3-GALNAC- FOUND ON SUGAR CHAINS
CC       O-LINKED TO THR OR SER AND ALSO AS A TERMINAL SEQUENCE ON CERTAIN
CC       GANGLIOSIDES. SIAT4-A AND SIAT4-B SIALYLATE THE SAME ACCEPTOR
CC       SUBSTRATES BUT EXHIBIT DIFFERENT KM VALUES.
CC   -!- CATALYTIC ACTIVITY: CMP-N-acetylneuraminate + beta-D-galactosyl-
CC       1,3-N-acetyl-alpha-D-galactosaminyl-R = CMP + alpha-N-
CC       acetylneuraminyl-1,3-beta-D-galactosyl-1,3-N-acetyl-alpha-D-
CC       galactosaminyl-R.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN. MEMBRANE-BOUND
CC       FORM IN TRANS CISTERNAE OF GOLGI, SOLUBLE FORM IN BODY FLUIDS.
CC   -!- TISSUE SPECIFICITY: HIGHLY EXPRESSED IN SUBMAXILLARY GLAND AND
CC       TO A MUCH LESSER EXTENT IN LIVER, LUNG, KIDNEY, HEART AND BRAIN.
CC   -!- PTM: THE SOLUBLE FORM DERIVES FROM THE MEMBRANE FORM BY
```

Left column:

```
,
                Quality:  135.50              Length:      90
                Ratio:     2.464              Gaps:         4
Percent Similarity:  61.111       Percent Identity: 37.778

alignment_block:
US-09-714-936-218 x CAGB_MOUSE   ..
Align seg 1/1  to: CAGB_MOUSE   from: 1  to: 350

  373 CAAGAGCCTTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTC  422
       :::::||||   |||    |||     |||||||::::||||::|||||
  144 ArgAspProGlnGln......CysArgArgCysAlaValValGlyAsnSe  158

  423 AGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCCGATCCTCCT  472
       ||||:::||   |||:::      |||::||:||:|||      :::
  158 rGlyAsnLeuArgGlySerGlyTyrGlyGlnGluValAspSerHisAsnP  175

  473 GCATTTGGAGAATGAACAATGCCCCACCAAAGGTTATGAAGAAGATGTC  522
       |||   ||||||||||:|||||||||   ||||||||:::|||||||||
  175 heIleMetArgMetAsnGlnAlaProThrValGlyPheGluLysAspVal  191

  523 GGCCGCATGACCATGATTCGAGTTGTCCCATACCAGCGTTCCTCTTTT  572
       |||   :|:::::   |||    |||:::::
  192 GlySer..........ArgThrHisHisPheMetTyrProGluSe  204

  573 GCTAAAAAACCCTGATTATTTTTCAAGGAAGCGAATACTACTATTTGTG  622
       |||||
  204 rAlaLysAsn............LeuProAlaAsnValSerPheValL  216

  623 TTATTTGGGGACCTTTCCGC  642
       :::::   ||||||:::
  216 euVal......ProPheLys  220

seq_name: SwissProt_40:CAGB_RAT

seq_documentation_block:
ID   CAGB_RAT       STANDARD;      PRT;      350 AA.
AC   Q11205;
DT   01-OCT-1996 (Rel. 34, Created)
DT   01-OCT-1996 (Rel. 34, Last sequence update)
DT   01-NOV-1997 (Rel. 35, Last annotation update)
DE   CMP-N-acetylneuraminate-beta-galactosamide-alpha-2,3-sialyltransferase
DE   (EC 2.4.99.-) (Beta-galactoside alpha-2,3-sialyltransferase) (Alpha
DE   2,3-ST) (GAL-NAC6S) (GAL-beta-1,3-GALNAC-alpha-2,3-sialyltransferase)
DE   (ST3GALA.2) (SIAT4-B).
GN   SIAT4B.
OS   Rattus norvegicus (Rat).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX   NCBI_TaxID=10116;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Brain;
RX   MEDLINE=94193584; PubMed=8144500;
RA   Lee Y.-C., Kojima N., Wada E., Kurosawa N., Nakaoka T., Hamamoto T.,
RA   Tsuji S.;
RT   "Cloning and expression of cDNA for a new type of Gal beta 1,3GalNAc
RT   alpha 2,3-sialyltransferase.";
RL   J. Biol. Chem. 269:10028-10033(1994).
CC   -!- FUNCTION: IT MAY BE RESPONSIBLE FOR THE SYNTHESIS OF THE SEQUENCE
CC       NEUAC-ALPHA-2,3-GAL-BETA-1,3-GALNAC- FOUND IN TERMINAL
CC       CARBOHYDRATE GROUPS OF CERTAIN GLYCOPROTEINS, OLIGOSACCHARIDES
CC       AND GLYCOLIPIDS. SIAT4-A AND SIAT4-B SIALYLATE THE SAME ACCEPTOR
CC       SUBSTRATES BUT EXHIBIT DIFFERENT KM VALUES.
CC   -!- CATALYTIC ACTIVITY: CMP-N-ACETYLNEURAMINATE + BETA-D-GALACTOSYL-
CC       1,3-N-ACETYL-ALPHA-D-GALACTOSAMINYL-R = CMP + ALPHA-N-
CC       ACETYLNEURAMINYL-2,3-BETA-D-GALACTOSYL-1,3-N-ACETYL-ALPHA-D-
CC       GALACTOSAMINYL-R.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN. MEMBRANE-BOUND
CC       FORM IN TRANS CISTERNAE OF GOLGI, SOLUBLE FORM IN BODY FLUIDS.
CC   -!- PTM: THE SOLUBLE FORM DERIVES FROM THE MEMBRANE FORM BY
CC       PROTEOLYTIC PROCESSING.
```

Right column:

```
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC
CC       This SWISS-PROT entry is copyright. It is produced through a collaboration
CC       between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC       the European Bioinformatics Institute.  There are no restrictions on its
CC       use by non-profit institutions as long as its content is in no way
CC       modified and this statement is not removed. Usage by and for commercial
CC       entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC       or send an email to license@isb-sib.ch).
CC
DR   EMBL; X76988; CAA54293.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN         1      6       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM       7     27       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT                                 (POTENTIAL).
FT   DOMAIN        28    350       LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD      92     92       N-LINKED (GLCNAC. . .) (POTENTIAL).
FT   CARBOHYD     211    211       N-LINKED (GLCNAC. . .) (POTENTIAL).
SQ   SEQUENCE     350 AA;    40166 MW;  87E6494FB02D0BE1 CRC64;

alignment_scores:
                Quality:  135.50              Length:      90
                Ratio:     2.464              Gaps:         4
Percent Similarity:  61.111       Percent Identity: 37.778

alignment_block:
US-09-714-936-218 x CAGB_RAT   ..
Align seg 1/1  to: CAGB_RAT   from: 1  to: 350

  373 CAAGAGCCTTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTC  422
       :::::||||   |||    |||     |||||||::::||||::|||||
  144 ArgAspProGlnGln......CysArgArgCysAlaValValGlyAsnSe  158

  423 AGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCCGATCCTCCT  472
       ||||:::||   |||:::      |||::||:||:|||      :::
  158 rGlyAsnLeuArgGlySerGlyTyrGlyGlnGluValAspSerHisAsnP  175

  473 GCATTTGGAGAATGAACAATGCCCCACCAAAGGTTATGAAGAAGATGTC  522
       |||   ||||||||||:|||||||||   ||||||||:::|||||||||
  175 heIleMetArgMetAsnGlnAlaProThrValGlyPheGluLysAspVal  191

  523 GGCCGCATGACCATGATTCGAGTTGTCCCATACCAGCGTTCCTCTTTT  572
       |||   :|:::::   |||    |||:::::
  192 GlySer..........ArgThrHisHisPheMetTyrProGluSe  204

  573 GCTAAAAAACCCTGATTATTTTTCAAGGAAGCGAATACTACTATTTGTG  622
       |||||
  204 rAlaLysAsn............LeuProAlaAsnValSerPheValL  216

  623 TTATTTGGGGACCTTTCCGC  642
       :::::   ||||||:::
  216 euVal......ProPheLys  220

seq_name: SwissProt_40:CAG4_HUMAN

seq_documentation_block:
ID   CAG4_HUMAN     STANDARD;      PRT;      340 AA.
AC   Q11201;
DT   01-OCT-1996 (Rel. 34, Created)
DT   01-OCT-1996 (Rel. 34, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   CMP-N-acetylneuraminate-beta-galactosamide-alpha-2,3-sialyltransferase
DE   (EC 2.4.99.4) (Beta-galactoside alpha-2,3-sialyltransferase) (Alpha
DE   2,3-ST) (Gal-NAC6S) (Gal-beta-1,3-GalNAc-alpha-2,3-sialyltransferase)
DE   (ST3GALIA) (ST3O) (ST3GALA.1) (SIAT4-A).
GN   SIAT4A OR SIAT4.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
```

```
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN. MEMBRANE-BOUND
CC       FORM IN TRANS CISTERNAE OF GOLGI, SOLUBLE FORM IN BODY FLUIDS.
CC   -!- DEVELOPMENTAL STAGE: EXPRESSED IN EARLY EMBRYONIC STAGES.
CC   -!- PTM: THE SOLUBLE FORM DERIVES FROM THE MEMBRANE FORM BY
CC       PROTEOLYTIC PROCESSING.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   ------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   ------------------------------------------------------------------
DR   EMBL; X80503; CA56666.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN          1     10       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM       11     28       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT                                  (POTENTIAL).
FT   DOMAIN         29    342       LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD       81     81       N-LINKED (GLCNAC...)  (POTENTIAL).
FT   CARBOHYD      116    116       N-LINKED (GLCNAC...)  (POTENTIAL).
FT   CARBOHYD      203    203       N-LINKED (GLCNAC...)  (POTENTIAL).
FT   CARBOHYD      229    229       N-LINKED (GLCNAC...)  (POTENTIAL).
FT   CARBOHYD      250    250       N-LINKED (GLCNAC...)  (POTENTIAL).
FT   CARBOHYD      306    306       N-LINKED (GLCNAC...)  (POTENTIAL).
FT   CARBOHYD      325    325       N-LINKED (GLCNAC...)  (POTENTIAL).
SQ   SEQUENCE   342 AA;  39540 MW;  59E657652F4FE949 CRC64;

alignment_scores:
        Quality:  136.00                 Length:     133
        Ratio:      1.863                Gaps:          4
Percent Similarity:  54.887      Percent Identity:  31.579

alignment_block:
US-09-714-936-218 x CAG4_CHICK   ..

Align seq 1/1  to: CAG4_CHICK   from: 1  to: 342

373 CAAGAGCCTTTGCAA..........CTGGACTGTGACCTTTGTGCCAT 410
    :::::!!!!!!!!!           :::::!!!          ::!!:!!!!!:!!!
130 ArgAspProLeuGlnGluArgGlyThrPheSerCysArgArgCysAlaVa 146

411 AGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAG 460
    :!!!::!!!!!!!!!!    ::::::  !!!::!!!!!::!!!
146 lValGlyAsnSerGlyAsnGlnSerGlnTyrGlyGlnAspIleA 163

461 ATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCCACCAAAGGTTAT 510
    :::   !!  !!!!!!!!!!::!!!!!!!  !!!!!
163 spSerHisAspPheValLeuArgMetAsnArgAlaProThrIleGlyTyr 179

511 GAAGAAGATGTCGGCCGCCGCCATGACCCATGATTCCGAGTTGTCTCCATACCAG 560
    !!!:!!!!!!!!!    !!! !!!    ::  !!
180 GluSerAspValGlySerLysThrThrHisHisPheValTyrProGluSe 196

561 CGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTTCAAGGAAGCGAATA 610
    ::::!!!!!!
196 r.................................TyrLysGluLeuAlaG 202

611 CTACTATTTGTGTTATTGGGGACCTTTCCGCAATATGAGGAAAGATGGC 660
    :::::  ::!!!  !!!!!::!:::::::::::
202 luAsnValSerMetIleValIleProPheLysThrLeu.....AspLeu 216

661 AATGGCATCGTTTACAACATGTTGAAAAAGACACAGTTGGT.........AT 701
    :::  !!!!!!    !!!!!!!!!!!  !!
217 ArgTrpIleValThrAlaLeuThrThrGlyThrIleAsnPheThrTyrVa 233
```

```
702 CTATCCGAATGCCAAATATACGTGACCACAGAGAAGCGCATGAGTAC 750
    :::!!!       !!! !!!          !!!!!!       ::: !!!
233 lProValProArgLysIleLysPheSerValArgLysGluLysValLeuIleLeuTyr 249

seq_name: SwissProt_40:CAGB_MOUSE

seq_documentation_block:
ID   CAGB_MOUSE     STANDARD;       PRT;     350 AA.
AC   Q11204;
DT   01-OCT-1996 (Rel. 34, Created)
DT   01-OCT-1996 (Rel. 34, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   CMP-N-acetylneuraminate-beta-galactosamide-alpha-2,3-sialyltransferase
DE   (EC 2.4.99.-) (Beta-galactoside alpha-2,3-sialyltransferase) (Alpha
DE   2,3-ST) (GAL-NAC6S) (GAL-beta-1,3-GALNAC-alpha-2,3-sialyltransferase)
DE   (ST3GALA.2) (SIAT4-B).
GN   SIAT4B OR SIAT5.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Brain;
RX   MEDLINE=94193584; PubMed=8144500;
RA   Lee Y.-C., Kojima N., Wada E., Kurosawa N., Nakaoka T., Hamamoto T.,
RA   Tsuji S.;
RT   "Cloning and expression of cDNA for a new type of Gal beta 1,3GalNAC
RT   alpha 2,3-sialyltransferase.";
RL   J. Biol. Chem. 269:10028-10033(1994)
CC   -!- FUNCTION: IT MAY BE RESPONSIBLE FOR THE SYNTHESIS OF THE SEQUENCE
CC       NEUAC-ALPHA-2,3-GAL-BETA-1,3-GALNAC- FOUND IN TERMINAL
CC       CARBOHYDRATE GROUPS OF CERTAIN GLYCOPROTEINS, OLIGOSACCHARIDES
CC       AND GLYCOLIPIDS. SIAT4-A AND SIAT4-B SIALYLATE THE SAME ACCEPTOR
CC       SUBSTRATES BUT EXHIBIT DIFFERENT KM VALUES.
CC   -!- CATALYTIC ACTIVITY: CMP-N-ACETYLNEURAMINATE + BETA-D-GALACTOSYL-
CC       1,3-N-ACETYL-ALPHA-D-GALACTOSAMINYL-R = CMP + ALPHA-N-
CC       ACETYLNEURAMINYL-2,3-BETA-D-GALACTOSYL-1,3-N-ACETYL-ALPHA-D-
CC       GALACTOSAMINYL-R.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN. MEMBRANE-BOUND
CC       FORM IN TRANS CISTERNAE OF GOLGI, SOLUBLE FORM IN BODY FLUIDS.
CC   -!- TISSUE SPECIFICITY: STRONGLY EXPRESSED IN BRAIN AND LIVER AND TO A
CC       LESSER EXTENT IN HEART AND KIDNEY. SCARCELY DETECTABLE IN LUNG,
CC       PANCREAS, SPLEEN AND SUBMAXILLARY GLAND.
CC   -!- PTM: THE SOLUBLE FORM DERIVES FROM THE MEMBRANE FORM BY
CC       PROTEOLYTIC PROCESSING.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   ------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   ------------------------------------------------------------------
DR   EMBL; X76989; CAA54294.1; -.
DR   MGD; MGI:99427; Siat5.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN          1      6       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM        7     27       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT                                  (POTENTIAL).
FT   DOMAIN         28    350       LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD       92     92       N-LINKED (GLCNAC...)  (POTENTIAL).
FT   CARBOHYD      211    211       N-LINKED (GLCNAC...)  (POTENTIAL).
SQ   SEQUENCE   350 AA;  40123 MW;  2801D28F34A03E4D CRC64;

alignment_scores:
```

GN   SIAT6.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Placenta;
RX   MEDLINE=93326146; PubMed=8333853;
RA   Kitagawa H., Paulson J.C.;
RT   "Cloning and expression of human Gal beta 1,3(4)GlcNAc alpha 2,3-
RT   sialyltransferase.";
RL   Biochem. Biophys. Res. Commun. 194:375-382(1993).
CC   -!- FUNCTION: CATALYZES THE FORMATION OF THE NEUAC-ALPHA-2,3-GAL-BETA-
CC   1,4-GLCAC-, NEUAC-ALPHA-2,3-GAL-BETA-1,3-GLCNAC- OR NEUAC-ALPHA-
CC   2,3-GAL-BETA-1,3-GALNAC- SEQUENCES FOUND IN TERMINAL CARBOHYDRATE
CC   GROUPS OF GLYCOPROTEINS AND GLYCOLIPIDS. THE HIGHEST ACTIVITY IS
CC   TOWARD GAL-BETA-1,3-GLCNAC AND THE LOWEST TOWARD GAL-BETA-1,3-
CC   GALNAC (BY SIMILARITY).
CC   -!- CATALYTIC ACTIVITY: CMP-N-acetylneuraminate + beta-D-galactosyl-
CC   1,4-N-acetyl-D-glucosaminyl-glycoprotein = CMP + alpha-N-
CC   acetylneuraminyl-2,3-beta-D-galactosyl-1,4-N-acetyl-D-
CC   glucosaminyl-glycoprotein.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN. MEMBRANE-BOUND
CC   FORM IN TRANS CISTERNAE OF GOLGI. SOLUBLE FORM IN BODY FLUIDS.
CC   -!- TISSUE SPECIFICITY: HIGHLY EXPRESSED IN ADULT SKELETAL MUSCLE AND
CC   IN ALL FETAL TISSUES EXAMINED AND TO A MUCH LESSER EXTENT IN
CC   PLACENTA, LUNG AND LIVER.
CC   -!- PTM: THE SOLUBLE FORM DERIVES FROM THE MEMBRANE FORM BY
CC   PROTEOLYTIC PROCESSING.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   --
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --
DR   EMBL; L23768; AAA35778.1; -.
DR   PIR; A45074; A45074.
DR   MIM; 606494; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Transmembrane; Signal-anchor;
KW   Golgi stack; Glycoprotein.
FT   DOMAIN   1   8   CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM   9   28   SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT   (POTENTIAL).
FT   DOMAIN   29   375   LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD   80   80   N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD   171   171   N-LINKED (GLCNAC...) (POTENTIAL).
SQ   SEQUENCE   375 AA;   42171 MW; C9B7B61AD580EC2E CRC64;

alignment_scores:
        Quality: 137.50   Length: 181
          Ratio: 1.511   Gaps: 4
Percent Similarity: 50.276   Percent Identity: 21.547

alignment_block:
US-09-714-936-218 x CAG6_HUMAN

Align seg 1/1 to: CAG6_HUMAN   from: 1 to: 375

283 TTTGGACAACCTGCTACAAAGTGGTACACATTCTCCTACACATACAGGCG 332
    ||:|:::::||||: :::::: ||:::::
102 PheSerLysProAlaProMetPheLeuAspAspSerPheArgLysTrpArg 118

333 GCCCCTTCGAACTCACTATGGATACATAAAGTCAAGACACAAGAGCCTT 382
    :::||||::|| |||||:::::||| |||::::

118 aArgIleArgGluPheValProProPheGlyIleLysGlyGlnAspAsnL 135
383 TG.. 384
    ||
135 euIleLysAlaIleLeuSerValThrLysGluTyrArgLeuThrProAla 151
385 .....CAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCA 428
          ::||| ||| |||||| ||||||:::|||:::|||
152 LeuAspSerLeuArgCysArgArgCysIleIleValGlyAsnGlyGlyVa 168
429 GATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCATTT 478
    :::|||||:||||||:::||||||||||||||||||| :: ::||||
168 lLeuAlaAsnLysSerLeuGlySerArgIleAspAspTyrAspIleValV 185
479 GGAGAATGAACAATGCCCCACCAAAGGTTATGAAGAGATGTCGGCCGC 528
    |||:::|||::|||||:::|||||||:|||||||||||||||||||||
185 aIArgLeuAsnSerAlaProValLysGlyPheGluLysAspValGlySer 201
529 ATGACCATGATTCGAGTTGTGTCCCATACCAGCCTTCCTCTTTGTGCTAAA 578
    ||| | :::||:::   ::: ::
202 LysThrThrLeuArgIle.........ThrTyrProGluGlyAlaMetGi 215
579 AAACCCTGATTATTTTTCAAGAAGCGAATACTACCATTTGTGTTATT. 627
    :::||:::   :: ::|||::::   :::::|||: :::
215 nArgProGlnTyrGluArgAspSerLeuPheValLeuAlaGlyPheL 232
628 .TGGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGGCATCGTTTAC 675
    || ||||| :: ::|||:::||| :: ::||||||::|||
232 ySTrpGlnAspPheLysTrpLeuLys......................... 240
676 AACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCAAATATACGT 725
    |||:: ||||||||:::||||||||:::
241 ....TyrIle 242
726 GACCACAGAGAGGCGCATGAGTTACTGTGATGAGTTTTAAG 768
    ||::: :::::|||:::||| :::|||||||||||:||
242 eVaITyrLysGluArgValSerAlaSerAspGlyPheTrpLys 256

seq_name: SwissProt_40:CAG4_CHICK

seq_documentation_block:
ID   CAG4_CHICK   STANDARD;   PRT;   342 AA.
AC   Q11200;
DT   01-OCT-1996 (Rel. 34, Created)
DT   01-OCT-1996 (Rel. 34, Last sequence update)
DT   01-NOV-1997 (Rel. 35, Last annotation update)
DE   CMP-N-acetylneuraminate-beta-galactosamide-alpha-2,3-sialyltransferase
DE   (EC 2.4.99.4) (Beta-galactoside alpha-2,3-sialyltransferase) (Alpha
DE   2,3-ST) (GAL-NAC6S) (GAL-beta-1,3-GALNAC-alpha-2,3-sialyltransferase)
DE   (ST3GALIA) (ST3O) (ST3GALA.1) (SIAT4-A).
GN   SIAT4A.
OS   Gallus gallus (Chicken).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC   Gallus.
OX   NCBI_TaxID=9031;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Embryonic brain;
RX   MEDLINE=95284008; PubMed=7766661;
RA   Kurosawa N., Hamamoto T., Inoue M., Tsuji S.;
RT   "Molecular cloning and expression of chick Gal beta 1,3GalNAc alpha
RT   2,3-sialyltransferase.";
RL   Biochim. Biophys. Acta 1244:216-222(1995).
CC   -!- FUNCTION: IT MAY BE RESPONSIBLE FOR THE SYNTHESIS OF THE SEQUENCE
CC   NEUAC-ALPHA-2,3-GAL-BETA-1,3-GALNAC- FOUND ON SUGAR CHAINS
CC   O-LINKED TO THR OR SER AND ALSO AS A TERMINAL SEQUENCE ON CERTAIN
CC   GANGLIOSIDES. SIAT4-A AND SIAT4-B SIALYLATE THE SAME ACCEPTOR
CC   SUBSTRATES BUT EXHIBIT DIFFERENT KM VALUES.
CC   -!- CATALYTIC ACTIVITY: CMP-N-acetylneuraminate + beta-D-galactosyl-
CC   1,3-N-acetyl-alpha-D-galactosaminyl-R = CMP + alpha-N-
CC   acetylneuraminyl-2,3-beta-D-galactosyl-1,3-N-acetyl-alpha-D-
CC   galactosaminyl-R.

```
  209 snGlyAlaProThrAsnPheGlnGlnAsnAspValGlySerLysThrThr 225

  538 ATTCGAGTTGTGTCCATACCAGCCGTTCCTCTTTGCTAAAAACCCTGA 587
      |||||||:::::::||                ||:::     ||:
  226 IleArgLeuMetAsnSerGln..........LeuValThrThrGluLeuTyr 238

  588 TTATTTTTCAAGGAAGCCGAATACTACT......ATTTGTGTTATTTGGG 631
      ||||||:|||:::::||           |||     ::|||:|||
  238 sArgPheLeuLysAspSerLeuTyrThrGluGlyIleLeuIleValTrpA 255

  632 GACCT 636
      |||
  255 spPro 256
```

seq_name: SwissProt_40:CAG6_MOUSE

```
seq_documentation_block:
ID  CAG6_MOUSE         STANDARD;          PRT;        374 AA.
AC  P97325;
DT  16-OCT-2001 (Rel. 40, Created)
DT  16-OCT-2001 (Rel. 40, Last sequence update)
DT  16-OCT-2001 (Rel. 40, Last annotation update)
DE  CMP-N-acetylneuraminate-beta-1,4-galactoside alpha-2,3-
DE  sialyltransferase (EC 2.4.99.6) (N-acetyllactosaminide alpha-2,3-
DE  sialyltransferase) (Gal beta-1,3(4) GlcNAc alpha-2,3
DE  sialyltransferase) (ST3N) (ST3GalII) (Sialyltransferase 6).
GN  SIAT6 OR SIAT3.
OS  Mus musculus (Mouse).
OC  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC  Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX  NCBI_TaxID=10090;
RN  [1]
RP  SEQUENCE FROM N.A.
RC  TISSUE=Brain, and Liver;
RX  MEDLINE=97328289; PubMed=9184827;
RA  Kono M., Ohyama Y., Lee Y.-C., Hamamoto T., Kojima N., Tsuji S.;
RT  "Mouse beta-galactoside alpha2,3-sialyltransferases: comparison of
RT  in vitro substrate specificities and tissue specific expression.";
RL  Glycobiology 7:469-479(1997).
CC  -!- FUNCTION: CATALYZES THE FORMATION OF THE NEUAC-ALPHA-2,3-GAL-BETA-
CC      1,4-GLCAC-, NEUAC-ALPHA-2,3-GAL-BETA-1,3-GLCNAC- OR NEUAC-ALPHA-
CC      2,3-GAL-BETA-1,3-GALNAC- SEQUENCES FOUND IN TERMINAL CARBOHYDRATE
CC      GROUPS OF GLYCOPROTEINS AND GLYCOLIPIDS. THE HIGHEST ACTIVITY IS
CC      TOWARD GAL-BETA-1,3-GLCNAC AND THE LOWEST TOWARD GAL-BETA-1,3-
CC      GALNAC.
CC  -!- CATALYTIC ACTIVITY: CMP-N-ACETYLNEURAMINATE + BETA-D-GALACTOSYL-
CC      1,3-N-ACETYL-D-GLUCOSAMINYL-GLYCOPROTEIN = CMP + ALPHA-N-
CC      ACETYLNEURAMINYL-2,3-BETA-D-GALACTOSYL-1,3-N-ACETYL-D-
CC      GLUCOSAMINYL-GLYCOPROTEIN.
CC  -!- PATHWAY: GLYCOSYLATION.
CC  -!- SUBCELLULAR LOCATION: Type II membrane protein.
CC  -!- TISSUE SPECIFICITY: FOUND IN ALL TISSUES TESTED. HIGH EXPRESSION
CC      FOUND IN BRAIN, LIVER, KIDNEY, COLON, HEART AND SPLEEN.
CC  -!- DEVELOPMENTAL STAGE: DEVELOPMENTAL REGULATION ONLY OCCURS IN
CC      LIVER, HEART, KIDNEY AND SPLEEN.
CC  -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC  --------------------------------------------------------------------
CC  This SWISS-PROT entry is copyright. It is produced through a collaboration
CC  between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC  the European Bioinformatics Institute. There are no restrictions on its
CC  use by non-profit institutions as long as its content is in no way
CC  modified and this statement is not removed. Usage by and for commercial
CC  entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC  or send an email to license@isb-sib.ch).
CC  --------------------------------------------------------------------
DR  EMBL; X84234; CAA59013.1; -.
DR  MGD; MGI:1316659; Siat6.
DR  InterPro; IPR001675; Siat6.
DR  Pfam; PF00777; Glyco_transf_29; 1.
KW  Transferase; Glycosyltransferase; Transmembrane; Signal-anchor;
KW  Golgi stack; Glycoprotein.
FT  DOMAIN       1      8       CYTOPLASMIC (POTENTIAL).
FT  TRANSMEM     9     28       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
```

```
alignment_scores:
                  Quality:   137.50          Length:      181
                    Ratio:     1.511           Gaps:        4
Percent Similarity:  50.276    Percent Identity:  21.547

alignment_block:
US-09-714-936-218 x CAG6_MOUSE

Align seg 1/1   to: CAG6_MOUSE   from: 1  to: 374

  283 TTTGGACAACCTGGTACAAAAGTGGATACCATTCTCCTACACATACAGGCG 332
      ||:||||::||:|           :::::        |||:::
  101 PheSerLysProAlaProMetPheLeuAspSerPheArgLysTrpAl 117

  333 GCCCCTTCGAACTCACTATGGATACATAAATGTGAAGACACAAGAGCCTT 382
                                   :::::|||:::
  117 aArgIleArgGluPheValProProPheGlyIleLysGlyGlnAspAsnL 134

  383 TG................................................ 384
      TG
  134 euIleLysAlaIleLeuSerValThrLysGluTyrArgLeuThrProAla 150

  385 ......CAACTGGACTGTGACCTTGTGCCATAGTGTCAAACTCAGGTCA 428
             ::|||  |||     |||   ||| |||||:::|||:::|||
  151 LeuAspSerLeuHisCysArgArgCysIleIleValGlyAsnGlyGlyVa 167

  429 GATGGTTGGCCAGAAGGTGGGAAATGAAATGAGTAGATAGATCGATCCTCCTGCATTT 478
      |||:||                ::::||||:||||:||||||||:|||
  167 lLeuAlaAsnLysSerLeuGlySerArgIleAspAspTyrAspIleValI 184

  479 GGAGAATGAACAATGCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGC 528
      |||:::|||:|||||||||||||||:|||:||||||||||
  184 leArgLeuAsnSerAlaProValLysGlyPheGluArgAspValGlySer 200

  529 ATGACCATGATTCGAGTTGTGTCCATACCAGCGTTCCTCTTTTGCTAAA 578
      |||     :::||||:::|||         |||:::||||
  201 LysThrThrLeuArgIle.........ThrTyrProGluGlyAlaMetGi 214

  579 AAACCCTGATTATTTTTCAAGGAAGCCGAATACTACTATTGTGTTATT. 627
      :::||||:  ::::::||||||  ::::::|||     |||||   ::||
  214 nArgProGluGlnTyrGluArgAspSerLeuPheValLeuAlaGlyPheL 231

  628 ..TGGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGGCATCGTTTAC 675
      |||        ||:|||                  |:|||:::
  231 ysTrpGlnAspPheLysTrpLeuLys........................ 239

  676 AACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGT 725
                                             |||::
  240 ................................................TyrIl 241

  726 GACCACAGAGAAGCCATGAGTGACTGTACTGTGATGGAGTTTTAAG 768
      :::   :::::|||:||||:|||   ||||||     |||||  ::|||
  241 eValTyrLysGluArgValSerAlaSerAspGlyPheTrpLys 255
```

seq_name: SwissProt_40:CAG6_HUMAN

```
seq_documentation_block:
ID  CAG6_HUMAN         STANDARD;          PRT;        375 AA.
AC  Q11203;
DT  01-OCT-1996 (Rel. 34, Created)
DT  01-OCT-1996 (Rel. 34, Last sequence update)
DT  01-MAR-2002 (Rel. 41, Last annotation update)
DE  CMP-N-acetylneuraminate-beta-1,4-galactoside alpha-2,3-
DE  sialyltransferase (EC 2.4.99.6) (N-acetyllactosaminide alpha-2,3-
DE  sialyltransferase) (Gal beta-1,3(4) GlcNAc alpha-2,3
DE  sialyltransferase) (ST3N) (ST3GalII) (Sialyltransferase 6).
```

```
     726 GACCACAGAGAGCCGCATGAGTTACTGTGATGGAGTTTTAAG 768
         ::::  ::::::|||:::||||:||            |||||  :::|||
     241 eValTyrLysGluArgValSerAlaSerAspGlyPheTrpLys 255

seq_name: SwissProt_40:CAG1_RAT

seq_documentation_block:
ID   CAG1_RAT        STANDARD;       PRT;       403 AA.
AC   P13721;
DT   01-JAN-1990 (Rel. 13, Created)
DT   01-JAN-1990 (Rel. 13, Last sequence update)
DT   30-MAY-2000 (Rel. 39, Last annotation update)
DE   CMP-N-acetylneuraminate-beta-galactosamide-alpha-2,6-sialyltransferase
DE   (EC 2.4.99.1) (Beta-galactoside alpha-2,6-sialyltransferase)
DE   (Alpha 2,6-ST) (Sialyltransferase 1) (ST6GAL1).
GN   SIAT1.
OS   Rattus norvegicus (Rat).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX   NCBI_TaxID=10116;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Liver;
RX   MEDLINE=88087067; PubMed=3121604;
RA   Weinstein J., Lee E.U., McEntee K., Lai P.-H., Paulson J.C.;
RT   "Primary structure of beta-galactoside alpha 2,6-sialyltransferase.
RT   Conversion of membrane-bound enzyme to soluble forms by cleavage of
RT   the NH2-terminal signal anchor.";
RL   J. Biol. Chem. 262:17735-17743(1987).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   STRAIN=Sprague-Dawley; TISSUE=Liver, and Kidney;
RX   MEDLINE=92369623; PubMed=1983783;
RA   Wang X., O'Hanlon T.P., Young R.F., Lau J.T.Y.;
RT   "Rat beta-galactoside alpha 2,6-sialyltransferase genomic
RT   organization: alternate promoters direct the synthesis of liver and
RT   kidney transcripts.";
RL   Glycobiology 1:25-31(1990).
RN   [3]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Liver, and Kidney;
RX   MEDLINE=92129335; PubMed=1733948;
RA   Wen D.X., Svensson E.C., Paulson J.C.;
RT   "Tissue-specific alternative splicing of the beta-galactoside alpha
RT   2,6-sialyltransferase gene.";
RL   J. Biol. Chem. 267:2512-2518(1992).
RN   [4]
RP   PARTIAL SEQUENCE FROM N.A. (RKA).
RC   STRAIN=Sprague-Dawley; TISSUE=kidney;
RX   MEDLINE=90008905; PubMed=2793863;
RA   O'Hanlon T.P., Lau K.M., Wang X., Lau J.T.Y.;
RT   "Tissue-specific expression of beta-galactoside alpha-2,6-
RT   sialyltransferase. Transcript heterogeneity predicts a divergent
RT   polypeptide.";
RL   J. Biol. Chem. 264:17389-17394(1989).
CC   -!- FUNCTION: TRANSFERS SIALIC ACID FROM THE DONOR OF SUBSTRATE CMP-
CC       SIALIC ACID TO GALACTOSE CONTAINING ACCEPTOR SUBSTRATES.
CC   -!- CATALYTIC ACTIVITY: CMP-N-acetylneuraminate + beta-D-galactosyl-
CC       1,4-acetyl-beta-D-glucosamine = CMP + alpha-N-acetylneuraminyl-
CC       2,6-beta-D-galactosyl-1,4-N-acetyl-beta-D-glucosamine.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN. MEMBRANE-BOUND
CC       FORM IN TRANS CISTERNAE OF GOLGI. SOLUBLE FORM IN BODY FLUIDS.
CC   -!- ALTERNATIVE PRODUCTS: 3 ISOFORMS; RLA (SHOWN HERE), RKA AND
CC       RKB; ARE PRODUCED BY ALTERNATIVE SPLICING.
CC   -!- TISSUE SPECIFICITY: STRONGLY EXPRESSED IN LIVER, SPLEEN, LUNG,
CC       KIDNEY AND SUBMAXILLARY GLAND AND WEAKLY IN HEART AND BRAIN.
CC   -!- PTM: THE SOLUBLE FORM DERIVES FROM THE MEMBRANE FORM BY
CC       PROTEOLYTIC PROCESSING.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   ----------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   ----------------------------------------------------------------------
DR   EMBL; M18769; AAA41196.1; -.
DR   EMBL; M73987; AAB06269.1; -.
DR   EMBL; M83143; AAB07233.1; -.
DR   PIR; A28451; A28451.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Glycosylation; Alternative splicing.
FT   DOMAIN        1      9       CYTOPLASMIC.
FT   TRANSMEM     10     26       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT                                (POTENTIAL).
FT   DOMAIN       27     403      LUMENAL, CATALYTIC (POTENTIAL).
FT   DOMAIN       63     403      CATALYTIC (SOLUBLE FORM).
FT   CARBOHYD    146     146      N-LINKED (GLCNAC...).
FT   CARBOHYD    158     158      N-LINKED (GLCNAC...).
FT   CARBOHYD    285     285      N-LINKED (GLCNAC...) (POTENTIAL).
FT   VARSPLIC      1     232      MIHTNLKKKFSLFIlVFLLFAVICVWKKGSDYEALTLQAKE
FT                                FQMPKSQEKVAMGSASQVVFSNSKQDPKEDIPILSYHRVTA
FT                                KVKPQSFQVWDKDSTYSKLNPRLLKIWRNYLNMNKYKVSY
FT                                KGPGPGVKFSVEALRCHLRDHVNVSMIEATDFPNTTEWEG
FT                                YLPKENFRTKVGPWQRCAVVSSAGSLKNSQLGREIDNHDAV
FT                                LRFNGAPTDNFQQDVGSKTTIRLMNSQ -> MRYLLFWYGL
FT                                PHSYSQCVCHWTPASGIFENEPLLSLLLLVLGK (IN
FT                                ISOFORM RKA).
FT   VARSPLIC      1     232      MIHTNLKKKFSLFIlVFLLFAVICVWKKGSDYEALTLQAKE
FT                                FQMPKSQEKVAMGSASQVVFSNSKQDPKEDIPILSYHRVTA
FT                                KVKPQSFQVWDKDSTYSKLNPRLLKIWRNYLNMNKYKVSY
FT                                KGPGPGVKFSVEALRCHLRDHVNVSMIEATDFPNTTEWEG
FT                                YLPKENFRTKVGPWQRCAVVSSAGSLKNSQLGREIDNHDAV
FT                                LRFNGAPTDNFQQDVGSKTTIRLMNSQ -> MRYLLFWYGL
FT                                PHS (IN ISOFORM RKB).
SQ   SEQUENCE   403 AA;   46732 MW;  F40D7EA6BE67EA9A CRC64;

alignment_scores:
         Quality:  138.50            Length:      135
         Ratio:      1.753           Gaps:          6
Percent Similarity:  58.519       Percent Identity:  28.148

alignment_block:
US-09-714-936-218 x CAG1_RAT

Align seq 1/1 to: CAG1_RAT  from: 1 to: 403   ..

     238 GTGCGTCTTGTAAATGAAGTGAATTTCCCATTGCTACTAAACTGCTTTGG 287
         |||:||||:||    :|||:|||||||||:|||:||||||:
     147 ValSerMetIleGluAlaThrAspPheProPhe................. 157

     288 ACAACCTGGTACAAAGTGGATACCATTCTCTACACATACAGGCGCGCCCC 337
         ||||:|||||||          :::|||
     158 ....AsnThrPheGluTrp.....GluGlyTyrLeuProLysGluAsnP 171

     338 TTCGAACTCACTATGGATACATAAATGTGAAGAGACACCAAGAGGCCTTGCAA 387
         :::||||    |||                    |||   |||
     171 heArgThrLysValGly................................ProTrpGln 179

     388 CTGGACTGTGACCTTTGTGCCATAGTGCCATGGTCAAACTCAGGTCAGATGGTTGG 437
                           |||:||||:||:|||||||:|||
     180 ..........ArgCysAlaValValSerSerAlaGlySerLeuLysAs 192

     438 CCAGAAGGTGGAAATGGAATAGAGATAGATCGATCATCCTCCGCATTGGAGAATGA 487
         ::::::::||||||||||||||:     :::::::|||       |||:::|
     192 nSerGlnLeuGlyArgGluIleAspAsnHisAspAlaValLeuArgPheA 209

     488 ACAATGCCCCACCAAAGGTTATGAAGAAGAAGATGTCGGCCGCCATGACCATG 537
         ||::::||||||||                 ::::::|||:|||||:||
```

```
          :::::::::::::||||||||          |||    ||||||::::::::
217 laAsnPheGlnGlnAspValGlyThrLysThrThrIleArgLeuMetAsn 233
          :::::::::::::||||||||          |||    ||||||::::::::
553 CATACCAGCGCGTTCCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602

234 SerGln.........LeuValThrGluLysArgPheLeuLysAs 246
          ||||                   ::    |||::|||::
603 AGCG.....AATACTACTATTTGTGTTATTTGGGGACCT...... 636

246 pSerLeuTyrAsnGluGlyIleLeuIleValTrpAspProSerValTyrH 263
          |||                ||||||||||||||||||||
637 ...............TTCCGCAATATGAGGAAGATGCAATGGC 666

263 lsSerAspIleProLysTrpTyrGlnAsn......ProAspTyrAsn... 276
          ::::::|||                   :::::::
667 ATCGTTTACAACATGTTGAAAAAGACAGTGGTATCTATCCGAATGCCCA 716

277 ...PhePheAsnAsnTyrLysThrTyrArgLysLeuHisProAsnGlnPr 292
          ::|||         |||               :::|||||||||
717 AATATACGTG 726

292 oPheTyrIle 295
          :::|||::
```

seq_name: SwissProt_40:CAG6_RAT

seq_documentation_block:

```
ID   CAG6_RAT       STANDARD;      PRT;     374 AA.
AC   Q02734;
DT   01-FEB-1994 (Rel. 28, Created)
DT   01-FEB-1994 (Rel. 28, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   CMP-N-acetylneuraminate-beta-1,4-galactoside alpha-2,3-
DE   sialyltransferase (EC 2.4.99.6) (N-acetyllactosaminide alpha-2,3-
DE   sialyltransferase) (Gal beta-1,3(4) GlcNAc alpha-2,3
DE   sialyltransferase) (ST3N) (ST3GalII) (Sialyltransferase 6).
DE   SIAT6.
GN   Rattus norvegicus (Rat),
OS   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX   NCBI_TaxID=10116;
RN   [1]
RP   SEQUENCE FROM N.A., AND PARTIAL SEQUENCE.
RC   TISSUE=Liver;
RX   MEDLINE=93016017; PubMed=1400416;
RA   Wen D.X., Livingston B.D., Medzihradszky K.F., Kelm S.,
RA   Burlingame A.L., Paulson J.C.;
RT   "Primary structure of Gal beta 1,3(4)GlcNAc alpha
RT   2,3-sialyltransferase determined by mass spectrometry sequence
RT   analysis and molecular cloning. Evidence for a protein motif in the
RT   sialyltransferase gene family.";
RL   J. Biol. Chem. 267:21011-21019(1992).
CC   -!- FUNCTION: CATALYZES THE FORMATION OF THE NEUAC-ALPHA-2,3-GAL-BETA-
CC       1,4-GLCAC-, NEUAC-ALPHA-2,3-GAL-BETA-1,3-GLCNAC- OR NEUAC-ALPHA-
CC       2,3-GAL-BETA-1,3-GALNAC- SEQUENCES FOUND IN TERMINAL CARBOHYDRATE
CC       GROUPS OF GLYCOPROTEINS AND GLYCOLIPIDS. THE HIGHEST ACTIVITY IS
CC       TOWARD GAL-BETA-1,3-GLCNAC AND THE LOWEST TOWARD GAL-BETA-1,3-
CC       GALNAC (BY SIMILARITY).
CC   -!- CATALYTIC ACTIVITY: CMP-N-acetylneuraminate + beta-D-galactosyl-
CC       1,4-N-acetyl-D-glucosaminyl-glycoprotein = CMP + alpha-N-
CC       acetylneuraminyl-2,3-beta-D-galactosyl-1,4-N-acetyl-D-
CC       glucosaminyl-glycoprotein.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN. MEMBRANE-BOUND
CC       FORM IN TRANS CISTERNAE OF GOLGI. SOLUBLE FORM IN BODY FLUIDS.
CC   -!- TISSUE SPECIFICITY: FOUND IN ALL TISSUES TESTED. HIGH EXPRESSION
CC       FOUND IN BRAIN, LIVER, KIDNEY, COLON, HEART AND LUNG.
CC   -!- PTM: THE SOLUBLE FORM DERIVES FROM THE MEMBRANE FORM BY
CC       PROTEOLYTIC PROCESSING.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
```

```
DR   EMBL; M97754; AAA42146.1; -.
DR   PIR; A45074; A45074.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Transmembrane; Signal-anchor;
KW   Golgi stack; Glycoprotein.
FT   CHAIN        48    374       CMP-N-ACETYLNEURAMINATE-BETA-1,4-
FT                                GALACTOSIDE ALPHA-2,3-SIALYLTRANSFERASE
FT                                SOLUBLE FORM.
FT   DOMAIN        1      8       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM      9     28       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT                                (POTENTIAL).
FT   DOMAIN       29    374       LUMENAL, CATALYTIC (POTENTIAL).
FT   SITE         46     47       CLEAVAGE (FOUND IN SOME CHAINS).
FT   CARBOHYD     79     79       N-LINKED (GLCNAC...)  (POTENTIAL).
FT   CARBOHYD    170    170       N-LINKED (GLCNAC...)  (POTENTIAL).
SQ   SEQUENCE    374 AA;  42082 MW;  16BAD1459630224C CRC64;
```

alignment_scores:

```
            Quality:   138.50            Length:     181
              Ratio:     1.522             Gaps:       4
Percent Similarity:    50.276  Percent Identity:  21.547
```

alignment_block:
US-09-714-936-218 x CAG6_RAT

Align seg 1/1 to: CAG6_RAT   from: 1   to: 374

```
283 TTTGGACAACCTGGTACAAAGTGGTACACCATTCTCCTACACATACAGGCG 332
        |||||:||||||    ::::::    |||::     |||:::
101 PheSerLysProAlaProMetPheLeuAspSerPheArgLysTrpAla 117

333 GCCCCTTCGAACTCACTATGGATACATAAATGTGAAGACACAAGAGCCTT 382
        ::|||    |||     |||              ::::::|||    |||:::    |
117 aArgIleArgGluPheValProProPheGlyIleTyrLeuLysGlnAspAsnL 134

383 TG 384
    ||
134 euIleLysAlaIleLeuSerValThrLysGluTyrArgLeuThrProAla 150

385 ....CAACTGGACGTGGACCTTGTGCCATAGTGTCAAACTCAGGTCA 428
          ::::||    |||     |||     |||::|||::::::|||
151 LeuAspSerLeuHisCysArgArgCysIleIleValGlyAsnGlyGlyVa 167

429 GATGGTTGGCCAGAAGGTGGGAAATGAGAGATGAGATCGATCCTCCTGCATTT 478
        |||||      :::||||:::|||||      |||      ::: ::|||||
167 lLeuAlaAsnLysSerLeuGlySerArgIleAspAspTyrAspIleValI 184

479 GGAGAATGAACAATGCCCCACCAAAGGTATGAGAAGAGATGTCGGCCGC 528
        ||::|||:::::|||||||    |||    ::::||||||::|||||||
184 leArgLeuAsnSerAlaProValLysGlyPheGluLysAspValGlySer 200

529 ATGACCATGATTCGAGTTGTGTCCATACCAGCGTTCCTCTTTTGCTAAA 578
        |||    :::||||:::    ||||     :::|||          |||  ::::
201 LysThrThrLeuArgIle........ThrTyrProGluGlyAlaMetGl 214

579 AAACCCTGATTATTTTTCAAGAAGCAATACTACTATTTGTGTTATT. 627
        :::::|||:     ::      :::|||        :::|||   |||::
214 nArgProGlnTyrGluArgAspSerLeuPheValLeuAlaGlyPheL 231

628 .TGGGGACCTTTCGCAATATGAGGAAGATGCAATGGCATCGTTTAC 675
         |||     :::|||         |||         ::::    :::|||||
231 ysTrpGlnAspPheLysTrpLeuLys............. 239

676 AACATGTTGAAAAAGACACAGTGGTATCTATCCGAATGCCCAAATATACGT 725
        |||::|||              :::|||     |||      :::|||::
240 .......TyrIle.............................. 241
```

Align seg 1/1 to: CAG1_MOUSE   from: 1 to: 403

```
352 GGATACATAAATGTGAAGACACAGAGCCTTGCAACTGGACTGTGACCT 401
        ||||||      ::||||     :: ||         |||
164 GlyTyrLeuProLysGluThrPheArgThrLysAlaGlyProCysThrLy 180

402 TTGTCCCATAGTCGTCAAACTCAGGTCAGCATGGTTGGCCAGAAGGTGGGAA 451
        ||||||:||||||:|||||    : ::::::::|||: :::::::::|||:
180 sCysAlaValSerSerAlaGlySerLeuLysAsnSerGlnLeuGlyA 197

452 ATGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCACC 501
        ::||||||||||::    ::::::::      |||:|||:::||||||||
197 rgGluIleAspAsnHisAspAlaValLeuArgPheAsnGlyAlaProThr 213

502 AAAGGTTATGAAGAAGATGTCGGCCGCATGACCACCATGATTCGAGTTGTGTC 551
        :::::::||||||||||||||      ||| ||||||  :::||::
214 AspAsnPheGlnGlnAspValGlyThrLysThrThrIleArgLeuValAs 230

552 C...........................................  552
        :
230 nSerGlnLeuValThrThrGluValThrLysArgPheLeuLysAspSerLeuTyrT 247

553 ......................................CATACCAGCGTT 564
                                              ||:::::::::
247 hrGluGlyIleLeuLeuIleLeuTrpAspProSerValTyrHisAlaAspIle 263

565 CCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGAA 603
        ||||            |||||||||||     |||
264 ProGlnTrpTyrGlnLysProAspTyrAsnPhePheGlu 276
```

seq_name: SwissProt_40:CAG1_HUMAN

seq_documentation_block:
```
ID   CAG1_HUMAN      STANDARD;       PRT;     406 AA.
AC   P15907;
DT   01-APR-1990 (Rel. 14, Created)
DT   01-APR-1990 (Rel. 14, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   CMP-N-acetylneuraminate-beta-galactosamide-alpha-2,6-sialyltransferase
DE   (EC 2.4.99.1) (Beta-galactoside alpha-2,6-sialyltransferase)
DE   (Alpha 2,6-ST) (Sialyltransferase 1) (B-cell antigen CD75) (ST6GALI).
GN   SIAT1.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Placenta;
RX   MEDLINE=90175005; PubMed=2408023;
RA   Grundmann U.G., Nerlich C., Rein T., Zettlmeissl G.;
RT   "Complete cDNA sequence encoding human beta-galactoside alpha-2,6-
RT   sialyltransferase.";
RL   Nucleic Acids Res. 18:667-667(1990).
RN   [2]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=90324884; PubMed=2373995;
RA   Stamenkovic I., Asheim H.C., Deggerdal A., Blomhoff H.K.,
RA   Smeland E.B., Funderud S.;
RT   "The B cell antigen CD75 is a cell surface sialyltransferase.";
RL   J. Exp. Med. 172:641-643(1990).
RN   [3]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Spleen;
RX   MEDLINE=92112983; PubMed=1730763;
RA   Bast B.J.E.G., Zhou L.J., Freeman G.J., Colley K.J., Ernst T.J.,
RA   Munro J.M., Tedder T.F.;
RT   "The HB-6, CDw75, and CD76 differentiation antigens are unique cell-
RT   surface carbohydrate determinants generated by the beta-galactoside
RT   alpha 2,6-sialyltransferase.";
RL   J. Cell Biol. 116:423-435(1992).
RN   [4]
```

RP   SEQUENCE OF 74-406 FROM N.A.
RX   MEDLINE=90026381; PubMed=2803295;
RA   Lance P., Lau K.M., Lau J.T.Y.;
RT   "Isolation and characterization of a partial cDNA for a human
RT   sialyltransferase.";
RL   Biochem. Biophys. Res. Commun. 164:225-232(1989).
```
CC   -!- FUNCTION: TRANSFERS SIALIC ACID FROM THE DONOR OF SUBSTRATE CMP-
CC       SIALIC ACID TO GALACTOSE CONTAINING ACCEPTOR SUBSTRATES.
CC   -!- CATALYTIC ACTIVITY: CMP-N-acetylneuraminate + beta-D-galactosyl-
CC       1,4-acetyl-beta-D-glucosamine = CMP + alpha-N-acetylneuraminyl-
CC       2,6-beta-D-galactosyl-1,4-N-acetyl-beta-D-glucosamine.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN. MEMBRANE-BOUND
CC       FORM IN TRANS CISTERNAE OF GOLGI. SOLUBLE FORM IN BODY FLUIDS.
CC   -!- PTM: THE SOLUBLE FORM DERIVES FROM THE MEMBRANE FORM BY
CC       PROTEOLYTIC PROCESSING.
CC   -!- PTM: THE HB-6, CDW75, AND CD76 DIFFERENTIATION ANTIGENS ARE CELL-
CC       SURFACE CARBOHYDRATE DETERMINANTS GENERATED BY THIS ENZYME.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   --------------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute.  There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --------------------------------------------------------------------------
DR   EMBL; X17247; CAA35111.1; -.
DR   EMBL; X54363; CAA38246.1; -.
DR   EMBL; X62822; CAA44634.1; -.
DR   EMBL; A17362; CAA01327.1; -.
DR   PIR; A33424; A33424.
DR   PIR; JH0286; JH0286.
DR   PIR; S14913; S14913.
DR   PIR; S18127; S18127.
DR   PIR; A41734; A41734.
DR   MIM; 109675; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN        1      9       CYTOPLASMIC.
FT   TRANSMEM     10     26       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT                                (POTENTIAL).
FT   DOMAIN       27    406       LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD    149    149       N-LINKED (GLCNAC. .) (POTENTIAL).
FT   CARBOHYD    161    161       N-LINKED (GLCNAC. .) (POTENTIAL).
FT   CONFLICT     27     27       K -> L (IN REF. 2).
FT   CONFLICT     72     73       HR -> T (IN REF. 2).
FT   CONFLICT    144    144       L -> P (IN REF. 2).
SQ   SEQUENCE   406 AA;  46604 MW;  AC1E24A3875CF00F CRC64;
```

```
alignment_scores:
        Quality:   142.00              Length:  120
        Ratio:       2.000               Gaps:    5
Percent Similarity:  59.167      Percent Identity: 29.167
```

alignment_block:
US-09-714-936-218 x CAG1_HUMAN ..

Align seg 1/1 to: CAG1_HUMAN   from: 1 to: 406

```
403 TGTGCCATAGTGTCAAACTCAGGTCAGCATGGTTGGCCAGAAGGTGGGAAA 452
        ||||||||||||||||||||||||||||||:::::: ::::::::||||
184 CysAlaValSerSerAlaGlySerLeuLysSerGlnLeuGlySerGlnLeuGlyAr 200

453 TGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCACCA 502
        :||||||||      :::::::::       ||||:|||::||||||||
200 gGluIleAspAsnHisAspAlaValLeuArgPheAsnGlyAlaProThrA 217

503 AAGGTTATGAAGAAGATGTCGGCCGCATGACCATCGATTCGAGTTGTGTCC 552
```

```
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   -------------------------------------------------------------------------
DR   EMBL; X75558; CAA53235.1; -.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN        1      9       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM     10     26       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT                                (POTENTIAL).
FT   DOMAIN       27    413       LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD    129    129       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    155    155       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    167    167       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    181    181       N-LINKED (GLCNAC...) (POTENTIAL).
SQ   SEQUENCE    413 AA;  47392 MW;  19BBCCD361ED137D CRC64;

alignment_scores:
        Quality:  163.00         Length:     177
        Ratio:      1.918        Gaps:         4
Percent Similarity:  48.023      Percent Identity:  26.554

alignment_block:
US-09-714-936-218 x CAG1_CHICK

Align seg 1/1  to: CAG1_CHICK   from: 1  to: 413

343 ACTCACTATGGATACATAAATGTGAAGACACAAGAGCCTTGCAACTGGA 392
    :|||  |||::||    :|:||::  ::|||  ||||||  ||||||
131 ThrTyrAsnGlyLysMetAsnAlaAlaAlaLysLeuSerProGluGlnLeuLeu 147

393 CTGTGACCTT                                           402
    ||| |||
147 uCysArgLeuArgAspArgValAsnValThrMetIleArgGlySerAspG 164

402 ..................................................   402

164 lyProPheAsnSerSerGluTrpGlnHisTyrLeuProAspLysSerLeu 180

403 ..................TGTGCCATAGTGTCAAACTCAGG 425
                      ||||:|||:||||||:|:||||  ||
181 AsnGluThrValGlyArgLeuGlyArgCysAlaValValSerSerAlaGl 197

426 TCAGATGGTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCA 475
    |:|::::|  :::::::  :::||| ||||||||          :::::::
197 ySerLeuLysSerSerHisLeuGlyProGluIleAspSerHisAspAlaV 214

476 TTTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGAAGATGTCGGC 525
    :||::||:|||:||||||||||||||:::||||||||||||||||
214 alLeuArgPheAsnGlyAlaProValLysGlyPheGlnGluAspValGly 230

526 CGCATGACCATGATTCGAGTTGTCTCCCATACCAGCGTTCCTCTTTTGCT 575
    :|| ||| |||||::::|:|||::|:             :|||:|
231 GlnLysThrThrIleArgLeuValAlaSerHis........GlnLeuValTh 244

576 AAAAAACCCTGATTATTTTTCAAGGAAGCG.....AATACTACTATTT 619
    ::: ||| ||::|||:||:|||      |||:|||
244 rValGluGluGlnGlnPheLeuLysAspAlaLeuTyrAsnThrGlyIleL 261

620 GTGTTATTTGGGGACCTTT.CCGCAAATATGAGGAAAGATGGCAATGG... 665
    ::::|||  ||| ||| |||  ::::||        |:|||
261 euIleValTrpAspProAlaProTyrHisAlaGluIleHisGluTrpTyr 277

666 ...........................................CATCGTTTACA 676
                                              :::||||||
278 ArgLysProAspTyrLysPhePheGluAlaTyrLysSerTyrArgIleAr 294
```

```
677 ACATGTTGAAAAGACAGTTGGTATCTATCC 707
    :::||  |||::  :||     |||  |||:
294 gHisProGlnProPheTyrIleLeuAsn 304

seq_name: SwissProt_40:CAG1_MOUSE

seq_documentation_block:
ID   CAG1_MOUSE   STANDARD;      PRT;   403 AA.
AC   Q64685;
DT   01-NOV-1997 (Rel. 35, Created)
DT   01-NOV-1997 (Rel. 35, Last sequence update)
DT   01-NOV-1997 (Rel. 35, Last annotation update)
DE   CMP-N-acetylneuraminate-beta-galactosamide-alpha-2,6-sialyltransferase
DE   (EC 2.4.99.1) (Beta-galactoside alpha-2,6-sialyltransferase)
DE   (Alpha 2,6-ST) (Sialyltransferase 1) (ST6GALI).
GN   SIAT1.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Liver, and Brain;
RX   MEDLINE=94363344; PubMed=8081843;
RA   Hamamoto T., Kawasaki M., Kurosawa N., Nakaoka T., Lee Y.-C.,
RA   Tsuji S.;
RT   "Two step single primer mediated polymerase chain reaction.
RT   Application to cloning of putative mouse, beta-galactoside alpha 2,6-
RT   sialyltransferase cDNA.";
RL   Bioorg. Med. Chem. 1:141-145(1993).
CC   -!- FUNCTION: TRANSFERS SIALIC ACID FROM THE DONOR OF SUBSTRATE CMP-
CC       SIALIC ACID TO GALACTOSE CONTAINING ACCEPTOR SUBSTRATES.
CC   -!- CATALYTIC ACTIVITY: CMP-N-acetylneuraminate + beta-D-galactosyl-
CC       1,4-acetyl-beta-D-glucosamine = CMP + alpha-N-acetylneuraminyl-
CC       2,6-beta-D-galactosyl-1,4-N-acetyl-beta-D-glucosamine.
CC   -!- PATHWAY: GLYCOSYLATION.
CC   -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN. MEMBRANE-BOUND
CC       FORM IN TRANS CISTERNAE OF GOLGI, SOLUBLE FORM IN BODY FLUIDS.
CC   -!- PTM: THE SOLUBLE FORM DERIVES FROM THE MEMBRANE FORM BY
CC       PROTEOLYTIC PROCESSING.
CC   -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC   -------------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   -------------------------------------------------------------------------
DR   EMBL; D16106; BAA03680.1; -.
DR   MGD; MGI:108470; Siat1.
DR   InterPro; IPR001675; Glyco_transf_29.
DR   Pfam; PF00777; Glyco_transf_29; 1.
KW   Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW   Signal-anchor; Golgi stack.
FT   DOMAIN        1      9       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM     10     26       SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN)
FT                                (POTENTIAL).
FT   DOMAIN       27    403       LUMENAL, CATALYTIC (POTENTIAL).
FT   CARBOHYD    146    146       N-LINKED (GLCNAC...) (POTENTIAL).
FT   CARBOHYD    158    158       N-LINKED (GLCNAC...) (POTENTIAL).
SQ   SEQUENCE    403 AA;  46407 MW;  ECA8D0603A5A847B CRC64;

alignment_scores:
        Quality:  146.50         Length:     113
        Ratio:      2.363        Gaps:         1
Percent Similarity:  54.867      Percent Identity:  28.319

alignment_block:
US-09-714-936-218 x CAG1_MOUSE   ..
```

OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=SPRAGUE-DAWLEY; TISSUE=Brain;
RX MEDLINE=96205924; PubMed=8631773;
RA Sjoberg E.R., Kitagawa H., Glushka J., van Halbeek H., Paulson J.C.;
RT "Molecular cloning of a developmentally regulated
RT N-acetylgalactosamine alpha2,6-sialyltransferase specific for
RT sialylated glycoconjugates.";
RL J. Biol. Chem. 271:7450-7459(1996).
CC -!- CATALYTIC ACTIVITY: CMP-N-ACETYLNEURAMINATE + ALPHA-N-
CC   ACETYLNEURAMINYL-2,3-BETA-D-GALACTOSYL-1,3-(N-ACETYL-D-
CC   GALACTOSAMINYL)-GLYCOPROTEIN = CMP + ALPHA-N-ACETYLNEURAMINYL-
CC   2,3-BETA-D-GALACTOSYL-(2,6-ALPHA-N-ACETYLNEURAMINYL)-(N-ACETYL-D-
CC   GALACTOSAMINYL)-GLYCOPROTEIN.
CC -!- PATHWAY: GLYCOSYLATION.
CC -!- SUBCELLULAR LOCATION: Type II membrane protein. Golgi (Potential).
CC -!- TISSUE SPECIFICITY: HIGHLY EXPRESSED IN SPLEEN, NEWBORN BRAIN AND
CC   KIDNEY AND TO A LESSER EXTENT IN LUNG. NOT FOUND IN LIVER AND
CC   SKELETAL MUSCLE.
CC -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC --
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC --
DR EMBL; L29554; AAC42086.1; -.
DR InterPro; IPR001675; Glyco_transf_29.
DR Pfam; PF00777; Glyco_transf_29; 1.
KW Transferase; Glycosyltransferase; Glycoprotein; Transmembrane;
KW Signal-anchor; Golgi stack.
FT DOMAIN   1   8   CYTOPLASMIC (POTENTIAL).
FT TRANSMEM   9   25   SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN).
FT DOMAIN   26   305   LUMENAL, CATALYTIC (POTENTIAL).
FT CARBOHYD   239   239   N-LINKED (GLCNAC...) (POTENTIAL).
FT CARBOHYD   301   301   N-LINKED (GLCNAC...) (POTENTIAL).
SQ SEQUENCE   305 AA; 35149 MW; 9077F654?D359AE9 CRC64;

alignment_scores:
      Quality: 941.00   Length: 208
      Ratio: 4.777   Gaps: 0
Percent Similarity: 94.712   Percent Identity: 83.173

alignment_block:
US-09-714-936-218 x CAG7_RAT

Align seg 1/1 to: CAG7_RAT from: 1 to: 305

166 ATGGCCTGCATCCTGAAGAAGAAAGTCTGTGATTGCTGTGACCTTCATAGC 215
     ||||||||||||||||||||| :::::||||||||||||||||||||||
  1 MetAlaCysIleLeuLysLysArgLysProAlaLeuAlaValSerPheIleAl   17

216 AGCGTTCCTTTCCTGCTGGTTGTGCTGTCTTGTAAATGAAGTGAATTTCC 265
     | ::::::||||||||:::||||||:||:||||||:::|||:|||||
 17 aLeuCysIleLeuLeuAlaMetArgLeuAlaAsnAspValThrPheP   34

266 CATTGCTACTAAACTGCTTTGGACAACCTGGTACAAAGTGGATACCATTC 315
     |||||||||||||||||||||||||||||||: |||||||||||||:::
 34 roLeuLeuAsnCysPheGlyGlnProLysPheGlyThrLysTrpIleProLeu 50

316 TCCTACACATACAGGCGGCGGCCCCTTCGAACTCACTATGGATACATAAATGT 365
     ||||||||::::|||||||||||||||||||||||::::||||||||||||
 51 SerTyrThrLeuArgGlnProLeuGlnThrHisTyrGlyTyrIleAsnVa   67

366 GAAGACAACAAGAGAGCCTTGCAACTGGACTGCACCTTGTGCCATAGTGT 415
     |::::||||||||||||||||::::|||::: ||||||:::|
 67 lArgThrGlnGluProLeuGlnLeuAspCysAsnHisCysAlaValValS   84

416 CAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGA 465
     |||||||||||||||||||||||||||||||||||||::::|||||||||
 84 erAsnSerGlyGlnMetValGlyGlnLysValGlyGluGlyLysGluAspArg 100

466 TCCTCCTGCATTGGAGAATGAACAATGCCCCACCAAAGGTATGAAGA 515
     :::|||||||||||||||||||||||||||||||||::::|||||||
101 AlaSerCysIleTrpArgMetAsnAsnAlaProThrLysGlyPheGluGl 117

516 AGATGTCGGCGCCGATGACCATGATTGCAGTGTGTCCCATACCAGCGTTC 565
     |||||||| ||||||||::::||||||||::::||||||||||||||||||
117 uAspValGlyTyrMetThrMetValArgValValSerHisThrSerValP 134

566 CTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGAGCGAATACTACT 615
     |||||||||||||||||||||||||||||::::|||||||::::|||||
134 roLeuLeuLeuLysAsnProAspTyrPhePheLysGluAlaSerThrThr 150

616 ATTTGTGTTATTTGGGACCTTTCCGCAATATGAGGAAAGATGGCCAATGG 665
     ||| ||||||||||||||||||||||||||||||||||::::||||||||
151 IleTyrValIleTrpGlyProPheArgAsnMetArgLysAspGlyAsnGl 167

666 CATCGTTACAACATGTTGAAAAAGACACAGTTGGTATCATCCGAATGCCC 715
     |||||||||||||||||||||||||||||||||||||||::::|||||||
167 yIleValTyrAsnMetLeuLysLysThrValAspAlaTyrProAspAlaG 184

716 AAATATACGTGACCACAGAGAGCGCATGAGTTACTGTGATGAGTTTT 765
     |||||||||||||||||||||||||||||||::::|||||||||||
184 lnIleTyrValThrThrGluGlnArgMetThrTyrCysAspGluPhe 200

766 AAGAAGGAAACTGGGAAGGACAGG 789
     |||||||||||||||||||||||||
201 LysAspGluThrGlyLysAspArg 208

seq_name: SwissProt_40:CAG1_CHICK

seq_documentation_block:
ID CAG1_CHICK   STANDARD;   PRT;   413 AA.
AC Q92182;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE CMP-N-acetylneuraminate-beta-galactosamide-alpha-2,6-sialyltransferase
DE (EC 2.4.99.1) (Beta-galactoside alpha-2,6-sialyltransferase)
DE (Alpha 2,6-ST) (Sialyltransferase 1) (ST6GALI).
GN SIAT1.
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Embryo;
RX MEDLINE=94139712; PubMed=8307003;
RA Kurosawa N., Kawasaki M., Hamamoto T., Nakaoka T., Lee Y.-C.,
RA Arita M., Tsuji S.;
RT "Molecular cloning and expression of chick embryo Gal beta 1,4GlcNAc
RT alpha 2,6-sialyltransferase. Comparison with the mammalian enzyme.";
RL Eur. J. Biochem. 219:375-381(1994).
CC -!- FUNCTION: TRANSFERS SIALIC ACID FROM THE DONOR OF SUBSTRATE CMP-
CC   SIALIC ACID TO GALACTOSE CONTAINING ACCEPTOR SUBSTRATES.
CC -!- CATALYTIC ACTIVITY: CMP-N-acetylneuraminate + beta-D-galactosyl-
CC   1,4-acetyl-beta-D-glucosamine = CMP + alpha-N-acetylneuraminyl-
CC   2,6-beta-D-galactosyl-1,4-N-acetyl-beta-D-glucosamine.
CC -!- PATHWAY: GLYCOSYLATION.
CC -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN. MEMBRANE-BOUND
CC   FORM IN TRANS CISTERNAE OF GOLGI, SOLUBLE FORM IN BODY FLUIDS.
CC -!- TISSUE SPECIFICITY: HIGHLY EXPRESSED IN TESTES, BRAIN AND LIVER
CC   AND TO A LESSER EXTENT IN LUNG AND HEART.
CC -!- PTM: THE SOLUBLE FORM DERIVES FROM THE MEMBRANE FORM BY
CC   PROTEOLYTIC PROCESSING.
CC -!- SIMILARITY: BELONGS TO THE VERTEBRATE SIALYLTRANSFERASE FAMILY.
CC --

```
OM of: US-09-714-936-218 to: SwissProt_40:*    out_format : pfs
Date: May 7, 2002  5:06 PM
About: Results were produced by the GenCore software, version 4.5,
       Copyright (c) 1993-2000 Compugen Ltd.

Command line parameters:
 -MODEL=frame+_n2p.model -DEV=xlh
 -O=/cgn2_1/USPTO_spool/US09714936/runat_07052002_093907_25060/app-query.fasta_1.1375
 -DB=SwissProt_40 -QFMT=fastan -SUFFIX=rsp -GAPOP=12.000
 -GAPEXT=4.000 -MINMATCH=0.100 -LOOPCL=0.000 -LOOPEXT=0.000
 -QGAPOP=4.500 -QGAPEXT=0.050 -XGAPOP=10.000 -XGAPEXT=0.500
 -FGAPOP=6.000 -FGAPEXT=7.000 -YGAPOP=10.000 -YGAPEXT=0.500
 -DELOP=6.000 -DELEXT=7.000 -START=1 -MATRIX=blosum62
 -TRANS=human40.cdl -LIST=100 -DOCALIGN=200 -THR_SCORE=pct
 -THR_MAX=100 -THR_MIN=0 -ALIGN=45 -MODE=LOCAL -OUTFMT=pfs
 -NORM=ext -HEAPSIZE=500 -MINLEN=0 -MAXLEN=2000000000
 -USER=US09714936 @CGN1_1.39 -NCPU=6 -ICPU=3 -LONGLOG
 -DEV_TIMEOUT=120 -WARN_TIMEOUT=30 -NO_XLPXY -WAIT -THREADS=1

Search information block:
Query: US-09-714-936-218
Query length: 1294
Database: SwissProt_40:*
Database sequence: 105224
Database length: 38719550
Search time (sec): 33.170000
```

score_list:

Sequence	Strd	Orig	ZScore	EScore	Len	Documentation
SwissProt_40:CAG7_RAT	+	941.00	1548.59	4.8e-79	305	! Q64686 rattus norvegicus (rat)
SwissProt_40:CAG1_CHICK	+	163.00	253.55	4.8e-07	413	! Q92182 gallus gallus (chick
SwissProt_40:CAG1_MOUSE	+	146.50	226.39	1.6e-05	403	! Q64685 mus musculus (mouse)
SwissProt_40:CAG1_HUMAN	+	142.00	218.85	4.2e-05	406	! P15907 homo sapiens (human)
SwissProt_40:CAG6_RAT	+	138.50	213.84	8.7e-05	374	! Q02734 r cmp-n-acetylneuramina
SwissProt_40:CAG1_RAT	+	138.50	213.11	8.9e-05	403	! P13721 rattus norvegicus (rat)
SwissProt_40:CAG6_MOUSE	+	137.50	212.18	0.0001	374	! P97325 m cmp-n-acetylneurami
SwissProt_40:CAG6_HUMAN	+	137.50	212.15	0.0001	375	! Q11201 h cmp-n-acetylneurami
SwissProt_40:CAG4_CHICK	+	136.00	210.56	0.0001	342	! Q11200 g cmp-n-acetylneuramin
SwissProt_40:CAGB_MOUSE	+	135.50	209.50	0.0002	350	! Q11204 m cmp-n-acetylneuramin
SwissProt_40:CAGB_RAT	+	135.50	209.50	0.0002	350	! Q11205 r cmp-n-acetylneuramin
SwissProt_40:CAG4_HUMAN	+	134.00	207.30	0.0002	340	! Q11201 h cmp-n-acetylneuramina
SwissProt_40:CAG4_MOUSE	+	131.00	202.40	0.0004	337	! P54751 m cmp-n-acetylneuramin
SwissProt_40:CAGD_MOUSE	+	124.00	189.60	0.0019	380	! Q64699 mus musculus (mouse)
SwissProt_40:CAG4_PIG	-	123.50	189.77	0.0021	343	! Q02745 s cmp-n-acetylneuramina
SwissProt_40:CAGC_HUMAN	+	118.50	181.76	0.0060	333	! Q11206 homo sapiens (human)
SwissProt_40:CAG8_MOUSE	+	116.50	176.54	0.0096	355	! Q64687 mus musculus (mouse)
SwissProt_40:CAG3_CHICK	+	113.50	172.83	0.0176	566	! Q92183 gallus gallus (chick
SwissProt_40:CAGC_CHICK	+	110.00	162.44	0.0419	355	! Q92185 gallus gallus (chicke
SwissProt_40:CAG9_MOUSE	+	106.00	160.35	0.0872	375	! Q92185 homo sapiens (human)
SwissProt_40:CAG9_HUMAN	+	103.00	154.85	0.1674	375	! O35696 homo sapiens (human)
SwissProt_40:CAG9_RAT	+	101.00	151.53	0.2563	375	! Q92186 homo sapiens (human)
SwissProt_40:NKGD_HUMAN	+	100.00	149.87	0.3111	375	! Q07977 rattus norvegicus (rat)
SwissProt_40:PST_HUMAN	+	92.00	137.01	1.72	359	! Q92187 homo sapiens (human)
SwissProt_40:PST_MOUSE	+	92.00	120.80	2.64	1877	! Q04592 mus musculus (mouse)
SwissProt_40:PCK5_MOUSE	+	89.50	114.73	4.72	173	! P57999 oryctolagus cuniculus
SwissProt_40:CRGA_MOUSE	-	87.50	136.70	3.73	387	! P04345 mus musculus (mouse)
SwissProt_40:CYB_SCHPO	+	87.50	128.80	4.58	216	! P26718 homo sapiens (human)
SwissProt_40:NKGD_HUMAN	+	87.00	133.69	4.39	359	! P55501 schizosaccharomyces po
SwissProt_40:PST_CRIGR	+	87.00	128.71	5.00	359	! Q64690 cricetulus griseus (ch
SwissProt_40:PST_MOUSE	+	87.00	128.71	5.00	359	! Q64692 mus musculus (mouse)
SwissProt_40:ABG4_HUMAN	+	86.00	121.29	7.19	646	! P39933 saccharomyces cerevis
SwissProt_40:PCK5_MOUSE	+	85.00	123.64	8.01	429	! Q9z1k9 rattus norvegicus (rat)
SwissProt_40:TF3A_YEAST	-	85.00	117.21	9.49	827	! O43278 homo sapiens (human)
SwissProt_40:AD17_RAT	-	84.50	121.06	9.33	513	! P22641 paracoccus versutus (
SwissProt_40:SPT1_HUMAN	+	84.00	130.07	8.02	188	! P81408 homo sapiens (human)
SwissProt_40:DHML_PARVE	+	84.00	117.63	11.12	669	! P08356 homo sapiens (human)
SwissProt_40:COTE_HUMAN	+	84.00	114.59	13.10	838	! Q12852 homo sapiens (human)
SwissProt_40:VGLH_HSV1E	+	83.50	114.35	13.19	859	! Q9z0f8 mus musculus (mouse)
SwissProt_40:M3KC_HUMAN	-	83.50	113.89	14.52	827	!
SwissProt_40:AD17_MOUSE	-	83.00				
SwissProt_40:SREC_HUMAN	+	83.00	113.85	14.54	830	! Q14162 homo sapiens (huma
SwissProt_40:VGLH_HSV11	+	82.50	112.93	16.21	838	! P06477 herpes simplex vir
SwissProt_40:POLG_HCVH8	+	82.00	121.50	14.09	321	! P27956 hepatitis C virus
SwissProt_40:5H1A_HUMAN	+	82.00	118.82	15.12	422	! P08908 homo sapiens (huma
SwissProt_40:Y140_HUMAN	-	82.00	118.82	15.12	422	! Q14153 homo sapiens (huma
SwissProt_40:DYI1_HUMAN	+	82.00	114.66	16.86	645	! O14576 homo sapiens (huma
SwissProt_40:CRGA_RAT	+	81.50	126.73	13.37	173	! P10065 rattus norvegicus (r
SwissProt_40:SUOE_CAVPO	+	81.50	121.47	15.35	296	! P49887 cavia porcellus (g
SwissProt_40:FBW3_HUMAN	+	81.50	118.37	16.65	406	! Q9ukx7 homo sapiens (huma
SwissProt_40:SOA2_MOUSE	+	81.50	115.85	17.79	525	! O88908 mus musculus (mouse
SwissProt_40:CD6_MOUSE	+	81.00	113.53	18.90	665	! Q61003 mus musculus (mouse
SwissProt_40:PYCA_METJA	+	81.00	115.48	19.55	501	! Q58626 methanococcus jann
SwissProt_40:DP3A_BACHD	+	81.00	107.63	24.02	1116	! Q9k838 bacillus halodura
SwissProt_40:LMB1_DROME	-	81.00	103.00	27.12	1790	! P11046 drosophila melano
SwissProt_40:MYC_MARMO	+	80.50	115.94	21.02	439	! P22555 marmota monax (wood
SwissProt_40:TGR2_RAT	-	80.50	113.44	22.45	567	! P38438 rattus norvegicus (r
SwissProt_40:CD6_HUMAN	+	80.50	111.83	23.42	668	! P30203 homo sapiens (human
SwissProt_40:AD21_MOUSE	+	80.50	110.97	23.95	729	! Q9jj76 mus musculus (mous
SwissProt_40:PLMN_HUMAN	-	80.50	109.94	24.61	810	! P00747 homo sapiens (huma
SwissProt_40:HEMA_CVBF	+	80.00	115.52	23.13	421	! P33468 bovine coronavirus
SwissProt_40:HEMA_CVBM	+	80.00	115.45	23.18	424	! P15776 bovine coronavirus
SwissProt_40:HEMA_CVBQ	+	80.00	115.45	23.18	424	! P24351 bovine coronavirus
SwissProt_40:INSG_ECOLI	+	80.00	115.05	23.42	442	! P03835 escherichia coli.
SwissProt_40:2257_HUMAN	+	80.00	113.17	24.60	535	! Q9y2q1 homo sapiens (huma
SwissProt_40:PERF_HUMAN	+	80.00	112.81	24.84	555	! P14222 homo sapiens (huma
SwissProt_40:HMD2_CAPAN	+	80.00	111.99	25.38	604	! Q9xe18 capsicum annuum (b
SwissProt_40:PLSB_XYLFA	+	80.00	108.41	27.88	870	! Q9pej7 xylella fastidiosa
SwissProt_40:ZAN_RABIT	+	80.00	98.96	35.72	2282	! P57999 oryctolagus cunicu
SwissProt_40:ZAN_MOUSE	+	80.00	90.56	44.52	5376	! O88799 mus musculus (mous
SwissProt_40:YM97_YEAST	+	79.50	122.39	21.03	192	! P27954 hepatitis C virus
SwissProt_40:MTD1_NEIMC	+	79.50	116.23	24.72	360	! Q04894 saccharomyces cere
SwissProt_40:ENO_PYRAB	+	79.50	114.72	25.72	420	! Q9rim4 neisseria meningit
SwissProt_40:ENV_FLVCS	-	79.50	114.53	25.84	428	! Q9uxz0 pyrococcus abyssi
SwissProt_40:ETF2_YABAM	+	79.50	114.35	25.97	436	! Q02077 feline leukemia vir
SwissProt_40:PLMN_BOVIN	+	79.50	109.53	29.47	713	! Q9qb84 yaba monkey tumor
SwissProt_40:MSH3_HUMAN	+	79.50	108.25	30.47	812	! P06806 bos taurus (bovine
SwissProt_40:POLG_HCV1	+	79.50	104.95	33.22	1137	! P20585 homo sapiens (hum
SwissProt_40:POLG_HCVH	+	79.50	95.41	42.67	3011	! P26664 h genome polyprote
SwissProt_40:POLG_HCVH	+	79.50	95.41	42.67	3011	! P27958 h genome polyprote
SwissProt_40:LMA5_HUMAN	+	79.50	93.40	44.98	3695	! O15230 homo sapiens (hum
SwissProt_40:HEMA_CVBLY	+	79.00	113.79	28.68	424	! P31613 bovine coronavirus
SwissProt_40:CREA_ASPAC	+	79.00	113.63	28.80	431	! O94166 aspergillus aculea
SwissProt_40:DPOA_ORYSA	+	79.00	113.25	37.81	1243	! O48653 oryza sativa (ric
SwissProt_40:PCK5_BRACL	-	79.00	100.21	40.95	1696	! Q9n115 branchiostoma cal
SwissProt_40:GPS2_HUMAN	+	78.50	115.51	29.84	327	! Q13227 homo sapiens (huma
SwissProt_40:BIR_CHICK	-	78.50	109.38	35.04	611	! Q90660 gallus gallus (chic
SwissProt_40:G156_PARPR	+	78.00	94.76	51.41	2715	! P13837 paramecium primau
SwissProt_40:ENO_ASPOR	-	78.00	112.02	35.59	429	! Q9p889 aspergillus oryzae
SwissProt_40:GAK_MOUSE	+	78.00	110.54	37.00	499	! Q99ky4 mus musculus (mouse
SwissProt_40:IRR_RAT	+	78.00	109.04	38.48	581	! Q64716 rattus norvegicus (ra
SwissProt_40:UL52_HSVSA	+	78.00	105.49	42.24	835	! P14346 herpesvirus saimir
SwissProt_40:ORP3_MOUSE	+	78.00	105.26	42.50	855	! Q9abs9 mus musculus (mous
SwissProt_40:DDR1_HUMAN	+	78.00	104.61	43.22	913	! Q9bs0 h epithelial disco
SwissProt_40:PCK5_HUMAN	+	78.00	104.60	43.23	913	! Q0b345 homo sapiens (hum
SwissProt_40:PERT_RAT	-	78.00	102.07	46.20	1184	! Q92824 homo sapiens (human
SwissProt_40:FBL2_HUMAN	+	78.00	101.67	46.69	1233	! P14650 rattus norvegicus (r
SwissProt_40:NME3_HUMAN	+	77.50	115.55	35.31	275	! P98095 homo sapiens (hum
SwissProt_40:TRYT_PIG	-	77.50	114.40	36.39	309	! Q9n2d1 sus scrofa (pig).
SwissProt_40:YJO9_AQUAE	+	77.50	112.82	37.93	363	! O67744 aquifex aeolicus.
SwissProt_40:X2_MYCTU	-					! Q10375 mycobacterium tube

```
         |||||||:::|||:::                           |||        |||
20   AlaProGluProSerAsnIleSerTyrPheTrpAsnPheGly......Se  34

162  CGCCATGGCCTGCATCCTGAAGAGAAAAGTCTGTGATTCGTGTGAGCTTCA  211
         ::|||||||:::|||               :::   :::
34   rLeuLeuAlaCysValLeuValIleGlnIleValThrGlyIleLeuLeuA  51

212  TAGCAGCGTTCCTT..................TTCCTGCTGGTTGTGCGT  243
         |||||                         |||        |||
51   laCysSerTyrIleProAsnMetAspLeuAlaPheLeuSerValGluArg  67

244  CTTGTAAATGAAGTGAATTTCCCATTGCTACTAAACTGCTTTGGACAACC  293
         :::||:::|||||||:::            :::||||||:::||:::
68   IleValArgAspValAsnTyrGlyPheLeuLeuArgAlaPheHisAlaAs  84

294  TGTACAAAGTGGATACCATTC.............................  315
         :::|||             :::
84   nGlyAlaSerPhePheIleProPheLeuTyrLeuHisIleGlyArgGlyL  101

316  .........TCCTACACATACAGGCGGCCCCTTCGAACTCACTATGGA  354
         |||||         |||    |||         :::    |||
101  euTyrTyrGlySerTyrLysTyrProArgThrMetThrLeuAsnIleGly  117

355  TACATA  360
         |||
118  ValIle  119
```

seq_name: pir2:AD1533

seq_documentation_block:
hypothetical protein homolog lin0804 [imported] - Listeria innocua (strain Clip11262)
C;Species: Listeria innocua
C;Date: 27-Nov-2001 #sequence_revision 27-Nov-2001 #text_change 27-Nov-2001
C;Accession: AD1533
R;Glaser, P.; Frangeul, L.; Buchrieser, C.; Amend, A.; Baquero, F.; Berche, P.; Bloecker
.; Dominguez-Bernal, G.; Duchaud, E.; Durand, L.; Dussurget, O.; Entian, K.D.; Fsihi, H.
D.; Jones, L.M.; Karst, U.
Science 294, 849-852, 2001
A;Authors: Kreft, J.; Kuhn, M.; Kunst, F.; Kurapkat, G.; Madueno, E.; Maltournam, A.; Ma
ok, C.; Schlueter, T.; Simoes, N.; Tierrez, A.; Vazquez-Boland, J.A.; Voss, H.; Wehland,
A;Title: Comparative genomics of Listeria species.
A;Reference number: AB1077; MUID:21537279; PMID:11679669
A;Accession: AD1533
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-330 <GLA>
A;Cross-references: GB:AL592022; PIDN:CAC96036.1; PID:g16413255; GSPDB:GN00178
A;Experimental source: strain Clip11262
C;Genetics:
A;Gene: lin0804

alignment_scores:
              Quality: 86.50   Length: 163
              Ratio: 1.123   Gaps: 2
Percent Similarity: 47.239   Percent Identity: 19.632

alignment_block:
US-09-714-936-218 x AD1533

Align seg 1/1 to: AD1533 from: 1 to: 330

```
373  CAAGAGCCTTTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTC  422
         |||:::   :::             :::::|||||:|||||
110  GlnAspLeuIleThrSerAspLeuProIleValGluValAlaAlaAsnSe  126

423  AGGTCAGATGGTTGGC..........................  438
         |||||:::||:::
126  rGluGlnIleValSerLeuLysLeuLysIleProGluSerPheLysG  143

438  ..........  438

143  lyValLeuLeuGlyGlyIleTyrIleGluThrIleGluProPheGlnAspGluThrLys  159
```

```
439  ..CAGAAGGTGGAAATGAGATAGATCGATCCTCCTCCGCATTGGAGAAT  485
         :::::||||:::|||         |||:::    :::|||
160  GlnGluGlnValAsnAsnValTyrThrArgThrPheAlaIleGlnIleSe  176

486  GAACAATGCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACCA  535
         :::|||         :::    ::|||||:::||:::
176  rGluAsnAspGluProIleProAlaLysLeuGluAlaGlyGluValSerL  193

536  TGATTCGAGTTGTGTCCCATACCAGGTTCCTCTTTTGCTAAAAAACCCT  585
         |||         |||   |||||||:::||||
193  euSerGlnIleAsnTyrHisAsnValValSerLeuLeuIleLysAsn...  208

586  GATTATTTTTCAAGGAAGCGAATACTACTATTTGTGTTATTTGGGGACC  635
         ::|||         |||   |||         :::     :::
209  ..........LysAlaProThrIleIleThrSerValGluAlaAlaAs  220

636  TTTCCGAATATGAGGAAAGATGGCAATGGCATCGTTTACAACATGTTGA  685
         ::::|||         :::|||         |||   :::|
220  nIleLysValThrLysLysGlyGlnThrGluProLeuLeuAsnGluValL  237

686  AAAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGTGACCACAGAG  735
         |||||         :::|||||||         :::|||
237  ysLysAspMetSerIleAlaProAsnSerGlnPhePheLeuProValGlu  253

736  AAGCCGCATGAGTTACTGTGATGGAGTTTTAAGAAGGAA  774
         |||         |||         |||
254  TrpLysAspLeuPheSerAlaGlyGluTyrGlu  266
```

C;Keywords: glycoprotein; glycosyltransferase; lung; transmembrane protein
F;8-20/Domain: transmembrane #status predicted <TMA>
F;141-185/Region: sialyl signature L
F;280-302/Region: sialyl signature S
F;50,74,119,204,219/Binding site: carbohydrate (Asn) (covalent) #status predicted

alignment_scores:
        Quality: 87.00   Length: 125
          Ratio: 1.261   Gaps: 5
Percent Similarity: 55.200   Percent Identity: 26.400

alignment_block:
US-09-714-936-218 x JC4224

Align seg 1/1 to: JC4224 from: 1 to: 359

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||||||::||:::||||||||||| ::::: |||::
142 CysAlaValValGlyAsnSerGlyIleLeuLeuAspSerGlyCysGlyLy 158

453 TGAGATAGATCGCATCCTCCTGCATTTGGAGAATGAACAATGCCCCACCA 502
    :|||||||| ::: ||| ||| |||||||::::
158 sGluIleAspSerHisAsnPheValIleArgCysAsnLeuAlaProValV 175

503 AAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCC 552
    ||||||||||
175 alGluPheAlaAlaAspValGly.......................... 182

553 CATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    ||||:   :::::: |||||
183 ...ThrLysSerAspPheIleThrMetAsnPro................. 192

603 AGCGAATACTACTATTTGTGTTATTTGGGACCTTTCCGCAATATGAGGA 652
    :::::::::   ::||| ||||||| :::|||
193 ......SerValValGlnArgAlaPheGlyGlyPheArgAsn...GluS 206

653 AAGATGGCAATGGCATCGTTTAC......AACATGTTGAAAAAGACAGTT 696
    ::||| :::||||:::   ::||||||| ::|||
206 erAspArgAlaLysPheValHisArgLeuSerMetLeuAsnAspSerVal 222

697 GGTATCTATCCGAATGCCCAAATATACGTGACCACAGAGAAGGCCATGAG 746
    :::||| :: ||||||:::::|||
223 ..LeuTrpIleProAlaPheMetValLysGlyGlyGluLysHisValGl 238

747 TTACTGTGATGGAGTTTTTAAGAAG 771
    ::||| |||||||||||| |||
238 uTrpValAsnAlaLeuIleLeuLys 246

seq_name: pir2:S52425

seq_documentation_block:
polysialyltransferase-1 - Chinese hamster
C;Species: Cricetulus griseus (Chinese hamster)
C;Date: 14-Jul-1995 #sequence_revision 21-Jul-1995 #text_change 28-May-1999
C;Accession: S52425
R;Eckhardt, M.; Muehlenhoff, M.; Bethe, A.; Koopman, J.; Frosch, M.; Gerardy-Schahn, R.
Nature 373, 715-718, 1995
A;Title: Molecular characterization of eukaryotic polysialyltransferase-1.
A;Reference number: S52425; MUID:95157675
A;Accession: S52425
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-359 <ECK>
A;Cross-references: GB:Z46801; NID:g735953; PIDN:CAA86822.1; PID:g735954
C;Superfamily: alpha-N-acetylneuraminate alpha-2,8-sialyltransferase

alignment_scores:
        Quality: 87.00   Length: 131
          Ratio: 1.225   Gaps: 5
Percent Similarity: 54.198   Percent Identity: 26.718

---

alignment_block:
US-09-714-936-218 x S52425

Align seg 1/1 to: S52425 from: 1 to: 359

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||||||::||:::||||||||||| ::::: |||::
142 CysAlaValValGlyAsnSerGlyIleLeuLeuAspSerGlyCysGlyLy 158

453 TGAGATAGATCGCATCCTCCTGCATTTGGAGAATGAACAATGCCCCACCA 502
    :|||||||| ::: ||| ||| |||||||::::
158 sGluIleAspSerHisAsnPheValIleArgCysAsnLeuAlaProValV 175

503 AAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCC 552
    ||||||||||
175 alGluPheAlaAlaAspValGly.......................... 182

553 CATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    ||||:   :::::: |||||
183 ...ThrLysSerAspPheIleThrMetAsnPro................. 192

603 AGCGAATACTACTATTTGTGTTATTTGGGACCTTTCCGCAATATGAGGA 652
    :::::::::   ::||| ||||||| :::|||
193 ......SerValValGlnArgAlaPheGlyGlyPheArgAsn...GluS 206

653 AAGATGGCAATGGCATCGTTTAC......AACATGTTGAAAAAGACAGTT 696
    ::||| :::||||:::   ::||||||| ::|||
206 erAspArgAlaLysPheValHisArgLeuSerMetLeuAsnAspSerVal 222

697 GGTATCTATCCGAATGCCCAAATATACGTGACCACAGAGAAGGCCATGAG 746
    :::||| :: ||||||:::::|||
223 ..LeuTrpIleProAlaPheMetValLysGlyGlyGluLysHisValGl 238

747 TTACTGTGATGGAGTTTTTAAGAAGACAGG 789
    ::||| |||||||||||| ||| |||
238 uTrpValAsnAlaLeuIleLeuLysAsnLysLeuLysValArg 252

seq_name: pir2:T51305

seq_documentation_block:
ubiquinol--cytochrome-c reductase (EC 1.10.2.2) cytochrome b - fission yeast (Schizos
C;Species: mitochondrion Schizosaccharomyces pombe
C;Date: 18-Aug-2000 #sequence_revision 18-Aug-2000 #text_change 03-Aug-2001
C;Accession: T51305
R;Trinkl, H.; Lang, B.F.; Wolf, K.
Mol. Gen. Genet. 198, 360-363, 1985
A;Title: The mitochondrial genome of the fission yeast Schizosaccharomyces pombe.
A;Reference number: Z25366; MUID:85162999
A;Accession: T51305
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: DNA
A;Residues: 1-257 <TRI>
A;Cross-references: EMBL:X02151; PIDN:CAA26087.1
C;Genetics:
A;Genome: mitochondrion
A;Genetic code: SGC2
C;Superfamily: yeast mRNA maturase bI4; COI intron 9 protein homology; cytochrome b6
F;82,183/Binding site: electron transfer; heme: iron; metalloprotein; mitochondrion; oxidative p
F;96,197/Binding site: heme iron (His) (axial ligands) (low potential) #status predic
F;96,197/Binding site: heme iron (His) (axial ligands) (high potential) #status predi

alignment_scores:
        Quality: 86.50   Length: 102
          Ratio: 1.573   Gaps: 3
Percent Similarity: 53.922   Percent Identity: 26.471

alignment_block:
US-09-714-936-218 x T51305

Align seg 1/1 to: T51305 from: 1 to: 257

112 GCCCCTGACCCAGGCGCGCGCCCGCTGCTCGGTGGCAGGAGGGCCGGCGGAG 161

alignment_block:
US-09-714-936-218 x CYMSG4

Align seg 1/1 to: CYMSG4 from: 1 to: 174

```
483  AATGAACAATGCCCCCAC...CAAAGGTTATGAAGAAGATGTCGGCCGCA  529
     ::::::::::||||||:::   |||         ||||
 20  SerSerAspCysProAsnLeuGlnThrTyrPheSerArgCysAsnSerI   36

530  TGACCATGATTCGAGTTGT...GTCCCATACCAGCGTTCCTCTTTTGCTA  576
     ||||||:::||||   |||:::        |||:||||      :::
 36  eArgValAspSerGlyCysTrpMetLeuTyrGluArgProAsn.......   50

577  AAAAACCCTGATTATTTTTCAAGGAAGCGAATACTACTATTTGTGTTAT  626
     :::||||||||    |||:::::
 51  ........TyrGlnGly......TyrGlnTyrPheLeuArg   59

627  TTGGGACCTTTCCGCAATATGAGGAAAGATGGCAATG...........  665
     ||| :::||:::|||:::             |||||
 60  ArgGlyAspTyrProAspTyrGln.........GlnTrpMetGlyPheSe   73

666  ..........................................CATCGTT  672
                                               |||||||
 73  rAspSerIleArgCysArgSerIleProTyrThrSerSerHisArgI   90

673  TACAACATGTTGAAAAAGACAGTTGG..............TATCTA  704
     |||:::|||||||||||         |||::::
 90  leArgLeuTyrGluArgAspAspTyrArgGlyLeuValSerGluLeuMet  106

705  TCCGAATGCCCAAATATACGTGACCACAGAGAGCGCATGAGTTACTGTG  754
     :::||||||         |||:::   |||||||||
107  AspAspCysSerCysIleHisAspArgPheArgLeuHisGluIleTyrSe  123

755  ATGGAGTTTTTAAGAAGGAAAACTGG 779
     |||               |||
123  rMetHisValLeuGluGlyCysTrp 131
```

seq_name: pir2:PT0375

seq_documentation_block:
natural killer cell receptor group 2-D - human
N;Alternate names: integral membrane protein NKG2-D
C;Species: Homo sapiens (man)
C;Date: 31-Mar-1992 #sequence_revision 31-Mar-1992 #text_change 05-May-2000
C;Accession: PT0375; S15671; S19110
R;Houchins, J.P.; Yabe, T.; McSherry, C.; Bach, F.H.
J. Exp. Med. 173, 1017-1020, 1991
A;Title: DNA sequence analysis of NKG2, a family of related cDNA clones encoding type II
A;Reference number: PT0372; MUID:91178434
A;Accession: PT0375
A;Molecule type: mRNA
A;Residues: 1-216 <HOU>
A;Cross-references: EMBL:X54870; NID:g35062; PIDN:CAA38652.1; PID:g35063
A;Experimental source: natural killer cell
A;Note: translation of nucleotide sequence is not complete
C;Keywords: transmembrane protein

alignment_scores:
Quality: 87.00   Length: 250
Ratio: 0.777   Gaps: 21
Percent Similarity: 44.800   Percent Identity: 26.800

alignment_block:
US-09-714-936-218/rev x PT0375

Align seg 1/1 to: PT0375 from: 1 to: 216

```
970  TTACGTGGAAGGAGGAGGCAGGAGGATGCAATGAGATCCTGGCCTGTCAGCAG  921
     ::||||||||||  :::||||                 ||:::|||:::
  4  IleArgGlyArgSerArgHis........SerTrpGluMetSerGl   17

920  GTTTATATCGCTATGACATTCAGCAAGTGACTGGATGCTTGTAAGAGG  871
```

```
     ::||| ||||:::
 17  uPheHisAsnTyrAsnLeu........................A  24

870  ACCGGAAAGGTAGTTCCACTTGCCAGCACTGGTAATCGC.........  832
     :::||||| ||||:::    |||::::          ::::
 24  sPheLeuLysSerAspPheSerThrArgTrp.GlnLysGlnArgCysPr  40

831  ....TTAAAAGTGTCTGTAGAAATCAGCAGTCGCCT.........TGCA  795
     :::     |||:::         ||||||   |||||
 40  oValValSerLysCysArgGluAsnAlaSerProPhePheCys....   56

794  TGCCCCTGTCCTCCCAGTTCCTTCTTTAAAAACTCCATCCACAGTAACT  745
     |||                 :::::|||
 57  CysPheIleAlaValAlaMetGly.........................   64

744  CATGGCCTTCTCTGTGTCACGTATATTGGCATTCGGATAGATACCAA  695
     ::||||||        ||||||            |||||:::
 65  .IleArgPheIleMetValAlaIleTrpSer.................A  76

694  CTGTCTTTTCAACATGTTGTAAACG...ATGCCATTGCCATCTTTC  651
     ::||||:::||| |||       |||:::   :::||| |||:::
 76  laValPheLeuAsnSerLeuPheAsnGlnGluValGlnIleProLeuTh  92

650  C...TCATATTGCGGAAAGGTCCCAAATAACACAAATAGTAATTCGC  604
     :::|||||||||||                      ||| |||
 92  rGluSerTyrCysGlyProCysProLys...............AsnTrpI  104

603  TTCCTTGAAAAATAAT...CAGGGTTTTTAGCAAAAGAGGAACCGCTGG  557
              |||||||:::       :::::::||
104  leCysTyrLysAsnAsnCysTyrGlnPhePheAspGluSerLysAsnTrp  120

556  TATGGGACACACTCGAATCATGGTCATGCGCGCCGACATCTTCTT.....  512
     |||     |||||||         ||| |||:::
121  TyrGluSerGlnAlaSerCysMetSerGlnAsnAlaSerLeuLeuLysVa  137

511  ........................................CATA  508
                                             |||
137  lTyrSerLysGluAspGlnAspLeuLeuLysLeuValLysSerTyrHis.  153

507  ACCTTTGGTGGGGGCATTGTTCATTCTCCAAATGCAGGA.........  469
     :::||||||||:::::  |||                 |||
154  ....TrpMet.GlyLeuValHisIleProThrArgAsnGlySerTrpGlnTr  168

468  ......GGATCGCATCTATCTTCATTTCCCACCTTCTGGCCAACCATCTGA  426
     :::||||| |||:::    ||||||:::|||||||
168  pGluAspGlySerIle...............LeuSerProAsnLeuLeuT  180

425  CCTGAGTTGACACTATGGCACAAAGTCACAGTCCAGTTGCAAAGGCTC  376
     ||              ::::::||||||:::||||
180  hr.....................IleIleGluMetGlnLysGly  187

375  TTGTGTCTTCACATTTATGATCCATAGTGAGTTCGAAGGGG  334
     |||            :::||| ||||||
188  AspCysAla......LeuTyrAlaSer......SerPheLysGly  198
```

seq_name: pir2:JC4224

seq_documentation_block:
alpha-N-acetylneuraminate alpha-2,8-sialyltransferase (EC 2.4.99.8) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 19-Oct-1995 #sequence_revision 08-Feb-1996 #text_change 21-Jul-2000
C;Accession: JC4224
R;Yoshida, Y.; Kojima, N.; Tsuji, S.
J. Biochem. 118, 658-664, 1995
A;Title: Molecular cloning and characterization of a third type of N-glycan alpha 2,8
A;Reference number: JC4224; MUID:96115941
A;Accession: JC4224
A;Molecule type: mRNA
A;Residues: 1-359 <YOS>
A;Cross-references: EMBL:X86000; NID:g2665331; PIDN:CAA59992.1; PID:g1223771
A;Experimental source: lung
C;Comment: This enzyme exhibits activity specific toward sialylated glycoproteins. Th
C;Superfamily: alpha-N-acetylneuraminate alpha-2,8-sialyltransferase

A;Variety: strain 73
C;Date: 21-Jan-2000 #sequence_revision 21-Jan-2000 #text_change 18-Feb-2000
C;Accession: T42970
R;Albrecht, J.C.; Fleckenstein, B.
submitted to the EMBL Data Library, August 1998
A;Description: Primary structure of the herpesvirus ateles genome.
A;Reference number: Z22274
A;Accession: T42970
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: DNA
A;Residues: 1-835 <ALB>
A;Cross-references: EMBL:AF083424; PIDN:AAC95581.1
A;Experimental source: strain 73
C;Superfamily: varicella-zoster virus gene 6 protein

alignment_scores:
    Quality: 88.00   Length: 322
    Ratio: 0.561   Gaps: 21
Percent Similarity: 48.758 Percent Identity: 24.224

alignment_block:
US-09-714-936-218 x T42970

Align seg 1/1 to: T42970 from: 1 to: 835

229 CTGCTGGTTGCGTCTTGTAAATGAAGTGAATTCCCATTGCTACTAAA 278
    ::;||:::||:::|| :::||||:||| ||| ||
28 IleLeuThrAlaThrAspThrAsnAlaPheIleTyrProValLeuHisAs 44

279 CTGCTTGGACAACCT................................ 294
    ||| |||
44 nCysTyrValTyrProLysGluProLysIleIleIleIleLeuCysLeuP 61

295 ................................GGTACAAAGTGG..... 306
        ||| |||
61 roAlaLysLysProGlyGlyGluCysLeuGluValPheGlnLeu 77

307 ...............ATACCATTCTCCTACACATACAGGCCGCC 335
      |||||||||||| :::   ::|||
78 LysValAspIleGluAlaLeuProPheLeuPhe...HisThrLysPr 93

336 CCTT........CGAACTCACTATGGATACATAAATGTG............A 367
    |||| ||| :||||||:|||::
93 oLeuAsnSerArgAspIleGlnLysTyrIleAspThrLysAlaAlaArgL 110

368 AGACACAAGAGCCTTTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCA 417
    |||| :::||:::|| ||| ||||||:|||
110 ysThrPheLysProIle..........LeuAspIleIleSer 121

418 AACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATC 467
    ||||:: :::   :::::||||| || :::||
122 AsnLysProSer.....ProGlnProHisAsnGlyAspIle...LysSe 135

468 CTCCTGCATTTGG........AGAATGAACAATGCCCCACCAAAGGTT 508
    |||:: :::||||:: |||||| |||
135 rLysIleValTrpPheArgAlaLysPheValAsnAlaLeuArgLysLeuT 152

509 ATGAAGAAGAGTGTCGGCCCGATGACCATGAGCTGGTGTCCCATACC 558
    :||:: :::   :::|||||| :::
152 yrLysIleSerSerProTyrTrpMetIleThrThrPheGlySerPhe 168

559 AGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGAAGCGAA 608
    ::||||||::||||||| |||||||||||||: ||
169 GluValProPheLeuLeuThrAlaValPheTyrPheGluGlnHisAs 185

609 TACTACTATTTGTGTTATTTGGGACCTTTCCGCAATATGAGGAAAG... 655
    ||||||||| ||||||::::::::::
185 nCysThrValAsnThrIlePhe.HisLeuSerSerLeuPheGluLysLys 201

656 .....ATGGCAATGGCATCGTTTACACATGTTGAAAAAGAACAGTTGGT 699
    |||::||||||| :::|||||| ::|||
202 ProGlyMetSerLeuIleAlaIlePhe..PheGlnGlu............. 214

700 ATCTATCCGAATGCCAAATATACGTGACCACAGAGAAGGC......... 741
    |||::|||| ::: |||||
215 ..LeuGlyGluValCysSerThrSerAspHisLeu.LysArgAlaProAs 230

742 ...ATGAGTTACTGT.................GATGGAGTTTTTAAGA 769
    :::||||||||| |||:::||| :||
230 pPheIleSerTyrCysHisThrLysLeuArgAspSerLeuGluSerL 247

770 AGGAAAACTGGGAGGACAGAGGGGCATGCAAGG...CGACTGCTGATTCT 816
    || ::|||:::|| ::|||:::||||
247 ysAlaIleAspGluSerIleAspThrLeuArgGlyGlnLeuMetLeuSer 263

817 ACAGACAC...............TTTTTAAGGATTACCAGTGCTGGCA 850
    ::||||| ::||||||| ::
264 AsnGlnAspLeuAlaHisTyrIleTyrLeuSerPhePheGlnCysLeuAs 280

851 AGTGGAACTACCTTCCGGTCCTTCTTACAAGCATCCAGTCACTGCTGA 900
    : :|||||||| |||||| :::|||| :::||
280 nLysAspIle......PheThrLysTyrSerAsnLeuThrAsnCysAlaA 295

901 ATGTC........ATAAGCGATATAAACCTGCTGACAGGCCAGGATCATTGC 944
    ||::: ||| :::||||:::|||||| :::
295 snIleThrTrpValProGluThrSerIleLeuThrGlnSer.......... 308

945 ATCTCCTGCCTCCTCCTCCACGTAACAAAATCTCATTGTTGATTGGCATA 994
    ||:::|| ||| :::|||:::||
309 ....LeuAspGluAsnPheArgHisAspMetIleThrTy 320

995 TGGCAGCAAG 1004
    | |||
320 rTyrAsnLys 323

seq_name: pir1:CYMSG4

seq_documentation_block:
gamma-crystallin 4 - mouse
C;Species: Mus musculus (house mouse)
C;Date: 17-Mar-1987 #sequence_revision 17-Mar-1987 #text_change 22-Jun-1999
C;Accession: A02935; I49613
R;Breitman, M.L.; Lok, S.; Wistow, G.; Piatigorsky, J.; Treton, J.A.; Gold, R.J.M.; T
Proc. Natl. Acad. Sci. U.S.A. 81, 7762-7766, 1984
A;Title: gamma-crystallin family of the mous lens: structural and evolutionary relati
A;Reference number: A94021; MUID:85088487
A;Accession: A02935
A;Molecule type: mRNA
A;Residues: 1-174 <BRE>
A;Note: the authors translated the codon ATC for residue 36 as Val
R;Lok, S.; Tsui, L.C.; Shinohara, T.; Piatigorsky, J.; Gold, R.; Breitman, M.
Nucleic Acids Res. 12, 4517-4529, 1984
A;Title: Analysis of the mouse gamma-crystallin gene family: assignment of multiple c
A;Reference number: I48353; MUID:84247318
A;Accession: I49613
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: DNA
A;Residues: 1-174 <RES>
A;Cross-references: GB:K02587; NID:g192771; PIDN:AAA37473.1; PID:g387135
C;Comment: There are at least seven different gamma crystallins identified in mouse l
C;Genetics:
A;Introns: 3/3; 84/3
C;Superfamily: beta-crystallin
C;Keywords: duplication; eye lens
F;2-40/Domain: crystallin repeat <GK1>
F;41-83/Domain: crystallin repeat <GK2>
F;88-128/Domain: crystallin repeat <GK3>
F;129-168/Domain: crystallin repeat <GK4>

alignment_scores:
    Quality: 87.50   Length: 125
    Ratio: 1.535   Gaps: 7
Percent Similarity: 45.600 Percent Identity: 24.800

hypothetical protein F16L2.50 - Arabidopsis thaliana
C;Species: Arabidopsis thaliana (mouse-ear cress)
C;Date: 20-Apr-2000 #sequence_revision 20-Apr-2000 #text_change 20-Apr-2000
C;Accession: T47524
R;Jordan, N.; Bangert, S.; Wiedelmann, R.; Voss, H.; Unseld, M.; Mewes, H.W.; Rudd, S.;
submitted to the Protein Sequence Database, March 2000
A;Reference number: 224468
A;Accession: T47524
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-633 <JOR>
A;Cross-references: EMBL:AL162459
A;Experimental source: cultivar Columbia; BAC clone F16L2
C;Genetics:
A;Map position: 3
A;Introns: 233/3; 257/2; 582/2; 621/3
A;Note: F16L2.50

```
alignment_scores:
          Quality:   89.00          Length:     451
          Ratio:     0.497          Gaps:        23
Percent Similarity:  39.690    Percent Identity:  18.625

alignment_block:
US-09-714-936-218 x T47524

Align seg 1/1  to: T47524  from: 1 to: 633

165 CATGGCCTGCATCCT................................  179
    |||  |||||
180 HisProAsnHisProLeuGluLeuThrIleSerIleSerLeuProAsnAs  196

180 .GAAGAGAAAGTCTGTGATTGCTGTGAGCTTCATAGCAGCGTTCCTTTC     228
    ||||||:||||  |||  |||:||||||:||:::|||  :::
196 pAlaGluLysAlaCysValLeuCysValyValArgSerGlyIleIleValMetT  213

229 CT..............GCTGGTTGTGCGTCTTGTAAATGAAGT          257
    :|      |||   :||||  |||:|||
213 yrTyrCysLeuIleCysAspPheSerMetCysLeuAsnCysValArgSer  229

258 GAATTCCCATTGCTACTAAA.......................CTGCT     283
    ||:::|||||||:||             ::|||
230 ProProProLeuThrAlaLysSerLeuIleTyrValPheAsnValMetLe  246

284 TTGGACA.........ACCTGGTACAAAGTGGATACCATT.........  314
    ||||||           |:::::::::::||||
246 uTrpSerIleGluvalValLeuAlaTyrArgIleGluSerValSerTrpG  263

315 ...............CTCCTACACATACAGGCGCGGCCCCTTCGAAC     344
                   ||:::|||  ||||:|||  |||  |||
263 lyPheIleCysTyrValHisSerGlnCysAlaThrSerPheTyr         279

345 TCACTATGGATACATAAATGTGAAGACAACAAGACGCCTTTGCAACTGGACT  394
    ::|:::|||
280 AsnValTrp...............................         282

395 GTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAG    444
    ::|:||:|||:||    |||||   ||||||
283 .........AspGlyIleGluLeu.....CluGlyIleProGluG         293

445 GTGGGAAA...............TGAGATAGATCCTCCTGCAT         476
    ::::::          ||:::::  ||:
293 luAlaGluAspLeuProPheLysValValGlyAspAsnLeuIleAsnHis  309

477 TTGGAGAATGAACAATGCCCCCACCCCAAAGGTTATGAAGAAGAGATGTCGGCC  526
    :::::||:||||::|  |||||||||
310 PheSerHisGluLys..HisAsnLeuArgLeuThrAsnGluAspIleIl   325

527 GCATGACCATGATTCGAGTTGTGTCCCATACCACCAGCGTTCCTTTTTTGCTA  576
    ::|||||||:|||  |||
325 eTyrAspGluSerArgCys.............................  332
```

```
577 AAAAACCCTGATTATTTTTTCAAGGAAGCGAATACTACTATTTGTGTTAT    626
    :::          :::|||||  :::::|||||  |||
333 ..GluAlaCysIlePheProArgAsnSerGlySerIleTyrCysCysAsp  348

627 TTGGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGGCATCGTTTACA    676
    ||||||  ::||||
349 GlnCysThrPhePheLeuHisGlu................LysCysAl    359

677 ACATGTTGAAAAGACAGTTGGTATCTATCCGAATGCCAAATATACGTG      726
    |||||          ::|||          :::
359 aHisLeuProMetLysArgArgHisLeuIleTyrAsnArgProPheThrL  376

727 ACCACAGAGAAGCGCCATGAGTTACTGTGATGGAGTTTTAAGAAGAAAC     776
    |||  :::::  ::|||                  :::
376 euHisAlaArgGlyLysAspLeu.............GlnIleAsp        386

777 TGGGAGGACAGGGGGCATGCAAGGCGACTGCTGTTCTCAGACAC..       824
    |||  :::          :::::  |||::::|||
387 TrpPheSerCysAlaCysGlyLysGlnSerThrGlyPheArgTyrIl     403

825 ........TTTTAAGCGGATTACCAGTGCTGGCAAGTGGAACTACCTT      864
            |||  ::||||  ::||:||| :::||:::  ||||
403 eSerAspAspLeuMetLeuAspValHisCysSerValSerGluProP    420

865 TC...CGGTCCTCCTTACAAGCATCCAGTC.................     890
    ||   :::::::::::  |||||||:::
420 heValHisAspGlyHisValHisProLeuTyrTyrLysGluGluAlaSer  436

891 ..............ACTTGCTGAAAGTCATAAGCGATATAAACCTGCTGAC  928
                  |||  :::||||  |||::||
437 ThrLysCysAspSerCysHisLysLeu......SerTyrAsnMetLeu    450

929 AGGCCAGGATCATTGC..............ATCTCCTGCCTCCTCCTTC     963
    ||| |||  |||              :::  |||  |||
451 .GlyCysAspValCysAspPheSerLeuAspPheCysCysAlaAsnLeuP  467

964 CACGTAACAAATCTCAT.....................TGTTGATTGGCATAT  995
    |||||:::|||||||                  ||||||
467 roLysThrLeuLysHisLysTyrAspArgHisProLeuSerLeuCysTyr  483

996 GGCAGCAAG...............................      1004
    |||:::|||
484 GlyGluLysAlaSerGlyLysTyrCysCysAspIleCysGluThrGluMe  500

1005 .....................................C    1005
                                         |
500 tAspProSerLysTrpPheTyrThrCysAspAspCysValValThrPheH  517

1006 ATCCCAACACCCAGATGGTGTTCTTATTTCTGAGGGAGCAGGGTCTCTG   1055
     ||||||||:  |||  :::::  ::|||||  ||||||||||||||
517 isIleAspCysValPheGlyAspPheSerArgPheIleAlaGlySerIle  533

1056 TGTGAA.......TTGCACACAGGAGGAGCAATCCCCGCCCGATACAGG    1099
     |||||      ::|||  |||||||||||||||
534 PheGluThrIleIleTyrThrPheGluValProThrLysAspThrTh     550

1100 CAACCTGATGTGCTTAGTTCCTTCTCTGCTCAGAA...........     1133
     |||||||||||
550 rArg.........GlnLeuCysSerGlnCysHisSerArgArgCysL     562

1134 ..............CTTAGTGTGACTATGTGGCCTACCTCCACATTGTTTG   1169
                  ||||||||  ||||||||||||
562 ysThrProPheIleLeuLysAlaLeuSerGlnThrGluAspTyrCysIle  578

1170 TGT 1172
    |||
579 Cys 579
```

seq_name: pir2:T42970

seq_documentation_block:
primase - ateline herpesvirus 3 (strain 73)
C;Species: ateline herpesvirus 3

```
alignment_scores:
            Quality:    89.50           Length:    234
              Ratio:    0.785             Gaps:     17
Percent Similarity:    48.718   Percent Identity:   22.222

alignment_block:
US-09-714-936-218 x T27506

Align seg 1/1   to: T27506   from:  1  to: 418
```

```
1335 nTyrLeuGlnGlyThrSerAlaAspSerGlyIleAspThrAlaSerTyrG 1352
      | :::|||    :::|||              ||| :::
 494 GCATTGTTCATTCTCCAAATGCAGGA...GGATCGATCTATCTCATTCC 448         517 GATGTCGGCCGCATGACCATGATT.............CGAGTTGTGTC 551
     ||:::|  |||:::  :::|||:::  |||:::  |||  ||                          ::::|||:::  ||:::       ||::::|
1352 lyLeuSerHisGlySerThrAlaSerLeuGlyAla.SerThrSerSerPr 1368          5 GluIleArgArgLeuLysMetLeuLeuPheAsnAsnSerArgIleIleSe  21

 447 CACCTTCTGGCCAACCATCTGACCTGAGTTGACCATGGCAC...... 404         552 CCATACCAGC.............................GTTC 565
     |  |||||||  |   |||||||||||||||||||||                            |||:::
1368 oArg.SerGlyProGlyLysGluLysValAlaProLeuTrpHisSerSer 1384         21 rHisValHisIlePheGlyGluAspGlySerGlyArgSerGluIleValA  38

 403 .....................................AAAGTCACAG 393         566 CTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGAAGCGAAATACTACT 615
                                         ::|||||||                     ||||||:::::|||:::
1385 SerGluValLeuSerLeuAlaAspArgThrLeuGlyHisGl 1401               38 rgGlnLeuLeuArgLysProGlu...........AsnAspTrp  48

 392 TCCAGTTGCAAAGGCTCTTGTCTTCACATTTATGTATCCATAGTGAGT 343         616 ATTTGTGTTATTTGGGGACCTTTCCCAATATGAGGAAAGATGGCAAT.. 663
     |||:::|  |||       ||| |||||||||:::|                            ::|||||||:::       ::    ||||||
1401 yMetAspArgLysThrGluSerSerLeuSerLeuAspIleHisSerLysS 1418        49 ValCysValLeu..GlyAspPhe.....LeuTyrAlaAspGlySerLe   62

 342 TCGAAGGGGCCGCCTGTATGTGTAGGAGAATGGTATCCACTTTGTACCAG 293         664 .GGCATCGTTCAACATGTTGAAAAAGACAGTTGTATCTATCCGAATG 712
       :::||:::||:::                                                :::::::|||  :::  ||||||  |||:::|||:::
1418 erGlnGlyGlySer....................................  1422       62 uLysLeuLeuPheAspSerLeuAlaSerLeuGlyPheLysThrArgG  79

 292 GTTGTCCAAAGCAGTTTAGTAGCAATGGGAAATTCACTTCATTTACAAGA 243         713 CCCAAATATACGTCACCACAGAGAGCGCCATGAGTTACTGTGATGGAGTT 762
     |||  |||:::  :::::::::::  :::::::|||                            ::|||    :::||||||||:::  :::||||||
1423 .........SerProLeuThrArgGluAsnSerThrPheSerIleAsnAs 1436        79 ly...........AspArgAlaGluAsnPheCysAspAsnLeu  89

 242 CGCACAACCAGCAGGAGAAAAGGAACGCTGCTATGAAGCTCACAGCAATCAC 193         763 TTTAAGAGGAAACTGGAAGGACAGGGGCATGCAAGCGACTGCTGAT 812
     |||                                     ::|||                  ::|||    |||:::||||||  |||:::||
1436 pAla..............................ThrSerH 1440                 90 TyrLysTyrValGlnTrpProAspGluThrAsn..ArgLysIleValIl 105

 192 AGACTTTCTCTTCAGGATGCAGGCCATGGCCTCCGGCCCTCCTGCC 143         813 TTCTACAGACACTTTTTAAGCGATTACCAGTGCTGCCAAGTGGAACTACC 862
     ::|||  |||  :::::::  |||:::|||  ||||||:::                      |   ||:::  |||||||||:::  ::::|||
1440 isThr.SerThrMetSerSerArgHisSerAlaSerProValValPheSe 1456       105 ePheLeuAspAsnAlaGlnAlaIleThr........AspTyrP 117

 142 ACCGAGCAGCGGGGCGCGCCTGGGTCAGGGGCAGTCCTGGGGGCAGGCTGG 93         863 TTTCCGGTCCTCTT..........ACAAGCATCCAGTCACTTGCTGAA 900
     ::|||||||      ::|||                                           ||||||              |||    |||
1456 rSerAla............ArgSerSerProLysGluGluLeuH 1467              117 roProValProLeuGlnCysLeuPheAspSerTyrLysAlaIleGlnGlu 133

   92 AGGCTGGTACCACGGCAGGACCTCTCCAGCCCACATTC.....CCGCAG 49         901 ATGTCATAAGCGATATAAACCTGCTGACAGGCCAGGATCATTGCATCTCC 950
      ::|||  ||||||||||      ||  |||:::||        :::                ::|||                  |||||||
   92 isPro...ThrThrSerGlnLeuAlaProSerPheSerSerSer 1482            134 IleThr.........................IleArgPheValThrSerAl 142

   48 ATCCAAATAAGGGGACCCCGGACG...........GAATCGTCGACCCG 11         951 TGCCTCC......TCCTTCCACGTAACAAAATCTC..........A 979
      |||||||||||||||||||||            ::||||||                     |||                    ||||||
1467 SerSerSerGlyProArgThrTyrProArgGlnGlyAlaThrSe 1499            142 aProSerCysLeuAsnGlnTyrHisIle..AsnLeuSerHisLeuProV 158

   10 GAAATTC 4                                                     980 TTGTTGATTGGCATATG..GCAGCAAGCATCCCAACACCCAGAGTGGTG 1026
      |||:::                                                        :::|||:::|||:::  |||  |||:::|||:::
 1499 rLysTyr 1501                                                158 alValGluPheHisIleProAlaProSerValGluThrThrLysValLeu 174

                                                                 1027 ..........................TTCTTATTTCTGAGGGA 1043
                                                                        ||                        ||||||
                                                                175 IleSerArgAlaAsnProLysIleAsnAlaGlnInPheLeuHisValAlaCy 191

                                                                 1044 GCAGGGTCGTGTGTGAATTGCACACACAGGAGCAATCCCTGCCCTGA 1093
                                                                       |||:::|||                    :::||
                                                                191 sGlnSerLeuPheMetAlaCys...........LysSerProAsnIleL 204

                                                                 1094 TA 1095
                                                                       ::
                                                                204 eu 204

seq_name: pir2:T27506

seq_documentation_block:
```

seq_name: pir2:T27506

```
seq_documentation_block:
hypothetical protein ZC168.3 - Caenorhabditis elegans
C;Species: Caenorhabditis elegans
C;Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 15-Oct-1999
C;Accession: T27506
R;Berks, M.
submitted to the EMBL Data Library, March 1996
A;Reference number: Z20378
A;Accession: T27506
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: DNA
A;Residues: 1-418 <WIL>
A;Cross-references: EMBL:Z70312; PIDN:CAA94386.1; GSPDB:GN00022; CESP:ZC168.3
A;Experimental source: clone ZC168
C;Genetics:
A;Gene: CESP:ZC168.3
A;Map position: 4
A;Introns: 48/3; 95/2; 207/3; 310/3; 367/3; 404/2
```

```
seq_documentation_block:
probable GTPase-activating protein SPA-1 - rat
N;Alternate names: protein p1294
C;Species: Rattus norvegicus (Norway rat)
C;Date: 20-Sep-1999 #sequence_revision 20-Sep-1999 #text_change 20-Sep-1999
C;Accession: T14106
R;Takeuchi, M.; Ide, N.; Hata, Y.; Takai, Y.
submitted to the EMBL Data Library, September 1997
A;Description: SPA-1 like protein identified through yeast two-hybrid screening using
A;Reference number: 217877
A;Accession: T14106
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: mRNA
A;Residues: 1-1822 <TAK>
A;Cross-references: EMBL:AF026504; NID:g2555182; PID:g2555183; PIDN:AAB1526.1


alignment_scores:
        Quality:   91.00              Length:   389
          Ratio:   0.558                Gaps:    20
   Percent Similarity:  41.902    Percent Identity:  21.851

alignment_block:
US-09-714-936-218/rev x T14106

Align seg 1/1  to: T14106  from: 1  to: 1822
```

```
1049 CCCTGCTCCCCTCAGAAATAAGAACACCACTCTGGGTGTTGGGATGCTTGC 1000
     |||:||::::         ::||||||      :::|||||
1221 ProAlaSerIleAspArgGlnAsnThrGlnSerAspIleGly.........  1234

 999 TGCCATATGCCAATCAACAATGAGATTTGTTACGTGGAGGAGGAGGCAG 950
     :::       ::|||||||      :||       ::::|||::  :
1235 .GlySerGlyLysSerTrpProSerTrpAsnArgSerGluAspSerLeuA 1251

 949 GAGATGCAATAATCCTGGCCTGTCAGCAGGTTTATATCGCTTATGACATT 900
     ::::||||:::        :::||          :|
1251 laAspGlnMetGluProThrCys......................... 1258

 899 TCAGCAAGTGACTGGATGCTTGTAAGAGGACCGGAAAGGTAGTTCCACTT 850
     ::|||     ::::|||:|      |||||    ::|||::::||||
1259 ........................................HisLe 1260

 849 GCCAGCACTGGTAATCGCTTAAAAAGTGTCTGTAGAAATCAGCAGTCGCC 800
     ||||||                   :::|||::::        |
1260 uProAla....................................ValSerLysVaL 1267

 799 TTGCATGCCCCCTGTCCTTCCCAGTTCCTTCTTAAAAACTCCATCACAG 750
     ||            ::|||::::::::::|||||| ::|||::::||||||
1267 .....................AlaPheArgGluProSerGly 1276

 749 TAACTCATGCGCTTCTCTGTGGTCACGTATATTT.........G 715
     ||||||||||| :::||||||||      ||||||
1277 ArgLeuMetArgGlnAspProValVaLHis..LeuSerProAsnLysGlnG 1293

 714 GGCATTCGGATAGATACCAACTGTCTTTTCAACATGTTGTAAACGATGC 665
     ||||||||||           |||   |||   :::|||
1293 lyHisSerAspSerHisTyrSerSerHisSerSer.......... 1304

 664 CATTGCCATCTTTCCTCATATTGCGGAAAGGTCCCAAATAACACAAATA 615
     ||
1304 ............................... 1304

 614 GTAGTATTCGCTTCCTTGAAAAATAATCAGGGTTTTTAGCAAAAGAGG 565
     |||      ::::|||       :::
1305 ......SerAsnThrLeuSerSerAsnAlaSerSerAlaHisSerAspG 1319

 564 AACGGCTGGTAT.........................GGGACACAA 545
     |||:::|||||
1319 luLysTrpTyrAspGlyAspArgThrGluSerAspLeuAsnSer.TyrAs 1335

 544 CTCGAATCATGGTCATGCGGCCGCACATCTTCTTCATAACCTTTGGTGGGG 495
```

```
 555 ..................TACCAGGGTTCCTCTTTTGCTAAAAAACC 583
                       :::||||:::  |||    ::::::
 809 GluThrCysThrGlySerGlyTyrAsnGlnCysSerSerCysGlnGluGl 825

 584 CTGATTATTTTTCAAGGAGGCGAATACTACTATTTGTGTTATTGGGA 633
     :::::||||||::      |||              |||       :|
 825 yLeuGlnLeuTrpHisGlyThr..........CysLeuTrpSerT 837

 634 CCTTTCCGAATATGAGGAAAGATGGCAATGGCATCGTTTACAACATGTT 683
     ||::|||||| |||     ::::    :||||:|||||::
 837 hrTrpProGlnValGluGlyLys..AspTrpAsnGluAlaValProThr 852

 684 GAAAAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGTGACCACAG 733
     ||||||    |||
 853 GluLysProSer.......... 856

 734 AGAGGCGCATGAGTTACTGTGATGGAGTTTTAAGAAGGAAACTGGGAAG 783
 856 .......... 856

 784 GACAGGGGCATGCAAGGCGACTGCTGATTCTACAGACACTTTTTAAGC 833
     |||   |||    :::|||:::
 857 ......LeuValArgSerLeuLeuGln 863

 834 GATTACCAGTGCTGGCAAGTGGAACTA.......... 860
     |||   :::||:::|||||||
 864 AspArgArgLysTrpLysValGlnIleLysArgAspAlaThrSerGlnAs 880

 861 ...CCTTTCCGGTCCCTTACAAGCAT.......... 884
     :: ||||||||||:::||
 880 nGlnProCysHisSerSerCysLysThrCysAsnGlySerLeuCysAlaS 897

 885 ....CCAGTC.......... 890
     ||:::
 897 erCysProThrGlyMetTyrLeuTrpLeuGlnAlaCysValProSerCys 913

 891 ...........ACTTGCTGAAATGTCAT 907
                ||| |||
 914 ProGlnGlyThrTrpProSerValThrSerGlyLysCysGluLysCysSe 930

 908 AAGGGATATAAAACCTGACAGGCCAGAGATCAATTGCCATCCTGCCTCC 957
     ::|||       |||  |||       ::::::|||||
 930 rGluAspCysValSerCysSerGlyAlaAspLeuCysGlnLeuCysLeuS 947

 958 TCCTTCCACCTAACAAATCTCATTGTGATTGGCATATGGCATCAGCAAGCAT 1007
     ||| ||          :::|||::
 947 ..........LeuLeuLeuHisGluGlyLysArgCysTyr 961

1008 CCCAAACACCCAGAGTGGTGTCTTATTTCTGAGGGAGCAGGGTCTGTGTG 1057
     :::||    :::|||:::|||||
 962 HisSerCysProGluGlyPheTyrAlaLysAspGly.........ValCy 975

1058 TGAATTGCACACAGGAGGCAATCCCTGCCCTGAT..ACAGGCAACC 1104
     |||| :::::: ||||||         :::|||
 975 sGlu...HisCysSerSer.....ProCysLysThrCysGluGlyAsnA 989

1105 TGAGTGCTTAGTTCCTTCTCTGCTCAGAACTTAGTGTGACTATGTGGCCT 1154
     ::::::          ::: ||| :::|||
 989 laThrSer.........CysAsnSerCysGluGlyAsp...PheVal 1000

1155 ACCTCACATTGTTTGTTGTACACCTACACGGAAAAGGAAAATGTC.. 1202
     |||||||||| :::||:::
1001 LeuAspHisGlyValCysTrpLys..ThrCysProGluHisValAl 1016

1203 ..........CTTTTGATTCCATGCTGTAGAGATGTTCATCCAATTGA 1242
               :: ||||||::||:::::::
1016 avalGluGlyValCysLysHisCysLysHisCysProGluArgCysGlnAspCysIleH 1033

1243 ATGAACATGTAGCCAAGGTAGTCTTCCCCCCTTTCTTCCCTT 1287
          :::|||||| |||::: ||| :::||
1033 isGluLysThrCysLysGlu.CysMetProAspPheLeuTyr 1047
```

seq_name: pir2:T14106

N;Alternate names: protein B7J19.150
C;Species: Neurospora crassa
C;Date: 21-Jul-2000 #sequence_revision 21-Jul-2000 #text_change 21-Jul-2000
C;Accession: T51016
R;Schulte, U.; Aign, V.; Hoheisel, J.; Brandt, P.; Fartmann, B.; Holland, R.; Nyakatura,
submitted to the Protein Sequence Database, July 2000
A;Reference number: Z25286
A;Accession: T51016
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-1053 <SCH>
A;Cross-references: EMBL:AL389899; GSPDB:GN00116; NCSP:B7J19.150
A;Experimental source: BAC clone B7J19; strain OR74A
C;Genetics:
A;Gene: NCSP:B7J19.150
A;Map position: 6
A;Introns: 54/3; 291/2; 304/3; 384/2; 472/1; 571/2; 650/1; 769/2; 814/2; 951/2; 1043/2

alignment_block:
US-09-714-936-218/rev x T51016

Align seg 1/1 to: T51016 from: 1 to: 1053

458 ATCTCATTCCCACCTTCTGGCCAACCATCTCACCTGAGTTTGACACTAT 409
    :::||||||||||:::||| ||:::: ||| |||||::|
378 ValSerPheProSerPhe..GlySerThrSer..........ThrIleT 390

408 GG...CACAAAGGTCACAGTCCAGTTGCAAAGGCCTCTTGTGTCTTCACAT 362
    :: :||||||| ||| |||::||| |||::|||
390 rpSerSerSerHisHisProIleAla..............AlaHis 401

361 TTATGTATCCATAGTGAGTTCGAAGGGCCGCCCTGTATGTGTAGGAGA.. 314
    :: :::::::||| :::||||||||| |||
402 ValGluLeuAsnLysProValGluGlyThrValLeuArgAlaProArgPr 418

313 .........ATGGTATCCACTTTGTACCAGGTTGTCCAAACCAGT.... 278
    :::||| :::|||| :::::: ||||::|||
418 oThrLeuValThrMetSerAsnValGlyIleProLysGluSerLysT 435

277 ..........TTAGTAGCAATGGGAAATTCACTT 254
              ||||||||||||||||:::::::|||
435 rpGlyAsnAspAlaHisSerAlaLeuCysValAlaLeuAlaGluAlaLeu 451

253 CATTTACAAGACGCACAACCAGCAGGAAAAGGAACCGTGCTATGAAGCTC 204
    ::::::::||||||| ||| ::: :::
452 IleAlaAlaGlySerSerProAlaGlnLysLysLysAspLeuIleMetAlaVa 468

203 ACAGCAAATCACAGACT........TTCTCTTCAGGATGCAGGCCATGGC 163
    :::::::::||| |||||||:::||||||||||:::
468 lMetLysAlaPheThrGlyAsnValSerSerSerCysArgProPhe. 484

162 GCTCCGCCGGCCCCTGCCCACGCAGCAGCCGGCGGCCCTGGGTCAGGGGG 113
    |||||::|| :::::|| ||| |||||
485 LeuProProSerSerLeuProGlnAsnPheCysAlaIleTyrAlaThrTh 501

112 CAGTCCTGGGGGCAGGCTGGAGGCTGGTACCACGGCAGGACCTCTCCAGC 63
    ::: ||| ||| ||| || ||||
501 rThrAsnGly..........SerThrPheCysProThrThrGlnP 513

62 CCACATTCCCGCAGATCCAAATAAGGGACACCCGCGACACGGAATCGTCCGACC 13
   ||||||| ||| |:::::: :::|||||| :::||||||
513 roPheLeuProArgSerHisArgLysMetProArgTrpAspGluGlnThr 529

seq_name: pir2:S34583

C;Species: Mus musculus (house mouse)
C;Date: 02-Dec-1993 #sequence_revision 10-Nov-1995 #text_change 05-Nov-1999
C;Accession: S34583
R;Nakagawa, T.; Murakami, K.; Nakayama, K.
FEBS Lett. 327, 165-171, 1993
A;Title: Identification of an isoform with an extremely large Cys-rich region of PC6.
A;Reference number: S34583; MUID:93327934
A;Accession: S34583
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-1548 <NAK>
A;Cross-references: GB:D17583; NID:g407344; PIDN:BAA04507.1; PID:d1005033; PID:g44037
C;Keywords: hydrolase; serine proteinase

alignment_block:
US-09-714-936-218 x S34583

Align seg 1/1 to: S34583 from: 1 to: 1548

99 TGCCCCCAGGACTGCCCCTGACCCAGGCGCGCCCGCTCCTCGGTGGCAGG 148
   |||::|||||||||||||| |||||||||||||||:::|||
642 CysLeuGluAsnCysPro...........................ValGlyHi 650

149 AGGGCCGGCGAGCGCCATGGCCGTGCATCCTGAAGAGAAAGTCTGTGATT 198
   ||||||||||::::|| ||| ||| :::|||
650 sTyrProAlaLysGlyHisThrCysLeuProCysProAspAsnCysGluL 667

199 GCTGT 203
   |||
667 euCysTyrAsnProHisIleCysSerSerArgCysMetSerGlyTyrVallle 683

203 203
    :
684 IleProProAsnHisThrCysGlnLysLeuGluCysArgGlnGlyGluPh 700

204 .........GAGCTTCATAGCAGCAGCCGTTCCTTTCTCCTGCTGGTTGTGCGT 243
   ||| :::::|||| :::|||
700 eGlnAspSerGluTyrGluGluCysMetProCysGluGlyCysLeuG 717

244 CTTGTAAATGAAGTGAATTCCCATTGCTACTAAACTGCTTTGGACAACC 293
   :|||| :::||| ||| ::::||| |||
717 lyCysThr...GluAspAspProGlyAlaCysThrSerCysAlaThrGly 732

294 TGGTACAAGTGGATACCATTCTCCTACAC...ATACAGGCGGCCCCTTC 340
   :: |||| ::||||:::::||||:::
733 TyrTyrMetPheGluArg.........HisCysTyrLysAlaCysProGlyl 746

341 GAACTCACTA.........TGGATACATAAATGTGAAGAACAAGAGACCT 381
   :::::::::|| ::: ||||||
746 uLysThrPheGlyValLysTrp.............GluCysArgAlaC 758

382 TTGCAACTGGACTGTGACCTTGTGCCATAGTGTCAAACTCAGGTCAGAT 431
   :::||:||| ||| ||| ||||
758 ysGlyThrAsn.........CysGlySerCysAspGlnHisGluCys 770

432 GGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCCATTTGGA 481
   |||::||||| |::: ||| |::||
771 TyrProCysGluGlyGly..............PhePheLeuSe 780

482 GAATGAACAATGCCCCACCACCAAAGGTTATGAAGAAGATGTCGGCCGCATG 531
   ::: ::||| :::||| |::: ||| |||
780 rGlyGlySerCysValGlnAsp.............CysGlyProGlyP 792

532 ACCATGAT.................TCGAGTTGTGTCCCA.............. 554
   ||| ::||||||:::|||
792 heHisGlyAspGlnGluLeuGlnLysLeuCysLysProCysHisArgAlaCys 808

280 IleGluGlnGlyCysTyrHisAsnGlyValTyrTyrGluProGluGl 296

344 CTCACTATGGATACATAAATGTGAAGACAACAAGAGCCTTGCAACTGGAC 393
    :::||:: |||::|||| :: |||
296 uSerValLeuIleGluAsnCysGlnHisCysValCysGlnProGlyL 313

394 TGTGACCTTTGTGC......CATAGTGTCAAACTCAGGTCAGATGGTTGG 437
    ::||| |||||| ||| :::
313 ysGlyMetCysGlnHisSerCysLysProGlyInValCysGlu 329

438 CCAGAAGGTGGGAAATGACGATCCTCCTGCATTTGAGAGAATGA 487
    |||:|||||| ::: :||||
330 ProSerGlyGly...........ValLeuThrCysValThrLysAs 341

488 ACAATGCCCCACCAAAGGTTATGAAGAGAGATGTCGGCCGCATGACCATG 537
    :: ||| ||||||||||:::::::
341 pProCys...HisGly........IleThrCysArgProGluGlu.Thr 353

538 ATTCGAGTTGTGTCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGA 587
    :::||| :: ||||: ::: |||::
354 CysLysValGlnGlyGlyGluGlyValCysVal...........ProAs 366

588 TTATTTTTTCAAGGAAGCGAATACTACTATTTGTGTTATTTGGGA.... 633
    ||| |||::|||||
366 nTyr...........AsnSerThr..CysTrpLeuTrpGlyAspP 377

634 .........CCTTTCCGCAATATGAGGAAAGATGGCAATGGCATCGTT 672
    ||| ::||||
377 roHisTyrAsnSerPheAspGlyTrpSerPheAspPheGlnGlyThrCys 393

673 TACAACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCAA..... 717
    :::||||| ||||:::
394 AsnTyrLeuLeuAlaGlyThrLeuCysProGlyValAsnAlaGluGlyLe 410

718 ........ATATACCGTGACCACCAGAGAAGCGC............A 742
    ::: |||||||||
410 uThrProPheThrValThrThrLysAsnGluAsnArgGlySerProAlaV 427

743 TGAGTTACTGTGAT........................GGA 759
    ::||||
427 alSerTyrValArgGlnValThrValThrThrLeuAsnThrAsnIleSer 443

760 GTTTTTAAGGAAGAAACTGGGAAGGA..................785
    |||:::||| |||||
444 IleHisLysAsnGluIleGlyLysValArgValAsnGlyValLeuMetAl 460

786 ....CAGGGGGCAT 795
    :: ||||||||
460 aLeuProValTyrLeuAlaGlyGlyArgIleSerValIleAsnGlyGlyS 477

796 GCAAGGCGACT......GCTGATTTCTACAGACACACTTTTAAGCCGATTAC 839
    ||||||||| ::::||||| ||
477 erLysAlaValLeuGluThrCysAspPheGlyLeuGlnValThrTyrAspTrp 493

840 CAGTGCTGCCAAGTGGAACTACCTTCCGGTCCTCTTACAAGCATCCAGT 889
    ::: :|||||| ||| ||||||||
494 Asn...TrpArgValAspValThrLeuProSerSerTyrHisGlyAlaVa 509

890 CACTTGCTGAAATGTCATAAGCGATATAAAACCTGCTGACAGGCCAGGATC 939
    :||| ||||||: ||||
509 l................509

940 ATTGCCATCTCCTGCCTCCTCCACGTAACAAATCTCATTGTTGATTG 989
    ||| :::||| ::::|||
510 ..CysGlyLeuCysGlyAsnMetAspLysAsnHisGlnAsn.........522

990 GCATATGGCAAGCAAGCATCCCAACACCCAGAGTGGTGTTCTTATTCTGA 1039
    :::||||| ||| |||
523 ......AspGlnValPheProAsnGlyThrMetAlaProSerIleProTh 537

1040 GGGAGCAGGGTCT....................GTGTGTGAATTGC 1065
     :::|||||| ||:||
537 rTrpGlyGlySerTrpGlnValProGlyTrpAspProLeuCysTrpHisG 554

1066 ACACACAGGGAGCAATCCCC...TGCCCTGAT 1094
     ::: ||||||:::||:::||::::||
554 luCysGlnGlySerCysProThrCysProGlyE 564

seq_name: pir2:I59403

seq_documentation_block:
alpha-2,8-polysialyltransferase - human
C;Species: Homo sapiens (man)
C;Date: 31-May-1996 #sequence_revision 31-May-1996 #text_change 24-Sep-1999
C;Accession: I59403
R;Nakayama, J.; Fukuda, M.N.; Fredette, B.; Ranscht, B.; Fukuda, M.
Proc. Natl. Acad. Sci. U.S.A. 92, 7031-7035, 1995
A;Title: Expression cloning of a human polysialyltransferase that forms the polysialy
A;Reference number: I59403; MUID:9535205
A;Accession: I59403
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: mRNA
A;Residues: 1-359 <RES>
A;Cross-references: GB:L41680; NID:g945220; PIDN:AAC41775.1; PID:g945221
C;Genetics:
A;Gene: GDB:PST
A;Cross-references: GDB:1327254
C;Superfamily: alpha-N-acetylneuraminate alpha-2,8-sialyltransferase

alignment_scores:
    Quality: 92.00   Length: 131
    Ratio: 1.260   Gaps: 5
Percent Similarity: 55.725   Percent Identity: 26.718

alignment_block:
US-09-714-936-218 x I59403

Align seg 1/1 to: I59403 from: 1 to: 359

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    |||||||||||::|||||||||| :::: || |||:   ::: ||:
142 CysAlaValValGlyAsnSerGlyIleLeuLeuAspSerGluCysGlyLy 158

453 TGAGATGAGATCGATCCTCCTGCATTTGAGAATGAACAATGCCCCACCA 502
    :|||||||| ::: ||| ||||||::: ||||||||
158 sGluIleAspSerHisAsnPheValIleArgCysAsnLeuAlaProValV 175

503 AAGGTTATGAAGAGAGTCGGCCGCCATGACCATGATTCGAGTTGTGTCC 552
    |||||||| :::|||||||
175 alGluPheAlaAlaAspValGly..........................182

553 CATACCAGCGTTCCTCTTTGCTAAAAAACCCTGATTATTTTTTCAAGGA 602
    |||::| ||||| ||||||
183 ...ThrLysSerAspPheIleThrMetAsnPro..................192

603 AGCGGAATACTACTATTTGTGTTATTGGGACCTTTCCGCAATATGAGGA 652
    :::||||||||| :::||| ||||||::::
193 ......SerValValGlnArgAlaPheGlyPheArgAsn...GluS 206

653 AAGATGGCAATGGCATCGTTTAC.....AACATGTTGAAAAAGACAGTT 696
    :||| |||:::||||||| ::|||||
206 erAspArgGluLysPheValHisArgLeuSerMetLeuAsnAspSerVal 222

697 GGTATCTATCCGAATGCCCAAATATACGTGACCACCAGAGAAGGCCATGAG 746
    |||:|| |||||| ||||||
223 ...LeuTrpIleProAlaPheMetValLysGlyGluLysHisValGl 238

747 TTACTGTGCATGGAGTTTTAAGGAAGGAAACTGGAAGGACAGG 789
    ||::| ||| ||
238 utrpValAsnAlaLeuIleLeuLysAsnLysLeuLysValArg 252

seq_name: pir2:T51016

seq_documentation_block:
related to CYC8 protein [imported] - Neurospora crassa

A;Accession: T36683
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: DNA
A;Residues: 1-830 <SEE>
A;Cross-references: EMBL:AL035636; PIDN:CAB38499.1; GSPDB:GN00070; SCOEDB:SCH5.25
A;Experimental source: strain A3(2)
C;Genetics:
A;Gene: SCOEDB:SCH5.25

alignment_scores:
        Quality: 95.00   Length: 296
        Ratio: 0.709   Gaps: 19
Percent Similarity: 45.270   Percent Identity: 22.973

alignment_block:
US-09-714-936-218/rev x T36683

Align seg 1/1 to: T36683 from: 1 to: 830

864 AAGTAGTTCCACTTGCCAGCACTGGT................................ 838
    :::::||||||||||||| ||
363 GluLeuIleProLeuAlaSerLeuAlaLeuAlaAlaLeuValMetAlaValGlyLe 379

837 ...........AATCGCTAAAAAGTGTGTAGAAATCAGCAGT 804
           ||||::::::::::||| |||:::::::::
379 uLysMetValSerLeuAsnHisIleArgThrValThrArgHisArgGlu. 395

803 CGCCTTGCATGCCCCCTGTCCTTCCCAGTTTCCTTCTTAAAAAACTCCATC 754
                                                    :::
396 ....Val 396

753 ACAGTAACTCATGCCCTTCCTGTGGTCACGTATATTGGGCATTCGGAT 704
    ||| ||||:|||| |||:::||||||:::
397 LeuValTyrAlaValThrThrCysGlyValValPheLeuGlyVal..... 411

703 AGATACCAACTGTCTTTTCAACATGTTGTAAACGATGCCATTGCCATCT 654
                     || :::|||||||:::
412 ....LeuGluGlyValAlaLeuGlyIleAlaValA 422

653 TTCCTCATATTGCGAAAGGTCCCCAAATAACACAAATAGTAGTATTCGC 604
    :::||
422 laValGlyValAla. 426

603 TTGGTGGGGGCATTGTTCATTCTCCAAATGCAGGAGAGGAACGCCTGGTAT 554
    |||:::||| ||| ::: |
427 ..LeuHisArgLeuThrArg................................ThrArgIl 435

553 GGGACACAACTCGAATCATGGTCATGCGGCCGACATCTTCTTCATAAACCT 504
    : |||:::||||:::|||||| ||| |||
435 eThrHisAspGluThrGluGly.......................... 442

503 TTGGTGGGGGCATTGTTCATTCTCCAAATGCAGGAGATCGATCTATCTC 454
    ||||| ||||::
443 .....ValHisHisValHisValArgGlyGln.................. 451

453 ATTTCCCACCTTCGGCCAACCATCTGACCTGAGTTTGACAC........ 412
    :::::: ||| ||| ::|||:::|| |||
452 LeuThrPheLeuAlaValProArgLeuSerArgValLeuHisGlnValPr 468

411 .TATGGCACAAAGGTCACAGTCCAGTTGCAAAGCCTCTTGTCTTCACA 363
    ::||||| ::||:||:::|||||||::||| ||||||
468 oHisGlyAlaAspAlaValValGluLeuAsp.GlySer. 480

362 TTTATGTATCCATAGTGAGTTCGAAGGGGCCGCCTGTATCTGTAGGAGAA 313
    |||||| ||| ::|||||
481 PheMet.AspHisAlaAlaTyrGlu. 488

312 TGGTATCCACTTGTACCAGGTTGTCCAAAGCAGTTTAGTAGCAATGGGA 263
    ||||| |||:::::||||||||::||||
489 ....GlnAspTrpGlnLysThrHisThrAlaGlnGly 501

262 AATTCACTTCATTTACAAGACGCACCACCAGCAGGAAAAGGAACCCTGCT 213
    ::: ||| |||::: :::|

seg_name: pir2:T30257

seg_documentation_block:
IgG Fc binding protein - mouse (fragment)
C;Species: Mus musculus (house mouse)
C;Date: 22-Oct-1999 #sequence_revision 22-Oct-1999 #text_change 22-Oct-1999
C;Accession: T30257
R;Tomasetto, C.; Masson, R.; Wendling, C.; Lefebvre, O.; Chenard, M.P.; Rio, M.C.; R'hibieras, S.;
submitted to the EMBL Data library, September 1998
A;Description: Identification of interactions between trefoil peptides and members of
A;Reference number: 220795
A;Accession: T30257
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: mRNA
A;Residues: 1-1023 <TOM>
A;Cross-references: EMBL:AJ011416; NID:e1325179; PID:e1325180; PIDN:CAA09618.1

alignment_scores:
        Quality: 92.50   Length: 428
        Ratio: 0.575   Gaps: 24
Percent Similarity: 37.617   Percent Identity: 20.794

alignment_block:
US-09-714-936-218 x T30257

Align seg 1/1 to: T30257 from: 1 to: 1023

66 GGAGAGGTCCTGCCCGGTACCAGCCTCGCCCCAGGACTGCCC 115
   ||:::|| |||||| ||||||:::::||||||||||
215 GlyGlnValGluProTrpArgThrGluThrPheCysProMetGluCysPr 231

116 CTGACCCAGGCGCGCCCGTGCTCCGGTGGCAGGAGGGCCGGCGGAGCGCC 165
   :::::   231

231 O.. 231

166 ATGGCCTGCATCCTGAAGAGAAAGTCTGT...................GAT 197
   ||| ::::|||||||||
232 .....ProHisSerHisTyrGluValCysAlaAspThrCysSerLeuGly 246

198 TGCTGTGAGCTTCATAGCAGCGGTTCCTTTTCCTGCTGGTGTGCG...TC 244
   ||| ||||:::   ::||| ::||:::|||||||||
247 CysTrpAlaLeuAsnThrProGlnIleCysTyrProGluGlyCysAlaGluGl 263

245 TTGTAAATGAAGTGAATTTCCCATTGCTACTAAACTGCTTTGGACAACCT 294
   :|||
263 yCys. 264

295 GGTACAAAGTGGATACCATTCTCCTACAC................... 323
   ::: |||:::|| |||:::||
265 .....GluCysAspSerGlyPheLeuTyrAsnGlyLysAlaCysValPro 279

324 ...................................ATACAGGCGGCCCCCTTCGAA 343
   ::: |||:::::::

J. Biol. Chem. 268, 11504-11507, 1993
A;Title: Polymerase chain reaction cloning of a developmentally regulated member of the
A;Reference number: A46727; MUID:9280099
A;Accession: A46727
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-375 <LIV>
A;Cross-references: GB:L13445; NID:g310229; PIDN:AAA42147.1; PID:g310230
C;Superfamily: alpha-N-acetylneuraminate alpha-2,8-sialyltransferase
C;Keywords: glycosyltransferase

alignment_scores:
Quality: 100.00   Length: 76
Ratio: 2.381   Gaps: 1
Percent Similarity: 55.263   Percent Identity: 32.895

alignment_block:
US-09-714-936-218 x A46727

Align seg 1/1 to: A46727   from: 1 to: 375

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    |||||||||||||||::||||||||| :|||||||||||||||||||
157 CysAlaIleValGlyAsnSerGlyValLeuLeuAsnSerGlyCysGlyGl 173

453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCCACCA 502
    :|||||||| ||| ::: ||| |||| ||||||||||:::::
173 nGluIleAspThrHisSerPheValIleArgCysAsnLeuAlaProValG 190

503 AAGGTTATGAAGAAGATGTCGGCCGCCACCATGACCATCGAGTGTGTCC 552
    :: ||| ::||||||||||
190 lnGluTyrAlaArgAspValGlyLeuLysThr.................. 200

553 CATACCAGCGGTTCCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    |||::: |||||||
201 ....AspLeuValThrMetAsnProSerValIleGlnArgAl 213

603 AGGCGAATACTACTATTTGTGTTATTGG 630
    ::: ||| ::: |||
213 aPheGluAspLeuValAsnAlaThrTrp 222

seq_documentation_block:
hypothetical protein F22013.15 - Arabidopsis thaliana
C;Species: Arabidopsis thaliana (mouse-ear cress)
C;Date: 12-Feb-1999 #sequence_revision 12-Feb-1999 #text_change 22-Oct-1999
C;Accession: T00720
R;Shinn, P.; Buehler, E.; Dewar, K.; Feng, J.; Kim, C.; Li, Y.; Sun, H.; Conway, A.; Con
eologis, A.; Ecker, J.R.
submitted to the EMBL Data Library, April 1998
A;Description: Genomic sequence for Arabidopsis thaliana BAC F22013.
A;Reference number: Z14200
A;Accession: T00720
A;Status: translated from GB/EMBL/DDBJ
A;Molecule type: DNA
A;Residues: 1-425 <SHI>
A;Cross-references: EMBL:AC003981; NID:g3063438; PID:g3063453; GSPDB:GN00059; ATSP:F22O1
A;Experimental source: cultivar Columbia
C;Genetics:
A;Gene: ATSP:F22O13.15
A;Map position: 1
A;Introns: 40/3; 66/3; 192/3; 223/1; 242/3; 293/3

alignment_scores:
Quality: 97.50   Length: 247
Ratio: 0.938   Gaps: 14
Percent Similarity: 42.105   Percent Identity: 22.267

alignment_block:
US-09-714-936-218 x T00720

Align seg 1/1 to: T00720   from: 1 to: 425

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    |||||||:::||||::|||||||||||||||| :: |||||||
158 CysAlaValValGlyAsnSerGlyAspLeuLeuLysThrGluPheGlyGl 174

453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCC...A 499
    :|||||||| ||||||| ||| :::::||:::||||
174 uGluIleAspSerHisAspAlaValPheArgAspAsnGluAlaProValA 191

500 CCAAAGGTTATGAAGAAGATGTCGGC.................... 525
    ::::: ||| ::: ||||||
191 snGluLysTyrAlaLysTyrValGlyValLysArgAspPheArgLeuVal 207

525 525

208 ValArgGlyAlaAlaArgAsnMetLeuLysIleLeuAsnGlySerAspAs 224

526 .CGCATGACCATGATTCGAGTTGTCCCATACCAGCGTTCCTCTTTTGC 574
    :::::: |||::||| ||| :::||| :::
224 nGluValLeuIleLeuLysSerValThrHisArgAspPheAsnGluMetI 241

575 TAAAA.......AACCCTGATTATTTTCAAG................... 600
    ::||| ||||| |||::|||
241 leLysArgIleProAsnProValTyrLeuPheGlnGlyIleValLeuArg 257

601 .............................GAAGGCGGAATACTACTAT 617
                                   |||||
258 ArgGlyAlaLysGlyMetLysSerIleGluGluLeuAlaLeuSerMe 274

618 TTGTCTTATT................................... 627
    ::|| |||
274 tCysAspIleValAspIleTyrGlyPheThrValAspProGlyTyrThrG 291

628 ..TGG........................GGACCTTCCCAATGAGGAAAGAT 657
    ||| |||||:::|||::
291 luTrpGlnValIleArgIleHisSerProMetArgSerGluArgLysGlu 307

658 GGCAATGGCATCGTTACAACATGTTGAAAAAGACAGTTGGTATCT..... 703
    :::||||::| ||||::|||:::   ::::|||||
308 Asp.TrpSerSerValProSer........ArgGluMetIleSerArgA 321

704 ..............ATCCGAATGCCCAAATATACGTGACCACACAGAAGC 739
                  ::||||::::: :|| ||| |||
321 laHisThrAlaAlaLeuArgLeuGlnArgSerGlnGlnProThrSerSer 337

740 GCATGAGTTACTGTGATGGAGTTTTTAAGAAGAAACTGGGAAGGACAG 788
    ||||||||||||||||| ||::: :::|||||||
338 ....LysArg.AspGlySerGlyGlnP 345

789 ..GGGGCATGCAAGGCGGACTGCTGAT.................... 812
    || ||||||||
345 heGlyAsnCysLysValTrpGlyAspAlaAspProThrLysGlyProVal 361

813 ....................TTCTACAGACACTTTTAAGCCATTACCAGTG 844
                        ::: |||||||||:::
362 SerGlySerProAspMetSerGluThrArgLysLysSerAsnTyrLysLy 378

845 CTGGCAAGTGGAACTACCTTTCCGGTCCTCCTTACAAG 881
    |||:::||| :::|||||||||||||| |||
378 sTrpGluVal...MetProPheArgSerLeuArgLys 389

seq_name: pir2:T36683

seq_documentation_block:
probable integral membrane protein - Streptomyces coelicolor
C;Species: Streptomyces coelicolor
C;Date: 03-Dec-1999 #sequence_revision 03-Dec-1999 #text_change 03-Dec-1999
C;Accession: T36683
R;Seeger, K.J.; Harris, D.; Bentley, S.D.; Parkhill, J.; Barrell, B.G.; Rajandream, M
submitted to the EMBL Data Library, March 1999
A;Reference number: Z21611

A:Molecule type: mRNA
A:Residues: 1-375 <RES>
A:Cross-references: EMBL:X83562; NID:g1478203; PIDN:CAA58548.1; PID:g929722
C:Superfamily: alpha-N-acetylneuraminate alpha-2,8-sialyltransferase

alignment_scores:
```
        Quality:    103.00          Length:       76
          Ratio:     2.395            Gaps:        1
Percent Similarity:  56.579    Percent Identity:  32.895
```

alignment_block:
US-09-714-936-218 x I48686

Align seg 1/1 to: I48686 from: 1 to: 375

```
403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||||||||||:||:||||||||  :||||||||||||||     ||||||
157 CysAlaIleValGlyAsnSerGlyValLeuLeuAsnSerGlyCysGlyGl 173

453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCCACCA 502
    :||||||||    ||| :||   ||| |||:||||||||||| ||||:::
173 nGluIleAspThrHisSerPheValIleArgCysAsnArgAlaProValG 190

503 AAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATCGAGTTGTGTCC 552
    :: ||| :||||||||||||  :||||||||||||||||||||||||||
190 lnGluTyrAlaArgAspValGlyLeuLysThr................ 200

553 CATACCAGCGTTCCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    ||||:: :||||| ||| ::|   ||||||||||||||||||||||||
201 ..........AspLeuValThrMetAsnProSerValIleGlnArgAl 213

603 AGCGAATACTACTATTTGTGTTATTGG 630
    ::  :||||||||||||||||||||||
213 aPheGluAspLeuValAsnAlaThrTrp 222
```

seq_name: pir2:I39169

seq_documentation_block:
sialyltransferase - human
C:Species: Homo sapiens (man)
C:Date: 24-May-1996 #sequence_revision 24-May-1996 #text_change 24-Sep-1999
C:Accession: I39169
R:Scheidegger, E.P.; Sternberg, L.R.; Roth, J.; Lowe, J.B.
J. Biol. Chem. 270, 22685-22688, 1995
A:Title: A human STX cDNA confers polysialic acid expression in mammalian cells.
A:Reference number: I39169; MUID:96032684
A:Accession: I39169
A:Status: preliminary; translated from GB/EMBL/DDBJ
A:Molecule type: mRNA
A:Residues: 1-375 <RES>
A:Cross-references: EMBL:U33551; NID:g995770; PIDN:AAC24458.1; PID:g995771
C:Superfamily: alpha-N-acetylneuraminate alpha-2,8-sialyltransferase

alignment_scores:
```
        Quality:    101.00          Length:      100
          Ratio:     2.061            Gaps:        3
Percent Similarity:  49.000    Percent Identity:  29.000
```

alignment_block:
US-09-714-936-218 x I39169

Align seg 1/1 to: I39169 from: 1 to: 375

```
334 CCCCTTCGAACT...CACTATGGATACATAAATGTGAAGACACAAGAGCC 380
    ||||||:::::||  |||||||:::|||
148 ProLeuLysAsnLysHisPheGly.................... 155

381 TTTGCAACTGGACTGTGACCTTTGCCATAGTGTCAAACTCAGGTCAGA 430
    |||||||||||| |||||||||::||||||| : ||||||| :
156 ........ThrCysAlaIleValGlyAsnSerGlyValL 166
```

---

431 TGGTTGGCCAGAAGGTGGGAAATGAAATAGAGTAGATGATCCTCCTGCATTTGG 480
    :::::::::: ||||:|||||| |||||||| ||| :::
166 euLeuAsnSerGlyCysGlyGlnIleGluAspAlaHisSerPheValIle 182

481 AGAATGAACAATGCCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCAT 530
    ||| ||| ||||||||||:||:::||| ||| ::||||||:|||||||
183 ArgCysAsnLeuAlaProValGlnGluTyrAlaArgAspValGlyLeuY 199

531 GACCATGATTCGAGTTGTCTCCCATACCAGCGTTCCTCTTTGCTAAAAA 580
    ||| |||||:: |||:|||||||
199 sThr..........................AspLeuValThrMetA 206

581 ACCCTGATTATTTTTTCAAGGAAGCGAATACTACTATTTGTGTTATTGG 630
    ||||::: ::: ||| ::: || ::: |||||||||||||||||
206 snProSerValIleGlnArgAlaPheGluAspLeuValAsnAlaThrTrp 222
```

seq_name: pir2:B54898

seq_documentation_block:
STX protein - human (fragment)
C:Species: Homo sapiens (man)
C:Date: 12-Apr-1995 #sequence_revision 12-Apr-1995 #text_change 24-Sep-1999
C:Accession: B54898
R:Kitagawa, H.; Paulson, J.C.
J. Biol. Chem. 269, 17872-17878, 1994
A:Title: Differential expression of five sialyltransferase genes in human tissues.
A:Reference number: A54898; MUID:94299495
A:Accession: B54898
A:Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-222 <KIT>
A:Cross-references: GB:L29556; NID:g522198; PIDN:AAA36613.1; PID:g522199
C:Superfamily: alpha-N-acetylneuraminate alpha-2,8-sialyltransferase

alignment_scores:
```
        Quality: 100.00   Length: 76
          Ratio: 2.381   Gaps: 1
Percent Similarity: 55.263   Percent Identity: 32.895
```

alignment_block:
US-09-714-936-218 x B54898

Align seg 1/1  to: B54898  from: 1  to: 222

```
403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||||||||||:||:||||||||  :||||||||||||||     ||||||
  4 CysAlaIleValGlyAsnSerGlyValLeuLeuAsnSerGlyTyrGlyGl 20

453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCCACCA 502
    :||||||||    ||| :||   ||| |||:||||||||||| ||||:::
 20 nGluIleAspAlaHisSerPheValIleArgCysAsnLeuAlaProValG 37

503 AAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATCGAGTTGTGTCC 552
    :: ||| :||||||||||||  :||||||||||||||||||||||||||
 37 lnGluTyrAlaArgAspValGlyLeuLysThr................ 47

553 CATACCAGCGTTCCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    ||||:: :||||| ||| ::|   ||||||||||||||||::: :||
 48 ..........AspLeuValThrMetAsnProSerValIleGlnArgAl 60

603 AGCGAATACTACTATTTGTGTTATTGG 630
    ::  :||||||||||||||||||||||
 60 aPheGluAspLeuValAsnAlaThrTrp 69
```

seq_name: pir2:A46727

seq_documentation_block:
sialyltransferase (EC 2.4.99.-), brain, precursor - rat
C:Species: Rattus norvegicus (Norway rat)
C:Date: 03-May-1994 #sequence_revision 03-May-1994 #text_change 24-Sep-1999
C:Accession: A46727
R:Livingston, B.D.; Paulson, J.C.

```
176 IleIleArgGlnArgPheGluAsn...............LeuLeuTrpSerArgGly 189
    :::
639 CCGC........AATATGAGAGAAGATGGCAATGGCATCGTTAC...A 676
    :::                                          ||||:||
189 sLysPheValAspAsnMetLysIleTyrAsnHisSerTyrIleTyrMetP 206

677 ACATGTTGAAAAAGACAGTTGGTATCCTATCATCCGAATGCCCAAATATACGTG 726
    :::::: ||||||           :::|||  ||||::||||
206 roAlaPheSerMetLysThrGlyThrGluProSerLeuArgValTyrTyr 222

727 ACC.........ACAGAGAAGCGCATGAGTTACTGTGATGGAGT 761
    |||            :::::::
223 ThrLeuLysAspAlaGlyAlaAsnGlnThrValLeuPheAlaAsnProAs 239

762 TTTTAAGGAGGAAACTGGG.........AAGGACAGGGGG...CATGCA 799
    |||                         ||||||||||   |||:::
239 nPheLeuArgAsnIleGlyLysPheTrpLysSerArgGlyIleHisAlaL 256

800 GGCGACTGCTGATTTCTACAGACACTTTT 828
    ::||||||    |||
256 ysArgLeu......SerThrGlyLeuPhe 263
```

seq_name: pir2:A54032

```
alignment_scores:
    Quality:    106.00        Length:    235
    Ratio:       0.938          Gaps:     16
Percent Similarity: 48.085   Percent Identity: 24.255

alignment_block:
US-09-714-936-218 x A54032     ..

Align seg 1/1  to: A54032  from:  1  to: 356
```

```
195 GATTGCTGTGAGCTTCATACGCAGCGTTCCTTTCCTGCTGGTTGTGCGTC 244
    |||||||||||::
 84 AspCysCysAsp.........................ProAlaHisLeuPheAl 93

245 TTGTAAATGAGTGAATTCCATTGCTACTAAACTGCTTGGACAACCT 294
    :.:::::::::|||  |||:::          |||:::
 93 a.MetThrLysMetAsnSerProMet................GlyLys... 103

295 GGTACAAAGTGGATACCATTCTCCTACACATACAGGCGGCGCCCTT...CG 341
    |||                     :::::|| |||             :::
104 ...SerMetTrpTyrAspGlyGluPheLeuTyrSerPheThrIleAspAs 119

342 AACTCACTATGGATACATAAATGTGAAGACAACACAAGACCTTGCAACTGG 391
    :::: :|||||  :::   :::  |||           |||:::||||||
119 nSerThrTyrSerLeuPheProGlnAlaThr......ProPheGlnLeuP 134

392 ACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGAATGGTTGGCCAG 441
    ||||::: ||||||||               ::  |||          :::
134 roLeuLysLysCysAlaValValGlyAsnGlyLysIleLeuLysLysSer 150

442 AAGGTGGAAATGAGATGAGATCGATCCTCCGCATTGGAGAATGAACAA 491
    ||::|||||||||::         ::  ||| |||   ||| |||
151 GlyCysGlyArgGlnIleAspGluAlaAsnPheValMetArgCysAsnLe 167

492 TGCCCCC...ACCAAAGGTTATGAAGAAGATGTCGGCCGCCGATGACCATGA 538
    ||        :||::||||| |||   |||||||||        :.::::
167 uProProLeuSerGluTyrThrLysAspValGlySerLysSerGln. 183

539 TTCGAGTTGTGTCCCATACCAGCGTTCCTCTTTGCTAAAAAACCCTGAT 588
    ||||   |||||||||||||||||                   |||||||
184 ................................LeuValThrAlaAsnProSer 190

589 TATTTTTTCAAGGAAGCGAATACTACTATTTGTGTTATTGGGGACTTT 638
    :::||| |||::          ::|||
191 ................................IleIleArgGlnArgPh 196

639 CCGCAATATG.........AGGAAAGAT......GGCAATGGCATCGTTT 673
    |:::|||||:          |||||||       ||||||
196 eGlnAsnLeuLeuTrpSerArgLysThrPheValAspAsnMetLysIleT 213

674 ACAAC.................ATGTTGAAAAGACAGTTGGTATC 702
    |||||                   :::|||||||||||::|||
213 yrAsnHisSerTyrIleTyrMetProAlaPheSerMetLysThrGlyThr 229

703 TATCCGAATGCCCAAATATACGTGACC................ACAGAGAA 737
    |||  ::|||:|||  |||                          ::::::
230 GluProSerLeuArgValTyrTyrThrLeuSerAspValGlyAlaAsnGl 246

738 GCGCATGAGTTACTGTGATGGAGTTTTAAGCAAGGAAACTGG.......780
    |:::||||||  ||::||||||| |||::|||||||||:::||
246 nThrValLeuPheAlaAsnProAsnPheLeuArgSerIleGlyLysPheT 263

781 .AAGGACAGGGGG...CATGCAAGCGACTGCTGCTTCTACAGACACT 825
    |||::||||||    |||::||||||::||||||||
263 rpLysSerArgGlyIleHisAlaLysArgLeu......SerThrGlyLeu 277

826 TTT 828
    |||
278 Phe 278
```

seq_name: pir2:I48686

434 uAspLysAsp 437

seq_name: pir2:JC5195

seq_documentation_block:
alpha-N-acetylneuraminate alpha-2,8-sialyltransferase (EC 2.4.99.8) - rat
N;Alternate names: GD3 synthase
C;Species: Rattus norvegicus (Norway rat)
C;Date: 20-Feb-1997 #sequence_revision 27-Feb-1997 #text_change 20-Jun-2000
C;Accession: JC5195
R;Watanabe, Y.; Nara, K.; Takahashi, H.; Nagai, Y.; Sanai, Y.
J. Biochem. 120, 1020-1027, 1996
A;Title: The molecular cloning and expression of alpha2,8-sialyltransferase (GD3 synt
A;Reference number: JC5195; MUID:97137534
A;Contents: brain
A;Accession: JC5195
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-342 <WAT>
A;Cross-references: DDBJ:D45255; NID:g1841315; PIDN:BAA08213.1; PID:g1841316
C;Comment: This enzyme is responsible for the ganglioside pattern in tissues.
C;Superfamily: alpha-N-acetylneuraminate alpha-2,8-sialyltransferase
C;Keywords: glycoprotein; glycosyltransferase
F;13-34/Domain: transmembrane #status predicted <TMM>
F;120-168/Region: sialyl motif
F;258-280/Region: sialyl motif
F;56,104,199,230/Binding site: carbohydrate (Asn) (covalent) #status predicted

alignment_scores:
    Quality: 108.00   Length: 227
    Ratio: 0.915   Gaps: 15
Percent Similarity: 51.982   Percent Identity: 24.229

alignment_block:
US-09-714-936-218 x JC5195   ..
Align seg 1/1   to: JC5195   from: 1   to: 342

195 GATTGCTGCTGAGCTTCATAGCAGCGTTCCTTTCCTGCGTGGTTGTGCGTC 244
    |||||||||||:: |||||| ::
69 AspCysCysAsn...............................ProAlaHisLeuPheAl 78

245 TTGTAAATGAAGTGAATTCCCATTGCTACTAAACTGCTTGGACAACCT 294
    :::::||||||| |||::||||| |||:: |||
78 a.MetThrLysValAsnSerProMet...............GlyLys... 88

295 GGTACAAAGTGGATACCATTCTCCTACACATACAGGCGGCCCCTT...CG 341
    :::: ||| ::||| :: ::
89 ...SerLeuTrpTyrAspGluPheLeuTyrSerLeuThrIleAspAs 104

342 AACTCACTATGGATACATAAATGTGAAGACACAAGAGCCTTTGCAACTGG 391
    :::: ||:: :: ||||| ||| :::::||||||
104 nSerThrTyrSerLeuPheProGlnAlaThr......ProPheGlnLeuP 119

392 ACTGTGACCTTTGTGCCATAGTGTCAAACTGCAGATGGTTGGCCAG 441
    :::::|||||||||::||||||::|||::::: ::   :::||||
119 roLeuLysLysCysAlaValValGlyAsnGlyGlyIleLeuLysMetSer 135

442 AAGGTGGGAAATGAGATAGATGATCCTCCTGCATTGGAGAATGAACAA 491
    ||||::::|||||||||::|||||| || |||
136 GlyCysGlyArgGlnIleAspGluAlaAsnPheValMetArgCysAsnLe 152

492 TGCCCCC...ACCAAAGTTATGAAGAAGAGATGTCCGCCGCCATGACCATGA 538
    ||| ::::: :: :||||||||| :::||||||| ||| :: ::
152 uProProLeuSerGluTyrThrArgAspValGlySerLysThrGln. 168

539 TTCGAGTGTGTCCCATACCAGCGTTCCTTTTGCTAAAAAACCCTGAT 588
    ::: |||||| ||| :::::::||||||:::|||
169 ....LeuValThrArgAlaAsnProSer 175

589 TATTTTTTCAAGGAAGCGAATACTACTATTTGTGTTATTGGGGACCTTT 638
    ::: :::||| ::: ::::::::|||:::|||:::

```
           Quality: 112.00         Length:      47
             Ratio: 3.200            Gaps:       0
Percent Similarity: 74.468    Percent Identity: 44.681

alignment_block:
US-09-714-936-218 x JC7248    .

Align seg 1/1  to: JC7248  from: 1  to: 526

  394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
      |||  ||||||||:::|||:::||| :: ::::|  :::::|
  290 CysIleThrCysAlaValValGlyAsnGlyIleLeuAsnAspSerAr 306

  444 GGTGGGAAATGAGATAGATCCTCCTGCATTTGGAGAATGAACAATG 493
      :||;;;;::|||||||::|||||| :: :::::|||::|||:::::|
  306 gValGlyArgGluIleAspSerHisAspThrValPheArgLeuSerGlyA 323

  494 CCCCCACCAAAGGTTATGAGAAGAAGATGTCGCCGCCATGACC 534
      || ||||||||::;|||||||| ::|||||||||
  323 lavalIleLysGlyThrGluGlnAspPvalGlyThrArgThr 336

seq_name: pir2:JC4973

seq_documentation_block:
GM3 alpha-2,8-sialyltransferase (EC 2.4.99.-) - rat
N;Alternate names: GD3 synthase
C;Species: Rattus norvegicus (Norway rat)
C;Date: 31-Dec-1996 #sequence_revision 31-Dec-1996 #text_change 13-Sep-1998
C;Accession: JC4973
R;Zeng, G.; Gao, L.; Ariga, T.; Yu, R.K.
Biochem. Biophys. Res. Commun. 226, 319-323, 1996
A;Title: Molecular cloning of cDNA for rat brain GD3-synthase.
A;Reference number: JC4973; MUID:96400257
A;Accession: JC4973
A;Molecule type: mRNA
A;Residues: 1-359 <ZEN>
A;Cross-references: GB:U53883; NID:g1628556; PID:g1628557
A;Experimental source: brain
C;Comment: This enzyme is a key branching-point enzyme which regulates the synthesis of
C;Superfamily: alpha-N-acetylneuraminate alpha-2,8-sialyltransferase
C;Keywords: glycosyltransferase

alignment_scores:
           Quality: 111.00         Length:     226
             Ratio: 0.974            Gaps:      14
Percent Similarity: 50.442    Percent Identity: 24.336

alignment_block:
US-09-714-936-218 x JC4973    .

Align seg 1/1  to: JC4973  from: 1  to: 359

  195 GATTGCTGTGAGCTTCATAGCAGCGCTTCCTTTCCTGCTGTTGTGCGTC 244
      |||||||||:::                          ::
   83 AspCysCysAsn.......................ProAlaHisLeuPheAl 92

  245 TTGTAAATGAAGTGAATTTCCCATTGCTACTAAACTGCTTTGGACAACCT 294
      |  ::::::|||||||::|||:::| |||:::
   92 a.MetThrLysValAsnSerProMet...........GlyLys... 102

  295 GGTACAAAGTGGATACCATTCTCCTACACATACAGGCGCCCTTCGAAC 344
      |||  |||      ::|||:::||:::||
  103 ...SerLeuTrpTyrAspGlyGluPheLeuTyrSerLeuThrIleAspTh 118

  345 TCACTATGGATACACATAAAATGTGAAGACACAAGAGGCTTTGCAACTGGACT 394
      |||::::|||||
  118 rSer..ThrTyrSerLeuPheProGlnAlaThrProPheGlnLeuProL 134

  395 GTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAG 444
      ||||||||::|||:::||||:::| |||:::
  134 euLysLysCysAlaValValGlyAsnGlyIleLeuLysMetSerGly 150
```

```
  445 GTGGGAAATGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGC 494
      ||| |||                    :::  ::: ||| |||
  151 CysGlyArgGlnIleAspGluAlaAsnPheValMetArgCysAsnLeuPr 167

  495 CCCC...ACCAAAGGTTATGAAGAAGATGTCGGCCGCGATGACCATGATTC 541
      |||     :::||||||| ::||||||| |||||| |||||||
  167 oProLeuSerSerGluTyrThrArgAspValGlySerLysThrGln.... 182

  542 GAGTTGTGTCCCATACCAGCGTTCCTCTTTGCTAAAAAACCCTGATTAT 591
      ||| :::|||| ||||||| |||||||  ||||||:::|
  183 .............................LeuValThrAlaAsnProSerIle 190

  592 TTTTTCAAGGAAGCGAATACTACTATTTGTGTTATTGGGGACCTTTCCG 641
      ::: ||||||| ::|||: :: |||:::|||: ::
  191 IleArgGlnArgPheGluAsn...........LeuLeuTrpSerArgLysLy 204

  642 C.........AATATGAGGAAAGATGGCAATGGCATCGTTAC...AACA 679
      :  ||||||::                ::::|||
  204 sPheValAspAsnMetLysIleTyrAsnHisSerTyrIleTyrMetProA 221

  680 TGTTGAAAAGACAGTTGGTATCTATCCGAATGCCAAATATACGTGACC 729
      ::: |||                   :::|||:::|||||
  221 laPheSerMetLysThrGlyThrGlyHisGluProSerLeuArgValTyrTyrThr 237

  730 .............ACAGAGAAGCGCCATGAGTTACTGTGATGGAGTTTT 764
      :::                           :::|||||
  238 LeuLysAspAlaGlyAlaAsnGlnThrValLeuPheAlaAsnProAsnPh 254

  765 TAAGGACGAAACTGGG...........AAGGACAGGGGG...CATGCAAGGC 802
      |  :::::|||    |               :::|||:::||
  254 eLeuArgAsnIleGlyLysPheArgTrpLysGlyArgGlyIleHisAlaLysA 271

  803 GACTGCTGATTTCTACAGACACACTTTT 828
      ||||               |||
  271 rgLeu......SerThrGlyLeuPhe 277

seq_name: pir2:JE0364

seq_documentation_block:
lactosylceramide alpha-2,3-sialyltransferase (EC 2.4.99.9) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 23-Jul-1999 #sequence_revision 23-Jul-1999 #text_change 11-May-2000
C;Accession: JE0364
R;Kono, M.; Takashima, S.; Liu, H.; Inoue, M.; Kojima, N.; Lee, Y.; Hamamoto, T.; Tsu
Biochem. Biophys. Res. Commun. 253, 170-175, 1998
A;Title: Molecular cloning and functional expression of a fifth-type alpha2,3-sialylt
A;Reference number: JE0364; MUID:99092398
A;Accession: JE0364
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-387 <KON>
A;Cross-references: GB:Y15003
C;Superfamily: alpha-2,3-sialyltransferase STZ
C;Keywords: glycosyltransferase

alignment_scores:
           Quality: 110.00         Length:      75
             Ratio: 2.075            Gaps:       1
Percent Similarity: 70.667    Percent Identity: 29.333

alignment_block:
US-09-714-936-218 x JE0364    .

Align seg 1/1  to: JE0364  from: 1  to: 387

  394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGATGGTTGGCCAGAA 443
      |||  ||||||||:::|||:::||| :: :::::|
  163 CysLysArgCysValValGlyAsnGlyIleLeuHisGlyLeuGl 179

  444 GGTGGGAAATGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATG 493
      :::|||:::|| |||                  ::
  179 uLeuGlyHisAlaLeuAsnGlnPheAspValValIleArgLeuAsnSerA 196
```

```
503 AAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGTTCGAGTTGTGTCC 552
    ||||||| ||  |||||||| |||  :::||  ||||||
149 laGlyTyrGluGlyValGlyAspValGlySerLysThrThrMetArgLeuPheTyr 165

553 CATACCAGCGTT........CCTCTTTGCTAAAAAACCCTGAT 588
    |||:::    ||| :::||||||||||
166 ProGluSerAlaHisPheAspProLysValGluAsnAsnProAsp 180

seq_name: pir2:A49879

seq_documentation_block:
alpha-2,3-sialyltransferase (EC 2.4.99.-) ST2 - human
N;Alternate names: sialyltransferase SAT-3
C;Species: Homo sapiens (man)
C;Date: 30-Jun-1995 #sequence_revision 24-Sep-1999 #text_change
C;Accession: A49879
R;Kitagawa, H.; Paulson, J.C.
J. Biol. Chem. 269, 1394-1401, 1994
A;Title: Cloning of a novel alpha2,3-sialyltransferase that sialylates glycoprotein and
A;Reference number: A49879; MUID:9417457
A;Accession: A49879
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-332 <KIT>
A;Cross-references: GB:L23767; NID:g431314; PIDN:AAA16460.1; PID:g431315
C;Superfamily: alpha-2,3-sialyltransferase ST2
C;Keywords: glycosyltransferase

alignment_scores:
        Quality: 118.50          Length:   115
        Ratio:     1.943         Gaps:       4
Percent Similarity: 53.043  Percent Identity: 28.696

alignment_block:
US-09-714-936-218 x A49879

Align seg 1/1 to: A49879 from: 1 to: 332

304 TGGATACCATTCTCCTACACATACAGGCGGCCCCTTCGAACTTCACTATGG 353
    ||:::||| ||| :::||||||||
76  TrpValLysThrProSerAlaTyrGluLeuPro...........TyrGl 88

354 ATACATAAATGTGAAGACACAAGAGCCTTTG.................. 384
    |  ||:::||| :::|||  |||
88  y..........ThrLysGlySerGluAspLeuLeuLeuArgValLeuAlaI 102

385                                   CAACTGGACTGTGACCTT 402
                                      ::||||
102 leThrSerSerIleProLysAsnIleGlnSerLeuArgCysArgArg 118

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||:::||||:::||| :::||||  ||||||||||
119 CysValValGlyHisArgLeuArgAsnSerSerLeuGlyAs 135

453 TGAGATAGATGCGATCCTCCTGCATTGGAGAATGAACAATGCCCCCACCA 502
    | |||:::||||||||||||||:::
135 pAlaIleAsnLysTyrAspValValIleArgLeuAsnAlaProValA 152

503 AAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGTTCGAGTTGTGTCC 552
    ||||||| ||  |||||||| |||  :::||  ||||||
152 laGlyTyrGluGlyValGlyAspValGlySerLysThrThrMetArgLeuPheTyr 168

553 CATACCAGCGTT........CCTCTTTGCTAAAAAACCCTGAT 588
    |||:::    ||| :::||||||||||
169 ProGluSerAlaHisPheAspProLysValGluAsnAsnProAsp 183

seq_name: pir2:A54871

seq_documentation_block:
Gal beta-1,3GalNAc-specific GalNac alpha2, 6-sialyltransferase - chicken
C;Species: Gallus gallus (chicken)
```

```
C;Date: 04-Nov-1994 #sequence_revision 04-Nov-1994 #text_change 24-Sep-1999
C;Accession: A54871
R;Kurosawa, N.; Kojima, N.; Inoue, M.; Hamamoto, T.; Tsuji, S.
J. Biol. Chem. 269, 19048-19053, 1994
A;Title: Cloning and expression of Galbetal,3GalNAc-specific GalNAc alpha2,6-sialyltr
A;Reference number: A54871; MUID:94300168
A;Accession: A54871
A;Status: preliminary; not compared with conceptual translation
A;Molecule type: mRNA
A;Residues: 1-404 <KUR>
A;Cross-references: GB:X77775; NID:g550104; PIDN:CAA54813.1; PID:g550105
C;Superfamily: galactosyl-1,3-N-acetylgalactosaminyl-specific alpha-2,6-sialyltransfe

alignment_scores:
        Quality: 116.50          Length:    85
        Ratio:     2.240         Gaps:       2
Percent Similarity: 61.176  Percent Identity: 35.294

alignment_block:
US-09-714-936-218 x A54871

Align seg 1/1 to: A54871 from: 1 to: 404

394 TGTGACCTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
    |||      ||||||:::|||:::||| |||:::|||
178 CysIleArgCysAlaValAlaValGlyAsnGlyLysLeuAsnGlySerAr 194

444 GGTGGGAAATGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATG 493
    : |||||  :::||||||||:::||||||||||:::||
194 gGlnGlyArgAlaIleAspSerAlaHisAspAsnProAlaHisArgLeuAsnAsnGlyA 211

494 CCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCATG........ 531
    :::||||||||||||||||:::|
211 laIleThrLysGlyPheGluValAspValGlySerLysValGlySerPheTyr 227

532 .............ACCATGAT TCGAGTTGTGTCCCATACCAGCGTTC 565
                 ||:::||| :::||:::|||:::
228 GlyPheThrValAsnThrMetLysAsnSerLeuIleAlaTyrGluAlaTy 244

566 CTCTTTGCTAAAAAACCCTGATTATTTTTCAGGAAGCGAATACTACT 615
    ::||||:::||| :::|||||||||
244 rGlyPheThrArgThrPro........GlnGlyLysAspLeuLysT 257

616 ATTTG 620
    ||:::
257 yrIle 258

seq_name: pir2:JC7248

seq_documentation_block:
alpha-N-acetylgalactosaminide alpha-2,6-sialyltransferase (EC 2.4.99.3) I - mouse
C;Species: Mus musculus (house mouse)
C;Date: 09-Jun-2000 #sequence_revision 09-Jun-2000 #text_change
C;Accession: JC7248
R;Kurosawa, N.; Takashima, S.; Kono, M.; Ikehara, Y.; Inoue, M.; Tachida, Y.; Narimat
J. Biochem. 127, 845-854, 2000
A;Title: Molecular cloning and genomic analysis of mouse GalNAc alpha2,6-sialyltransf
A;Reference number: JC7248
A;Accession: JC7248
A;Molecule type: mRNA
A;Residues: 1-526 <KUR>
A;Cross-references: GB:Y11274
A;Experimental source: submaxillary gland
A;Comment: This enzyme, a transmembrane protein, is a key enzyme for O-linked oligosa
thesizes cancer-associated carbohydrate antigen and shows acceptor substrate specific
C;Genetics:
C;Gene: ST6GalNAc I
A;Introns: 39/2; 205/3; 262/1; 319/2; 365/3; 400/2; 430/2; 463/3
C;Keywords: glycosyltransferase; submaxillary gland; transmembrane protein

alignment_scores:
```

```
503 AAGGTTATGAAGAAGATGTCGGCCGATGACCATGAGTTGTGTCC    552
    ::::||||||:||||  ||||::::  :::||||||||||||||||
238 lnAsnTyrLysGluTyrValGlyLysSerThrPheArgLeuLeuAsn     254

553 CATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTTCAAGGA  602
    ::: |||  ||| ||: |||  ::||||||||
255 ArgGlySerAlaLysAlaLeuAspLysValValGluLeuAspLysLysLy  271

603 A............GCGAATACTACTATTTGTGTTATTTGGGA.....     633
    :           :::::::||||||||| ::
271 sGlnGluValLeuValLysThrThrIleHisAspIleMetAsnLysM    288

634 .............CCTTTCCGCAAATGAGGAAAGATGGCAATGGCCATC   669
                 ||||::||:::|||
288 etIleArgGluValProIleLysAsnPro..............        297

670 GTTTACAACATGTGAAAAAGACAGTTGGTATCTATCCGAATGCCCAAAT   719
    ||||| ||||| ||||:::|||:::::
298 ValTyrLeuMetLeuGlyAlaSerPheGlySerAlaAlaLysGlyThrGl  314

720 ATACGTGCACCACAGAGAGCCCATGACTTACTGTGATGGGAGTT       762
    ::: ||| |||||||  ||||||:::||
314 yLeuLysAlaLeuGluPheAlaLeuSerThrCysAspSerVal        328
```

seq_name: pir2:A48715

seq_documentation_block:
gal-beta(1-3/1-4)GlcNAc alpha2,3-sialyltransferase (EC 2.4.99.-) - human
C;Species: Homo sapiens (man)
C;Date: 02-Jun-1995 #sequence_revision 02-Jun-1995 #text_change 24-Sep-1999
C;Accession: A48715
R;Sasaki, K.; Watanabe, E.; Kawashima, K.; Sekine, S.; Dohi, T.; Oshima, M.; Hanai, N.
J. Biol. Chem. 268, 22782-22787, 1993
A;Title: Expression cloning of a novel Galbeta(1-3/1-4)GlcNAc alpha2,3-sialyltransfer
A;Reference number: A48715; MUID:94043042
A;Accession: A48715
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-329 <SAS>
A;Cross-references: GB:X74570; NID:g414890; PIDN:CAA52662.1; PID:g414891
C;Superfamily: alpha-2,3-sialyltransferase STZ
C;Keywords: glycosyltransferase

alignment_scores:
          Quality: 118.50   Length: 115
          Ratio: 1.943   Gaps: 4
Percent Similarity: 53.043   Percent Identity: 28.696

alignment_block:
US-09-714-936-218 x A48715

Align seg 1/1 to: A48715 from: 1 to: 329

```
304 TGGATACCATTCCTACACATACAGGCGGCGCCCTTCGAACTCACTATGG   353
    |||:::: ::||||||||||||| ||| |||||
73  TrpValThrProSerAlaTyrGluLeuPro..........TyrGl      85

354 ATACATAAATGAAGACAACAAGAGCCTTTG....................  384
    ::|||||:||||| ||||| |||
85  y..........ThrLysGlySerGluAspLeuLeuArgValLeuAlaI    99

385 .............................CAACTGGACTGTGACCTT    402
                                 ::||| |||
99  leThrSerSerSerIleProLysAsnIleGlnSerLeuArgCysArgArg  115

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA  452
    |||||||:|||||::|||||||||||||:|||
116 CysValValGlyAsnGlyHisArgLeuArgAsnSerSerLeuGlyAs    132

453 TGAGATAGATCGATCCTCCATTGGAGAATGAACAATGCCCCCACCA      502
    ::||| ||||:|||||||||||||::||||
132 pAlaIleAsnLysTyrAspValValIleArgLeuAsnAsnAlaProValA  149
```

```
235 GTTGTGCGT..CTTGTAAATGAAGTGAATTCCATTGCTACTAAAACTG    281
    ||| |||  :::::::::::::||||||||::: |||||::
105 ValSerArgIleAlaSerSerLysPheProValThrLeuArgSe        121

282 CTTTGGACAACCTGTACAAAGTGGATACCATTCCTACACATACAGG.     330
    ::::||| ||| ||| |||  :: |||
121 r...SerGlnAlaTyrArgTyrTrpSerGluPheLysArgAsnLeuArgL  137

330 ................................................    330

137 euTrpAlaArgArgArgAlaTyrGluProAsnIleMetLeuAspLeuIle  153

331 ...........CGGCCCCTTCGAACTCACTATGGATACACATAAATGTGAA 368
               ||||||::: ::::::|||
154 ArgLeuValLysAsnProIleAspValHisAsnGlyValValSerIleSe  170

369 GACACAAGAGCCTTTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCAA  418
    :::::||: |||::: |||||||:|||:|
170 rSerGluArgTyrLeuSer............CysAlaValValGlyA     182

419 ACTTCAGGTTCAGATGGTTGGCCAGAAGGTTGGGAAATGAGATAGATCGATCC 468
    ||||||||:  ||| ||||||::::
182 snSerGlyThrLeuLeuAsnSerGlnTyrGlyAspLeuIleAspLysHis  198

469 TCCTGCATTTGGAAGAATGAACAATGCCCCACCAAAGGTTATGAAGAAGA  518
    ::: ||| ::|||||||||| ::||||||:::
199 GluIleValIleArgLeuAsnAsnAlaLysThrGluArgPheGluLysLy  215

519 TGTCGGCCCATGACCATGATTCGAGTTGTGTCC                   552
    ||||| ||| ||| :::::
215 sValGlySerLysThrAsnIleSerPheIleAsn                  226
```

seq_name: pir2:T49278

seq_documentation_block:
hypothetical protein T21J18.90 - Arabidopsis thaliana
C;Species: Arabidopsis thaliana (mouse-ear cress)
C;Date: 02-Jun-2000 #sequence_revision 02-Jun-2000 #text_change 02-Jun-2000
C;Accession: T49278
R;Rieger, M.; Gabel, C.; Mueller-Auer, S.; Schaefer, M.; Zipp, M.; Mewes, H.W.; Rudd, S.
submitted to the Protein Sequence Database, April 2000
A;Reference number: Z25021
A;Accession: T49278
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-470 <RIE>
A;Cross-references: EMBL:AL132963; GSPDB:GN00061; ATSP:T21J18.90
A;Experimental source: cultivar Columbia; BAC clone T21J18
C;Genetics:
A;Gene: ATSP:T21J18.90
A;Map position: 3
A;Introns: 35/2; 71/3; 123/3; 157/2; 174/2; 238/3; 269/1; 290/3; 342/2; 369/3; 406/2

alignment_scores:
          Quality: 120.00   Length: 131
          Ratio: 1.644   Gaps: 3
Percent Similarity: 55.725   Percent Identity: 29.771

alignment_block:
US-09-714-936-218 x T49278

Align seg 1/1 to: T49278 from: 1 to: 470

```
403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA  452
    ||||||||||::||||||||||||||||||::::
205 CysAlaValIleGlyAsnSerGlyAspLeuLysThrLysPheGlyLy    221

453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCCACCA  502
    ||| ||| |||||:||||
221 sGluIleAspThrTyrArgTyrValLeuArgGluAsnGlyAlaProIleG  238
```

```
156 uSerTyrTyrGlyProGlnIleAspSerHisAspPheValArgMetA 173
        |||     ::||||||            :::  ||||||
488 ACAATGCCCCCACCAAAGGTTATGAGAAGATGTCGGCCGCATGACCATG 537
    ||:|||||||||:::::||  |||||||| ||::|| ||||||||||||||
173 snLysAlaProThrGlyPheGluAlaAspValGlySerLysThrThr 189

538 ATTCGAGTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGA 587
        :::  | |||           |||
190 HisHisPheValTyrProGluSer.................... 197

588 TTATTTTTCAAGGAAGCGAATACTACTATTTGTGTTATTTGGGACCTT 637
     ||||:|||                      ::|||   ||||
198 .....PheArgGluLeuAlaGlnGluValSerMetIleLeuValProP 212

638 TCCGCAATATGAGGAAAGATGGCAATGGCATCGTTTACAACATGTTGAAA 687
    ||:::::||           :::  ::| ||:::
212 heLysThr...........ThrAspLeuGluTrpValIleSerAla 223

688 AAGACAGTTGGTATCTATCCGAAT................GCCCAAAT 719
    |||:::||||         :::                   ||:::||
224 ThrThrGlyThrIleSerHisThrTyrValProValProAlaLysIl 240

720 ATACGTGACCACGAGAAGCCGCATGAGTTACTGTGAGGAGTTTTTAAGA 769
    | |||   |||||  :::  || ||| |||  :::  ||||
240 eLysValLysGlyLysIleLeuIleTyrHisProAlaPheIleLysT 257

770 AGGAAAACTCGGAAGGACAGG........GGGCATGCAAGG 801
    ||||||                       ||||||:::|||
257 yrValPhe.......AspArgTrpLeuGlnGlyHisGlyArg 268

seq_name: pir2:A56950

seq_documentation_block:
alpha-2,8-sialyltransferase III - mouse
C;Species: Mus musculus (house mouse)
C;Date: 18-Aug-1995 #sequence_revision 18-Aug-1995 #text_change 24-Sep-1999
C;Accession: A56950
R;Yoshida, Y.; Kojima, N.; Kurosawa, N.; Hamamoto, T.; Tsuji, S.
J. Biol. Chem. 270, 14628-14633, 1995
A;Title: Molecular cloning of Siaalpha2,3Galbeta1,4GlcNAc alpha2,8-sialyltransferase fro
A;Reference number: A56950; MUID:95301555
A;Accession: A56950
A;Status: preliminary; not compared with conceptual translation
A;Molecule type: mRNA
A;Residues: 1-380 <YOS>
A;Cross-references: GB:X80502; NID:g929684; PIDN:CAA56665.1; PID:g929685
C;Superfamily: alpha-N-acetylneuraminate alpha-2,8-sialyltransferase
C;Keywords: transmembrane protein

alignment_scores:
          Quality: 124.00          Length:    101
            Ratio:   2.067            Gaps:      3
Percent Similarity:  59.406   Percent Identity:   31.683

alignment_block:
US-09-714-936-218 x A56950

Align seg 1/1  to: A56950  from: 1  to: 380

397 GACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGT 446
    ::|||:||||:::|||:::|||||||   |:::||||:||
160 AsnValCysAlaValAlaGlyAsnSerGlyIleLeuThrGlySerGlnCy 176

447 GGGAAATGAGATAGATCATCCTCCTGCATTGGAGAATGAACAATGCCC 496
    |||::|||:::|||:::|||:::  ||| ||||||||:::||
176 sGlyGlnGluIleAspLysSerAspPheValSerArgCysAsnPheAlaP 193

497 CCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGTTCGAGTT 546
    |||||||||||||||||||:::|||||| ||| :: ::|
193 roThrThrLysHisLysAspValGlyArgGlyThrThrAsnLeuThrThr 209
```

```
547 GTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTT 596
        ||||||: :||   :::  |||||||||
210 Phe.................................AsnProSerIleLeuGl 216

597 CAAGGAAGCGAATACTACTATTTGTGTTATTTGGGGACCTTTCCGCAATA 646
    |||   ||||| ::: ::|:|||
216 uLysTyrTyrAsnAsnLeuLeuThrIle................... 225

647 TGAGGAAAGATGGCAATGGCATCGTTTACAACATGTTGAAAAAGACAGTT 696
    :::|||  |||  |||||||  :::|||   |||||||||
226 ....GlnAspArgAsnAsnPhe...PheLeuSerLeuLysLysLeuAsp 239

697 GGT 699
    |||
240 Gly 240

seq_name: pir2:G86216

seq_documentation_block:
protein T23G18.14 [imported] - Arabidopsis thaliana
C;Species: Arabidopsis thaliana (mouse ear cress)
C;Date: 02-Mar-2001 #sequence_revision 02-Mar-2001 #text_change 31-Mar-2001
C;Accession: G86216
R;Theologis, A.; Ecker, J.R.; Palm, C.J.; Federspiel, N.A.; Kaul, S.; White, O.; Alon
   Chin, C.W.; Chung, M.K.; Conn, L.; Conway, A.R.; Conway, A.B.; Creasy, T.H.; Dewar,
ansen, N.F.; Hughes, B.; Huizar, L.
Nature 408, 816-820, 2000
A;Authors: Hunter, J.L.; Jenkins, J.; Johnson-Hopson, C.; Khan, S.; Khaykin, E.; Kim,
C.A.; Li, J.H.; Li, Y.; Lin, X.; Liu, S.X.; Liu, Z.A.; Luros, J.S.; Maiti, R.; Marzia
Rizzo, M.; Rooney, T.; Rowley, D.; Sakano, H.
A;Authors: Salzberg, S.L.; Schwartz, J.R.; Shinn, P.; Southwick, A.M.; Sun, H.; Tallo
ker, M.; Wu, D.; Yu, G.; Fraser, C.M.; Venter, J.C.; Davis, R.W.
A;Title: Sequence and analysis of chromosome 1 of the plant Arabidopsis.
A;Reference number: A86141; MUID:21016719
A;Accession: G86216
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-398 <STO>
A;Cross-references: GB:AE005172; NID:g6579198; PIDN:AAF18241.1; GSPDB:GN00141
C;Genetics:
A;Gene: T23G18.14
A;Map position: 1

alignment_scores:
          Quality: 123.00          Length:    212
            Ratio:   1.118            Gaps:      8
Percent Similarity:  51.887   Percent Identity:   23.113

alignment_block:
US-09-714-936-218 x G86216

Align seg 1/1  to: G86216  from: 1  to: 398

  9 TCCGGGTCGACGATTCCGTCCGGTCCCCTTATTCGGATCTGCGGGAAT 58
    |||::||    ||:::  ||||:::  :::|:||||||:::|||:::
 30 SerSerPheSerPheAlaSerArgIleAlaGluLeuGlySerGlyLe 46

 59 GTGGGCTGGAGAGTCCTGCCGTGGTACCAGCCTCCAGCCTGCCCCCAGG 108
    |||  :::   :::|:||:::  |||  ::: ||:|||
 46 uMetThrGluAspIleVal.PheAsnGluThrLeu......LeuGluPhe 60

109 ACTGCCCCTGACCCAGGCGCGCCC................GC 134
    ::|||  ||||||||||||:::
 61 AlaAlaIleAspProGlyGluProAsnPheLysGlnGluValAspLeuIl 77

135 TGCTCGGTGGCAGGAGGCGCCGGCGAGCCGCCATGGCCTGCATCCTGAAGA 184
    ::: ::|:::  ::::  :|||||||:::
 77 eSerAspTyrAspHisThrArgArgSer...................HisA 88

185 GAAAGTCTGTGATTGCTGAGCTTCATAGCAGCGGTTCCTTTCCTGCTG 234
    ||:::   ::::||||||  :::||||:::
 88 rgArgHisPheSerMetSerIleArgProSerGluGlnArgArg 104
```

alignment_scores:
```
            Quality:  126.00              Length:    101
              Ratio:    2.066               Gaps:      3
Percent Similarity:   60.396    Percent Identity:  30.693
```

alignment_block:
US-09-714-936-218 x JC6321

Align seg 1/1 to: JC6321 from: 1 to: 380

```
 17 eLeu.................................ThrSerPheValLeuAsnTyrS  26
                                         ::::::|||       |||
278 ACTGCTTTGGACAACCTGCTACAAAGTGGATACCA..................... 312
    ::    |||  |||   ::   |||:|||
 26 erAsnThrGlyValPro...SerAlaTrpPheProLysGlnMetLeuLeu       41
313 ...TTCTCCACACATACAGGCGGCGCCCCTTCGAACTCAC................. 348
    :::||| ::|||:||||    ::|||||||
 42 GluLeuSerGluAsnPheArgArgPheIleLysSerGlnProCysThrCy        58
349 .......................TATGGATAC........A 358
                          ||| :::
 58 sArgHisCysIleSerGlnAspLysSerTyrTyrTrpPheAspGlnArgP        75
359 TAAATGTGAAGACACAAGAGCCTTG.............................. 384
    ::||| |||||||::::|||||
 75 heAsn...LysThrMetGlnProLeuLeuThrValHisAsnAlaLeuMet        90
384 ...................................................... 384
 91 GluGluAspThrTyrArgTrpTrpLeuArgLeuArgGlnArgGluArgLysPr      107
384 ...................................................... 384
107 oAsnLeuSerAspThrValLysGluLeuPheAsnArgLeuValProGlyA       124
385 .............CAACTGGACTGTGACCTTTGTGCC 408
                 |||   ||||| |||||
124 snValAspProMetLeuAsnLysArgLeuValGlyCysArgArgCysAla       140
409 ATAGTGTCAAACTCAGGTCAGATGTTGGCCAGAGGTGGGAAATGAGAT 458
    :::||| :|||||||:||:    :::|||    :: |||
141 ValValGlyAsnSerGlyAsnLeuLysAspSerSerTyrGlyProGluIl      157
459 AGATCCACCTCCTGCATTTGGAGAATGAACAATGCCCCACCAAAGGTT 508
    |||       :::  |||||||:::|||||||  |||
157 eAspSerHisAspPheValLeuArgMetAsnLysAlaProThrValGlyP      174
509 ATGAAGAAGATGTCGGCGCGCCATGACCATGATTCGAGTTGTGTCCCATACC 558
    ::||| |||||||    |||      :::|||
174 heGluAlaAspValGlySerArgThrThrHisHisLeuValTyrProGlu    190
559 AGCGGTTCCCTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGAAGCGAA 608
    |||                          ||||||
191 Ser....................................PheArgGluLeuGl  196
609 TACTACTATTTGTGTTATTTGGGACCTTTCCGC 642
    :::::: :::::       ||||||||| :::
196 yGluAsnValAsnMetValLeuValProPheLys  207
```

seq_name: pir2:JC6321

seq_documentation_block:
CMP-NeuAc--GM3 alpha2-8 sialyltransferase (EC 2.4.99.-) [imported] - rat
N;Alternate names: GD3-synthase; CM3-synthase
C;Species: Rattus norvegicus (Norway rat)
C;Date: 14-May-1998 #sequence_revision 29-May-1998 #text_change 18-Aug-2000
C;Accession: JC6321
R;Zeng, G.; Gao, L.; Yu, R.K.
Gene 187, 131-134, 1997
A;Title: Cloning of the cDNA coding for rat brain CMP-NeuAc:GD3 alpha2-8 sialyltransferase
A;Reference number: JC6321; MUID:97225806
A;Accession: JC6321
A;Molecule type: mRNA
A;Residues: 1-380 <ZEN>
A;Cross-references: GB:U55938
A;Experimental source: brain
C;Comment: This enzyme is one of the sialyltransferases and adds one more alpha-2,8-link
C;Superfamily: alpha-N-acetylneuraminate alpha-2,8-sialyltransferase
C;Keywords: glycosyltransferase
F;18-33/Domain: transmembrane #status predicted <TMM>

alignment_scores:
```
            Quality:  125.50              Length:    147
              Ratio:    1.719               Gaps:      5
Percent Similarity:   49.660    Percent Identity:  29.252
```

alignment_block:
US-09-714-936-218 x A45073

Align seg 1/1 to: A45073 from: 1 to: 343

```
388 CTGGACTGTGACCTTTGTGCCCATAGTGTCAAACTCAGGTCAGATGGTTGG 437
    :::::|||       |||||||::||:|:|||||||||||||:::::|:
140 ValSerCysArgArgCysAlaValValGlyAsnSerGlyAsnLeuLysGl  156
438 CCAGAAGGTGGGAAATGAGAATAGATGACGATCCCTCCTGCATTTGGAGAATGA 487
```

seq_name: pir2:A45073

seq_documentation_block:
Gal beta 1,3GalNAc alpha 2,3-sialyltransferase - pig
C;Species: Sus scrofa domestica (domestic pig)
C;Date: 10-Jun-1993 #sequence_revision 18-Nov-1994 #text_change 13-Sep-1998
C;Accession: A45073
R;Gillespie, W.; Kelm, S.; Paulson, J.C.
J. Biol. Chem. 267, 21004-21010, 1992
A;Title: Cloning and expression of the Gal beta 1, 3GalNAc alpha 2,3-sialyltransferas
A;Reference number: A45073; MUID:93016016
A;Accession: A45073
A;Status: preliminary
A;Molecule type: mRNA; protein
A;Residues: 1-343 <GIL>
A;Note: sequence extracted from NCBI backbone (NCBIN:116168, NCBIP:116169)
C;Superfamily: beta-galactoside alpha-2,3-sialyltransferase

```
397 GACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGT 446
    :::::|||||||||||| :::||||||||||::|||||||
160 AsnIleCysAlaValValGlyAsnSerGlyIleLeuThrGlySerGlnCy  176
447 GGGAAATGAGAATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCC 496
    |||::||||||||||||    :::|||   :::|||  ||||   |||||
176 sGlyGlnGluIleAspLysSerAspPheArgCysAsnPheAlaP       193
497 CCACCAAAGGTTATGAAGAAGATGTCGGCCGCAGCCATGATTCGAGTT 546
    ||||:::||||:::|||||||||:::  |||  :: |||||||||
193 roThrGluAlaPheHisLysAspValGlyLysThrAsnLeuThrThr  209
547 GTGTCCCATACCAGCGTTCCCTCTTTGCTAAAAAACCCTGATTATTTTTT 596
    ||||||    :::|||
210 Phe..................................AsnProSerIleLeuGl  216
597 CAAGGAAGCGAATACTACTATTTGTGTTATTTGGGACCTTTCCGCAATA 646
    |||  :::  :: :::
216 uLysTyrTyrAsnAsnLeuLeuThrIle..................... 225
647 TGAGGAAGATGGCAATGGCATCCTTTACAACATGTTGAAAAACACAGTT 696
    :::|||  :::      ||||||||
226 .....GlnAspArgAsnAsnPhe...PheLeuSerLeuLysLysLeuAsp  239
697 GGT 699
    |||
240 Gly 240
```

C;Superfamily: beta-galactoside alpha-2,3-sialyltransferase
C;Keywords: glycosyltransferase

alignment_scores:
         Quality: 131.50   Length: 90
         Ratio: 2.391   Gaps: 4
Percent Similarity: 61.111   Percent Identity: 36.667

alignment_block:
US-09-714-936-218 x JC5251

Align seg 1/1 to: JC5251 from: 1 to: 350   ..

373 CAAGAGCCTTTGCAACTGACCTGTGACCTTTGTGCCATAGTGTCAAACTC 422
     :::::::||| ||| ||| ::||||||:::||||:::||||||
144 ArgAspProHisGln.......CysArgArgCysAlaValValGlyAsnSe 158

423 AGGTCAGATGGTTGGCCAGAGGTGGGAAATGAGATAGATCGATCCTCCT   472
     ||||:::::| ||::| |||:::::::::::||| :::
158 rGlyAsnLeuArgGlySerGlyTyrGlyGlnAspValAspGlyHisAsnP 175

473 GCATTTGGAGAATGAACAATGCCCCCACCAAAGTTATGAAGAAGAGATGTC 522
     |||||||||||||:::|||:::|||||||::||||||:::|||:::||||||
175 heIleMetArgMetAsnGlnAlaProThrValGlyPheGluGlnAspVal 191

523 GGCCGCCATGACCATGATCAGTGTGTCCCATACCAGCGTTCCTCTTTT 572
     ||| :::||| |||::||| :::||||||||||||||TT
192 GlySer.........ArgThrThrHisPheMetTyrProGluSe 204

573 GCTAAAAAACCCTGATTATTTTTCAAGGAGGCGAATACTACTATTTGTG 622
     ||||||||||||||::::::::::::||||||||||||||||||||::
204 rAlaLysAsn...............LeuProAlaAsnValSerPheVall 216

623 TTATTTGGGGACCTTTCCGC 642
     :::|||| ||||
216 euVal.......ProPheLys 220

seq_name: pir2:S36824

seq_documentation_block:
beta-galactoside alpha-2,3-sialyltransferase (EC 2.4.99.4) - mouse
C;Species: Mus musculus (house mouse)
C;Date: 22-Jan-1994 #sequence_revision 13-Mar-1997 #text_change 24-Sep-1999
C;Accession: S36824
R;Lee, Y.C.; Kurosawa, N.; Hamamoto, T.; Nakaoka, T.; Tsuji, S.
Eur. J. Biochem. 216, 377-385, 1993
A;Title: Molecular cloning and expression of Gal-beta-1,3GalNAc-alpha-2,3-sialyltrans
A;Reference number: S36824; MUID:93387288
A;Accession: S36824
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-337 <LEE>
A;Cross-references: EMBL:X73523; NID:g402214; PIDN:CAA51919.1; PID:g402215
C;Superfamily: beta-galactoside alpha-2,3-sialyltransferase
C;Keywords: glycosyltransferase

alignment_scores:
         Quality: 131.00   Length: 228
         Ratio: 1.394   Gaps: 8
Percent Similarity: 41.228   Percent Identity: 21.930

alignment_block:
US-09-714-936-218 x S36824

Align seg 1/1 to: S36824 from: 1 to: 337   ..

178 CTGAAGAAGAAAGTCTGTGATTGCTGCTGAGCTTCATAGCAGCGTTCCTTTT 227
     :::::::||||||:::::::   :::::|||||:::|||:::|:||||:||
1   MetArgArgLysThrLeuLysTyrLeuThrPhePheLeuPheLeuPh 17

228 CCTGCTGGTTGTGCGCTTGTAAATGAAGTGAATTCCCATTGCTACTAA 277

```
      :::  |||||                    ::
217 ArgTrpIleValThrAlaLeuThrThrGlyThrIleAsnPheThrTyrVa 233
702 CTATCCGAATGCCAAATATACGTGACCACAGAGAGCCGCATGAGTTAC 750
      ::|||| |||   ||||| |||| ::: |||
233 lProValProArgLysIleLysValArgLysGluLysValLeuIleTyr 249

seq_name: pir2:B54420

seq_documentation_block:
beta-galactoside alpha-2,3-sialyltransferase (EC 2.4.99.4) ST3GalA.2 - rat
C;Species: Rattus norvegicus (Norway rat)
C;Date: 07-Jul-1995 #sequence_revision 24-Sep-1999
C;Accession: B54420
R;Lee, Y.C.; Kojima, N.; Wada, E.; Kurosawa, N.; Nakaoka, T.; Hamamoto, T.; Tsuji, S.
J. Biol. Chem. 269, 10028-10033, 1994
A;Title: Cloning and expression of cDNA for a new type of Galbeta1,eGalNAc alpha2,3-sial
A;Reference number: A54420; MUID:94193584
A;Accession: B54420
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-350 <LEE>
A;Cross-references: GB:X76988; NID:g475225; PIDN:CAA54293.1; PID:g475226
C;Superfamily: beta-galactoside alpha-2,3-sialyltransferase
C;Keywords: glycosyltransferase; transmembrane protein

alignment_scores:
            Quality:   135.50          Length:    90
            Ratio:     2.464           Gaps:      4
Percent Similarity: 61.111    Percent Identity: 37.778

alignment_block:
US-09-714-936-218 x B54420       ..

Align seg 1/1  to: B54420  from: 1  to: 350

373 CAAGAGCCTTTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTC 422
      ::::::|||   |||   ||::::||:|||||:::||||||
144 ArgAspProGlnGln......CysArgArgCysAlaValValGlyAsnSe 158

423 AGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCT 472
      |||||:::: |||:::||   |||::||:||| ||::||:|:||
158 rGlyAsnLeuArgGlySerGlyTyrGlyGlnValAspSerHisAsnP 175

473 GCATTTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGAAGATGTC 522
      ||| |||||:::||||||||||||   |||:::|:|||||||
175 heIleMetArgMetAsnGlnAlaProThrValGlyPheGluLysAspVal 191

523 GGCCGCATGACCATGATTCGAGTTGTCTCCATACCAGCGTTCCTCTTTT 572
      |||||:::::||     |||:::::|||
192 GlySer..........ArgThrThrHisHisPheMetTyrProGluSe 204

573 GCTAAAAAACCCTGATTATTTTTTCAAGGAAGCGAATACTACTATTGTG 622
      ||||||:::::::::: :
204 rAlaLysAsn...........LeuProAlaAsnValSerPheValL 216

623 TTATTTGGGGACCTTTCCGC 642
      ::::: |||||:::
216 euVal......ProPheLys 220

seq_name: pir2:A54420

seq_documentation_block:
beta-galactoside alpha-2,3-sialyltransferase (EC 2.4.99.4) ST3GalA.2 - mouse
C;Species: Mus musculus (house mouse)
C;Date: 07-Jul-1995 #sequence_revision 24-Sep-1999
C;Accession: A54420
R;Lee, Y.C.; Kojima, N.; Wada, E.; Kurosawa, N.; Nakaoka, T.; Hamamoto, T.; Tsuji, S.
J. Biol. Chem. 269, 10028-10033, 1994
A;Title: Cloning and expression of cDNA for a new type of Galbeta1,eGalNAc alpha2,3-sial
A;Reference number: A54420; MUID:94193584
A;Accession: A54420
```

```
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-350 <LEE>
A;Cross-references: GB:X76989; NID:g475203; PIDN:CAA54294.1; PID:g475204
C;Superfamily: beta-galactoside alpha-2,3-sialyltransferase
C;Keywords: glycosyltransferase; transmembrane protein

alignment_scores:
            Quality:   135.50          Length:    90
            Ratio:     2.464           Gaps:      4
Percent Similarity: 61.111    Percent Identity: 37.778

alignment_block:
US-09-714-936-218 x A54420       ..

Align seg 1/1  to: A54420  from: 1  to: 350

373 CAAGAGCCTTTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTC 422
      ::::::|||   |||   ||::::||:|||||:::||||||
144 ArgAspProGlnGln......CysArgArgCysAlaValValGlyAsnSe 158

423 AGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCT 472
      |||||:::: |||:::||   |||::||:||| ||::||:|:||
158 rGlyAsnLeuArgGlySerGlyTyrGlyGlnValAspSerHisAsnP 175

473 GCATTTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGAAGATGTC 522
      ||| |||||:::||||||||||||   |||:::|:|||||||
175 heIleMetArgMetAsnGlnAlaProThrValGlyPheGluLysAspVal 191

523 GGCCGCATGACCATGATTCGAGTTGTCTCCATACCAGCGTTCCTCTTTT 572
      |||||:::::||     |||:::::|||
192 GlySer..........ArgThrThrHisHisPheMetTyrProGluSe 204

573 GCTAAAAAACCCTGATTATTTTTTCAAGGAAGCGAATACTACTATTGTG 622
      ||||||:::::::::||:||||||
204 rAlaLysAsn...........LeuProAlaAsnValSerPheValL 216

623 TTATTTGGGGACCTTTCCGC 642
      ::::: |||||:::
216 euVal......ProPheLys 220

seq_name: pir2:I54229

seq_documentation_block:
beta-galactoside alpha-2,3-sialyltransferase (EC 2.4.99.4) - human
C;Species: Homo sapiens (man)
C;Date: 02-Jul-1996 #sequence_revision 02-Jul-1996 #text_change 17-Nov-2000
C;Accession: I54229; A54898
R;Chang, M.L.; Eddy, R.L.; Shows, T.B.; Lau, J.T.
Glycobiology 5, 319-325, 1995
A;Title: Three genes that encode human beta-galactoside alpha 2,3-sialyltransferases.
A;Reference number: I54229; MUID:95383839
A;Accession: I54229
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: mRNA
A;Residues: 1-340 <RES>
A;Cross-references: GB:L13972; NID:g410225; PIDN:AAC37574.1; PID:g410226
R;Kitagawa, H.; Paulson, J.C.
J. Biol. Chem. 269, 17872-17878, 1994
A;Title: Differential expression of five sialyltransferase genes in human tissues.
A;Reference number: A54898; MUID:94299495
A;Accession: A54898
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-11,'v',13-340 <KIT>
A;Cross-references: GB:L29555; NID:g522196; PIDN:AAA36612.1; PID:g522197
C;Genetics:
A;Gene: GDB:SIAT4A
A;Cross-references: GDB:384704
A;Map position: 3q21-3q28
C;Superfamily: beta-galactoside alpha-2,3-sialyltransferase
C;Keywords: glycosyltransferase
```

```
192 nSerGlnLeuGlyArgGluIleAspAsnHisAspAlaValLeuArgPheA 209
488 ACAATGCCCCAAAGGTTATGAAGAAGAAGATGTCGGCCGCCATGACCATG 537
      ||:::||||||||  ::::::||:|:||||||:||||||||  |||
209 snGlyAlaProThrAspAsnPheGlnAsnPheValGlySerLysThrThr 225

538 ATTCCGAGTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGA 587
    ||||||:::::::::              :::  :::
226 IleArgLeuMetAsnSerGln.........LeuValThrThrGluLy 238

588 TTATTTTTCAAGGAGGGAATACTACT.....ATTTGTGTTATTTGGG 631
    ||||||  :::  |||        |||  ::||
238 sArgPheLeuLysAspSerLeuTyrThrGluGlyIleLeuIleValTrpA 255

632 GACCT 636
    |||
255 spPro 256

seq_name: pir2:JN0618

seq_documentation_block:
Gal beta 1,3(4)GlcNAc alpha-2,3-sialyltransferase (EC 2.4.99.-) - human
C;Species: Homo sapiens (man)
C;Date: 24-Feb-1994 #sequence_revision 24-Feb-1994 #text_change 28-May-1999
C;Accession: JN0618
R;Kitagawa, H.; Paulson, J.C.
Biochem. Biophys. Res. Commun. 194, 375-382, 1993
A;Title: Cloning and expression of human Galbeta1,3(4)GlcNAc alpha2,3-sialyltransferase.
A;Reference number: JN0618; MUID:9326146
A;Accession: JN0618
A;Molecule type: mRNA
A;Residues: 1-375 <KIT>
A;Cross-references: GB:L23768; NID:g388014; PIDN:AAA35778.1; PID:g388015
C;Comment: This enzyme catalyzes the transfer of sialic acid to the terminal positions o
C;Superfamily: alpha-2,3-sialyltransferase ST2
C;Keywords: glycosyltransferase

alignment_scores:
    Quality:    137.50        Length:    181
    Ratio:      1.511         Gaps:      4
Percent Similarity: 50.276    Percent Identity: 21.547

alignment_block:
US-09-714-936-218 x JN0618

Align seg 1/1  to: JN0618  from: 1  to: 375

283 TTTGGACAACCTGGTACAAAGTGGATACCATTCTCCTACACATACAGGCG 332
    ::::::::||:::::                  |||:::::
102 PheSerLysProAlaProMetPheLeuAspAspSerPheArgLysTrpAl 118

333 GCCCCTTCGAACTCACTATGGATACATAAATGTGAAGACAACAAGAGCCTT 382
    ::|||     ::::::||||||  ||||:::  |||:::  |
118 aArgIleArgGluPheValProProPheGlyIleLysLysGlyGlnAspAsnL 135

383 TG..................................... 384
    ||
135 euIleLysAlaIleLeuSerValThrLysGluTyrArgLeuThrProAla 151

385 ......CAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCA 428
      ::||||  |||  ||||||||:::||:|||
152 LeuAspSerLeuArgCysArgCysIleIleValGlyAsnGlyGlyVa 168

429 GATGGTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGACATTT 478
    ||:|||::::::::||||::||::||||||  |:::
168 lLeuAlaAsnLysSerLeuGlySerArgIleAspAspTyrAspIleValv 185

479 GGGAATGAACAATGCCCCAAAGGTTATGAAGAAGATGTCGGCCGC 528
    ||:||:||||||:::|||||||:::|||||||||||
185 alArgLeuAsnSerAlaProValLysGlyPheGluLysAspValGlySer 201

529 ATGACCATGATTCCGAGTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAA 578
```

```
192                                 |||    :::|||||:::
202 LysThrThrLeuArgIle...........ThrTyrProGluGlyAlaMetGl 215

579 AAACCCTGATTATTTTTCAAGGAGCGAATACTACTATTGTGTTATT. 627
    ::::||::|:       :::             :::::||::     ::
215 nArgProGluGlnTyrGluArgAspSerLeuPheValLeuAlaGlyPheL 232

628 ..TGGGGACCTTCCGCCAATATGAGGAAAAGATGGCAATGGCATCGTTTAC 675
    ::|||::::::                   ::::::
232 ysTrpGlnAspPheLysTrpLeuLys................ 240

676 AACACGTTGAAAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGT 725
    ||||||  :::|||           |||     ::|||::::::||
241 .................................TyrIl 242

726 GACCACAGAGAGGCCATGAGTTACTGTGATGGAGTTTTAAG 768
    :::  :::::||||:::|||  |||||||  ::|||
242 eValTyrLysGluArgValSerAlaSerAspGlyPheTrpLys 256

seq_name: pir2:S55675

seq_documentation_block:
Gal-beta-1,3GalNAc alpha-2,3-sialyltransferase - chicken
C;Species: Gallus gallus (chicken)
C;Date: 27-Oct-1995 #sequence_revision 03-Nov-1995 #text_change 24-Sep-1999
C;Accession: S55675
R;Kurosawa, N.; Hamamoto, T.; Inoue, M.; Tsuji, S.
Biochim. Biophys. Acta 1244, 216-222, 1995
A;Title: Molecular cloning and expression of chick Gal-beta-1,3GalNac alpha-2,3-sialy
A;Reference number: S55675; MUID:95284088
A;Accession: S55675
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-342 <KUR>
A;Cross-references: GB:X80503; NID:g975654; PIDN:CAA56666.1; PID:g975655
C;Superfamily: beta-galactoside alpha-2,3-sialyltransferase

alignment_scores:
    Quality:    136.00        Length:    133
    Ratio:      1.863         Gaps:      4
Percent Similarity: 54.887    Percent Identity: 31.579

alignment_block:
US-09-714-936-218 x S55675

Align seg 1/1  to: S55675  from: 1  to: 342

373 CAAGAGCCTTTGCAA...........CTGGACTGTGACCTTTGTGCCAT 410
    ::::::||||||||         |||:::
130 ArgAspProLeuGlnArgGlyThrPheSerCysArgArgCysAlaVa 146

411 AGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAG 460
    :|||||||||||  |||:::::|||||||::::::||::
146 lValGlyAsnGlyAsnLeuArgGlnSerGlnInTyrGlyGlnAsplleA 163

461 ATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCACCAAAGGTTAT 510
    ||   :::  |||||||||||:||||||||  :::|||
163 spSerHisAspPheValLeuArgMetAsnArgAlaProThrIleGlyTyr 179

511 GAAGAAGATGTCGGCCCCATGACCATGATTCAGTTGTGTCCCATACCAG 560
    ||::::::||||||  ||||||  ::|   |||::
180 GluSerAspValGlySerLysThrThrHisPheValTyrProGluSe 196

561 CGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGAGCGAATA 610
    ::|||||||||||||||                   :::|||||::
196 r......................TyrLysGluGluAlaG 202

611 CTACTATTGTGTTATTTGGGGACCTTTCCGCAATATGAGGAAGAGATGC 660
    :::::::||||||       :::  ::||||||||||||
202 luAsnValSerMetIleValIleLeuProPheLysThrLeu.....AspLeu 216

661 AATGGCATCGTTTACAACATGTTGAAAAAGACAGTGGT........AT 701
```

263 lsSerAspIleProLysTrpTyrGlnAsn......ProAspTyrAsn... 276
    ::::||||::: ||| |||
667 ATCGTTTACACATGTTGAAAAAGACAGTTGTATCTATCCGAATGCCCA 716
    ::|||;::|| :::||:::|
277 ...PhePheAsnAsnTyrLysThrTyrArgLysLeuHisProAsnGlnPr 292

717 AATATACGTG 726
    ::|||:||||
292 oPheTyrIle 295

seq_name: pir2:A45074

seq_documentation_block:
Gal beta 1,3(4)GlcNAc alpha 2,3-sialyltransferase - rat
C;Species: Rattus norvegicus (Norway rat)
C;Date: 10-Jun-1993 #sequence_revision 18-Nov-1994 #text_change 24-Sep-1999
R;Wen, D.X.; Livingston, B.D.; Medzihradszky, K.F.; Kelm, S.; Burlingame, A.L.; Paulson,
J. Biol. Chem. 267, 21011-21019, 1992
A;Title: Primary structure of Gal beta 1,3(4)GlcNAc alpha 2,3-sialyltransferase determin
sferase gene family.
A;Reference number: A45074; MUID:93016017
A;Accession: A45074
A;Status: preliminary
A;Molecule type: mRNA; protein
A;Residues: 1-374 <WEN>
A;Cross-references: GB:M97754; GB:M98462; NID:g206930; PIDN:AAA42146.1; PID:g206931
A;Experimental source: liver
A;Note: sequence extracted from NCBI backbone (NCBIN:116187, NCBIP:116191)
C;Superfamily: alpha-2,3-sialyltransferase STZ
C;Keywords: transmembrane protein

alignment_scores:
        Quality: 138.50   Length: 181
        Ratio: 1.522   Gaps: 4
Percent Similarity: 50.276   Percent Identity: 21.547

alignment_block:
US-09-714-936-218 x A45074

Align seg 1/1 to: A45074 from: 1 to: 374

283 TTTGGACAACCTGGTACAAAGTGGATACCATTCTCCTACACATACAGGCG 332
    |||:::::||||:::   :::|::: |||::::
101 PheSerLysProAlaProMetPheLeuAspAspSerPheArgLysTrpAl 117

333 GCCCCTTCGACTCACTATGGATACATAAATGTGAAGACACAAGAGCCTT 382
    :::||| :::||||::||||
117 aArgIleArgGluPheValProProPheGlyIleIleLysGlyGlnAspl 134

383 TG. 384
    ||
134 euIleLysAlaIleLeuLeuSerValThrLysGluTyrArgLeuThrProAla 150

385 ....CAACTGGACTGTGACCTTGTGCCATAGTGTCAAACTCAGGTCA 428
    ::||| ||| ||| |||||::::||:::|||||::||
151 LeuAspSerLeuHisCysSerArgArgCysIleIleValGlyAsnGlyGlyVa 167

429 GATGGTTGGCCAGAAGGTGGGAAATGAAGATAGATCGATCCTCCTGCATTT 478
    :::|||||||||||| :::|||
167 lLeuAlaAsnLysSerLeuGlySerArgIleSerArgIleLeuLysGlyGlnAspTyrAspIleValI 184

479 GGAGAATGAACAAGTGCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGC 528
    |||:::||:::||||||||||||||||:|||||||
184 leArgLeuAsnSerAlaProValLysGlyPheGluGluLysAspValGlySer 200

529 ATGACCATGATTCGAGTTGTCGTCCCATACCAGCGTTCCTCTTTTGCTAAA 578
    ||| :::||| :::||
201 LysThrLeuArgIle.........ThrTyrProGluGlyAlaMetGl 214

579 AAACCCTGATTATTTTTCAAGGAGCGAATACTACTATTTGTGTTATT. 627

214 nArgProGluGlnTyrGluArgAspSerLeuPheValLeuAlaGlyPheL 231
    ::::|||:::   :::
628 ..TGGGACCTTCCGCAATATGAGGAAAGATGGCAAATGGCATCGTTTAC 675
    ||| ||| :::||:::   :::::
231 ysTrpGlnAspPheLysTrpLeuLys........................... 239

676 AACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGT 725
    ::|||||||| |||:::||
240 ....TyrIl 241

726 GACCACAGAGAAGCCATGAGTTACTGTGATGGAGTTTTTAAG 768
    :::: ::||||::||| ||| :::|||
241 eVaIlTyrLysGluArgValSerAlaSerAspGlyPheTrpLys 255

seq_name: pir2:A28451

seq_documentation_block:
beta-galactoside alpha-2,6-sialyltransferase (EC 2.4.99.1) - rat
N;Alternate names: CMP-N-acetylneuraminate-alpha-N-acetyl-galactosamide-alpha-2,6-si
C;Species: Rattus norvegicus (Norway rat)
C;Date: 19-May-1989 #sequence_revision 19-May-1989 #text_change 24-Sep-1999
C;Accession: A28451; A34465
R;Weinstein, J.; Lee, E.U.; McEntee, K.; Lai, P.H.; Paulson, J.C.
J. Biol. Chem. 262, 17735-17743, 1987
A;Title: Primary structure of beta-galactoside alpha-2,6-sialyltransferase. Conversio
A;Reference number: A28451; MUID:88087067
A;Accession: A28451
A;Molecule type: mRNA
A;Residues: 1-403 <WEI>
A;Cross-references: GB:M18769; NID:g204254; PIDN:AAA41196.1; PID:g204255
A;Note: the authors translated the codon GAC for residue 367 as His
R;O'Hanlon, T.P.; Lau, K.M.; Wang, X.; Lau, J.T.Y.
J. Biol. Chem. 264, 17389-17394, 1989
A;Title: Tissue-specific expression of beta-galactoside alpha-2,6-sialyltransferase.
A;Reference number: A34465; MUID:90008905
A;Accession: A34465
A;Status: preliminary; not compared with conceptual translation
A;Molecule type: mRNA
A;Residues: 183-245,252-282 <OHA>
A;Experimental source: renal
C;Superfamily: beta-galactoside alpha-2,6-sialyltransferase; transmembrane protein
C;Keywords: glycosyltransferase; transmembrane protein

alignment_scores:
        Quality: 138.50   Length: 135
        Ratio: 1.753   Gaps: 6
Percent Similarity: 58.519   Percent Identity: 28.148

alignment_block:
US-09-714-936-218 x A28451

Align seg 1/1 to: A28451 from: 1 to: 403

238 GTGCGTCCTGTAAATGAAGTGAATTTCCCATTGCTACTACTAAAACTGCTTTGG 287
    ::: ::||| :::||::|||||||:::||
147 ValSerMetIleGluAlaThrAspPheProPhe.................. 157

288 ACAACCTGCTACAAAGTGGATACCATTCTCCTACACATACAGGCGGCCCC 337
    :::||| :::|||
158 ...AsnThrThrGluTrp.......GluGlyTyrLeuProLysGluAsnP 171

338 TTTCGAACTCACTATGGATACATAAATGTGAAGACACAAGAGCCTTTCAA 387
    :::||||| ||| ||| |||
171 heArgThrHisValGly.......................ProTrpGln 179

388 CTTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGG 437
    :::|||||||||||| ::|:::||
180 ....ArgCysAlaValValSerSerAlaGlySerLeuLysAs 192

438 CCAGAAGGTGGGAAATGAAGATAGATCGATCCTCCTGCATTTGGAGAATGA 487
    :::::|||||||||||| ::::::: |||::||

A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-413 <KUR>
A;Cross-references: EMBL:X75558; NID:g452750; PIDN:CAA53235.1; PID:g452751
C;Superfamily: beta-galactoside alpha-2,6-sialyltransferase

alignment_scores:
         Quality: 163.00   Length: 177
         Ratio: 1.918   Gaps: 4
Percent Similarity: 48.023   Percent Identity: 26.554

alignment_block:
US-09-714-936-218 x S41114

Align seg 1/1   to: S41114   from: 1   to: 413

343 ACTCACTATGGATACATAAATGTGAAGACACAAGAGCCTTTGCAACTGGA 392
    ||||:|: ||| ::||::||:::||| ::||| ||||||
131 ThrTyrAsnGlyLysMetAsnAlaAlaLysSerProGluGlnLeuLeu 147

393 CTGTGACCTT................................... 402
    ||| |||
147 uCysArgLeuArgAspArgValAsnValThrMetIleArgGlySerAspG 164

402 402

164 lyProPheAsnSerGluGluTrpGlnHisTyrLeuProAspLysSerLeu 180

403 .................TGTGCCATAGTGTCAAACTCAGG 425
                    ||||:|:||||||:::::::||
181 AsnGluThrValGlyArgLeuGlyArgCysAlaValSerSerAlaGl 197

426 TCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCA 475
    :||||||| ::||| ||:||||| :::::|
197 ySerLeuLysSerSerHisLeuGlyProGluLeuAspSerHisAspAlaV 214

476 TTTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGAGAGATGTCGGC 525
    ::|||:||::|||||:||:||||||||||||||||||
214 alLeuArgPheAsnGlyAlaProValLysGlyPheGlnGluAspValGly 230

526 CGCATGACCATGATTCGAGTTGTGTCCCATACCAGCGTTCCTCTTTTGCT 575
    :|| ||| ||||||:|||:||:
231 GlnLysThrThrIleArgLeuValAsnSer........GlnLeuValTh 244

576 AAAAAACCCTGATTATTTTTTCAAGGAAGCG.....AATACTACTATTT 619
    :|| |||:||||::|:||| ||||||
244 rValGluGluGlnPheLeuLysAspAlaLeuTyrAsnThrGlyIleL 261

620 GTGTTATTTCGGGGACCTTT CCGCAATATGAGGAAAGATGGCAATGG... 665
    :|||||||||| ::||||| |||:::||||||||||||||
261 euIleValTrpAspProAlaProTyrHisAlaGlyGlnHisGluTrpTyr 277

666 ....CATCGTTTACA 676
                                     ::|||:||:::
278 ArgLysProAspTyrLysPheGluAlaTyrLysSerTyrArgIleAr 294

677 ACATGTTGAAAAGACAGTTGGTATCTATCC 707
    ::||||||| ::| :||:| ::|||
294 gHisProGluGlnProPheTyrIleLeuAsn 304

seq_name: pir2:A41734

seq_documentation_block:
beta-galactoside alpha-2,6-sialyltransferase (EC 2.4.99.1) - human
N;Alternate names: CD75 (and CD76 and HB-6)-determining sialyltransferase
C;Species: Homo sapiens (man)
C;Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 24-Sep-1999
C;Accession: A41734; S14913; JH0286; A33424; S08032; S18127
R;Bast, B.J.E.G.; Zhou, L.J.; Freeman, G.J.; Colley, K.J.; Ernst, T.J.; Munro, J.M.; Ted
J. Cell Biol. 116, 423-435, 1992
A;Title: The HB-6, CDw75, and CD76 differentiation antigens are unique cell-surface carb
A;Reference number: A41734; MUID:92112983

A;Accession: A41734
A;Molecule type: mRNA
A;Residues: 1-406 <BAS>
A;Cross-references: EMBL:X62822; NID:g29433; PIDN:CAA44634.1; PID:g29434
R;Grundmann, U.; Nerlich, C.; Rein, T.; Zettlmeissl, G.
Nucleic Acids Res. 18, 667, 1990
A;Title: Complete cDNA sequence encoding human beta-galactoside alpha-2,6-sialyltrans
A;Reference number: S14913; MUID:90175005
A;Accession: S14913
A;Molecule type: mRNA
A;Residues: 1-406 <GRU>
A;Cross-references: EMBL:X17247; NID:g36461; PIDN:CAA35111.1; PID:g36462
R;Stamenkovic, I.; Asheim, H.C.; Deggerdal, A.; Blomhoff, H.K.; Smeland, E.B.; Funder
J. Exp. Med. 172, 641-643, 1990
A;Title: The B cell antigen CD75 is a cell surface sialyltransferase.
A;Reference number: JH0286; MUID:90324884
A;Accession: JH0286
A;Molecule type: mRNA
A;Residues: 1-26,'L',28-71,'T',74-143,'P',145-406 <STA>
A;Cross-references: GB:X54363; NID:g29388; PIDN:CAA38246.1; PID:g29389
A;Experimental source: cell line Daudi (Burkitt lymphoma)
A;Note: the authors translated the codon CCU for residue 144 as Leu
R;Lance, P.; Lau, K.M.; Lau, J.T.Y.
Biochem. Biophys. Res. Commun. 164, 225-232, 1989
A;Title: Isolation and characterization of a partial cDNA for a human sialyltransfera
A;Reference number: A33424; MUID:90026381
A;Accession: A33424
A;Status: not compared with conceptual translation
A;Molecule type: mRNA
A;Residues: 'APRTPT',74-406 <LAN>
C;Comment: The cell surface carbohydrate determinant defined as CD75 is expressed pre
se in the Golgi.
C;Genetics:
A;Gene: GDB:SIAT1
A;Cross-references: GDB:132150; OMIM:109675
A;Map position: 3q21-3q28
C;Superfamily: beta-galactoside alpha-2,6-sialyltransferase
C;Keywords: glycoprotein; glycosyltransferase; Golgi apparatus; transmembrane protein
F;10-26/Domain: transmembrane #status predicted <TRP>
F;149,161/Binding site: carbohydrate (Asn) (covalent) #status predicted

alignment_scores:
         Quality: 142.00   Length: 120
         Ratio: 2.000   Gaps: 5
Percent Similarity: 59.167   Percent Identity: 29.167

alignment_block:
US-09-714-936-218 x A41734

Align seg 1/1   to: A41734   from: 1   to: 406

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||||||||||||||||||||||| |||||||||||||||||||||||||
184 CysAlaValValSerSerAlaGlySerLeuLysSerSerGlnLeuGlyAr 200

453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCCACCA 502
    :|||||||| |||:::||:||| |||:|| :||:|||:||:||||||
200 gGluIleAspAspSerHisAspAlaValLeuArgPheAsnGlyAlaProThrA 217

503 AAGGTTATGAAGAGAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCC 552
    ||||||||||||||:||:||| :||||| |||||||||:||| |||:||
217 laAsnPheGlnGlnAspValGlyTyrLysThrThrIleArgLeuMetAsn 233

553 CATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    ::||| |::||| |:|| ||| ::||||||:|||:|||| :||||
234 SerGln.........LeuValThrThrGluValGlnPheLeuLysAs 246

603 AGCG.....AATACTACTATTTGTGTTATTTGGGGACCT... 636
    ||| ||| :|:::|:||| :|||||||| |||||
246 pSerLeuTyrAsnGluGlyIleLeuLeuIleValTrpAspProSerValTyrH 263

637 ................TTCCGCAATATGAGGAAAGATGGCAATGGC 666

OM of: US-09-714-936-218 to: PIR_71:*   out_format : pfs

Date: May 7, 2002 5:04 PM

About: Results were produced by the GenCore software, version 4.5,
       Copyright (c) 1993-2000 Compugen Ltd.

Command line parameters:
 -MODEL=frame+_n2p.model -DEV=xlh
 -Q=/cgn2_1/USPTO_spool/US09714936/runat_07052002_093906_25016/app_query.fasta_1.1375
 -DB=PIR_71 -QFMT=fastan -SUFFIX=rpr -GAPOP=12.000 -GAPEXT=4.000
 -MINMATCH=0.100 -LOOPCL=0.000 -LOOPEXT=0.000 -QGAPOP=4.500
 -QGAPEXT=0.050 -XGAPOP=10.000 -XGAPEXT=0.500 -FGAPOP=6.000
 -FGAPEXT=7.000 -YGAPOP=10.000 -YGAPEXT=0.500 -DELOP=6.000
 -DELEXT=7.000 -START=1 -MATRIX=blosum62 -TRANS=human40.cdi
 -LIST=100 -DOCALIGN=200 -THR_SCORE=pct -THR_MAX=100 -THR_MIN=0
 -ALIGN=45 -MODE=LOCAL -OUTFMT=pfs -NORM=ext -HEAPSIZE=500
 -MINLEN=0 -MAXLEN=200000000 -USER=US09714936_@CGNI_1_98
 -NCPU=6 -ICPU=3 -LONGLOG -DEV_TIMEOUT=120 -WARN_TIMEOUT=30
 -NO_XLPXY -WAIT -THREADS=1

Search information block:
 Query: US-09-714-936-218
 Query length: 1294
 Database: PIR_71:*
 Database sequences: 283138
 Database length: 96089334
 Search time (sec): 57.450000

score_list:

Sequence	Strd	Orig	ZScore	EScore	Len	Documentation
pir2:S41114	+	163.00	250.08	1.9e-06	413	Gal beta 1,4 GlcNAc alpha 2,6-s
pir2:A41734	+	142.00	215.84	0.0002	406	beta-galactoside alpha-2,6-sial
pir2:A45074	+	138.50	210.78	0.0003	374	Gal beta 1,3(4)GlcNAc alpha 2,3
pir2:A28451	+	138.50	210.17	0.0003	403	beta-galactoside alpha-2,6-sial
pir2:JN0618	+	137.50	209.12	0.0004	375	Gal beta 1,3(4)GlcNAc alpha-2,
pir2:S55675	+	136.00	207.43	0.0005	342	Gal-beta-1,3GalNAc alpha-2,
pir2:B54420	+	135.50	206.42	0.0006	350	beta-galactoside alpha-2,3-sial
pir2:A54420	+	135.50	206.42	0.0006	350	beta-galactoside alpha-2,3-sial
pir2:I54229	+	134.00	204.20	0.0008	340	beta-galactoside alpha-2,3-sial
pir2:JC5251	+	131.50	199.87	0.0014	350	beta-galactoside alpha-2,3-sial
pir2:S36824	+	131.00	199.36	0.0015	337	beta-galactoside alpha-2,3-sial
pir2:JC6321	+	126.00	190.19	0.0044	380	CMP-NeuAc-GM3 alpha3 alpha-2,8 sialylt
pir2:A45073	+	125.50	190.21	0.0049	343	Gal beta 1,3GalNAc alpha 2,3-si
pir2:A56950	+	124.00	186.91	0.0067	380	alpha-2,8-sialyltransferase III
pir2:G86216	+	123.00	184.89	0.0083	398	protein T23G18.14 [imported] -
pir2:T49278	+	120.50	178.61	0.0157	470	hypothetical protein T21J18.90
pir2:A48715	+	119.00	179.09	0.0211	329	gal-beta(1-3,1-4)GlcNAc alpha2,
pir2:A49879	+	118.50	179.02	0.0212	332	alpha-2,3-sialyltransferase (EC
pir2:A54871	+	116.50	174.13	0.0326	404	Gal beta-1, 3GalNAc-specific Ga
pir2:JC7248	+	112.00	164.59	0.0850	526	alpha-N-acetylgalactosaminide a
pir2:JC4973	+	111.00	166.10	0.1026	359	GM3 alpha-2,8-sialyltransferase
pir2:JE0364	+	110.00	163.84	0.1271	387	lactosylceramide alpha-2,3-sial
pir2:A49980	+	110.00	160.17	0.1299	566	alpha-N-acetylgalactosaminide a
pir2:JC5195	+	108.00	161.58	0.1921	342	alpha-N-acetylneuraminate alpha
pir2:A54032	+	106.00	157.98	0.2931	356	alpha-N-acetylneuraminate alpha
pir2:I48686	+	103.00	152.64	0.5519	375	N-glycan alpha 2,8-sialyltransf
pir2:I39169	+	101.00	149.37	0.8399	375	sialyltransferase - human
pir2:B54898	-	100.00	152.05	1.01	222	STX protein - human (fragment)
pir2:A46727	+	100.00	147.73	1.04	375	sialyltransferase (EC 2.4.99.-)
pir2:T00720	-	97.50	142.60	1.76	425	hypothetical protein F22O13.15
pir2:T36683	-	95.00	133.00	3.10	830	probable integral membrane prot
pir2:T30257	+	92.50	127.18	5.30	359	IgG Fc binding protein - mouse
pir2:I59403	+	92.00	134.99	5.54	359	alpha-2,8-polysialyltransferase
pir2:T51016	-	92.00	126.12	5.89	1053	related to CYC8 protein [impor
pir2:S34583	+	92.00	122.95	6.02	1548	serine proteinase (EC 3.4.21.
pir1:T14106	+	91.00	119.97	7.50	1822	probable GTPase-activating pro
pir2:T27506	+	89.50	129.64	9.45	418	hypothetical protein 2C168.3 -
pir2:T47524	+	89.00	125.41	10.75	633	hypothetical protein F16L2.50
pir2:T42970	+	88.00	121.49	13.47	835	primase - ateline herpesvirus 3
pir1:CYMSG4	+	87.50	133.59	13.69	174	gamma-crystallin 4 - mouse
pir2:PT0375	-	87.00	130.99	15.39	216	natural killer cell receptor
pir2:JC4224	+	87.00	126.80	15.84	359	alpha-N-acetylneuraminate al
pir2:S52425	+	87.00	126.80	15.84	359	polysialyltransferase-1 - Ch
pir2:T51305	+	86.50	128.74	17.27	257	ubiquinol--cytochrome-c redu
pir2:ADI533	+	86.50	126.68	17.51	330	hypothetical protein homolog
pir2:D86340	+	86.50	123.61	17.89	479	protein F2D10.30 [imported]
pir2:JC7753	-	86.50	121.25	18.18	638	ring finger B-box coiled-col
pir2:T14853	+	86.50	115.65	18.89	1258	reverse transcriptase - Jap
pir2:F85107	+	86.00	119.95	20.26	676	hypothetical protein AT4g103
pir2:T04052	+	86.00	119.61	20.31	705	hypothetical protein F24C24.
pir2:A42125	+	86.00	112.04	21.39	1766	trophozoite cysteine-rich s
pir2:A55677	+	86.00	111.90	21.41	1797	laminin beta-2 chain precur
pir2:T00078	+	85.50	113.69	23.36	1309	probable RNA-directed DNA p
pir2:S20050	+	85.00	122.06	24.36	429	transcription factor IIIA -
pir2:T41146	-	85.00	114.48	25.66	1077	probable cysteine-rich tran
pir2:T14855	+	85.00	113.20	25.89	1258	reverse transcriptase - Jap
pir2:S07274	+	84.50	122.09	26.90	387	ubiquinol--cytochrome-c redu
pir2:G86160	+	84.50	118.02	27.66	634	protein F1O03.17 [imported]
pir2:S78199	-	84.50	113.99	28.44	1035	probable maturase protein 3
pir2:S19731	-	84.00	127.22	28.68	188	amine dehydrogenase (EC 1.4.
pir2:H82301	+	84.00	118.29	30.49	556	peptide ABC transporter, per
pir2:T08827	+	84.00	116.76	30.81	669	hypothetical protein cotel
pir2:T42730	+	84.00	102.15	34.07	3942	Bassoon protein - mouse
pir2:JC7359	+	83.50	118.80	33.56	473	splicing factor, Ssf-1 - hum
pir2:I49100	-	83.50	116.49	34.10	626	mscd6 precursor - mouse
pir2:JC2363	+	83.50	115.96	34.22	668	protein kinase (EC 2.7.1.37)
pir2:F86160	+	83.50	112.77	34.98	983	F1O03.18 protein - Arabidops
pir2:D96686	+	83.00	118.75	37.08	431	unknown protein F15E12.6 [im
pir2:T00366	-	83.00	113.86	38.35	780	hypothetical protein KIAA066
pir2:T37256	+	83.00	112.48	38.71	922	metalloproteinase sup-17 - C
pir2:T34373	+	82.50	123.55	39.63	218	hypothetical protein T24C12.
pir2:JE0389	-	82.50	118.16	41.12	419	catabolite repressor protein
pir2:F84605	+	82.50	117.87	41.20	434	hypothetical protein At2g218
pir2:A69890	+	82.50	117.25	41.38	468	probable major envelope glyc
pir1:VGBEG1	+	82.50	115.98	41.74	546	hypothetical protein yndJ -
pir2:T14594	+	82.50	112.45	42.76	838	glycoprotein H precursor - h
pir2:T19130	+	82.50	108.67	43.89	1327	guanidine nucleotide exchan
pir2:I38209	+	82.00	106.91	44.42	1642	hypothetical protein C09F9.
pir2:H88042	+	82.00	117.29	45.69	422	serotonin receptor 1A - huma
pir2:T43210	+	82.00	116.28	46.01	477	protein C13A10.1 [imported]
pir2:JC5153	-	82.00	114.54	46.56	589	fibulin-1D precursor - Caeno
pir2:A88481	+	82.00	111.85	47.46	826	mitogen-activated protein ki
pir2:D86161	+	82.00	109.25	48.28	1119	protein C16A3.6 [imported]
pir2:A24060	+	81.50	99.25	51.58	3600	F1O03.12 protein - Arabidop
pir2:JC7686	-	81.50	123.77	48.26	174	gamma-crystallin 1-1 - rat
pir2:A44011	+	81.50	119.73	49.62	284	activator of cAMP-responsive
pir2:T35487	+	81.50	119.39	49.74	296	adrenocortical estrogen sulf
pir2:S49077	+	81.50	117.07	50.54	392	hypothetical protein SC6C5.1
pir2:T24536	+	81.50	114.65	51.38	526	protein kinase PKTL7 (EC 2.7
pir2:JQ1584	+	81.50	113.86	51.66	579	hypothetical protein T05F1.2
pir2:T21769	+	81.50	111.85	51.96	640	genome polyprotein - hepatit
pir2:T01095	+	81.50	113.06	52.38	739	hypothetical protein F35E12.
pir2:PH0217	-	81.50	110.97	52.70	822	hypothetical protein T1O1l.
pir2:D64453	+	81.00	117.43	55.68	340	reverse transcriptase-like p
pir2:E70189	+	81.00	114.23	56.91	501	biotin carboxylase (EC 6.3.4
pir2:G82962	+	81.00	112.76	57.49	599	penicillin-binding protein (
pir2:T47493	+	81.00	111.57	57.77	652	hypothetical protein PA5464
pir2:A84046	+	81.00	111.57	57.96	692	hypothetical protein F9K21.1
pir1:MMFFB1	-	81.00	107.64	59.55	1116	DNA polymerase III alpha su
pir1:MMFFB1	+	81.00	103.74	61.17	1790	laminin beta-1 chain precur

seq_name: pir2:S41114

seq_documentation_block:
Gal beta 1,4 GlcNAc alpha 2,6-sialyltransferase - chicken
C;Species: Gallus gallus (chicken)
C;Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 24-Sep-1999
C;Accession: S41114
R;Kurosawa, N.; Kawasaki, M.; Hamamoto, T.; Nakaoka, T.; Lee, Y.C.; Arita, M.; Tsuji,
Eur. J. Biochem. 219, 375-381, 1994
A;Title: Molecular cloning and expression of chick embryo Gal-beta-1,4GlcNAc-alpha-2,
A;Reference number: S41114; MUID:94139712
A;Accession: S41114

```
;       TELEPHONE:  202-721-8200
;       TELEFAX:    202-721-8250
;       TELEX:
;  INFORMATION FOR SEQ ID NO:   7:
;       SEQUENCE CHARACTERISTICS:
;       LENGTH:  404 amino acids
;       TYPE:  amino acid
;       STRANDEDNESS:  single
;       TOPOLOGY:  linear
;       ORIGINAL SOURCE:
;       ORGANISM:   G. gallus (chicken)
US-09-143-438-7
```

```
alignment_scores:
        Quality:   116.50            Length:          85
        Ratio:       2.240           Gaps:             2
Percent Similarity:  61.176     Percent Identity:  35.294
```

```
alignment_block:
US-09-714-936-218 x US-09-143-438-7

Align seg 1/1  to: US-09-143-438-7  from: 1  to: 404

 394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
     |||     |||||||:::|||::::|||:::|||    ::: |||::::::
 178 CysIleArgCysAlaValValGlyAsnGlyGlyIleLeuAsnGlySerAr 194

 444 GGTGGGAAATGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATG 493
     :   |:::: |||||     :::  :::::||:::|||::::||::::|
 194 gGlnGlyArgAlaIleAspAlaHisAspAlaHisAspLeuValPheArgLeuAsnGlyA 211

 494 CCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCATG........... 531
     |! |||||||||::::|||||||||||||||
 211 laIleThrLysGlyPheGluGluAspValGlySerLysValSerPheTyr 227

 532 ..........ACCATGAT.TCGAGTTGTGTCCCATACCAGCGTTC 565
      |||||     ::|||  ::|||    ::: |||::::
 228 GlyPheThrValAsnThrMetLysAsnSerLeuIleAlaTyrGluAlaTy 244

 566 CTCTTTTGCTAAAAACCCTGATTATTTTTCAAGGAAGCGAATACTACT 615
     ::|||:::::  |||         ||||||:::::   |
 244 rGlyPheThrArgThrPro..........GlnGlyLysAspLeuLysT 257

 616 ATTTG 620
     ||:::
 257 yrIle 258
```

; ORIGINAL SOURCE:
; ORGANISM: G. gallus (chicken)
; US-08-666-367B-7

alignment_scores:
Quality: 116.50   Length: 85
Ratio: 2.240   Gaps: 2
Percent Similarity: 61.176   Percent Identity: 35.294

alignment_block:
US-09-714-936-218 x US-08-666-367B-7

Align seg 1/1 to: US-08-666-367B-7   from: 1 to: 404

```
394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
    ||| ||||||::|||::||::||:::|||     ::: |||::|::::|||
178 CysIleArgCysAlaValValGlyAsnGlyGlyIleLeuAsnGlySerAr 194

444 GGTGGGAAATGAGATAGATGAGATCCTCCTGCATTTGGAGAATGAACAATG 493
    : |||::|| |||||    ::: :::::::|||::|::||::|||:::|||
194 gGlnGlyArgAlaIleAspAlaHisAspArgLeuValPheArgLeuAsnGlyA 211

494 CCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCATG.......... 531
    || |||||||:::||||||||||||
211 lalleThrLysGlyPheGluGluAspValGlySerLysValSerPheTyr 227

532 ...........ACCATGAT.TCGAGTTGTGTCCCATACCAGCGGTTC 565
          |||||      ::: |||:::
228 GlyPheThrValAsnThrMetLysAsnSerLeuIleAlaTyrGluAlaTy 244

566 CTCTTTTGCTAAAAAACCCTGATTATTTTTTCAAGGAGGAATACTACT 615
    ::|||:||:||:      |||     ||||||:||:||:
244 rGlyPheThrArgThrPro..........GlnGlyLysAspLeuLysT 257

616 ATTTG 620
    ||:::
257 yrIle 258
```

seq_name: /cgn2_6/ptodata/2/1aa/6B_COMB.pep:US-09-09-143-438-7

seq_documentation_block:
; Sequence 7, Application US/09143438
; Patent No. 6218161
; GENERAL INFORMATION:
;   APPLICANT: Shuichi TSUJI et al.
;   TITLE OF INVENTION: NOVEL SUGAR-CHAIN SYNTHETASE AND PROCESS FOR
;   TITLE OF INVENTION: PRODUCING THE SAME
;   NUMBER OF SEQUENCES: 8
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Wenderoth, Lind & Ponack, L.L.P.
;   STREET: 2033 K Street, N.W., #800
;   CITY: Washington
;   STATE: D.C.
;   COUNTRY: U.S.A.
;   ZIP: 20006
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Diskette, 3.5 inch, 1.44 mb
;   COMPUTER: IBM Compatible
;   OPERATING SYSTEM: MS-DOS
;   SOFTWARE: Wordperfect 5.1
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/09/143,438
;   FILING DATE: August 28, 1998
;   CLASSIFICATION:
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: 08/666,367
;   FILING DATE: August 19, 1996
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Warren M. Cheek, Jr.
;   REGISTRATION NUMBER: 33,367
;   REFERENCE/DOCKET NUMBER:
;   TELECOMMUNICATION INFORMATION:

```
 51 ArgLeuProTyrGly........LeuLysGlyGluAlaGlnIleAr  64
                           :::|||::
379 ..............CCTTTGCAACTGACTGTGACCTT.......   402
                  ||| :::|||      |||
 64 gArgLeuLeuGluLysIleProGlyHisLeuProAsnPheLeuLeuTyrG  81

403 .......TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAG 444
         ||| ::|||:|:|||||||   :::::: :::::::
 81 lyLysGlnCysIleValGlyAsnSerTyrAsnLeuHisAsnArgSer  97

445 GTGGGAAATGAGATAGATGATCCTCCTGCATTTGGAGAATGAACAATGC 494
    ::|||::|  |||||    :::::||::||:::||:|
 98 LeuGlyArgIleIleAspSerTyrAsnValValPheArgLeuAsnAspAl 114

495 CCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAG 544
    ||||:::::|:::|:||:|||||||     ||| ||||||
114 aProValArgAlaPheGluArgAspValGlyThrLysThrThrIleArgM 131

545 TTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTT 594
    :: |||::                   ::|||
131 etPheTyrProGluSerAla............GlnSerAspSerVal 142

595 TTCAAGGAGGAATACTACTATTTGTGTTATTTGGGGACCTTTCCGCAA 644
    ||||||  |||||||:||:::     |||:|||
143 LysGluAsnAspAsnThrThrLeuPheValMet...ValProPheLysSe 158

645 TATGAGGAAAGATGGCAATGGCCATCGTTTACAACATGTTG 684
                                 :::||||||||||
158 rAlaAspLeuTyrTyrTrp........LeuTyrAsnMetLeu 168
```

seq_name: /cgn2_6/ptodata/2/1aa/5B_COMB.pep:US-08-666-367B-7

seq_documentation_block:
; Sequence 7, Application US/08666367B
; Patent No. 5854042
; GENERAL INFORMATION:
;   APPLICANT: Shuichi TSUJI et al.
;   TITLE OF INVENTION: NOVEL SUGAR-CHAIN SYNTHETASE AND PROCESS FOR
;   TITLE OF INVENTION: PRODUCING THE SAME
;   NUMBER OF SEQUENCES: 8
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Wenderoth, Lind & Ponack
;   STREET: 805 Fifteenth Street, N.W., #700
;   CITY: Washington
;   STATE: D.C.
;   COUNTRY: U.S.A.
;   ZIP: 20005
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Diskette, 3.5 inch, 1.44 mb
;   COMPUTER: IBM Compatible
;   OPERATING SYSTEM: MS-DOS
;   SOFTWARE: Wordperfect 5.1
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/666,367B
;   FILING DATE: August 19, 1996
;   CLASSIFICATION: 435
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER:
;   FILING DATE:
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Warren M. Cheek, Jr.
;   REGISTRATION NUMBER: 33,367
;   REFERENCE/DOCKET NUMBER:
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: 202-371-8850
;   TELEFAX:
;   TELEX:
; INFORMATION FOR SEQ ID NO: 7:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 404 amino acids
;   TYPE: amino acid
;   STRANDEDNESS: single
;   TOPOLOGY: linear

```
;   ZIP:  90067
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE:  Floppy disk
;   COMPUTER:  IBM PC compatible
;   OPERATING SYSTEM:  PC-DOS/MS-DOS
;   SOFTWARE:  PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER:  US/08/102,385G
;   FILING DATE:  04-AUG-1993
;   CLASSIFICATION:  435
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER:  US 07/925369
;   FILING DATE:  04-AUG-1992
;   ATTORNEY/AGENT INFORMATION:
;   NAME:  Oldenkamp, David J.
;   REGISTRATION NUMBER:  29,421
;   REFERENCE/DOCKET NUMBER:  97-062
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE:  (310)788-5000
;   TELEFAX:  (310) 277-1297
;   INFORMATION FOR SEQ ID NO: 16:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH:  55 amino acids
;   TYPE:  amino acid
;   TOPOLOGY:  linear
;   MOLECULE TYPE:  protein
US-08-102-385G-16

alignment_scores:
;   Quality:  118.00            Length:     50
;   Ratio:  2.744               Gaps:        0
Percent Similarity:  86.000    Percent Identity: 40.000

alignment_block:
US-09-714-936-218 x US-08-102-385G-16          .

Align seg 1/1  to: US-08-102-385G-16  from: 1  to: 55

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    |||||||||::: :::::::||:::||||:::||||:::|||||:
  4 CysAlaValSerSerAlaGlySerLeuLysAsnSerGlnLeuGlyAr  20

453 TGAGATAGATCGATCCTCTGCCATTTGGAGAATGAACAATGCCCCCACCA 502
    :|||||||||::: :::::::||||:::|||::||:||||||||
 20 gGluIleAspAsnHisAspAlaValLeuArgPheAsnGlyAlaProThrA  37

503 AAGGTTATGAAGAAGATGTCGGCCGCGAATGACCATGACCATTCGAGTTGTGTCC 552
    :::::::::|||||||||    ||| ||||||:::::::::
 37 spAsnPheGlnGlnAspValGlySerLysThrThrIleArgLeuMetAsn 53

seq_name: /cgn2_6/ptodata/2/1aa/6B_COMB.pep:US-09-334-601-28
seq_documentation_block:
;   Sequence 28, Application US/09334601
;   Patent No. 6280989
;   GENERAL INFORMATION:
;   APPLICANT: Kapitonov, Dmitri
;   APPLICANT: Yu, Robert
;   TITLE OF INVENTION: NOVEL SIALYLTRANSFERASES
;   FILE REFERENCE: VCUIP-6
;   CURRENT APPLICATION NUMBER: US/09/334,601
;   CURRENT FILING DATE: 1999-06-17
;   NUMBER OF SEQ ID NOS: 94
;   SOFTWARE: PatentIn Ver. 2.0
;   SEQ ID NO 28
;   LENGTH: 92
;   TYPE: PRT
;   ORGANISM: Murinae gen. sp.
US-09-334-601-28

alignment_scores:
```

```
                Quality:  117.50           Length:       64
                Ratio:     2.500            Gaps:          1
Percent Similarity:  73.438    Percent Identity: 35.938

alignment_block:
US-09-714-936-218 x US-09-334-601-28          .

Align seg 1/1  to: US-09-334-601-28  from: 1  to: 92

394 TGTGACCTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
    ||| |||:::::||:::|||:::||||:::|||  ::  |||
  1 CysLysArgCysValValValGlyAsnGlyGlyIleLeuHisGlyLeuGl  17

444 GGTGGGAAATGAGAGTAGATCGATCCTCCTGCCATTTGGAGAATGAACAATG 493
    :::::|||::  :::::::::  ::  ::  |||:::||||:::::|
 17 uLeuGlyHisAlaLeuAsnGlnPheAspValValIleArgLeuAsnSerA  34

494 CCCCCACCAAAGTTATGAAGAAGATGTCGGCCGCGAATGACCATGATTCGA 543
    |||||:::|||:::||::|||||:::::::  |||  |||||
 34 laProValGluGlyTyrSerGluHisValGlyAsnLysThrThrIleArg  50

544 GTTGTGTCCCATACCAGCGTTCCTCTTGCTAAAAAACCCT 585
    :::::  :::::|||  ::|||  |||||
 51 MetThrTyrProGluGlyAlaProArgIleLeu...AsnPro 63

seq_name: /cgn2_6/ptodata/2/1aa/6B_COMB.pep:US-09-068-655-9

seq_documentation_block:
;   Sequence 9, Application US/09068655A
;   Patent No. 6136579
;   GENERAL INFORMATION:
;   APPLICANT: JACKSON, Ronald James
;   TITLE OF INVENTION: METHOD OF PRODUCING ALPHA 2,3-SIALYLTRANSFERASE
;   FILE REFERENCE: 026579-186
;   CURRENT APPLICATION NUMBER: US/09/068,655A
;   CURRENT FILING DATE: 1998-08-31
;   EARLIER APPLICATION NUMBER: AU PN 6587
;   EARLIER FILING DATE: 1995-11-15
;   EARLIER APPLICATION NUMBER: PCT/AU96/00725
;   EARLIER FILING DATE: 1996-11-15
;   NUMBER OF SEQ ID NOS: 13
;   SOFTWARE: PatentIn Ver. 2.0
;   SEQ ID NO 9
;   LENGTH: 290
;   TYPE: PRT
;   ORGANISM: Myxoma virus
US-09-068-655-9

alignment_scores:
                Quality:  116.50           Length:      180
                Ratio:     1.226            Gaps:          9
Percent Similarity:  52.778    Percent Identity: 27.778

alignment_block:
US-09-714-936-218 x US-09-068-655-9          .

Align seg 1/1  to: US-09-068-655-9  from: 1  to: 290

193 GTGATTGCTGTGAGCTTCATAGCAGCGTTCCTTTTCCTGCTGGTTGTGCG 242
    ||| ||| :|||:::  :::::|||||:::||:::||:  ||  :::
 10 ValTyrAlaCysThrAlaValAlaAlaLeuPheValMetSerLeuLysMetSe  26

243 TCTTGTAAATGAA...GTGAATTTCCCATTGCTACTAAACTGCTTTGGAC 289
    :::|||||||:::  ::|||      |||    |||
 26 rValValAsnHisGlyThrAsnValSerValThrAsnValPhe.... 41

290 AACCTGGTACAAAGTGGATACCATTCCTACACATACAGGCGGCGCCCCTT 339
    :::      :::  |||:::||||||
 42 ...............ValThrHisAsnAsnThrPheGluArg...... 50

340 CGAACTCACTATGGATACATAAATGTGAAGACACAAGAG........... 378
    |||    ||||||                        ::|||
```

Percent Similarity: 53.043   Percent Identity: 28.696

alignment_block:
US-09-714-936-218 x US-08-446-875-12

Align seg 1/1   to: US-08-446-875-12   from: 1 to: 332

```
304 TGGATACCATTCCTACACATACAGGCGGCCCCTTCGAACTCACTATGG 353
     |||::||   ::|||::||  |||                    |||||
 76 TrpValLysThrProSerAlaTyrGluLeuPro..........TyrGl 88

354 ATACATAAATGTGAAGACACAAGAGCCTTTG............... 384
    |        ::||| ||| |||
 88 y.........ThrLysGlySerGluAspLeuLeuLeuArgValLeuAlaI 102

385 ..................CAACTGGACTGTGACCTT 402
                         :::||| |||
102 leThrSerSerIleProLysAsnIleGlnSerLeuArgCysArgArg 118

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    |||::||:::||::||||::   ::|||: :::::::::::|| ::
119 CysValValGlyHisArgLeuArgAsnAsnSerLeuGlyAs 135

453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCCACCA 502
    :   ||::|:::|||:| ::|  |||:||||||||||||||
135 pAlaIleAsnLysTyrAspValValIleArgLeuAsnAsnAlaProValA 152

503 AAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGTTGTGTCC 552
    ||||||||  |||||||| |||||||  ::|||::
152 laGlyTyrGluGluGlyValGlySerLysThrThrMetArgLeuPheTyr 168

553 CATACCAGCGTT...........CCTCTTTGCTAAAAAACCCTGAT 588
    |||||||:        |||  :::|||||||
169 ProGluSerAlaHisPheAspProLysValGluAsnAsnProAsp 183
```

seq_name: /cgn2_6/ptodata/2/1aa/5B_COMB.pep:US-08-102-385G-12

seq_documentation_block:
; Sequence 12, Application US/08102385G
; Patent No. 5962294
; GENERAL INFORMATION:
;; APPLICANT: Paulson, James C.
;; APPLICANT: Wen, Xiaohong
;; APPLICANT: Livingston, Brian Duane
;; APPLICANT: Gillespie, William
;; APPLICANT: Kelm, Sorge
;; APPLICANT: Burlingame, Alma L.
;; APPLICANT: Medzihradszky, Katalin
;; TITLE OF INVENTION: Compositions and Methods for the
;; TITLE OF INVENTION: Identification and Synthesis of Sialyltransferases
;; NUMBER OF SEQUENCES: 36
;; CORRESPONDENCE ADDRESS:
;;; ADDRESSEE: Oppenheimer Wolff & Donnelly LLP
;;; STREET: 2029 Century Park East, 38th Floor
;;; CITY: Los Angeles
;;; STATE: CA
;;; ZIP: 90067
;;; COUNTRY: USA
;; COMPUTER READABLE FORM:
;;; MEDIUM TYPE: Floppy disk
;;; COMPUTER: IBM PC compatible
;;; OPERATING SYSTEM: PC-DOS/MS-DOS
;;; SOFTWARE: PatentIn Release #1.0, Version #1.25
;; CURRENT APPLICATION DATA:
;;; APPLICATION NUMBER: US/08/102,385G
;;; FILING DATE: 04-AUG-1993
;;; CLASSIFICATION: 435
;; PRIOR APPLICATION DATA:
;;; APPLICATION NUMBER: US 07/925369
;;; FILING DATE: 04-AUG-1992
;; ATTORNEY/AGENT INFORMATION:
;;; NAME: Oldenkamp, David J.
;;; REGISTRATION NUMBER: 29,421

REFERENCE/DOCKET NUMBER: 97-062
TELECOMMUNICATION INFORMATION:
TELEPHONE: (310)788-5000
TELEFAX: (310) 277-1297
INFORMATION FOR SEQ ID NO: 12:
SEQUENCE CHARACTERISTICS:
LENGTH: 332 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-102-385G-12

alignment_scores:
Quality: 118.50   Length: 115
Ratio: 1.943   Gaps: 4
Percent Similarity: 53.043   Percent Identity: 28.696

alignment_block:
US-09-714-936-218 x US-08-102-385G-12

Align seg 1/1   to: US-08-102-385G-12   from: 1 to: 332

```
304 TGGATACCATTCCTACACATACAGGCGGCCCCTTCGAACTCACTATGG 353
     |||::||   ::|||::||  |||                    |||||
 76 TrpValLysThrProSerAlaTyrGluLeuPro..........TyrGl 88

354 ATACATAAATGTGAAGACACAAGAGCCTTTG............... 384
    |        ::||| ||| |||
 88 y.........ThrLysGlySerGluAspLeuLeuLeuArgValLeuAlaI 102

385 ..................CAACTGGACTGTGACCTT 402
                         :::||| |||
102 leThrSerSerIleProLysAsnIleGlnSerLeuArgCysArgArg 118

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    |||::||:::||::||||::   ::|||: :::::::::::|| ::
119 CysValValGlyHisArgLeuArgAsnAsnSerLeuGlyAs 135

453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCCACCA 502
    :   ||::|:::|||:| ::|  |||:||||||||||||||
135 pAlaIleAsnLysTyrAspValValIleArgLeuAsnAsnAlaProValA 152

503 AAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGTTGTGTCC 552
    ||||||||  |||||||| |||||||  ::|||::
152 laGlyTyrGluGluGlyValGlySerLysThrThrMetArgLeuPheTyr 168

553 CATACCAGCGTT...........CCTCTTTGCTAAAAAACCCTGAT 588
    |||||||:        |||  :::|||||||
169 ProGluSerAlaHisPheAspProLysValGluAsnAsnProAsp 183
```

seq_name: /cgn2_6/ptodata/2/1aa/5B_COMB.pep:US-08-102-385G-16

seq_documentation_block:
; Sequence 16, Application US/08102385G
; Patent No. 5962294
; GENERAL INFORMATION:
;; APPLICANT: Paulson, James C.
;; APPLICANT: Wen, Xiaohong
;; APPLICANT: Livingston, Brian Duane
;; APPLICANT: Gillespie, William
;; APPLICANT: Kelm, Sorge
;; APPLICANT: Burlingame, Alma L.
;; APPLICANT: Medzihradszky, Katalin
;; TITLE OF INVENTION: Compositions and Methods for the
;; TITLE OF INVENTION: Identification and Synthesis of Sialyltransferases
;; NUMBER OF SEQUENCES: 36
;; CORRESPONDENCE ADDRESS:
;;; ADDRESSEE: Oppenheimer Wolff & Donnelly LLP
;;; STREET: 2029 Century Park East, 38th Floor
;;; CITY: Los Angeles
;;; STATE: CA
;;; COUNTRY: USA

```
 99 IeThrSerSerIleProLysAsnIleGlnSerLeuArgCysArgArg 115
                                           :::|||  |||
403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    |||::|||||:|||::  |||:::  :|::::  :::::::|:|||:|||::
116 CysValValGlyAsnGlyHisArgLeuArgAsnSerSerLeuGlyAs 132

453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCACCA 502
    | |||:::::  :::  ::: |||:::||||||||||||||::|
132 pAlaIleAsnLysTyrAspValValIleArgLeuAsnAsnAlaProValA 149

503 AAGGTTATGAACAAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCC 552
    ||||||||  ||||||||  ||||||||  ||  :||:::|||||||
149 laGlyTyrGluGlyAspValGlySerLysThrThrMetArgLeuPheTyr 165

553 CATACCAGCGTT........CCTCTTTGCTAAAAAACCCTGAT 588
    |||::|        |||    ::|||||||||
166 ProGluSerAlaHisPheAspProLysValGluAsnAsnProAsp 180
```

seq_name: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-446-875-12

```
seq_documentation_block:
; Sequence 12, Application US/0846875
; Patent No. 5858751
; GENERAL INFORMATION:
;   APPLICANT: Paulson, James C.
;   APPLICANT: Wen, Xiaohong
;   APPLICANT: Livingston, Brian Duane
;   APPLICANT: Gillespie, William
;   APPLICANT: Kelm, Sorge
;   APPLICANT: Burlingame, Alma L.
;   APPLICANT: Medzihradszky, Katalin
;   TITLE OF INVENTION: Compositions and Methods for the
;   TITLE OF INVENTION: Identification and Synthesis of Sialyltransferases
;   NUMBER OF SEQUENCES: 16
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Poms, Smith, Lande & Rose
;     STREET: 2029 Century Park East, Suite 3800
;     CITY: Los Angeles
;     STATE: CA
;     COUNTRY: USA
;     ZIP: 90067
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: Floppy disk
;     COMPUTER: IBM PC compatible
;     OPERATING SYSTEM: PC-DOS/MS-DOS
;     SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/08/446,875
;     FILING DATE: July 12, 1995
;     CLASSIFICATION: 435
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: 08/102,385
;     FILING DATE: August 4, 1993
;   ATTORNEY/AGENT INFORMATION:
;     NAME: Oldenkamp, David J.
;     REGISTRATION NUMBER: 29,421
;     REFERENCE/DOCKET NUMBER: 111-197
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE: (310) 788-5000
;     TELEFAX: (310) 277-1297
; INFORMATION FOR SEQ ID NO: 12:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH: 332 amino acids
;     TYPE: amino acid
;     TOPOLOGY: linear
;     MOLECULE TYPE: protein
US-08-446-875-12

alignment_scores:
        Quality:  118.50      Length:  115
        Ratio:    1.943       Gaps:      4
```

```
; Patent No. 5494790
; GENERAL INFORMATION:
;   APPLICANT: Sasaki, Katsutoshi
;   APPLICANT: Watanabe, Etsuyo
;   APPLICANT: Nishi, Tatsunari
;   APPLICANT: Sekine, Susumu
;   APPLICANT: Hanai, NO. 5494790uo
;   APPLICANT: Hasegawa, Mamoru
;   TITLE OF INVENTION: '2 3 Sialyltransferase
;   NUMBER OF SEQUENCES: 7
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Fitzpatrick, Cella, Harper & Scinto
;     STREET: 277 Park Avenue
;     CITY: New York
;     STATE: New York
;     COUNTRY: USA
;     ZIP: 10172
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: Diskette, 3.5 inch, 1.44mb
;     COMPUTER: IBM PC
;     OPERATING SYSTEM: Dos 3.3
;     SOFTWARE: WordPerfect 5.1
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/08/309,985
;     FILING DATE: 20-SEP-1994
;     CLASSIFICATION: 435
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: 07/991,587
;     FILING DATE: 16-12-1992
;     APPLICATION NUMBER: JP-333661/1991
;     FILING DATE: 17-12-1991
;     APPLICATION NUMBER: JP-091044/1992
;     FILING DATE: 10-04-1992
;   ATTORNEY/AGENT INFORMATION:
;     NAME: Lawrence S. Perry
;     REGISTRATION NUMBER: 31,865
;     REFERENCE/DOCKET NUMBER: 1580.2
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE: 212-758-2400
;     TELEFAX: 212-758-2982
;     TELEX: 236262
; INFORMATION FOR SEQ ID NO: 7:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH: 329
;     TYPE: amino acid
;     TOPOLOGY: linear
;     MOLECULE TYPE: protein
;   ORIGINAL SOURCE:
;     ORGANISM: human
;     CELL LINE: WM266-4 cell
;     CELL TYPE: melanoma
US-08-309-985-7

alignment_scores:
        Quality:  118.50        Length:  115
        Ratio:    1.943         Gaps:      4
Percent Similarity: 28.696    Percent Identity: 53.043

alignment_block:
US-09-714-936-218 x US-08-309-985-7
Align seq 1/1 to: US-08-309-985-7 from: 1 to: 329

304 TGGATACCATTCTCCTACACATACAGGCGGCCCCTTCGAACTCACTATGG 353
    |||::::   ::|||||::::  |||
 73 TrpValLysThrProSerAlaTyrGluLeuPro.............TyrGl 85

354 ATACATAAATGTGAAGACACAAGAGCCTTTG................ 384
    :|||    ||||| |||
 85 y........ThrLysGlySerGluAspLeuLeuLeuArgValLeuAlaI 99

385 ........................CAACTGGCGACTGTGACCTT 402
                            |||
```

```
; Sequence 4, Application US/09334601
; Patent No. 6280989
; GENERAL INFORMATION:
;   APPLICANT: Kapitonov, Dmitri
;   APPLICANT: Yu, Robert
;   TITLE OF INVENTION: NOVEL SIALYLTRANSFERASES
;   FILE REFERENCE: VCUIP-6
;   CURRENT APPLICATION NUMBER: US/09/334,601
;   CURRENT FILING DATE: 1999-06-17
;   NUMBER OF SEQ ID NOS: 94
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 4
;   LENGTH: 414
;   TYPE: PRT
;   ORGANISM: Murinae gen. sp.
US-09-334-601-4

alignment_scores:
        Quality:   119.00             Length:      75
        Ratio:       2.204            Gaps:         1
Percent Similarity:   72.000    Percent Identity:  30.667

alignment_block:
US-09-714-936-218 x US-09-334-601-4      .

Align seg 1/1  to: US-09-334-601-4   from: 1   to: 414

394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
    |||  |||:::::::||::||:::|||||:||||   :::  ||||||
191 CysLysArgCysValValValGlyAsnGlyGlyIleLeuHisGlyLeuGl 207

444 GGTGGGAAATGAGATGATCGATCCTCCTGCATTTGGAGAATGAACAATG 493
    :::||:::|| ::::::::  ::: :::|||:::||:::||:::|||:|
207 uLeuGlyHisAlaLeuAsnGlnPheAspValValIleArgLeuAsnSerA 224

494 CCCCCACCAAAGGTTATGAAGAAGATGTCGGCCCGCCATGACCATGATTCGA 543
    ||||:::::::||||::||| |||||:::  ||| ||||  ||||||
224 laProValGluGlyTyrSerGluHisValGlyAsnLysThrThrIleArg 240

544 GTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAAACCCTGATTATT 593
    ::|::::  :||||||||  |||::||||:: :  |||:|||::||||
241 MetThrTyrProGluGlyLysAlaPro......LeuSerAspValGluTyrTy 255

594 TTTCAAGGAAGCGAATACTACTATT 618
    :  ::::::  ::||:::||
255 rAlaAsnAspPheValThrVal 263

seq_name: /cgn2_6/ptodata/2/iaa/5A_COMB.pep:US-07-991-587A-7

seq_documentation_block:
; Sequence 7, Application US/07991587A
; Patent No. 5384249
; GENERAL INFORMATION:
;   APPLICANT:  Sasaki, Katsutoshi
;   APPLICANT:  Watanabe, Etsuyo
;   APPLICANT:  Nishi, Tatsunari
;   APPLICANT:  Sekine, Susumu
;   APPLICANT:  Hanai, No. 5384249uo
;   APPLICANT:  Hasegawa, Mamoru
;   TITLE OF INVENTION:  '2  3 Sialyltransferase
;   NUMBER OF SEQUENCES: 7
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE:  Fitzpatrick, Cella, Harper & Scinto
;     STREET:  277 Park Avenue
;     CITY:  New York
;     STATE:  New York
;     COUNTRY:  USA
;     ZIP:  10172
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE:  Diskette,  3.5 inch,  1.44mb
;     COMPUTER:  IBM PC
;     OPERATING SYSTEM:  Dos 3.3
```

```
;   SOFTWARE:  WordPerfect 5.1
; CURRENT APPLICATION DATA:
;   APPLICATION NUMBER:  US/07/991,587A
;   FILING DATE:  19930526
;   CLASSIFICATION:  435
; PRIOR APPLICATION DATA:
;   APPLICATION NUMBER:            JP-333661/1991
;   APPLICATION NUMBER:            JP-091044/1992
;   FILING DATE:  17-12-1991
;   FILING DATE:  10-04-1992
; ATTORNEY/AGENT INFORMATION:
;   NAME:  Lawrence S. Perry
;   REGISTRATION NUMBER:  31,865
;   REFERENCE/DOCKET NUMBER:  1580.2
; TELECOMMUNICATION INFORMATION:
;   TELEPHONE:  212-758-2400
;   TELEFAX:   212-758-2982
;   TELEX:  236262
; INFORMATION FOR SEQ ID NO:  7:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH:  329
;   TYPE:  AMINO ACID
;   TOPOLOGY:  linear
;   MOLECULE TYPE:  protein
;   ORIGINAL SOURCE:
;     ORGANISM:  human
;     CELL LINE:  WM266-4 cell
;     CELL TYPE:  melanoma
US-07-991-587A-7

alignment_scores:
        Quality:    118.50             Length:      115
        Ratio:        1.943            Gaps:          4
Percent Similarity:   53.043    Percent Identity: 28.696

alignment_block:
US-09-714-936-218 x US-07-991-587A-7      .

Align seg 1/1  to: US-07-991-587A-7   from: 1   to: 329

304 TGGATACCATTCTCCTACACATACAGGCGGCCCCTTCGAACTCACTATGG 353
    |||::         :::||||| ||  :::||||| |||     |||||
 73 TrpValLysThrProSerAlaTyrGluLeuPro...........TyrGl  85

354 ATACATAAATGTGAAGACACAAGAGCCTTTG................... 384
    | ||||||||||||||||||||||||||||
 85 y........ThrLysGlySerGluAspLeuLeuLeuArgValLeuAlaI  99

385 ..................................CAACTGGACTGTGACCTT 402
                                      :::|||  |||
 99 leThrSerSerIleProLysAsnIleGlnSerLeuArgCysArgArg 115

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    |||:::||:::||:::||||  ::::::  :::::::||:::
116 CysValValValGlyAsnGlyHisArgLeuArgLeuAsnSerSerLeuGlyAs 132

453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCCACCA 502
     | |||||||  ::: ::: :|||||||||||||||:::||
132 pAlaIleAsnLysTyrAspValValIleArgLeuAsnAsnAlaProValA 149

503 AAGGTTATGAAGAAGATGTCGGCCCGCCATGACCATGATTCGAGTTGTGTCC 552
    ||||||||  ||||||||  ||     ||| ||  ||:|||:::
149 laGlyTyrGluGlyAspValGlySerLysThrThrMetArgLeuPheTyr 165

553 CATACCAGCGTT..........CCTCTTTTGCTAAAAAAACCCTGAT 588
    ||:::||           |||    |||:::|||||||||
166 ProGluSerAlaHisPheAspProLysValGluAsnAsnProAsp 180

seq_name: /cgn2_6/ptodata/2/iaa/5A_COMB.pep:US-08-309-985-7

seq_documentation_block:
; Sequence 7, Application US/08309985
```

```
      |||    |||||||::::|||   ::|::::::::::::
    1 CysArgArgCysIleIleValGlyAsnGlyGlyValLeuAlaAsnLysSe 17

  444 GGTGGGAAATGAGATAGATCATCCTCCTGCATTTGGAGAATGAACAATG 493
      :::|||||||::::|||     ||    ::: ::|||::::||::|::|
   17 rLeuGlySerArgIleAspPheTyrAspIleValLeuArgLeuAsnSerA 34

  494 CCCCCACCAAAGGTTATGAAGAAGAGATGTCGGCCGCCATGACCATGATTCGA 543
      |||||::::|||:::|||||||:::||||||||   ||    :::|||
   34 laProValLysGlyPheGluLysAspValGlySerLysThrLeuArg 50

  544 GTT 546
      ::: 
   51 Ile 51

seq_name: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-25

seq_documentation_block:
; Sequence 25, Application US/09334601
; Patent No. 6280989
; GENERAL INFORMATION:
; APPLICANT: Kapitonov, Dmitri
; APPLICANT: Yu, Robert
; TITLE OF INVENTION: NOVEL SIALYLTRANSFERASES
; FILE REFERENCE: VCUIP-6
; CURRENT APPLICATION NUMBER: US/09/334,601
; CURRENT FILING DATE: 1999-06-17
; NUMBER OF SEQ ID NOS: 94
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 25
; LENGTH: 90
; TYPE: PRT
; ORGANISM: Pig
US-09-334-601-25

alignment_scores:
           Quality:    120.00           Length:        67
           Ratio:        2.857           Gaps:           2
Percent Similarity:     62.687   Percent Identity: 40.299

alignment_block:
US-09-714-936-218 x US-09-334-601-25

Align seg 1/1  to: US-09-334-601-25   from: 1  to: 90

  394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
      |||   |||||::::|||:::|||||||:::::::::          ::
    1 CysArgArgCysIleIleValGlyAsnSerGlyAsnLeuGlyGluSerTy 17

  444 GGTGGGAAATGAGATAGATCATCCTCCTGCATTTGGAGAATGAACAATG 493
      |||    :::|||||        :::  |||  ||||||||||:::|
   17 rTyrGlyProGlnIleAspSerHisAspSerPheValLeuArgMetAsnLysA 34

  494 CCCCCACCAAAGGTTATGAAGAAGAGATGTCGGCCGCCATGACC......... 534
      |||||::::|||:::|||||||  |||||||
   34 laProThrGluGlyPheGluAlaAspValGlySerLysThrThrHisHis 50

  535 ..........ATGATTCGAGTTGTGTCCCATACCAGCGTTCCTC 568
           :::|||||||  :::::|||||||:::
   51 PheValTyrProGluSerPheArgLeuIleTyrHis.ProAlaPheIle 66

seq_name: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-102-385G-30

seq_documentation_block:
; Sequence 30, Application US/08102385G
; Patent No. 5962294
; GENERAL INFORMATION:
; APPLICANT: Paulson, James C.
; APPLICANT: Wen, Xiaohong
; APPLICANT: Livingston, Brian Duane
; APPLICANT: Gillespie, William
; APPLICANT: Kelm, Sorge
```

```
; APPLICANT:  Burlingame, Alma L.
; APPLICANT:  Medzihradszky, Katalin
; TITLE OF INVENTION:  Compositions and Methods for the
; TITLE OF INVENTION:  Identification and Synthesis of Sialyltransferases
; NUMBER OF SEQUENCES:  36
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Oppenheimer Wolff & Donnelly LLP
; STREET:  2029 Century Park East, 38th Floor
; CITY: Los Angeles
; STATE: CA
; COUNTRY: USA
; ZIP: 90067
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/102,385G
; FILING DATE: 04-AUG-1993
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/925369
; FILING DATE: 04-AUG-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Oldenkamp, David J.
; REGISTRATION NUMBER: 29,421
; REFERENCE/DOCKET NUMBER: 97-062
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (310)788-5000
; TELEFAX: (310) 277-1297
; INFORMATION FOR SEQ ID NO: 30:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 77 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-102-385G-30

alignment_scores:
           Quality:    119.00           Length:        71
           Ratio:        2.288           Gaps:           3
Percent Similarity:     73.239   Percent Identity: 36.620

alignment_block:
US-09-714-936-218 x US-08-102-385G-30

Align seg 1/1  to: US-08-102-385G-30   from: 1  to: 77

  352 GGATACATA.......AATGTGAAGACACAA...GAGCCTTTGCAACT 389
      |||||||:::         |||   :::||||::::       ||| 
    3 GlyTyrLeuProLysGluAsnPheArgThrLysValGlyProTyrGln.. 18

  390 GGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCC 439
      |||||||:::||||||::::|||:::|||    :::
   19 ........ArgCysAlaValValSerSerAlaGlySerLeuLysAsnS 32

  440 AGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAATGAAC 489
      :::||||||||||:::||||||||:::::       :::::||
   32 erGlnLeuGlyArgGluIleAspAsnHisAspAlaValLeuArgPheAsn 48

  490 AATGCCCCCACCAAAGGTTATGAAGAAGAGATGTCGGCCGCCATGACCATGAT 539
      ::|||||||   :::||||||:::::::||||||||     ||| |||
   49 GlyAlaProThrAspAsnPheGlnAspValGlySerLysThrThrIl 65

  540 TCGAGTTGTGTCC 552
      |||:::::::::
   65 eArgLeuMetAsn 69

seq_name: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-4

seq_documentation_block:
```

```
|||||||::|||||::||:::||||||||  :::||||
34 laProValLysGlyPheGluArgAspValGlySerLysThrThrLeuArg 50

544 GTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTT 593
       ||||||||::|   :::     |||     ::: ||||| ||||
51  ...IleThrTyrProGluGlyAlaMetArgIleLeuAsnPro...TyrPh 65

594 T 594
       |
65  e 65

seq_name: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-102-385G-14

seq_documentation_block:
; Sequence 14, Application US/08102385G
; Patent No. 5962294
; GENERAL INFORMATION:
;   APPLICANT: Paulson, James C.
;   APPLICANT: Wen, Xiaohong
;   APPLICANT: Livingston, Brian Duane
;   APPLICANT: Gillespie, William
;   APPLICANT: Kelm, Sorge
;   APPLICANT: Burlingame, Alma L.
;   APPLICANT: Medzihradszky, Katalin
;   TITLE OF INVENTION:  Compositions and Methods for the
;   TITLE OF INVENTION:  Identification and Synthesis of Sialyltransferases
;   NUMBER OF SEQUENCES:  36
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Oppenheimer Wolff & Donnelly LLP
;     STREET:  2029 Century Park East, 38th Floor
;     CITY:  Los Angeles
;     STATE:  CA
;     COUNTRY:  USA
;     ZIP:  90067
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: Floppy disk
;     COMPUTER:  IBM PC compatible
;     OPERATING SYSTEM:  PC-DOS/MS-DOS
;     SOFTWARE:  Patentin Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER:  US/08/102,385G
;     FILING DATE:  04-AUG-1993
;     CLASSIFICATION:  435
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER:  US 07/925369
;     FILING DATE:  04-AUG-1992
;   ATTORNEY/AGENT INFORMATION:
;     NAME:  Oldenkamp, David J.
;     REGISTRATION NUMBER:  29,421
;     REFERENCE/DOCKET NUMBER:  97-062
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE:  (310)788-5000
;     TELEFAX:  (310) 277-1297
;   INFORMATION FOR SEQ ID NO:  14:
;     SEQUENCE CHARACTERISTICS:
;       LENGTH:  55 amino acids
;       TYPE:  amino acid
;       TOPOLOGY:  linear
;     MOLECULE TYPE:  protein
US-08-102-385G-14

alignment_scores:
        Quality:  121.00              Length:           51
        Ratio:  3.025                 Gaps:              0
Percent Similarity: 78.431       Percent Identity: 41.176

alignment_block:
US-09-714-936-218 x US-08-102-385G-14

Align seg 1/1  to: US-08-102-385G-14       from: 1 to: 55

394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
```

```
; SEQ ID NO 23
; LENGTH: 90
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-334-601-23

alignment_scores:
        Quality:  122.00              Length:           67
        Ratio:  2.905                 Gaps:              2
Percent Similarity: 62.687       Percent Identity: 41.791

alignment_block:
US-09-714-936-218 x US-09-334-601-23

Align seg 1/1  to: US-09-334-601-23     from: 1  to: 90

394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
      |||   ||  |||:::|||::||||||||:::|:::      :::|||
  1 CysArgArgCysAlaValValGlyAsnSerGlyAsnLeuArgGluSerSe 17

444 GGTGGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATG 493
      |||    |||||||       ::: :::|||||:::||:|||||:::|||
 17 rTyrGlyProGluIleAspSerHisAspPheValLeuArgMetAsnLysA 34

494 CCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACC......... 534
      ||||||||| ||||| |||||||| |:||||||::|||||:
 34 laProThrAlaGlyPheGluAlaAspValGlyThrLysThrThrHisHis 50

535 ...........ATGATTCAGTTGTGTCCCATACCAGCGTTCCTC 568
                 :::||||:::::  ||| ||||||||||:::
 51 LeuValTyrProGluSerPheArgLeuIleTyrHis.ProAlaPheIle 66

seq_name: /cgn2_6/ptodata/2/1aa/6B_COMB.pep:US-09-334-601-17`

seq_documentation_block:
; Sequence 17, Application US/09334601
; Patent No. 6280989
; GENERAL INFORMATION:
;   APPLICANT: Kapitonov, Dmitri
;   APPLICANT: Yu, Robert
;   TITLE OF INVENTION: NOVEL SIALYLTRANSFERASES
;   FILE REFERENCE: VCUIP-6
;   CURRENT APPLICATION NUMBER: US/09/334,601
;   CURRENT FILING DATE: 1999-06-17
;   NUMBER OF SEQ ID NOS: 94
;   SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 17
; LENGTH: 92
; TYPE: PRT
; ORGANISM: Murinae gen. sp.
US-09-334-601-17

alignment_scores:
        Quality:  122.00              Length:           67
        Ratio:  2.490                 Gaps:              2
Percent Similarity: 73.134       Percent Identity: 37.313

alignment_block:
US-09-714-936-218 x US-09-334-601-17

Align seg 1/1  to: US-09-334-601-17     from: 1  to: 92

394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
      |||  |||  ||||:::|||::||||||||:::|:::  :::|||
  1 CysArgArgCysIleIleValGlyAsnGlyGlyValLeuAlaAsnLysSe 17

444 GGTGGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATG 493
      :::||:|||||||       ::: :::|||||:::||:|||||:::|||
 17 rLeuGlySerArgLeuAspSerAspTyrAspIleValIleArgLeuAsnSerA 34

494 CCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGA 543
```

; ORGANISM: Murinae gen. sp.
US-09-334-601-24

alignment_scores:
           Quality: 123.00   Length: 67
             Ratio: 2.929   Gaps: 2
Percent Similarity: 62.687   Percent Identity: 41.791

alignment_block:
US-09-714-936-218 x US-09-334-601-24   .

Align seg 1/1 to: US-09-334-601-24   from: 1   to: 90

  394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
      ||| |||:||||||:||||||||||||::||||||::|| :::::
    1 CysArgArgCysAlaValValGlyAsnSerGlyAsnLeuLysAspSerSe 17

  444 GGTGGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATG 493
      :::::||| |||||||| ::: :: ||||||||||:::|
   17 rTyrGlyProGluIleAspSerHisAspPheValLeuArgMetAsnLysA 34

  494 CCCCCACCAAAGTTATGAAGAAGATGTCGGCCCGCATGACC......... 534
      ||||||:|||||| |:::::|| :|||||||
   34 laProThrValGlyPheGluAlaAspValGlySerArgThrThrHisHis 50

  535 .........ATGATTCGAGTTGTGTCCCATACCAGCGTTCCTC 568
               ::|||::::::::| |||||||||||:::
   51 LeuValTyrProGluSerPheArgLeuIleTyrHis.ProAlaPheIle 66

seq_name: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-18

seq_documentation_block:
; Sequence 18, Application US/09334601
; Patent No. 6280989
; GENERAL INFORMATION:
;   APPLICANT: Kapitonov, Dmitri
;   APPLICANT: Yu, Robert
;   TITLE OF INVENTION: NOVEL SIALYLTRANSFERASES
;   FILE REFERENCE: VCUIP-6
;   CURRENT APPLICATION NUMBER: US/09/334,601
;   CURRENT FILING DATE: 1999-06-17
;   NUMBER OF SEQ ID NOS: 94
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 18
;   LENGTH: 92
;   TYPE: PRT
;   ORGANISM: Rattus gen. sp.
US-09-334-601-18

alignment_scores:
           Quality: 123.00   Length: 67
             Ratio: 2.510   Gaps: 2
Percent Similarity: 73.134   Percent Identity: 37.313

alignment_block:
US-09-714-936-218 x US-09-334-601-18   .

Align seg 1/1 to: US-09-334-601-18   from: 1   to: 92

  394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
      ||| |||:||||||:|||||||||||| ::::::::
    1 CysArgArgCysIleIleValGlyAsnGlyValGlyValLeuAlaAsnLysSe 17

  444 GGTGGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATG 493
      :::||||:|||||||||| ::: :: ||||||||||:::|
   17 rLeuGlySerArgIleAspAspTyrAspIleValIleArgLeuAsnSerA 34

  494 CCCCCACCAAAGTTATGAAGAAGATGTCGGCCCGCATGACCATTCGA 543
      ||||||:|||||||||||::::||||||||||| ||| ::|||
   34 laProValLysGlyPheGluLysAspValGlySerLysThrThrLeuArg 50

───

  544 GTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTT 593
      :::::|||: :::   :::   ::: ::| |||||| ||||| |||||
   51 ...IleThrTyrProGluGlyAlaMetArgIleLeuAsnPro...TyrPh 65

594 T 594
    |
 65 e 65

seq_name: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-19

seq_documentation_block:
; Sequence 19, Application US/09334601
; Patent No. 6280989
; GENERAL INFORMATION:
;   APPLICANT: Kapitonov, Dmitri
;   APPLICANT: Yu, Robert
;   TITLE OF INVENTION: NOVEL SIALYLTRANSFERASES
;   FILE REFERENCE: VCUIP-6
;   CURRENT APPLICATION NUMBER: US/09/334,601
;   CURRENT FILING DATE: 1999-06-17
;   NUMBER OF SEQ ID NOS: 94
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 19
;   LENGTH: 92
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-09-334-601-19

alignment_scores:
           Quality: 123.00   Length: 67
             Ratio: 2.510   Gaps: 2
Percent Similarity: 73.134   Percent Identity: 37.313

alignment_block:
US-09-714-936-218 x US-09-334-601-19   .

Align seg 1/1 to: US-09-334-601-19   from: 1   to: 92

  394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
      ||| |||:||||||:|||||||||||| ::::::::
    1 CysArgArgCysIleIleValGlyAsnGlyGlyValLeuAlaAsnLysSe 17

  444 GGTGGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATG 493
      :::::||| :|||||||| ::: :: ||||||||||:::|
   17 rLeuGlySerArgIleAspAspTyrAspIleValValArgLeuAsnSerA 34

  494 CCCCCACCAAAGTTATGAAGAAGATGTCGGCCCGCATGACCATTCGA 543
      ||||||:|||||||||||::::||||||||||| ||| ::|||
   34 laProValLysGlyPheGluLysAspValGlySerLysThrThrLeuArg 50

  544 GTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTT 593
      :::::|||: :::   :::   ::: ::| |||||| ||||| |||||
   51 ...IleThrTyrProGluGlyAlaMetArgIleLeuAsnPro...TyrPh 65

594 T 594
    |
 65 e 65

seq_name: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-23

seq_documentation_block:
; Sequence 23, Application US/09334601
; Patent No. 6280989
; GENERAL INFORMATION:
;   APPLICANT: Kapitonov, Dmitri
;   APPLICANT: Yu, Robert
;   TITLE OF INVENTION: NOVEL SIALYLTRANSFERASES
;   FILE REFERENCE: VCUIP-6
;   CURRENT APPLICATION NUMBER: US/09/334,601
;   CURRENT FILING DATE: 1999-06-17
;   NUMBER OF SEQ ID NOS: 94
;   SOFTWARE: PatentIn Ver. 2.0

;   APPLICATION NUMBER: JP 77469/1995
;   FILING DATE: April 3, 1995
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Arnold Turk
;   REGISTRATION NUMBER: 33,094
;   REFERENCE/DOCKET NUMBER: P14595
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (703) 716-1191
;   TELEFAX: (703) 716-1180
; INFORMATION FOR SEQ ID NO: 1:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 364 amino acids
;   TYPE: amino acid
;   STRANDEDNESS: not relevant
;   TOPOLOGY: linear
; US-08-957-742-1

alignment_scores:
        Quality: 124.00   Length: 101
        Ratio: 2.067   Gaps: 3
Percent Similarity: 59.406   Percent Identity: 31.683

alignment_block:
US-09-714-936-218 x US-08-957-742-1

Align seg 1/1 to: US-08-957-742-1 from: 1 to: 364

397 GACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGT 446
    ::::::|||::|:||||:::|||:|||||||| :::::|||::|:::
144 AsnValCysAlaValValGlyAsnSerGlyIleLeuThrGlySerGlnCy 160

447 GGGAAATGAGATAGATGCCGATCCTCCTGCATTTGGAGAATGAACAATGCCC 496
    |||::||||||||||:::||:::   :: ||| ||| ||| |||
160 sGlyGlnGluIleAspLysSerAspPheValSerArgCysAsnPheAlaP 177

497 CCACCAAAGGTTATGAAGAAGATGTCGGCCCGCCATGACCATGATTCGAGTT 546
    |||||:::::|:||||||||||||||| ||| ||| :::
177 roThrGluAlaPheHisLysAspValGlyArgLysThrAsnLeuThrThr 193

547 GTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAACCCTGATTATTTTT 596
    |||||::: :::
194 Phe......   AsnProSerIleLeuGl 200

597 CAAGGAAGCGAATACTACTATTTGTGTTATTTGGGGACCTTTCCGCCAATA 646
    ||| |||::: :::
200 uLysTyrTyrAsnAsnLeuLeuThrIle...................... 209

647 TGAGGAAAGATGGCAATGGCATCGTTACAACATGTTGAAAAAGACAGTT 696
    :::||| |||:::::: ::: |||||||||
210 ....GlnAspArgAsnAsnPhe...PheLeuSerLeuLysLeuAsp 223

697 GGT 699
    |||
224 Gly 224

seq_name: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-24

seq_documentation_block:
; Sequence 24, Application US/09334601
; Patent No. 6280989
; GENERAL INFORMATION:
;   APPLICANT: Kapitonov, Dmitri
;   APPLICANT: Yu, Robert
;   TITLE OF INVENTION: NOVEL SIALYLTRANSFERASES
;   FILE REFERENCE: VCUIP-6
;   CURRENT APPLICATION NUMBER: US/09/334,601
;   CURRENT FILING DATE: 1999-06-17
;   NUMBER OF SEQ ID NOS: 94
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 24
;   LENGTH: 90
;   TYPE: PRT

;   TYPE: amino acid
;   STRANDEDNESS: not relevant
;   TOPOLOGY: linear
; US-08-626-994A-1

alignment_scores:
        Quality: 124.00   Length: 101
        Ratio: 2.067   Gaps: 3
Percent Similarity: 59.406   Percent Identity: 31.683

alignment_block:
US-09-714-936-218 x US-08-626-994A-1

Align seg 1/1 to: US-08-626-994A-1 from: 1 to: 364

397 GACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGT 446
    ::::::|||::|:||||:::|||:|||||||| :::::|||::|:::
144 AsnValCysAlaValValGlyAsnSerGlyIleLeuThrGlySerGlnCy 160

447 GGGAAATGAGATAGATGCCGATCCTCCTGCATTTGGAGAATGAACAATGCCC 496
    |||::||||||||||:::||:::   :: ||| ||| ||| |||
160 sGlyGlnGluIleAspLysSerAspPheValSerArgCysAsnPheAlaP 177

497 CCACCAAAGGTTATGAAGAAGATGTCGGCCCGCCATGACCATGATTCGAGTT 546
    |||||:::::|:||||||||||||||| ||| ||| :::
177 roThrGluAlaPheHisLysAspValGlyArgLysThrAsnLeuThrThr 193

547 GTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAACCCTGATTATTTTT 596
    |||||::: :::
194 Phe......   AsnProSerIleLeuGl 200

597 CAAGGAAGCGAATACTACTATTTGTGTTATTTGGGGACCTTTCCGCCAATA 646
    ||| |||::: :::
200 uLysTyrTyrAsnAsnLeuLeuThrIle...................... 209

647 TGAGGAAAGATGGCAATGGCATCGTTACAACATGTTGAAAAAGACAGTT 696
    :::||| |||:::::: ::: |||||||||
210 ....GlnAspArgAsnAsnPhe...PheLeuSerLeuLysLeuAsp 223

697 GGT 699
    |||
224 Gly 224

seq_name: /cgn2_6/ptodata/2/iaa/6A_COMB.pep:US-08-957-742-1

seq_documentation_block:
; Sequence 1, Application US/08957742
; Patent No. 6017743
; GENERAL INFORMATION:
;   APPLICANT: Shuichi TSUJI et al.
;   TITLE OF INVENTION: Sia`2,3Gala 1,4GlcNAc `2,8-
;   TITLE OF INVENTION: SIALYLTRANSFERASE
;   NUMBER OF SEQUENCES: 4
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Greenblum & Bernstein, P.L.C.
;   STREET: 1941 Roland Clarke Place
;   CITY: Reston
;   STATE: Virginia
;   COUNTRY: U.S.A.
;   ZIP: 20191
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: 1.44 diskette
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: MS-DOS
;   SOFTWARE: Word Perfect 5.1+ (ASCII)
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/957,742
;   FILING DATE:
;   CLASSIFICATION: 435
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: 08/626,994
;   FILING DATE: April 3, 1996

```
135 sGlyGlnGluIleAspLysSerAspPheValSerArgCysAsnPheAlaP 152

497 CCACCAAAGGTTATGAAGAAGATGTCGGCCGCAATGACCATGATTCGAGTT 546
        |||||::::::::||||||||||||||||||       |||  :::::|
152 roThrGluAlaPheHisLysAspValGlyArgLysThrAsnLeuThrThr 168

547 GTGTCCCATACCAGCGTTCCTCTTTGCTAAAAAACCCTGATTATTTTT 596
                           ||||||||           :::::|
169 Phe...................................AsnProSerIleLeuGl 175

597 CAAGGAAGCGAATACTACTATTTGTGTTATTTGGGGACCTTTCCGCAATA 646
        ::::||  |||:::::|:  ::  :::
175 uLysTyrTyrAsnAsnLeuLeuThrIle.................... 184

647 TGAGGAAAGATGGCAATGGCATCGTTTACAACATGTTGAAAAAGACAGTT 696
            :::||  |||:::::|   ::       ||||||||
185 ....GlnAspArgAsnAsnPhe...PheLeuSerLeuLysLysLeuAsp 198

697 GGT 699
    |||
199 Gly 199
```

seq_name: /cgn2_6/ptodata/2/iaa/6A_COMB.pep:US-08-957-742-3

```
seq_documentation_block:
; Sequence 3, Application US/08957742
; Patent No. 6017743
; GENERAL INFORMATION:
;   APPLICANT: Shuichi TSUJI et al.
;   TITLE OF INVENTION: Sia`2,3Gala 1,4GlcNAc `2,8-
;   TITLE OF INVENTION: SIALYLTRANSFERASE
;   NUMBER OF SEQUENCES: 4
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Greenblum & Bernstein, P.L.C.
;     STREET: 1941 Roland Clarke Place
;     CITY: Reston
;     STATE: Virginia
;     COUNTRY: U.S.A.
;     ZIP: 20191
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: 1.44 diskette
;     COMPUTER: IBM PC compatible
;     OPERATING SYSTEM: MS-DOS
;     SOFTWARE: Word Perfect 5.1+ (ASCII)
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/08/957,742
;     FILING DATE:
;     CLASSIFICATION: 435
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: 08/626,994
;     FILING DATE: April 3, 1996
;     APPLICATION NUMBER: JP 77469/1995
;     FILING DATE: April 3, 1995
;   ATTORNEY/AGENT INFORMATION:
;     NAME: Arnold Turk
;     REGISTRATION NUMBER: 33,094
;     REFERENCE/DOCKET NUMBER: P14595
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE: (703) 716-1191
;     TELEFAX: (703) 716-1180
; INFORMATION FOR SEQ ID NO: 3:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH: 339 amino acids
;     TYPE: amino acid
;     STRANDEDNESS: not relevant
;     TOPOLOGY: linear
US-08-957-742-3
```

alignment_scores:
Quality: 124.00   Length: 101
Ratio: 2.067   Gaps: 3
Percent Similarity: 59.406   Percent Identity: 31.683

---

alignment_block:
US-09-714-936-218 x US-08-957-742-3

Align seg 1/1   to: US-08-957-742-3   from: 1   to: 339

```
397 GACCTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAGAGGT 446
        ::::|||||:::||:::||||:::||||||       ::::||:|||
119 AsnValCysAlaValValGlyAsnSerGlyIleLeuThrGlySerGlnCy 135

447 GGGAAATGAGATAGATCGATCCTCCTGCCATTGGAGAATGAACAATGCCC 496
        |||:::||||||||:::||::::|||  :::  ||| ||| |||
135 sGlyGlnGluIleAspLysSerAspPheValSerArgCysAsnPheAlaP 152

497 CCACCAAAGGTTATGAAGAAGATGTCGGCCGCAATGACCATGATTCGAGTT 546
        |||||::::::::||||||||||||||||||       |||  :::::|
152 roThrGluAlaPheHisLysAspValGlyArgLysThrAsnLeuThrThr 168

547 GTGTCCCATACCAGCGTTCCTCTTTGCTAAAAAACCCTGATTATTTTT 596
                           ||||||||           :::::|
169 Phe...................................AsnProSerIleLeuGl 175

597 CAAGGAAGCGAATACTACTATTTGTGTTATTTGGGGACCTTTCCGCAATA 646
        ::::||  |||:::::|:  ::  :::
175 uLysTyrTyrAsnAsnLeuLeuThrIle.................... 184

647 TGAGGAAAGATGGCAATGGCATCGTTTACAACATGTTGAAAAAGACAGTT 696
            :::||  |||:::::|   ::       ||||||||
185 ....GlnAspArgAsnAsnPhe...PheLeuSerLeuLysLysLeuAsp 198

697 GGT 699
    |||
199 Gly 199
```

seq_name: /cgn2_6/ptodata/2/iaa/5A_COMB.pep:US-08-626-994A-1

```
seq_documentation_block:
; Sequence 1, Application US/08626994A
; Patent No. 5798244
; GENERAL INFORMATION:
;   APPLICANT: Shuichi TSUJI et al.
;   TITLE OF INVENTION: Sia`2,3Gala 1,4GlcNAc `2,8-
;   TITLE OF INVENTION: SIALYLTRANSFERASE
;   NUMBER OF SEQUENCES: 4
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Greenblum & Bernstein, P.L.C.
;     STREET: 1941 Roland Clarke Place
;     CITY: Reston
;     STATE: Virginia
;     COUNTRY: U.S.A.
;     ZIP: 20191
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: 1.44 diskette
;     COMPUTER: IBM PC compatible
;     OPERATING SYSTEM: MS-DOS
;     SOFTWARE: Word Perfect 5.1+ (ASCII)
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/08/626,994A
;     FILING DATE: April 3, 1996
;     CLASSIFICATION: 435
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: JP 77469/1995
;     FILING DATE: April 3, 1995
;   ATTORNEY/AGENT INFORMATION:
;     NAME: Arnold Turk
;     REGISTRATION NUMBER: 33,094
;     REFERENCE/DOCKET NUMBER: P14595
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE: (703) 716-1191
;     TELEFAX: (703) 716-1180
; INFORMATION FOR SEQ ID NO: 1:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH: 364 amino acids
```

```
173 snLysAlaProThrGluGlyPheGluAlaAspValGlySerLysThrThr 189

538 AttcGagTtgTgtcCcaTaCcaCcaGcgTtccTctTtgcTaaaaaaaCCCTga 587

190 HisHisPheValTyrProGluSer.............................. 197
         |||
588 TtattTttTcaaGgaAggCgaaTaCtacTatTtgTgtTatTtgGgaCctt 637
                                                   |||::|||        ||||
198 ......PheArgGluLeuAlaGlnGluValSerMetIleLeuValProP 212

638 TccGcaaTatGagGaaAgaTggCcaaTgGcaTcgTtacAaacAtGttGaaa 687
         |||:::                   :: :|| |||||
212 heLysThr............ThrAspLeuGluTrpValIleSerAla 223

688 AagaCagTtgGtaTctatCcgaat.................GcccAaaT 719
         |||:||||                         |||::||
224 ThrThrThrGlyThrIleSerHisThrTyrValProValProAlaLysIl 240

720 AtacGtGaCcaCaGaGaGaaGccGcaTgaGtTactGtGatGgaGtTTTTaaGa 769
         ||  ||| |||||||       |||     ::: :||:|||
240 eLysValLysLysGluLysIleLeuLeuIleTyrHisProAlaPheIleLysT 257

770 AggAaaacTggGaaggaCcagGAGG.........GggCatGcaGG 801
         ||||||                            :|| |||||
257 yrValPhe......AspArgTrpLeuGlnGlyHisGlyArg 268

seq_name: /cgn2_6/ptodata/2/1aa/6B_COMB.pep:US-09-334-601-29

seq_documentation_block:
; Sequence 29, Application US/09334601
; Patent No. 6280989
; GENERAL INFORMATION:
; APPLICANT: Kapitonov, Dmitri
; APPLICANT: Yu, Robert
; TITLE OF INVENTION: NOVEL SIALYLTRANSFERASES
; FILE REFERENCE: VCUIP-6
; CURRENT APPLICATION NUMBER: US/09/334,601
; CURRENT FILING DATE: 1999-06-17
; NUMBER OF SEQ ID NOS: 94
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 29
; LENGTH: 92
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-334-601-29

alignment_scores:
    Quality:    124.50          Length:     109
    Ratio:      2.008           Gaps:       3
Percent Similarity:  56.881    Percent Identity:  32.110

alignment_block:
US-09-714-936-218 x US-09-334-601-29

Align seg 1/1   to: US-09-334-601-29   from: 1  to: 92

394 TgTGaCcTTTgTgCcaTaGTgTCaAaCTcaGgTGTCaGaTgGTTgGCCaGaa 443
    ||| ||::||||||||||||||||||::||   ::|| |:||
  1 CysLysLysCysValValValGlyIleValGlyValLeuValAsnLysLysAsnLysTh 17

444 GgTGGaAaTGaGaTaGaaTcGaTcCtCCTgCcaTtgGaGaaTGaaCaaTG 493
    ::|||:||||::||::::||  :|| ||  ||||||||:||||
 17 rLeuGlyGluLysIleAspSerTyrAspValIleIleArgMetAsnAsnG 34

494 CCCaCCaCaAaGgTaTgaGaGaaGaTgTCGgCCgCCaTgaCCCatGaTTCGa 543
    :::||||:::  ||||||:|||||||||||| |||  ||| ||||||||
 34 lyProValLeuGlyHisGluGluGluValGlyArgArgThrThrPheArg 50

544 GtTgTGtCCccaTaCCaGCgTTcCtcTttGcTaaaAaaaCCCTgaTTaTtT 593
    ::||| ||||| :|||||||||:|| |:||:||    :||||
 51 LeuPheTyrProGluSerValPheArgArgIleLeu...AspProPheIleIl 66
```

```
594 TTTCaaGgaAggCgaaTaCtacTatTtgTgtTatTtgGgaCcttTCCgca 643
    ||:|||:: :: ::                              ::
 66 eCysHisGluValHisLeuAla.............................. 73

644 AtaTGaGgaAagaTGCCaaTgGcaTcgTtacAacaTg..........TTgAaa 687
    |||:: ||||||||||||:||||||   :|||||      |||||
 74 ...................GlyPheLysTyrAsnPheSerAspLeuLys 83

688 AagaCagTtgGtaTctatCatCcgaaTgCC 714
    ::: ::: ||  ||:|||
 84 SerProLeuHisTyrTyrGlyAsnAla 92

seq_name: /cgn2_6/ptodata/2/1aa/5A_COMB.pep:US-08-626-994A-3

seq_documentation_block:
; Sequence 3, Application US/08626994A
; Patent No. 5798244
; GENERAL INFORMATION:
; APPLICANT: Shuichi TSUJI et al.
; TITLE OF INVENTION: Sia`2,3Gala`1,4GlcNAc `2,8-
; TITLE OF INVENTION: SIALYLTRANSFERASE
; NUMBER OF SEQUENCES: 4
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Greenblum & Bernstein, P.L.C.
; STREET: 1941 Roland Clarke Place
; CITY: Reston
; STATE: Virginia
; COUNTRY: U.S.A.
; ZIP: 20191
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 1.44 diskette
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: Word Perfect 5.1+ (ASCII)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/626,994A
; FILING DATE: April 3, 1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: JP 77469/1995
; FILING DATE: April 3, 1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Arnold Turk
; REGISTRATION NUMBER: 33,094
; REFERENCE/DOCKET NUMBER: P14595
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (703) 716-1191
; TELEFAX: (703) 716-1180
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 339 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: linear
US-08-626-994A-3

alignment_scores:
    Quality:    124.00          Length:     101
    Ratio:      2.067           Gaps:       3
Percent Similarity:  59.406    Percent Identity:  31.683

alignment_block:
US-09-714-936-218 x US-08-626-994A-3

Align seg 1/1   to: US-08-626-994A-3   from: 1  to: 339

397 GaCcTTTgTgCcaTaGTgTCaAaCTcaGgTgTCaAaCTcaGgTTgGCCaGaaGT 446
    :::|||||||:||:|||||||||:|||||||||||  :::|||||||
119 AsnValCysAlaValValGlyIleAsnSerGlyIleLeuThrGlySerGlnCy 135

447 GGaAaaTGaGaTaGaTaGaTGaaTGaaTcaTccTCCTgCaTTgGaGaaTGaaCaaTGCC 496
    ||:::||||||||||   :||    ||| |||   :||    ||| |||   |||   ||||
```

```
    ZIP: 90067
COMPUTER READABLE FORM:
    MEDIUM TYPE: Floppy disk
    COMPUTER: IBM PC compatible
    OPERATING SYSTEM: PC-DOS/MS-DOS
    SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
    APPLICATION NUMBER: US/08/446,875
    FILING DATE: July 12, 1995
    CLASSIFICATION: 435
PRIOR APPLICATION DATA:
    APPLICATION NUMBER: 08/102,385
    FILING DATE: August 4, 1993
ATTORNEY/AGENT INFORMATION:
    NAME: Oldenkamp, David J.
    REGISTRATION NUMBER: 29,421
    REFERENCE/DOCKET NUMBER: 111-197
TELECOMMUNICATION INFORMATION:
    TELEPHONE: (310) 788-5000
    TELEFAX: (310) 277-1297
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
    LENGTH: 343 amino acids
    TYPE: amino acid
    TOPOLOGY: linear
    MOLECULE TYPE: protein
US-08-446-875-2

alignment_scores:
        Quality:   125.50           Length:    147
        Ratio:     1.719            Gaps:      5
Percent Similarity: 49.660    Percent Identity: 29.252

alignment_block:
US-09-714-936-218 x US-08-446-875-2        ..

Align seg 1/1  to: US-08-446-875-2  from: 1  to: 343

388 CTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGG 437
    :::::|||       |||||||||||||||::||||||||||:::::
140 ValSerCysArgArgCysAlaValValGlyAsnSerGlyAsnLeuLysGl 156

438 CCAGAAGGTGGGAAATGAGATAGATCGCATCTCCTGCCATTTGGAGAATGA 487
    :::   |||    ::||||||  :::   |||     ::|||||  |||||||
156 uSerTyrTyrGlyProGlnIleAspSerHisAspPheValLeuArgMetA 173

488 ACAATGCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCATGACCATG 537
    ||:::||||||||||::||:|::||| ||||||||      ||
173 snLysAlaProThrGluGlyPheGluAlaAspValGlySerLysThrThr 189

538 ATTCGAGTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGA 587
    :::       |||    ||                  ..........
190 HisHisPheValTyrProGluSer................ 197

588 TTATTTTTTCAAGGAAGCGAATACTACTATTTGTGGTTATTTGGGGACCTT 637
    |||:::|||         ::: :||:||    :::||      ||||
198 .......PheArgGluLeuAlaGlnGluValSerMetIleLeuValProP 212

638 TCCGCAATATGAGGAAAGATGGCAATGGCCATCGTTTACAACATGTTGAAA 687
    :::    ::: ::: :::
212 heLysThr............ThrAspLeuGluTrpValIleSerAla 223

688 AAGACAGTTGGTATCTATCCGAAT...............GCCCAAAT 719
    ||:::|||           |||:::|||
224 ThrThrThrGlyThrIleSerHisThrTyrValProValProAlaLysIl 240

720 ATACGTGACCACAGAGAAGCGCATGAGTTTACTGTGATGGAGTTTTTAAGA 769
    :: |||     |||||     ||| :::|||
240 eLysValLysLysGluLysIleLeuLeuIleTyrHisProAlaPheIleLysT 257

770 AGGAAACTGGGAAGGACAGG.......GGGCATGCAAGG 801
    ||||||        |||||:::|||
```

```
304 TGGATACCATTCCTACACATACAGGCGGCCCCTTCGAACTCACTATGG 353
        ||||::   |||||::  |||::   |||
 77 TrpValLysThrProSerThrTyrGluLeuProPheGlyThr......... 90

354 ATACATAAATGTGAAGACACAAGAGCCTTTG................... 384
       :  |||::::||||:||
 91 ...........LysGlySerGluAspLeuLeuLeuArgValLeuAlaI 103

385 ...................................CAACTGGACTGTGACCTT 402
                                        ::|||::::|||
103 leThrSerTyrSerIleProGluSerIleLysSerLeuGluCysArgArg 119

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||:::||||:|||::||||   ::::::|||||::::|||
120 CysValValGlyHisGlyHisArgLeuArgAsnSerSerLeuGlyGl 136

453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCCACCA 502
     :  |||::|||:||||  ||||||:|||||||::
136 yValIleAsnLysTyrAspValValIleArgLeuAsnAsnAlaProValA 153

503 AAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCC 552
    ||||||||  ||||||||   ||| ::|||||||| |||:::||
153 laGlyTyrGluGlyValGlySerLysThrThrIleArgLeuPheTyr 169

553 CATACCAGCGTT.........CCTCTTTGCTAAAAAACCCTGAT 588
    ||||||||       |||  ::|||||||||
170 ProGluSerAlaHisPheAspProLysIleGluAsnAsnProAsp 184
```

seq_name: /cgn2_6/ptodata/2/1aa/5A_COMB.pep:US-08-309-985-2

INFORMATION FOR SEQ ID NO: 2:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 333
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
;   ORIGINAL SOURCE:
;   ORGANISM: human
;   CELL LINE: TYH cell
;   CELL TYPE: histiocytoma cell
US-08-309-985-2

alignment_scores:
           Quality: 129.50   Length: 115
           Ratio: 2.123   Gaps: 3
   Percent Similarity: 53.043   Percent Identity: 29.565

alignment_block:
US-09-714-936-218 x US-08-309-985-2   .

Align seg 1/1   to: US-08-309-985-2   from: 1   to: 333

```
304 TGGATACCATTCCTACACATACAGGCGGCCCCTTCGAACTCACTATGG 353
        ||||::   |||||::  |||::   |||
 77 TrpValLysThrProSerThrTyrGluLeuProPheGlyThr......... 90

354 ATACATAAATGTGAAGACACAAGAGCCTTTG................... 384
       :  |||::::||||:||
 91 ...........LysGlySerGluAspLeuLeuLeuArgValLeuAlaI 103

385 ...................................CAACTGGACTGTGACCTT 402
                                        ::|||::::|||
103 leThrSerTyrSerIleProGluSerIleLysSerLeuGluCysArgArg 119

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||:::||||:|||::||||   ::::::|||||::::|||
120 CysValValGlyHisGlyHisArgLeuArgAsnSerSerLeuGlyGl 136

453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCCACCA 502
     :  |||::|||:||||  ||||||:|||||||::
136 yValIleAsnLysTyrAspValValIleArgLeuAsnAsnAlaProValA 153

503 AAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCC 552
    ||||||||  ||||||||   ||| ::|||||||| |||:::||
153 laGlyTyrGluGlyValGlySerLysThrThrIleArgLeuPheTyr 169

553 CATACCAGCGTT.........CCTCTTTGCTAAAAAACCCTGAT 588
    ||||||||       |||  ::|||||||||
170 ProGluSerAlaHisPheAspProLysIleGluAsnAsnProAsp 184
```

seq_name: /cgn2_6/ptodata/2/1aa/5B_COMB.pep:US-08-446-875-2

```
334 ..................................CCCCTTCGAACTC 346
                                      :::||||||
126 aSerLeuTyrGlySerAspLysPheAspLeuProTyrGlyMetArgThrS 143

347 ACTATGGATACATAAATGGAAGACACAAGAGCCTTTGCAACTGGAC... 393
    ||:::::::      :::::::       ||
143 erAlaGluTyrPheArgLeuAlaLeuSerLysLeuGlnSerCysAspLeu 159

394 ..................TGTGACCTTTGTGCCATAGTGTCAAA 419
                    ||| |||:::||||:::::||
160 PheAspGluPheAspAsnIleProCysLysLysCysValValGlyAs 176

420 CTCAGGTCAGATGGTTGGCCAGAAGTGGGAAATGAGATAGATCGATCCT 469
    |:::||| ::: ::::: ::||||:::::|||||
176 nGlyGlyValLeuLysAsnLysThrLeuGlyGluLysIleAspSerTyrA 193

470 CCTGCATTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGAAGAT 519
    :: ||| ||||||||| :::||| ::|||||:::||
193 spValIleIleArgMetAsnAsnGlyProValLeuGlyHisGluGluGlu 209

520 GTCGGCCGCATGACCATGATTCGAGTTGTGTCCCATACCAGCGTTCCTCT 569
                                       ||||||
210 ValGlyArgArgThrThrPheArgLeuTyrProGluSerVal...... 224

570 TTTGCTAAAAAACCCTGATTATTTTTCAAGGAAGCGAATACTACTATT 618
    ||| ::: ::::: |||||||||:::
225 ........PheSerAspProIleHisAsnAspProAsnThrThrVal 237
```

seq_name: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-26

alignment_scores:
   Quality: 133.50   Length: 72
   Ratio: 2.781   Gaps: 1
Percent Similarity: 66.667   Percent Identity: 41.667

alignment_block:
US-09-714-936-218 x US-09-334-601-26

Align seg 1/1 to: US-09-334-601-26 from: 1 to: 90

```
394 TGTGACCTTTGTGCCATAGTGTCAAACTGCAGGTCAGATGGTTGGCCAGAA 443
    ||||||||  ||||:::|||:||:::::::|||||:||||||||  :::||
1 CysArgArgCysAlaValValGlyAsnSerGlyAsnLeuArgGlnSerGl 17

444 GGTGGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATG 493
    |||:::||||   :::|||||   ||||||||| ||||||||||||||
17 nTyrGlyGlnAspIleAspSerHisAspPheValLeuArgMetAsnArga 34

494 CCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCGA 543
    ||||||  |||||:::|||||||||||:::||||||  |||||||
34 laProThrIleGlyTyrGluSerAspValGlySerLysThrThrHisHis 50

544 GTTGTGTCCCATACCAGCGTTCCTCTTTGTTGCTAAAAAACCCTGATTATT 593
```

```
 ||| ||                 |||:::          ||||||:::::::::
51 PheValTyrProGluSerTyrLysLeuIleTyr...AsnProSerPheIl 66

594 TTTCAAGGAAGCGAAT 609
    : ||:::|||
66 eCysAspGluValAsn 71
```

seq_name: /cgn2_6/ptodata/2/iaa/5A_COMB.pep:US-07-991-587A-2

alignment_scores:
   Quality: 129.50   Length: 115
   Ratio: 2.123   Gaps: 3
Percent Similarity: 53.043   Percent Identity: 29.565

alignment_block:
US-09-714-936-218 x US-07-991-587A-2

Align seg 1/1 to: US-07-991-587A-2 from: 1 to: 333

```
;   ADDRESSEE:  Oppenheimer Wolff & Donnelly LLP
;   STREET:  2029 Century Park East, 38th Floor
;   CITY:  Los Angeles
;   STATE:  CA
;   COUNTRY:  USA
;   ZIP:  90067
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE:  Floppy disk
;   COMPUTER:  IBM PC compatible
;   OPERATING SYSTEM:  PC-DOS/MS-DOS
;   SOFTWARE:  PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER:  US/08/102,385G
;   FILING DATE:  04-AUG-1993
;   CLASSIFICATION:  435
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER:  US 07/925369
;   FILING DATE:  04-AUG-1992
;   ATTORNEY/AGENT INFORMATION:
;   NAME:  Oldenkamp, David J.
;   REGISTRATION NUMBER:  29,421
;   REFERENCE/DOCKET NUMBER:  97-062
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE:  (310)788-5000
;   TELEFAX:  (310) 277-1297
; INFORMATION FOR SEQ ID NO: 4:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH:  374 amino acids
;   TYPE:  amino acid
;   TOPOLOGY:  linear
;   MOLECULE TYPE:  protein
US-08-102-385G-4

alignment_scores:
        Quality:  135.50                    Length:      181
          Ratio:  1.506                        Gaps:        4
Percent Similarity:  49.724         Percent Identity:  21.547

alignment_block:
US-09-714-936-218 x US-08-102-385G-4  ..

Align seq 1/1  to: US-08-102-385G-4  from: 1  to: 374

283 TTTGGACAACCTGGTACAAAGTGGATACCATTCTCCTACACATACAGGCG 332
    |||::::::|||::    :::::|| |||||
101 PheSerLysProAlaProMetPheLeuAspaspSerPheArgLysTrpAla 117

333 GCCCCTTCGAACTCACTATGGATACATAAATGTGAAGACACAAGAGCCTT 382
    ::|||            |||::::||||:
117 aArgIleArgGluPheValProProPheGlyIleLysGlyGlnAspAsnL 134

383 TG........                                      384
    :||
134 euIleLysAlaIleLeuSerValThrLysGluTyrArgLeuThrProAla 150

385 .....CAACTGGACTGACCTTGTGCCATAGTGTCAAACTCAGGTCA 428
    :::|||  ||| ||||||::::|||:::||::|||:::||||||
151 LeuAspSerLeuHisCysArgArgCysIleIleValGlyAsnGlyGlyVa 167

429 GATGGTTGGCCAGAAGTGGAAATGAGATGATCGATCCTCCTGCATTT 478
    |||  ::::||::|||||||
167 lLeuAlaAsnLysSerLeuGlySerArgIleAspAspTyrAspIleVali 184

479 GGAGAATGAACAATGCCCCCACCAAAGTTATGAAGAAGATGTCGGCCGC 528
    |||::::||::|||:::||||:::::|||:||||||||:::||||||||
184 leArgLeuAsnSerAlaProValLysProGluLysAspValGlySer 200

529 ATGACCATGATTCGAGTTGTGTCCCATACCACCAGCGTTCCTCTTTGCTAAA 578
    |||                  TGCTTTGGACAACCTGGT.. :||:|||
201 LysThrThrLeuArgIle.......ThrTyrProGluGlyAlaMetGl 214

579 AAACCCTGATTATTTTTCAAGGAAGCGAATACTACTATTGTGTTATT. 627
    ||   :::|||:::::     :::||||:::||:||:::
110 PheHisGlnPheHisProPheLeuCysAlaAlaspPheArgLysIleAl 126
```

```
    :::|||::    ::::|||:::
214 nArgProGluGlnTyrGluArgAspSerLeuPheValLeuAlaGlyPheL 231

628 ..TGGGGACCTTCCGCAATATGAGGAAAGATGGCAAATGCCATCGTTTAC 675
   |||     |||::|||||::::::
231 ysTrpGlnAspPheLysTrpLeuLys.................  239

676 AACATGTTGAAAAGACAGTTGGTATCTATCCGAATGCCCAAAATACGT 725
   ||      |||::
240 ........................................TyrIl 241

726 GACCACAGAGAAGCCATGAGTTACTGTGATGGAGTTTTTAAG 768
   :::  :::::||||:|||:|||  |||||
241 eValTyrLysGluArgValSerAlaSerAspGlyPheSerLys 255

seq_name: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-8

seq_documentation_block:
; Sequence 8, Application US/09334601
; Patent No. 6280989
; GENERAL INFORMATION:
;   APPLICANT:  Kapitonov, Dmitri
;   APPLICANT:  Yu, Robert
;   TITLE OF INVENTION:  NOVEL SIALYLTRANSFERASES
;   FILE REFERENCE:  VCUIP-6
;   CURRENT APPLICATION NUMBER:  US/09/334,601
;   CURRENT FILING DATE:  1999-06-17
;   NUMBER OF SEQ ID NOS:  94
;   SOFTWARE:  PatentIn Ver. 2.0
; SEQ ID NO 8
;   LENGTH:  384
;   TYPE:  PRT
;   ORGANISM:  Homo sapiens
US-09-334-601-8

alignment_scores:
        Quality:  134.50                    Length:      233
          Ratio:  1.190                        Gaps:       10
Percent Similarity:  48.498         Percent Identity:  23.605

alignment_block:
US-09-714-936-218 x US-09-334-601-8  ..

Align seq 1/1  to: US-09-334-601-8  from: 1  to: 384  ..

 94 CAGGCTGCCCCCAGGACTGCCCCT.......GACCCAGGCGGCCCCC.. 132
    ||||||||  :::||||         :::||||||||:::
 10 GlnProAlaGlyAlaAlaAlaProGlnValSerGluProGlyAlaProLe 26

133 ..............GCTGCTCGGTGGCAGGAGGGCCGGC 157
                :::||
 26 uArgSerSerLeuGlyLeuGlyLeuGlySerLeuLeuProAlaGlyPheA 43

158 GGAGCGCCATGGCCTGC.......ATCCTGAGAGAAGTCTGTGATT 198
    ||:::       ||       :::|||
 43 laAlaGlyLeuHisCysProGlyGluProAlaMetArgGlyTyrLeuVal 59

199 GCTGTGAGCTTCATAGCAGCGGTTCCTTTCCTGCGTGGTTGTGCGTCTTGT 248
    |||::: |||::||||||||||  |::||::||::||::||
 60 AlaIlePheLeuSerAlaValPheLeuTyrTyrValLeuHisCysIleLe 76

249 AAATGAAGTGAATTC.........CCATTGCTACTAAAC 279
    :::|||          |||::::     :::
 76 uTrpGlyThrAsnValTyrTrpValAlaProValGluMetLysArgArgA 93

280 ................TGCTTTGGACAACCTGGT... 297
                :::||:|||::
 93 snLysIleGlnProCysLeuSerLysProAlaPheAlaSerLeuLeuArg 109

298 ....ACAAAGTGGATACCATTC.......TCCTACACATACAGGCGG... 333
     :::|||:||||         :::||||||
110 PheHisGlnPheHisProPheLeuCysAlaAlaspPheArgLysIleAl 126
```

```
465 ATCCTCCTGCATTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAG 514
162 rHisAspPheValLeuArgMetAsnLysAlaProThrAlaGlyPheGluA 179

515 AAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCCCATACCAGCGTT 564
179 laAspValGlyThrLysThrHisHisLeuValTyrProGluSer... 194

565 CCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGAAGCGAAATACTAC 614
195 ..............................PheArgGluLeuGlyAspAs 201

615 TATTTGTGTTATTGGGGGACCTTTCCGAATATGAGGAAAGATGGCAATG 664
201 nValSerMetIleLeuValProPheLysThrIle......AspLeuGluT 216

665 GCATCGTTTACAACATGTTGAAAAAGACAGTTGGT..........ATCTAT 705
216 rpValValSerAlaIleThrThrGlyThrIleSerHisThrTyrIlePro 232

706 CCGAATGCCCAAATATACGTGACCACAGAGAAGCGCCATGAGTTAC 750
233 ValProAlaLysIleArgValLysGlnAspLysIleLeuIleTyr 247

seq_name: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-446-875-4
```

```
alignment_scores:
                Quality:  135.50          Length:     181
                  Ratio:   1.506            Gaps:       4
Percent Similarity:   49.724   Percent Identity:  21.547

alignment_block:
US-09-714-936-218 x US-08-446-875-4

Align seg 1/1  to: US-08-446-875-4   from: 1  to: 374

283 TTTGGACAACCTGGTACAAAGTGGATACCATTCTCCTACACATACAGGCG 332
     ||::::||||||::    :::::    |||:||
101 PheSerLysProAlaProMetPheLeuAspAspSerPheArgLysTrpAl 117

333 GCCCCTTGAACTCACTATGGATACATAAAATGTGAAGACACAAAGAGCCTT 382
     :::|||              ::::::|||  |||::::   |||||||
117 aArgIleArgGluPheValProProPheGlyTyrLeuLysGlnAspAsnL 134

383 TG................................................ 384
     ||
134 euIleLysAlaIleLeuSerValThrLysGluThrTyrArgLeuThrProAla 150

385 ......CAACTGGACTGTGACCTTGTGCCCATAGTGTCAAACTCAGGTCA 428
        ::|||   ||     |||  ||||||||||:::|::|||
151 LeuAspSerLeuHisCysArgArgCysIleIleValGlyAsnGlyGlyVa 167

429 GATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCATTT 478
     :::||||::  ::|         :::|||||     :::
167 lLeuAlaAsnLysSerLeuGlySerArgIleAspAspTyrAspIleVali 184

479 GGAGAATGAACAATGCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGC 528
     |||:::|||:::|||||||||||::|||||     |||  ||||||||
184 leArgLeuAsnSerAlaProValLysGlyPheGluLysAspValGlySer 200

529 ATGACCATGATTCGAGTTGTGTCCCATACCAGCGTTCTCTTTGCTAAA 578
     |||    ::||::||       |||       |||       :::|
201 LysThrThrLeuArgIle........ThrTyrProGluGlyAlaMetGl 214

579 AAACCCTGATTATTTTTCAAGGAAGCGAAATACTACTATTGTGTTATT... 627
     :::||||:    |||||||||||||::::::   ::|
214 nArgProGluGlnTyrGluArgAspSerLeuPheValLeuAlaGlyPheL 231

628 ..TGGGGACCTTTCCGAATATGAGGAAAGATGGCAATGGCATCGTTTAC 675
     |||:::||::|||||            ::::::
231 ysTrpGlnAspPheLysTrpLeuLys........................ 239

676 AACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGT 725
     ::::||::||||||    |||                :::|||:::
240 ...............................................TyrIl 241

726 GACCACAGAGAAGCGCCATGAGTGAGTTACTGTGATGGAGTTTTTAAG 768
     :::  ::|||::|||:|||       |||
241 eValTyrLysGluArgValSerAlaSerAspGlyPheSerLys 255
```

CURRENT APPLICATION DATA:
  APPLICATION NUMBER: US/08/446,875
  FILING DATE: July 12, 1995
  CLASSIFICATION: 435
PRIOR APPLICATION DATA:
  APPLICATION NUMBER: 08/102,385
  FILING DATE: August 4, 1993
ATTORNEY/AGENT INFORMATION:
  NAME: Oldenkamp, David J.
  REGISTRATION NUMBER: 29,421
  REFERENCE/DOCKET NUMBER: 111-197
TELECOMMUNICATION INFORMATION:
  TELEPHONE: (310) 788-5000
  TELEFAX: (310) 277-1297
INFORMATION FOR SEQ ID NO: 16:
  SEQUENCE CHARACTERISTICS:
  LENGTH: 340 amino acids
  TYPE: amino acid
  TOPOLOGY: linear
  MOLECULE TYPE: protein
US-08-446-875-16

alignment_scores:
  Quality: 135.50   Length: 265
  Ratio: 1.178   Gaps: 10
Percent Similarity: 43.396   Percent Identity: 22.642

alignment_block:
US-09-714-936-218 x US-08-446-875-16

Align seg 1/1 to: US-08-446-875-16 from: 1 to: 340

178 CTGAAGAGAAAGTCTGTGATTGCTGTGAGCTTCATAGCAGCGTTCCTTT 227
      |||:::::::::::: ::|||:::|||::: |||:::||
  4 LeuArgLysArgThrLeuLysValThrPheLeuValLeuPheIlePh 20

228 CCTG.. 231
      ||||
 20 eLeuThrSerPhePheLeuAsnTyrSerHisThrMetValAlaThrThrT 37

232 ...........CTGGTGTGCGTCTTGTAAATGAAGTGAATTCCCA 267
               :::||||:::::||| ::: |||:::
 37 rpPheProLysGlnMetValLeuGluLeu.....SerGluAsnLeuLys 51

268 TTGCTACTA................... AACTGCTTTGGACAAACC 293
      |||:::   ::||||:::||||:
 52 ArgLeuIleLysHisArgProCysThrCysThrHisCysIleGlyGlnAr 68

294 TGGT..ACAAAGTGGATACCATTCCTAC................. 321
      ||:::   ::
 68 gLysLeuSerAlaTrpPheAspGluArgPheAsnGlnThrMetGlnProL 85

322 ..........................ACATACAGGCGGCCC 336
                              ||||||||
 85 euLeuThrAlaGlnAsnAlaAlaLeuGluAspAspThrTyrArgTrpTrp 101

337 CTTCGAACTCACTATGGATACATAAATGTGAAGACACAAGGCCTTTGCA 386
      :::||||:::::::|| :::::||:::||:
102 LeuArgLeuGln...............ArgGluLysLysProAsnAs 112

387 ACTGGAC......................... 393
      :||:::
112 nLeuAsnAspThrIleLysGluLeuPheArgValValProGlyAsnValA 129

394 ....................TGTGACCTTTGCCATAGTG 414
                          ||||||:::||||
129 spProMetLeuGluLysGluLysArgSerValGlyCysArgArgValVal 145

415 TCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGAAATGAGATAGATCG 464
      ||||||||||| ||| |||||:::||
146 GlyAsnSerGlyAsnLeuArgGluSerTyrGlyProGluGluIleAspSe 162

283 TTTGGACAACCTGGTACAAAGTGGATACCATTCCTACACATACAGGCG 332
      |||:::::|||: ::: |||:
102 PheSerLysProAlaProMetPheLeuAspSerPheArgLysTrpAl 118

333 GCCCCTTCGAACTCACTATGGATACATAAATGTGAAGACACAAGAGCCTT 382
      :::||| ::::::::||||| |||:::
118 aArgIleArgGluProAlaGluProPheGlyIleIleLysGlyGlnAspAsnL 135

383 TG.................... 384
      ||
135 euIleLysAlaIleLeuSerValThrLysGluThrArgLeuThrProAla 151

385 ......CAACTGGACTTGTGCCATAGTGTCAAACTCAGGTCA 428
            :::||| || |||||::::|||::::||
152 LeuAspSerLeuArgLeuArgCysArgCysIleIleValGlyAsnGlyGlyVa 168

429 GATGGTTGGCCAGAAGGTGGAAATGAGATAGATCGATCCTCCTGCATTT 478
      :::::::::: |||||| ::: :::
168 lLeuAlaAsnLysSerLeuGlySerArgIleAspSerAspSerTyrAspIleValIleValV 185

479 GGAGAATGAACAATGCCCCCCACCAAAGGTTATGAAGAAGAATGTCGGCCGC 528
      |||:::||||||||||||:::|||| ||::::||||||||
185 alArgLeuAsnSerAlaProValLysGlyPheGluLysAspValGlyGlySer 201

529 ATGACCATGATTCGAGTTGTCCCATACCAGCGTTCCTCTTTTGCTAAA 578
      ||| |||:::   ::
202 LysThrThrLeuArgIle.......ThrTyrProGluGlyIleAlaMetGl 215

579 AAACCCTGATTATTTTTCAAGGAAGGCGAATACTACTATTGTGTTATT 627
      :::|||::: :::   :::
215 nArgProGluGlnTyrGluArgGluArgAspSerLeuPheValLeuAlaGlyPheL 232

628 ..TGGGGACCTTTCCGCAATATGAGGAAAGATGGCCATGGCCATCGTTTAC 675
      ||| |||:::::|| :::
232 ysTrpGlnAspPheLysTrpLeuLys.............. 240

676 AACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGT 725
      |||||||
240 ....TyrIl 242

726 GACCACAGAGAGCGCATGAGTTACTGTGATGGAGTTTTAAG 768
      :::::||||:::||| |||:||
242 eValTyrLysGluArgValSerAlaSerAspGlyPheTrpLys 256

seq_name: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-446-875-16

seq_documentation_block:
; Sequence 16, Application US/08446875
; Patent No. 5858751
; GENERAL INFORMATION:
; APPLICANT: Paulson, James C.
; APPLICANT: Wen, Xiaohong
; APPLICANT: Livingston, Brian Duane
; APPLICANT: Gillespie, William
; APPLICANT: Kelm, Sorge
; APPLICANT: Burlingame, Alma L.
; APPLICANT: Medzihradszky, Katalin
; TITLE OF INVENTION: Compositions and Methods for the
; TITLE OF INVENTION: Identification and Synthesis of Sialyltransferases
; NUMBER OF SEQUENCES: 16
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Poms, Smith, Lande & Rose
; STREET: 2029 Century Park East, Suite 3800
; CITY: Los Angeles
; STATE: CA
; COUNTRY: USA
; ZIP: 90067
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25

CITY: Los Angeles
STATE: CA
COUNTRY: USA
ZIP: 90067
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/446,875
FILING DATE: July 12, 1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/102,385
FILING DATE: August 4, 1993
ATTORNEY/AGENT INFORMATION:
NAME: Oldenkamp, David J.
REGISTRATION NUMBER: 29,421
TELECOMMUNICATION INFORMATION:
TELEPHONE: (310) 788-5000
TELEFAX: (310) 277-1297
INFORMATION FOR SEQ ID NO: 10:
SEQUENCE CHARACTERISTICS:
LENGTH: 375
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-446-875-10

```
alignment_scores:
        Quality:   137.50          Length:   181
        Ratio:      1.511          Gaps:       4
Percent Similarity: 50.276   Percent Identity: 21.547

alignment_block:
US-09-714-936-218 x US-08-446-875-10

Align seg 1/1  to: US-08-446-875-10  from: 1  to: 375

283 TTTGACAACTGGTACAAAGTGGATACCATTCTCCTACACATACAGGCG 332
    |||:|||||| :|||||   :::||    ||:::
102 PheSerLysProAlaProMetPheLeuAspAspSerPheArgLysTrpAl 118

333 GCCCCTCGAACTCACTATGGATACATAAATGTGAAGACACAGAGCCTT 382
       :::|:|||:||    :::||||||||   |||:||    |
118 aArgIleArgGluProProPheGlyIleLeuLysGlyGlnAspAsnL 135

383 TG........................................... 384
    ||
135 euIleLysAlaIleLeuSerValThrLysGluThrLysLeuThrProAla 151

385 ......CAACTGGACTGTGACCTTTGTCCCATAGTCAAACTCAGGTCA 428
          :::|| |||  || ||||||:|||||:|||::|||
152 LeuAspSerLeuArgCysArgArgCysIleIleValGlyAsnGlyGlyVa 168

429 GATGGTTGGCCAGAGAGGTGGGAAATGAGATAGATCCATCCTCCTGCATTT 478
    :::|:|||:::|||:|||:||||  ||   :||
168 lLeuAlaAsnLysSerLeuGlySerArgIleAspAspTyrAspIleValV 185

479 GGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGC 528
    |||:||||:::|||||||||||||:||||||||
185 alArgLeuAsnSerAlaProValLysGlyPheGluLysAspValGlySer 201

529 ATGACCATGATTCGAGTTGTGTCCCATACCAGGCGTTCCTCTTTTGCTAAA 578
    ||| |||||:::|||||||: ||    :::|||
202 LysThrThrLeuArgIle......ThrTyrProGluGlyAlaMetGl 215

579 AAACCCTGATTATTTTTCAAGGAGGCGGAATACTACTATTTGTGTTATT. 627
    ::|:|||||  ||||:||:||||   ::   ::
215 nArgProGluGlnTyrGluArgAspSerLeuPheValLeuAlaGlyPheL 232
```

628 ..TGGGGACCTTCCCGCAATATGAGGGAAAGATGGCAATGGCATCGTTTAC 675
     ||| |||:| ::::
232 ysTrpGlnAspPheLysTrpLeuLys................ 240

676 AACATGTTGAAAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGT 725
    |||::::
241 ....TyrIl 242

726 GACCACAGAGAAGCGCATGAGTTACTGTGATGGGAGTTTTAAG 768
    ::::| ::::|||||:||||| ||||||| :::|||
242 eValTyrLysGluArgValSerAlaSerAspGlyPheTrpLys 256

seq_name: /cgn2_6/ptodata/2/1aa/5B_COMB.pep:US-08-102-385G-10

seq_documentation_block:
; Sequence 10, Application US/08102385G
; Patent No. 5962294
;; GENERAL INFORMATION:
;, APPLICANT: Paulson, James C.
;, APPLICANT: Wen, Xiaohong
;, APPLICANT: Livingston, Brian Duane
;, APPLICANT: Gillespie, William
;, APPLICANT: Kelm, Sorge
;, APPLICANT: Burlingame, Alma L.
;, APPLICANT: Medzihradszky, Katalin
;, TITLE OF INVENTION: Compositions and Methods for the
;, TITLE OF INVENTION: Identification and Synthesis of Sialyltransferases
;, NUMBER OF SEQUENCES: 36
;, CORRESPONDENCE ADDRESS:
;,   ADDRESSEE: Oppenheimer Wolff & Donnelly LLP
;,   STREET: 2029 Century Park East, 38th Floor
;,   CITY: Los Angeles
;,   STATE: CA
;,   COUNTRY: USA
;,   ZIP: 90067
;, COMPUTER READABLE FORM:
;,   MEDIUM TYPE: Floppy disk
;,   COMPUTER: IBM PC compatible
;,   OPERATING SYSTEM: PC-DOS/MS-DOS
;,   SOFTWARE: PatentIn Release #1.0, Version #1.25
;, CURRENT APPLICATION DATA:
;,   APPLICATION NUMBER: US/08/102,385G
;,   FILING DATE: 04-AUG-1993
;,   CLASSIFICATION: 435
;, PRIOR APPLICATION DATA:
;,   APPLICATION NUMBER: US 07/925369
;,   FILING DATE: 04-AUG-1992
;, ATTORNEY/AGENT INFORMATION:
;,   NAME: Oldenkamp, David J.
;,   REGISTRATION NUMBER: 29,421
;,   REFERENCE/DOCKET NUMBER: 97-062
;, TELECOMMUNICATION INFORMATION:
;,   TELEPHONE: (310)788-5000
;,   TELEFAX: (310) 277-1297
;, INFORMATION FOR SEQ ID NO: 10:
;, SEQUENCE CHARACTERISTICS:
;,   LENGTH: 375 amino acids
;,   TYPE: amino acid
;,   TOPOLOGY: linear
;,   MOLECULE TYPE: protein
US-08-102-385G-10

```
alignment_scores:
        Quality:   137.50          Length:   181
        Ratio:      1.511          Gaps:       4
Percent Similarity: 50.276   Percent Identity: 21.547

alignment_block:
US-09-714-936-218 x US-08-102-385G-10

Align seg 1/1  to: US-08-102-385G-10  from: 1  to: 375
```

alignment_scores:
        Quality: 138.50   Length: 75
        Ratio: 2.947   Gaps: 2
Percent Similarity: 62.667   Percent Identity: 41.333

alignment_block:
US-09-714-936-218 x US-09-334-601-22

Align seg 1/1 to: US-09-334-601-22 from: 1 to: 90

394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
    ||| |||||::::|||||::|||||||||||::::: |||::|::
  1 CysArgArgCysAlaValValGlyAsnSerGlyAsnLeuArgGlySerGl 17

444 GGTGGGAAATGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATG 493
    ||:::::::||| ||| |||||||||::|
 17 yTyrGlyGlnAspValAspGlyHisAsnPheIleMetArgMetCAsnGlnA 34

494 CCCCCACCAAAGTTATGAAGAAGATGTCGGCGCCGCATGACCATGATTCGA 543
    ||||||| |||::::|||::||||||||| |||
 34 LaProThrValGlyPheGluGlnAspValGlySer............Arg 46

544 GTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAA.......AACCC 584
    ::::: ||| ||||||||||| |||||
 47 ThrThrHisHisPheMetTyrProGluSerAlaLysGlnIleTyrAsnPr 63

585 TGATTATTTTTCAAGGAAGCGAAT 609
  1 : ::|| |||::|||
 63 oAlaPhePheCysAspGluValAsn 71

seq_name: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-102-385G-18

seq_documentation_block:
; Sequence 18, Application US/08102385G
; Patent No. 5962294
; GENERAL INFORMATION:
;   APPLICANT: Paulson, James C.
;   APPLICANT: Wen, Xiaohong
;   APPLICANT: Livingston, Brian Duane
;   APPLICANT: Gillespie, William
;   APPLICANT: Kelm, Sorge
;   APPLICANT: Burlingame, Alma L.
;   APPLICANT: Medzihradszky, Katalin
;   TITLE OF INVENTION: Compositions and Methods for the
;   TITLE OF INVENTION: Identification and Synthesis of Sialyltransferases
;   NUMBER OF SEQUENCES: 36
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Oppenheimer Wolff & Donnelly LLP
;   STREET: 2029 Century Park East, 38th Floor
;   CITY: Los Angeles
;   STATE: CA
;   COUNTRY: USA
;   ZIP: 90067
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/102,385G
;   FILING DATE: 04-AUG-1993
;   CLASSIFICATION: 435
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: US 07/925369
;   FILING DATE: 04-AUG-1992
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Oldenkamp, David J.
;   REGISTRATION NUMBER: 29,421
;   REFERENCE/DOCKET NUMBER: 97-062
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (310)788-5000
;   TELEFAX: (310) 277-1297
; INFORMATION FOR SEQ ID NO: 18:

; SEQUENCE CHARACTERISTICS:
;   LENGTH: 340 amino acids
;   TYPE: amino acid
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
US-08-102-385G-18

alignment_scores:
        Quality: 138.50   Length: 135
        Ratio: 1.753   Gaps: 6
Percent Similarity: 58.519   Percent Identity: 28.148

alignment_block:
US-09-714-936-218 x US-08-102-385G-18

Align seg 1/1 to: US-08-102-385G-18 from: 1 to: 340

238 GTGCGTCTTGTAAATGAAGTGAATTCCCATTGCTACTAAACTGCTTTGG 287
    ||| ::::::: ::::::||:|||||||:
 84 ValSerMetIleGluAlaThrAspPheProPhe.............. 94

288 ACAACCTGGTACAAAGTGGATACCATTCCTCCTACACATAGGCGGCGCCCC 337
    ||||::| ::|| :::::||| :::::|:
 95 ....AsnThrThrGluTrp......GluGlyTyrLeuProLysGluAsnP 108

338 TTCGAACTCACTATGGATACATCATAAATGTGAAGACCACCAGAGCCTTTGCAA 387
    ::||||| ||| ||| |||
108 heArgThrLysValGly...................ProTrpGln 116

388 CTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGG 437
    |||||::|||||:|||||:||||| ::
117 ....ArgCysAlaValValSerSerAlaGlySerLeuLysAs 129

438 CCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCATTGGAGAATGA 487
    :::::::|||:|||||::|||||:||||:|| :::::|:
129 nSerGlnLeuGlyArgGluIleAspAsnHisAspAlaValLeuArgPheA 146

488 ACAATGCCCCACCAAAGTTATGAAGAAGATGTCGGCCGCATGACCATG 537
    ||::|||||||||| ::::::|||||||||
146 snGlyAlaProThrAspAsnPheGlnGlnAspValGlySerLysThrThr 162

538 ATTCGAGTTGTGTCCCATACCAGCGGTTCCTCTTTGCTAAAAAAACCCTGA 587
    ::||||| ::   ::: |||::
163 IleArgLeuMetAsnSerGln..........LeuValThrThrGluLy 175

588 TTATTTTTCAAGGAAGCGAATAACTACT......ATTTGTGTTATTTGGG 631
    ||| ||| :::   :|:|:|
175 sArgPheLeuLysAspSerLeuTyrThrGluGlyLylIleLeuIleValTrpA 192

632 GACCT 636
    |||
192 spPro 193

seq_name: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-446-875-10

seq_documentation_block:
; Sequence 10, Application US/08446875
; Patent No. 5858751
; GENERAL INFORMATION:
;   APPLICANT: Paulson, James C.
;   APPLICANT: Wen, Xiaohong
;   APPLICANT: Livingston, Brian Duane
;   APPLICANT: Gillespie, William
;   APPLICANT: Kelm, Sorge
;   APPLICANT: Burlingame, Alma L.
;   APPLICANT: Medzihradszky, Katalin
;   TITLE OF INVENTION: Compositions and Methods for the
;   TITLE OF INVENTION: Identification and Synthesis of Sialyltransferases
;   NUMBER OF SEQUENCES: 16
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Poms, Smith, Lande & Rose
;   STREET: 2029 Century Park East, Suite 3800

alignment_block:
US-09-714-936-218 x US-09-334-601-21

Align seg 1/1 to: US-09-334-601-21   from: 1 to: 90

```
394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
    |||||||:||||:::|||||||||||||||:|||:||  |||:::
  1 CysArgArgCysAlaValValGlyAsnSerGlyAsnLeuArgGlySerGl 17

444 GGTGGGAAATGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAAATG 493
    |||||:|:::||||  :||||  ::   ||| |||||||||||:::|||
 17 yTyrGlyGlnGluValAspSerHisAsnPheIleMetArgMetAsnGlnA 34

494 CCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGA 543
    ||||||  |||:::|||:|||||||
 34 laProThrValGlyPheGluLysAspValGlySer..........Arg 46

544 GTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAA.........AACCC 584
    :::::  ||||||||||||||||  |||           |||||
 47 ThrThrHisHisPheMetTyrProGluSerAlaLysGlnIleTyrAsnPr 63

585 TGATTATTTTTCAAGGAAGCGAAT 609
    |  ::|||  |||:||
 63 oAlaPheCysAspGluValAsn 71
```

seq_name: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-10

seq_documentation_block:
; Sequence 10, Application US/09334601
; Patent No. 6280989
; GENERAL INFORMATION:
; APPLICANT: Kapitonov, Dmitri
; APPLICANT: Yu, Robert
; TITLE OF INVENTION: NOVEL SIALYLTRANSFERASES
; FILE REFERENCE: VCUIP-6
; CURRENT APPLICATION NUMBER: US/09/334,601
; CURRENT FILING DATE: 1999-06-17
; NUMBER OF SEQ ID NOS: 94
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 10
; LENGTH: 329
; TYPE: PRT
; ORGANISM: Murinae gen. sp.
US-09-334-601-10

alignment_scores:
      Quality: 140.50   Length: 268
      Ratio: 1.201   Gaps: 11
Percent Similarity: 43.657   Percent Identity: 22.761

alignment_block:
US-09-714-936-218 x US-09-334-601-10

Align seg 1/1 to: US-09-334-601-10   from: 1 to: 329

```
193 GTGATTGCTGTGAGCTTCATAGCAGCGTTCCTTTTCCTGCTGGTT...... 237
    :::|||||:: ::  :|||:|  |||||||||||
  5 LeuValAlaIlePheLeuSerSerIlePheLeuTyrTyrValLeuTyrCy 21

238 ....................................GTGCGTC 244
                                        ::|||
 21 sIleLeuTrpGlyThrAsnGlyTyrTrpPheProAlaGluMetArgT 38

245 TTGTAAATGAAGTGAATTCCCATTGCTACTAAACTGCTTGGACAACCT 294
    |||::||||  ||||||  ::|||||
 38 hrArgAsnAsnValAsn...........AsnCysPheLysLysPro 49

294 .................................................. 294
    
 50 AlaPheAlaAsnLeuLeuArgPheProGlnLeuTyrProPheLeuCysAr 66
```

295 .............................GGTACAAAGTGGATACCAT 313
                                 |||||| ::||||
 66 gAlaAspPheIleLeuLysValAlaAlaMetSerGlyThrAsnAsnPheProL 83

314 TCTCCTACACATACAGCGGCGGCCCCTTCGAACTCACTATGGATACATAAAT 363
    :: ||| ::: |||:||
 83 euProTyrGlyIle..LysThrPheGluThrTyrPheSerAlaLeu 98

364 GTGAAGACACAA.....................GAGCCTTTGCAACTGGACTG 395
    ||| ||| ||| :::|||
 99 SerLysLeuGlnSerCysAspLeuPheAspGluPheAspArgValProCy 115

396 TGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGG 445
    | |||::::||||:||:|:||| :::   ::::::
115 sLysArgCysValValValGlyAsnLeuGlyValLeuLysAsnLysThrL 132

446 TGGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCC 495
    :::||| |||||||| ::: ||| |||||||||||:::
132 euGlyAlaThrIleAspSerTyrAspValIleIleArgMetAsnAsnGly 148

496 CCCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGT 545
    |||:|| |||:::||||||||||| :|||||||| :|:|||||
149 ProValLeuGlyHisGluGluValGlyThrArgThrPheArg.. 164

546 TGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTT 595
    |||| |||| |
165 ....LeuPheTyrProGluSerValP 172

596 TCAAGGAAGCGAAT....................ACTACTATTCTGTGTTATT 627
    ||:::||| |||:|::: ||:::
172 heSerAspSerHisTyrAspProAsnThrThrAlaValLeuValVal 188

628 TGGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGCCATCGTTACAA 677
    :: ||| |||:|:|||||
189 PheLysPro.........GlnAspLeuArgTrpLeuValGluIl 200

678 CATGTTGAAAAAGACAGTTGGT.......................... 699
    :::||| ||| :::::
200 eLeuLeuGlyLysLysIleAsnThrGlnGlyPheTrpLysThrProAlaL 217

700 .........ATCTATCCGAATGCCAAATA...........TACGTG 726
             |||||| |||| |||:||
217 euLysLeuIleTyrLysGlnTyrGlnIleLeuArgIleLeuAspProTyrIle 233

727 ACCACAGAGAAG.........CGCATGAGTTACTGTGATGGAGTTTTAAGAA 770
    ||||:::||| :::|||| ||||| ||
234 ThrSerGluAlaAlaPheGlnMetLeuArgPheProArgValPheProLy 250

771 GGAA 774
    |:::
250 sAsp 251

seq_name: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-22

seq_documentation_block:
; Sequence 22, Application US/09334601
; Patent No. 6280989
; GENERAL INFORMATION:
; APPLICANT: Kapitonov, Dmitri
; APPLICANT: Yu, Robert
; TITLE OF INVENTION: NOVEL SIALYLTRANSFERASES
; FILE REFERENCE: VCUIP-6
; CURRENT APPLICATION NUMBER: US/09/334,601
; CURRENT FILING DATE: 1999-06-17
; NUMBER OF SEQ ID NOS: 94
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 22
; LENGTH: 90
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-334-601-22

```
; Sequence 20, Application US/09334601
; Patent No. 6280989
; GENERAL INFORMATION:
;   APPLICANT: Kapitonov, Dmitri
;   APPLICANT: Yu, Robert
;   TITLE OF INVENTION: NOVEL SIALYLTRANSFERASES
;   FILE REFERENCE: VCUIP-6
;   CURRENT APPLICATION NUMBER: US/09/334,601
;   CURRENT FILING DATE: 1999-06-17
;   NUMBER OF SEQ ID NOS: 94
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 20
;   LENGTH: 90
;   TYPE: PRT
;   ORGANISM: Murinae gen. sp.
US-09-334-601-20

alignment_scores:
         Quality:   141.50           Length:      75
           Ratio:     3.011             Gaps:       2
Percent Similarity:   62.667    Percent Identity: 42.667

alignment_block:
US-09-714-936-218 x US-09-334-601-20   ..

Align seg 1/1  to: US-09-334-601-20  from: 1  to: 90

  394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGTCAGATGGTTGGCCAGAA 443
      |||   |||||:::||||:::|||||::||||||||  |||:::  |||:::  17
    1 CysArgArgCysAlaValValGlyAsnSerGlyAsnLeuArgGlySerGl 17

  444 GGTGGGAAATGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATG 493
      |||::||||:||:|||      :: |||  |||||||||:::|   34
   17 yTyrGlyGlnGluValAspSerHisAsnPheIleMetArgMetAsnGlnA 34

  494 CCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGA 543
      ||||||||  |||:::||||::||||||||||||:::       ||| 46
   34 laProThrValGlyPheGluLysAspValGlySer..........Arg 46

  544 GTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAAA......AACCC 584
      ::::::    |||   ||| ||||||||   |||||||  63
   47 ThrThrHisHisPheMetTyrProGluSerAlaLysGlnIleTyrAsnPr 63

  585 TGATTATTTTTCAAGGAAGCGAAT 609
      :  |:|||   ||:::|||
   63 oAlaPheCysAspGluValAsn 71
```

seq_name: /cgn2_6/ptodata/2/1aa/6B_COMB.pep:US-09-334-601-21

```
seq_documentation_block:
; Sequence 21, Application US/09334601
; Patent No. 6280989
; GENERAL INFORMATION:
;   APPLICANT: Kapitonov, Dmitri
;   APPLICANT: Yu, Robert
;   TITLE OF INVENTION: NOVEL SIALYLTRANSFERASES
;   FILE REFERENCE: VCUIP-6
;   CURRENT APPLICATION NUMBER: US/09/334,601
;   CURRENT FILING DATE: 1999-06-17
;   NUMBER OF SEQ ID NOS: 94
;   SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 21
;   LENGTH: 90
;   TYPE: PRT
;   ORGANISM: Rattus gen. sp.
US-09-334-601-21

alignment_scores:
         Quality:   141.50           Length:      75
           Ratio:     3.011             Gaps:       2
Percent Similarity:   62.667    Percent Identity: 42.667
```

```
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25 (EPO)
CURRENT APPLICATION DATA:
  APPLICATION NUMBER: US/08/446,777
  FILING DATE: May 26, 1995
  CLASSIFICATION: 435
PRIOR APPLICATION DATA:
  APPLICATION NUMBER: PCT/EP93/03194
  FILING DATE: 15 NOV 93
PRIOR APPLICATION DATA:
  APPLICATION NUMBER: EPO 92810924.8
  FILING DATE: 27 NOV 92
ATTORNEY/AGENT INFORMATION:
  NAME: Ferraro, Gregory D.
  REGISTRATION NUMBER: 36,134
  REFERENCE/DOCKET NUMBER: 4-19361/A/BE
TELECOMMUNICATION INFORMATION:
  TELEPHONE: (908) 277-3318
  TELEFAX: (908) 277-4306
INFORMATION FOR SEQ ID NO: 8:
SEQUENCE CHARACTERISTICS:
  LENGTH:  767 amino acids
  TYPE: amino acid
  TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-446-777-8

alignment_scores:
         Quality:   142.00           Length:     120
           Ratio:     2.000             Gaps:       5
Percent Similarity:   59.167    Percent Identity: 29.167

alignment_block:
US-09-714-936-218 x US-08-446-777-8   ..

Align seg 1/1  to: US-08-446-777-8  from: 1  to: 767

  403 TGTGCCATAGTGTCAAACTCAGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
      |||||||:::|||||:::|||||::||||||||  :::|||::||||:::
  545 CysAlaValSerSerAlaGlySerLeuLysSerGlnLeuGlyAr 561

  453 TGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCCACCA 502
      :||||||||                    :: |||||||:::|||||||
  561 gGluIleAspAspHisAsnGlyAlaValLeuArgPheAsnGlyAlaProThrA 578

  503 AAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGTTGTGTCC 552
      :::|||||||||||:::||||||  |||   ||||||::::::||||:::
  578 laAsnPheGlnGlnAspValGlyThrLysThrThrIleArgLeuMetAsn 594

  553 CATACCAGCGTTCCTCTTTTGCTAAAAACCCTGATTATTTTTCAAGGA 602
      :::|||: :::   ::   |||:::|||::: ||| ||| 607
  595 SerGln..........LeuValThrThrGluLysArgPheLeuLysAs 607

  603 AGCG.....AATACTACTATTTGTGTTATTTGGGGACCT.......... 636
      :::  |||   ||| ::|||||||||||
  607 pSerLeuTyrAsnGluGlyIleLeuIleValTrpAspProSerValTyrH 624

  637 ...........TTCCCAAATGAGGAAAGATGGCAATGGC 666
      :::|||      ||| |||
  624 isSerAspIleProLysTrpTyrGlnAsn......ProAspTyrAsn... 637

  667 ATCGTTTACACACATGTTGAAAAAGACAGTTCGTATCTATCCGAATGCCCA 716
      ::|||    |||      :::|:::||||||
  638 ..PhePheAsnAsnTyrLysThrTyrArgLysLeuHisProAsnGlnPr 653

  717 AATATACGTG 726
      ::|||:::
  653 oPheTyrIle 656
```

seq_name: /cgn2_6/ptodata/2/1aa/6B_COMB.pep:US-09-334-601-20

seq_documentation_block:

```
Align seg 1/1 to: US-08-446-777-4 from: 1 to: 406

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||||:|:|||||||||:::||:|    :::::|::::|||:||:
184 CysAlaValSerSerAlaGlyLysSerLeuLysSerGlnLeuGlyAr 200

453 TGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCCACCA 502
    :|||||||||    :::::|||:|:||:::|||:||||||||
200 gGluIleAspPAspHisAspAlaValLeuArgPheAsnGlyAlaProThrA 217

503 AAGGTTATGAAGAAGATGTCGGCCGCGATGACCATGATTCGAGTTGTGTCC 552
    :::|||:|::|||||||||    |||  |||||:|:|::::::::
217 laAsnPheGlnGlnAspValGlyThrLysThrThrIleArgLeuMetAsn 233

553 CATACCAGCGGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    |||::    ::    |||:::|:||:
234 SerGln.........LeuValThrThrGluLysArgPheLeuLysAs 246

603 AGCG......AATACTACTATTTGTGTTATTTGGGGACCT.......... 636
    ::||    |||  :::::|||:|||  |||
246 pSerLeuTyrAsnGluGlyIleLeuIleValTrpAspProSerValTyrH 263

637 ..............TTCCGCAATATGAGGAAAGATGGCAATGGC 666
    ::::::|||    |||  ||
263 isSerAspIleProLysTrpTyrGlnAsn......ProAspTyrAsn... 276

667 ATCGTTTACAACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCA 716
    :::||    |||    ::::::::|||||
277 ..PhePheAsnAsnTyrLysThrTyrArgLysLeuHisProAsnGlnPr 292

717 AATATACGTG 726
    ::|||::
292 oPheTyrIle 295

seq_name: /cgn2_6/ptodata/2/iaa/5A_COMB.pep:US-08-446-777-6

seq_documentation_block:
; Sequence 6, Application US/08446777
; Patent No. 5641668
; GENERAL INFORMATION:
;   APPLICANT: Berger, Eric G.
;   APPLICANT: Watzele, Manfred
;   APPLICANT: Iwanow, Svetoslav X.
;   TITLE OF INVENTION: Proteins having glycosyltransferase
;   TITLE OF INVENTION: activity
;   NUMBER OF SEQUENCES: 8
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: CIBA-GEIGY Corporation
;     STREET: 520 White Plains Road
;     CITY: Tarrytown
;     STATE: NY
;     ZIP: 10591-9005
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: Floppy disk
;     COMPUTER: IBM PC compatible
;     OPERATING SYSTEM: PC-DOS/MS-DOS
;     SOFTWARE: PatentIn Release #1.0, Version #1.25 (EPO)
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/08/446,777
;     FILING DATE: May 26, 1995
;     CLASSIFICATION: 435
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: PCT/EP93/03194
;     FILING DATE: 15 NOV 93
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: EPO 92810924.8
;     FILING DATE: 27 NOV 92
;   ATTORNEY/AGENT INFORMATION:
;     NAME: Ferraro, Gregory D.
;     REGISTRATION NUMBER: 36,134
;     REFERENCE/DOCKET NUMBER: 4-19361/A/BE
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE: (908) 277-3318
```

```
;     TELEFAX: (908) 277-4306
; INFORMATION FOR SEQ ID NO: 6:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH: 767 amino acids
;     TYPE: amino acid
;     TOPOLOGY: linear
;     MOLECULE TYPE: protein
US-08-446-777-6

alignment_scores:
     Quality:     142.00        Length:     120
     Ratio:         2.000          Gaps:       5
Percent Similarity:  59.167    Percent Identity: 29.167

alignment_block:
US-09-714-936-218 x US-08-446-777-6

Align seg 1/1 to: US-08-446-777-6 from: 1 to: 767

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||||:|:|||||||||:::||:|    :::::|::::|||:||:
545 CysAlaValSerSerAlaGlySerLeuLysSerGlnLeuGlyAr 561

453 TGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCCACCA 502
    :|||||||||    :::::|||:|:||:::|||:||||||||
561 gGluIleAspPAspHisAspAlaValLeuArgPheAsnGlyAlaProThrA 578

503 AAGGTTATGAAGAAGATGTCGGCCGCGATGACCATGATTCGAGTTGTGTCC 552
    :::|||:|::|||||||||    |||  |||||:|:|::::::::
578 laAsnPheGlnGlnAspValGlyThrLysThrThrIleArgLeuMetAsn 594

553 CATACCAGCGGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    |||::    ::    |||:::|:||:
595 SerGln.........LeuValThrThrGluLysArgPheLeuLysAs 607

603 AGCG......AATACTACTATTTGTGTTATTTGGGGACCT.......... 636
    ::||    |||  :::::|||:|||  |||
607 pSerLeuTyrAsnGluGlyIleLeuIleValTrpAspProSerValTyrH 624

637 ..............TTCCGCAATATGAGGAAAGATGGCAATGGC 666
    ::::::|||    |||  ||
624 isSerAspIleProLysTrpTyrGlnAsn......ProAspTyrAsn... 637

667 ATCGTTTACAACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCA 716
    :::||    |||    ::::::::|||||
638 ..PhePheAsnAsnTyrLysThrTyrArgLysLeuHisProAsnGlnPr 653

717 AATATACGTG 726
    ::|||::
653 oPheTyrIle 656

seq_name: /cgn2_6/ptodata/2/iaa/5A_COMB.pep:US-08-446-777-8

seq_documentation_block:
; Sequence 8, Application US/08446777
; Patent No. 5641668
; GENERAL INFORMATION:
;   APPLICANT: Berger, Eric G.
;   APPLICANT: Watzele, Manfred
;   APPLICANT: Iwanow, Svetoslav X.
;   TITLE OF INVENTION: Proteins having glycosyltransferase
;   TITLE OF INVENTION: activity
;   NUMBER OF SEQUENCES: 8
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: CIBA-GEIGY Corporation
;     STREET: 520 White Plains Road
;     CITY: Tarrytown
;     STATE: NY
;     ZIP: 10591-9005
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: Floppy disk
;     COMPUTER: IBM PC compatible
```

```
           |||        :::::|||||||||  |||     |||
       237 ProGlnTrpTyrGlnLysProAspTyrAsnPhePheGlu 249

seq_name: /cgn2_6/ptodata/2/1aa/6B_COMB.pep:US-09-143-438-8

seq_documentation_block:
; Sequence 8, Application US/09143438
; Patent No. 6218161
; GENERAL INFORMATION:
;     APPLICANT: Shuichi TSUJI et al.
;     TITLE OF INVENTION: NOVEL SUGAR-CHAIN SYNTHETASE AND PROCESS FOR
;     TITLE OF INVENTION: PRODUCING THE SAME
;     NUMBER OF SEQUENCES: 8
;     CORRESPONDENCE ADDRESS:
;       ADDRESSEE: Wenderoth, Lind & Ponack, L.L.P.
;       STREET: 2033 K Street, N.W., #800
;       CITY: Washington
;       STATE: D.C.
;       COUNTRY: U.S.A.
;       ZIP: 20006
;     COMPUTER READABLE FORM:
;       MEDIUM TYPE: Diskette, 3.5 inch, 1.44 mb
;       COMPUTER: IBM Compatible
;       OPERATING SYSTEM: MS-DOS
;       SOFTWARE: Wordperfect 5.1
;     CURRENT APPLICATION DATA:
;       APPLICATION NUMBER: US/09/143,438
;       FILING DATE: August 28, 1998
;       CLASSIFICATION:
;     PRIOR APPLICATION DATA:
;       APPLICATION NUMBER: 08/666,367
;       FILING DATE: August 19, 1996
;     ATTORNEY/AGENT INFORMATION:
;       NAME: Warren M. Cheek, Jr.
;       REGISTRATION NUMBER: 33,367
;     REFERENCE/DOCKET NUMBER:
;     TELECOMMUNICATION INFORMATION:
;       TELEPHONE: 202-721-8200
;       TELEFAX: 202-721-8250
;       TELEX:
; INFORMATION FOR SEQ ID NO: 8:
;     SEQUENCE CHARACTERISTICS:
;       LENGTH: 376 amino acids
;       TYPE: amino acid
;       STRANDEDNESS: single
;       TOPOLOGY: linear
;     ORIGINAL SOURCE:
;       ORGANISM: mouse
US-09-143-438-8

alignment_scores:
                 Quality: 146.50        Length:    113
                   Ratio: 2.363           Gaps:      1
Percent Similarity: 54.867    Percent Identity: 28.319

alignment_block:
US-09-714-936-218 x US-09-143-438-8    ..

Align seg 1/1  to: US-09-143-438-8  from: 1  to: 376

352 GGATACATAAATGTGAAGACAACAAGACCCTTGCAACTGGACTGTGACCT 401
     |||||| ||  ::|||  ::  :||||                  ||
137 GlyTyrProLysGluThrPheArgThrLysAlaGlyProCysThrLy 153

402 TTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAA 451
     |||||:::||||||:::||||::|:  :::::::|||:::::|||:|||
153 sCysAlaValValSerSerAlaGlySerLeuLysAsnSerGlnLeuGlyA 170

452 ATGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCCACC 501
     :||||||||||::: :::::||||::||||:::|||:::||||||||
170 rgGluIleAspAsnHisAspAlaValLeuArgPheAsnGlyAlaProThr 186
```

```
502 AAAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGTTGTGTC 551
     ::::::::::|||||||  |||||||||||    |||||::::|||::
187 AspAsnPheGlnLeuGlnAspValGlyThrLysThrThrIleArgLeuValAs 203

552 C............                                        552
203 nSerGlnLeuValThrThrGluLysGlnPheLeuLysArgPheLeuLysAspSerLeuTyrT 220

553 .................CATACCAGCGTT 564
                     |||::::::::::
220 hrGluGlyIleLeuIleLeuTrpAspProSerValTyrHisAlaAspIle 236

565 CCTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGAA 603
     |||      :::|||||||  |||    |||
237 ProGlnTrpTyrGlnLysProAspTyrAsnPhePheGlu 249

seq_name: /cgn2_6/ptodata/2/1aa/5A_COMB.pep:US-08-446-777-4

seq_documentation_block:
; Sequence 4, Application US/08446777
; Patent No. 5641668
; GENERAL INFORMATION:
;     APPLICANT: Berger, Eric G.
;     APPLICANT: Watzele, Manfred
;     APPLICANT: Iwanow, Svetoslav X.
;     TITLE OF INVENTION: Proteins having glycosyltransferase
;     TITLE OF INVENTION: activity
;     NUMBER OF SEQUENCES: 8
;     CORRESPONDENCE ADDRESS:
;       ADDRESSEE: CIBA-GEIGY Corporation
;       STREET: 520 White Plains Road
;       CITY: Tarrytown
;       STATE: NY
;       ZIP: 10591-9005
;     COMPUTER READABLE FORM:
;       MEDIUM TYPE: Floppy disk
;       COMPUTER: IBM PC compatible
;       OPERATING SYSTEM: PC-DOS/MS-DOS
;       SOFTWARE: PatentIn Release #1.0, Version #1.25 (EPO)
;     CURRENT APPLICATION DATA:
;       APPLICATION NUMBER: US/08/446,777
;       FILING DATE: May 26, 1995
;       CLASSIFICATION: 435
;     PRIOR APPLICATION DATA:
;       APPLICATION NUMBER: PCT/EP93/03194
;       FILING DATE: 15 NOV 93
;     PRIOR APPLICATION DATA:
;       APPLICATION NUMBER: EPO 92810924.8
;       FILING DATE: 27 NOV 92
;     ATTORNEY/AGENT INFORMATION:
;       NAME: Ferraro, Gregory D.
;       REGISTRATION NUMBER: 36,134
;     REFERENCE/DOCKET NUMBER: 4-19361/A/BE
;     TELECOMMUNICATION INFORMATION:
;       TELEPHONE: (908) 277-3318
;       TELEFAX: (908) 277-4306
; INFORMATION FOR SEQ ID NO: 4:
;     SEQUENCE CHARACTERISTICS:
;       LENGTH: 406 amino acids
;       TYPE: amino acid
;       TOPOLOGY: linear
;     MOLECULE TYPE: protein
US-08-446-777-4

alignment_scores:
                 Quality: 142.00        Length:    120
                   Ratio: 2.000           Gaps:      5
Percent Similarity: 59.167    Percent Identity: 29.167    ..

alignment_block:
US-09-714-936-218 x US-08-446-777-4
```

```
; NUMBER OF SEQ ID NOS: 94
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 13
; LENGTH: 336
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-334-601-13

alignment_scores:
    Quality:   328.50           Length:      172
    Ratio:       2.761          Gaps:          2
Percent Similarity: 69.186      Percent Identity: 37.791

alignment_block:
US-09-714-936-218 x US-09-334-601-13

Align seg 1/1  to: US-09-334-601-13  from: 1 to: 336      .

289 CAACCTGGTACAAAGTGGATACCATTCCTACACATACAGGCGGCCC.. 336
    |||||:||::::::      ||| |||   :||||||||||||||||
 57 GlnProAlaAlaGlu..........SerSerThrGlnGlnArgProGl 69

337 ..........CTTCGAACTCACTATGGATACATAAATGTGAAGACAC 373
              |||       |||||::|::||:|                :
 69 yValProAlaGlyProArgProLeuAspGlyTyrLeuGlyValAlaAspH 86

374 AAGAGCCCTTGCAACTGGACTGCTGTGACCTTTGTGCCATAGTGTCAAACTCA 423
    ::||||||::::|:      ||| |||::||:|||:::::|||
 86 isLysProLeuLysMetHisCysArgAspCysAlaLeuValThrSerSer 102

424 GGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATGAGATCGATCCTCCTG 473
    |||   |||||:||::|||||||||||||:|||||
103 GlyHisLeuHisSerArgGlnGlySerGlnIleAspGlnThrGluCy 119

474 CATTTGGAGAATGAACAATGCCCCACCAAAGGTTATGAAGAAGATGTCG 523
    |:::   ||||||||:::|||||||   ::|||||||
119 sValIleArgMetAsnAspAlaProThrArgGlyTyrGlyArgAspValG 136

524 GCCGCATGACCATGATTCGAGTTGTGTCCCATACCAGCCTTCCTCTTTTG 573
    |||::    ||| |||  |:::|||     :::
136 lyAsnArgThrSerLeuArgValIleIleAlaHisSerSerIleGlnArgIle 152

574 CTAAAAAACCCTGATTATTTTTTCAAGGAAGCGAATACTACTATTGTGT 623
    |||:||::|      ::||: |||::|    :
153 LeuArgAsnArgHisAspLeuLeuAsnValSerGlnGlyThrValPheIl 169

624 TATTTGGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGGCATCGTTT 673
    :::|||||||||     |||||:||::||:|||    |||
169 ePheTrpGlyProSerSerTyrMetArgArgAspGlyLysGlyGlnValT 186

674 ACAACATGTTGAAAAGACAGTTGGTATCTATCCGAATGCCCAAATATAC 723
    ||||    |::||||:||   ||| :::
186 yrAsnAsnLeuHisLeuSerGlnValLeuProArgLeuLysAlaPhe 202

724 GTGACCACAGAGAAGGCATGCATGAGTACTGTGATGGAGTTTTTAAGAAGGA 773
    ::: |||:|||      ||||:
203 MetIleThrArgHisLysMetLeuGlnPheAspGluLeuPheLysGlnGl 219

774 AACTGGGAAGGACAGG 789
    ||||||||||||
219 uThrGlyLysAspArg 224
```

seq_name: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-666-367B-8

seq_documentation_block:
; Sequence 8, Application US/08666367B
; Patent No. 5854042
; GENERAL INFORMATION:
;   APPLICANT: Shuichi TSUJI et al.
;   TITLE OF INVENTION: NOVEL SUGAR-CHAIN SYNTHETASE AND PROCESS FOR
;   TITLE OF INVENTION: PRODUCING THE SAME
;   NUMBER OF SEQUENCES: 8

```
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Wenderoth, Lind & Ponack
;     STREET: 805 Fifteenth Street, N.W., #700
;     CITY: Washington
;     STATE: D.C.
;     COUNTRY: U.S.A.
;     ZIP: 20005
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: Diskette, 3.5 inch, 1.44 mb
;     COMPUTER: IBM Compatible
;     OPERATING SYSTEM: MS-DOS
;     SOFTWARE: Wordperfect 5.1
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/08/666,367B
;     FILING DATE: August 19, 1996
;     CLASSIFICATION: 435
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER:
;     FILING DATE:
;   ATTORNEY/AGENT INFORMATION:
;     NAME: Warren M. Cheek, Jr.
;     REGISTRATION NUMBER: 33,367
;     REFERENCE/DOCKET NUMBER:
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE: 202-371-8850
;     TELEFAX:
;     TELEX:
; INFORMATION FOR SEQ ID NO: 8:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH: 376 amino acids
;     TYPE: amino acid
;     STRANDEDNESS: single
;     TOPOLOGY: linear
;   ORIGINAL SOURCE:
;     ORGANISM: mouse
US-08-666-367B-8

alignment_scores:
    Quality:   146.50           Length:      113
    Ratio:       2.363          Gaps:          1
Percent Similarity: 54.867      Percent Identity: 28.319

alignment_block:
US-09-714-936-218 x US-08-666-367B-8               .

Align seg 1/1  to: US-08-666-367B-8  from: 1 to: 376

352 GGATACATAAATGTGAAGACACCAAGAGCCTTTGCAACTGGACTGTGACCT 401
    ||||||::||       :::||| ||
137 GlyTyrLeuProLysGluThrPheArgThrLysAlaGlyProCysThrIy 153

402 TTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAA 451
    ::|||:::|||:|:||||||||||::|||:::||||
153 sCysAlaValSerSerAlaGlySerGlnLeuLysAsnSerGlnLeuGlyA 170

452 ATGAGATAGATCGATCCTCCTGCCATTTGGAGAATGAACAATGCCCCACC 501
    ::|||||||||:::      :::||||:::|||:::|||||||||
170 rgGluIleAspAsnHisAspAlaValLeuArgPheAsnGlyAlaProThr 186

502 AAAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTC 551
    ::||||||||::|||||||     ||| :::||:
187 AspAsnPheGlnLeuAspValGlyThrIyThrIleArgLeuValIAs 203

552 C.............................................. 552
553 .............................................. 553
203 nSerGlnLeuValThrThrGluLysArgPheLeuLysAspSerLeuTyrT 220

                                        CATACCAGCCGTT 564
220 hrGluGlyIleLeuIleLeuTrpAspProSerValTyrHisAlaAspIle 236

565 CCTCTTTTGCTAAAAAACCCTGATTATTTTTTCAAGGAA 603
```

OM of: US-09-714-936-218 to: Issued_Patents_AA:*   out_format : pfs

Date: May 7, 2002 5:02 PM

About: Results were produced by the GenCore software, version 4.5,
       Copyright (c) 1993-2000 Compugen Ltd.

Command line parameters:
 -MODEL=frame+_n2p.model -DEV=xlh
 -Q=/cgn2_1/USPTO_spool/US0971914936/runat_07052002_093906_24995/app_query.fasta_1.1375
 -DB=Issued_Patents_AA -QFMT=fastan -SUFFIX=rai -GAPOP=12.000
 -GAPEXT=4.000 -MINMATCH=0.100 -LOOPCL=0.000 -LOOPEXT=0.000
 -QGAPOP=4.500 -QGAPEXT=0.050 -XGAPOP=10.000 -XGAPEXT=0.500
 -FGAPOP=6.000 -FGAPEXT=7.000 -YGAPOP=10.000 -YGAPEXT=0.500
 -DELOP=6.000 -DELEXT=7.000 -START=1 -MATRIX=blosum62
 -TRANS=human40.cdl -LIST=100 -DOCALIGN=200 -THR_SCORE=pct
 -THR_MAX=100 -THR_MIN=0 -ALIGN=45 -MODE=LOCAL -OUTFMT=pfs
 -NORM=ext -HEAPSIZE=500 -MINLEN=0 -MAXLEN=2000000000
 -USER=US09714936 @CGN1_1.25 -NCPU=6 -ICPU=3 -LONGLOG
 -DEV_TIMEOUT=120 -WARN_TIMEOUT=30 -NO_XLPXY -WAIT -THREADS=1

Search information block:
Query: US-09-714-936-218
Query length: 1294
Database: Issued_Patents_AA:*
Database sequences: 231628
Database length: 24425594
Search time (sec): 32.870000

score_list:

Sequence	Strd	Orig	ZScore	EScore	Len	Documentation
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-13	+	328.50	638.40	1.3e-28	336	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-666-367B-8	+	146.50	265.81	6.8e-08	376	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-143-438-8	+	146.50	265.81	6.8e-08	376	!
/cgn2_6/ptodata/2/iaa/5A_COMB.pep:US-08-446-777-4	+	142.00	255.70	2.3e-07	406	!
/cgn2_6/ptodata/2/iaa/5A_COMB.pep:US-08-446-777-6	+	142.00	247.96	3.3e-07	767	!
/cgn2_6/ptodata/2/iaa/5A_COMB.pep:US-08-446-777-8	+	142.00	247.96	3.3e-07	767	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-20	+	141.50	273.03	1.1e-07	90	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-21	+	141.50	273.03	1.1e-07	90	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-10	+	140.50	255.20	3.0e-07	329	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-22	+	138.50	266.91	2.5e-07	90	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-102-385G-18	+	138.50	250.72	5.2e-07	340	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-446-875-10	+	137.50	247.49	7.1e-07	375	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-08-446-875-16	+	135.50	244.60	1.1e-06	340	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-446-875-4	+	135.50	243.44	1.2e-06	374	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-08-446-875-2	+	135.50	243.44	1.2e-06	384	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-102-385G-10	+	134.50	241.08	1.4e-06	90	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-26	+	133.50	256.71	9.1e-07	333	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-309-985-2	+	129.50	232.62	5.4e-06	343	!
/cgn2_6/ptodata/2/iaa/5A_COMB.pep:US-08-446-875-2	+	125.50	224.10	1.6e-05	343	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-102-385G-2	+	125.50	224.10	1.6e-05	343	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-29	+	124.00	238.09	9.7e-06	92	!
/cgn2_6/ptodata/2/iaa/5A_COMB.pep:US-08-626-994A-3	+	124.00	221.18	2.3e-05	339	!
/cgn2_6/ptodata/2/iaa/6A_COMB.pep:US-08-957-742-3	+	124.00	221.18	2.3e-05	339	!
/cgn2_6/ptodata/2/iaa/5A_COMB.pep:US-08-626-994A-1	+	124.00	220.32	2.4e-05	364	!
/cgn2_6/ptodata/2/iaa/6A_COMB.pep:US-08-957-742-1	+	124.00	220.32	2.4e-05	364	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-24	+	123.00	235.29	1.4e-05	90	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-19	+	123.00	235.03	1.4e-05	92	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-23	+	123.00	235.03	1.4e-05	92	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-17	+	122.00	233.25	1.8e-05	90	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-102-385G-14	+	122.00	232.99	1.9e-05	92	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-102-385G-30	+	121.00	237.21	1.8e-05	55	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-4	+	120.00	229.17	3.1e-05	90	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-102-385G-29	+	119.00	229.03	3.7e-05	77	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-9	+	119.00	208.55	9.5e-05	414	!
/cgn2_6/ptodata/2/iaa/5A_COMB.pep:US-07-991-587A-7	+	118.50	210.33	9.6e-05	329	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-309-985-7	+	118.50	210.33	9.6e-05	329	!
/cgn2_6/ptodata/2/iaa/6A_COMB.pep:US-07-991-587A-1	+	118.50	210.22	9.6e-05	332	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-102-385G-12	+	118.50	210.22	9.6e-05	332	!

Sequence	Strd	Orig	ZScore	EScore	Len	Documentation
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-102-385G-16	+	118.00	231.09	4.0e-05	55	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-28	+	117.50	223.81	6.1e-05	92	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-068-655-9	+	116.50	207.79	0.0002	290	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-666-367B-7	+	116.50	203.75	0.0002	404	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-143-438-7	+	116.50	203.75	0.0002	404	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-09-068-655-13	+	116.00	206.81	0.0002	289	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-102-385G-29	+	115.00	220.88	0.0001	77	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-102-385G-15	+	114.00	222.93	0.0001	55	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-2	+	112.50	195.18	0.005	418	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-08-666-367B-6	+	112.00	196.15	0.005	355	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-143-438-6	+	112.00	196.15	0.005	355	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-27	+	110.50	209.53	0.0004	92	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-14	+	110.50	209.40	0.0004	93	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-15	+	110.50	209.40	0.0004	93	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-30	+	110.00	208.51	0.0004	92	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-666-367B-5	+	110.00	186.39	0.0012	566	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-143-438-5	+	110.00	186.39	0.0012	566	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-16	+	109.50	207.36	0.0005	93	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-102-385G-27	+	106.00	206.62	0.0009	55	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-446-875-14	+	100.00	177.39	0.0097	222	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-102-385G-28	+	99.00	192.34	0.0058	55	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-102-385G-17	+	97.00	188.26	0.0097	55	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-446-875-8	+	90.00	150.61	0.1780	375	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-08-446-875-8	+	90.00	150.61	0.1780	375	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-718-388-7	+	88.50	124.00	0.7810	2594	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-08-718-388-9	+	88.50	115.06	1.18	5405	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-543-246B-9	+	87.00	151.21	0.2862	216	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-08-543-246B-24	+	87.00	151.21	0.2862	216	!
/cgn2_6/ptodata/2/iaa/5A_COMB.pep:US-08-503-133A-2	+	87.00	145.02	0.3807	359	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-08-576-775A-2	+	87.00	145.02	0.3807	359	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-972-498-2	+	87.00	145.02	0.3807	359	!
/cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-08-899-545-2	+	87.00	145.02	0.3807	359	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-231-193A-54	+	86.50	129.16	0.8603	1214	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-486-273A-54	+	86.50	129.16	0.8603	1214	!
/cgn2_6/ptodata/2/iaa/6A_COMB.pep:US-08-480-474-54	+	86.50	129.16	0.8603	1214	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-940-086A-54	+	86.50	129.16	0.8603	1214	!
/cgn2_6/ptodata/2/iaa/6A_COMB.pep:US-08-940-035A-54	+	86.50	129.16	0.8603	1214	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-231-193A-50	+	86.50	129.11	0.8623	1219	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-486-273A-50	+	86.50	129.11	0.8623	1219	!
/cgn2_6/ptodata/2/iaa/6A_COMB.pep:US-08-480-474-50	+	86.50	129.11	0.8623	1219	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-940-086A-50	+	86.50	129.11	0.8623	1219	!
/cgn2_6/ptodata/2/iaa/6A_COMB.pep:US-08-940-035A-50	+	86.50	129.11	0.8623	1219	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-231-193A-48	+	86.50	129.00	0.8670	1231	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-486-273A-48	+	86.50	129.00	0.8670	1231	!
/cgn2_6/ptodata/2/iaa/6A_COMB.pep:US-08-480-474-48	+	86.50	129.00	0.8670	1231	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-940-086A-48	+	86.50	129.00	0.8670	1231	!
/cgn2_6/ptodata/2/iaa/6A_COMB.pep:US-08-940-035A-48	+	86.50	129.00	0.8670	1231	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-231-193A-6	+	86.50	128.95	0.8690	1236	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-486-273A-6	+	86.50	128.95	0.8690	1236	!
/cgn2_6/ptodata/2/iaa/6A_COMB.pep:US-08-480-474-6	+	86.50	128.95	0.8690	1236	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-940-086A-6	+	86.50	128.95	0.8690	1236	!
/cgn2_6/ptodata/2/iaa/6A_COMB.pep:US-08-940-035A-6	+	86.50	128.95	0.8690	1236	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-231-193A-52	+	86.50	128.92	0.8702	1239	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-486-273A-52	+	86.50	128.92	0.8702	1239	!
/cgn2_6/ptodata/2/iaa/6A_COMB.pep:US-08-480-474-52	+	86.50	128.92	0.8702	1239	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-940-086A-52	+	86.50	128.92	0.8702	1239	!
/cgn2_6/ptodata/2/iaa/6A_COMB.pep:US-08-940-035A-52	+	86.50	128.92	0.8702	1239	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-231-193A-46	+	86.50	128.87	0.8722	1244	!
/cgn2_6/ptodata/2/iaa/5B_COMB.pep:US-08-486-273A-46	+	86.50	128.87	0.8722	1244	!
/cgn2_6/ptodata/2/iaa/6A_COMB.pep:US-08-480-474-46	+	86.50	128.87	0.8722	1244	!

seq_name: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:US-09-334-601-13

seq_documentation_block:
; Sequence 13, Application US/09334601
; Patent No. 6280989
; GENERAL INFORMATION:
;   APPLICANT: Kapitonov, Dmitri
;   APPLICANT: Yu, Robert
;   TITLE OF INVENTION: NOVEL SIALYLTRANSFERASES
;   FILE REFERENCE: VCUIP-6
;   CURRENT APPLICATION NUMBER: US/09/334,601
;   CURRENT FILING DATE: 1999-06-17

```
CDS
              /db_xref="taxon:9606"
              /clone="MGC:14252 IMAGE:4128833"
              /tissue_type="Brain, neuroblastoma"
              /clone_lib="NIH_MGC_19"
              /lab_host="DH10B-R"
              /note="Vector: pOTB7"
              129..1130
              /codon_start=1
              /product="Similar to sialytransferase 7
              ((alpha-N-acetylneuraminyl
              2,3-betagalactosyl-1,3)-N-acetyl galactosaminide
              alpha-2,6-sialytransferase) F"
              /protein_id="AAH07802.1"
              /db_xref="GI:14043663"
              /translation="MACSRPPSQCEPTSLPPGPGPPAGRRHLPLSRRREMSSNKEQRSA
              VFVLFALITILILYSSNSANEVFHYGSLRGRSRRPVNLKKWSITDGYVPILGNKTLP
              SRCHQCVIVSSSHLLGTKLGPEIERAECTIRMNDAPTTGYSADVGNKTTYRVVAHSS
              VFRVLRRPQEFVNRTPETVFIFWGPPSKMQKPQGSLVRVIORAGLVFPNMEAYAVSPG
              RMRQFDDLFRGETGKDREKSHSWLSTGWFTMVIAVELCDHVHVYGMVPPNYCSQRPRL
              QRMPYHYEPKGPDECVTYIQNEHSRKGNHHRFITEKRVFSSWAQLYGITFSHPSWT"
BASE COUNT    473 a    721 c    725 g    506 t
ORIGIN

Query Match         6.4%;    Score 82.6;  DB 9;   Length 2425;
Best Local Similarity  52.1%;    Pred. No. 6.8e-12;
Matches  209;  Conservative   0;  Mismatches 189;  Indels    3;  Gaps    1;

Qy   394  tgtgaccttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat  453
          || ||  |||| |||| | ||| ||||||| | |  ||| ||| ||   |||| ||| |||
Db   441  TGCCACCAGTGTGTGATTGTCAGCAGCTCCAGCCACCTGCTGGGCACCAAGCTGGGCCCT  500

Qy   454  gagatagatcgatcctctgcatttggagatgaacaatgccccaccaaaggttatgaa    513
          ||||| ||  |||  |  |  || |||||||| |||| |||||||| ||||  || |||
Db   501  GAGATCGAGCGGGCTGAGTGTACAATCCGATGAATGATGCACCCACCACTGGCTACTCA  560

Qy   514  gaagatgtcggccgcatgaccatgatcgagttgtgtccataccagcgttcctctttg  573
          ||||| || || || |  || | |  ||| | ||  ||| | |||||  |  ||| |
Db   561  GCTGATGTGGGCAACAAGACCACCTACCGCGTCGTGGCCCATTCCAGTGTGTTCCGCGTG  620

Qy   574  ctaaaaaccctgattattttttcaaggaagcgaatactacttattgtgttattggggga  633
          || || |  ||| |||  |  || ||||  ||| | ||  ||  | || ||| |||||
Db   621  CTGAGGAGGCCCCAGGAGTTTGTCAACCGACCCCTGAAACCGTGTTCATCTTCTGGGGG  680

Qy   634  cctttccgcaatatgaggaaagatggcaatggcatcgttacaacatgttgaaaaagaca  693
          || |  ||| |||| ||  || |  ||||   || | |  |  ||  || ||||| ||
Db   681  CCCCCAGGCAAGATGCAGA---AGCCCCAGGGCAGCCTTCGTGCGTGTGATCCAGGCAGCG  737

Qy   694  gttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgt  753
          ||||| |  | |  | || | ||| | | || |||||  ||||| ||  ||| || |||
Db   738  GGCCTGGTGTTCCCCAACATGGAAGCATATGCCGTTCTCCCCGGCCATGCGGCAATTT  797

Qy   754  gatggagttttaagaggaaactggaaggacagggggca  794
          ||| | ||  ||| |||  | ||||  ||||||| |||
Db   798  GACGACCTCTTCCGGGGTGAGACGGGCAAGGACAGGGAGAA  838

Search completed: May 7, 2002, 17:13:22
Job time: 6908 sec
```

```
Db    518  GAGATCGAGCGGGCTGAGTGTACAATCCGCATGAATGAGCCACCCAGCGTTCTCTTTTg  573
           ||||| || |||  |||| ||||| | || ||||||| ||||||| |||||||| |||
Qy    514  gagatcgcggccgcatgaccatgtccaatctatttgtctcatta...

Db    564  CTGAGGAGGCCCCAGGAGTTTGTCAACCGGACCCCTGAAACCGTGTTCATCTTCTGGGGG  623
```

```
Db    518  GAGATCGAGCGGGCTGAGTGTACAATCCGCATGAATGAGCCACCCAGCGTTCTCTACTCA  577
           ||||| || ||| |||| ||||| | || |||||||||||||| |||||||  | ||
Qy    514  gagatcgcggccgcatgaccatgtccaatctatttgtctcatta  573
           |||| | ||||| |  ||  | | |||| || ||||| |
Db    578  GCTGATGTGGGCAACAAGACCACCTACCGGCGTGCGCCCATTCCAGTGTGTTCCGCGTG  637

Qy    574  ctaaaaaccctgattatttttcaaggaagcggaatactactatttgtgttattggga  633
           || ||  ||| ||  ||| |||| | ||| |  ||  |  ||||| |  ||| ||
Db    638  CTGAGGAGGCCCCAGGAGTTTGTCAACCGGACCCCTGAAACCGTGTTCATCTTCTGGGGG  697

Qy    634  ccttccgcaatatgaggaaagatgggaaggacggacgggggca  794
           ||||| ||||| |||| ||| ||||||||  ||| || |||| |
Db    698  CCCCCAGGGACAAGCAATGCAGA---AGCCCCAGGGCAGCCTCGTGCGTGTGATCCAGGACG  754

Qy    694  gttggtatctatccgaatgccaaatatacgtgaccacagagaagcgcatgagttactgt  753
           ||||||| | ||||  | || ||||||| || |||| | | ||||||| | |||| ||
Db    755  GGCCTGCTGTTCCCAACATGGAAGCATATGCCGCTCTCCCGGCCGCATGCGGCAATTT  814

Qy    754  gatggagttttaagaaggaaactgggaaggacaggggggca  794
           | |||  |||| || ||||| || ||| ||||  | ||||||
Db    815  GACGACCTCTTCCGGGGTGAGACGGGCAAGGACAGGAGGAGAA  855
```

RESULT 45
BC007802
LOCUS   BC007802   2425 bp   mRNA   linear   PRI 12-JUL-2001
DEFINITION Homo sapiens, Similar to sialyltransferase 7
            ((alpha-N-acetylneuraminyl 2,3-betagalactosyl-1,3)-N-acetyl
            galactosaminide alpha-2,6-sialyltransferase) F, clone MGC:14252
            IMAGE:4128833, mRNA, complete cds.
ACCESSION   BC007802
VERSION   BC007802.1 GI:14043662
KEYWORDS   MGC.
SOURCE   human.
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 2425)
  AUTHORS   Strausberg,R.
  TITLE   Direct Submission
  JOURNAL   Submitted (11-MAY-2001) National Institutes of Health, Mammalian
            Gene Collection (MGC), Cancer Genomics Office, National Cancer
            Institute, 31 Center Drive, Room 11A03, Bethesda, MD 20892-2590,
            USA
REMARK   NIH-MGC Project URL: http://mgc.nci.nih.gov
COMMENT   Contact: MGC help desk
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: ATCC
            cDNA Library Preparation: Rubin Laboratory
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: National Institutes of Health Intramural
            Sequencing Center (NISC),
            Gaithersburg, Maryland;
            Web site: http://www.nisc.nih.gov/
            Contact: nisc_mgc@nhgri.nih.gov
            Shevchenko,Y., Wetherby,K.D., Beckstrom-Sternberg,S.M.,
            Benjamin,B., Blakesley,R.W., Bouffard,G.G., Brinkley,C., Brooks,S.,
            Dietrich,N.L., Guan,X., Gupta,J., Ho,S.-L., Karlins,E., Legaspi,R.,
            Lim,M., Maduro,Q.L., Masiello,C., Mastrian,S.D., McCloskey,J.C.,
            McDowell,J., Pearson,R., Snyder,B., Stantripop,S., Thomas,P.J.,
            Tiongson,E.E., Touchman,J.W., Tsurgeon,C., Vogt,J.L., Walker,M.A.,
            Zhang,L.-H. and Green,E.D.
            Clone distribution: MGC clone distribution information can be found
            through the I.M.A.G.E. Consortium/LLNL at: http://image.llnl.gov
            Series: IRAL Plate: 20 Row: g Column: 17
            This clone was selected for full length sequencing because it
            passed the following selection criteria: Hexamer frequency ORF
            analysis, Similarity but not identity to protein.
FEATURES   Location/Qualifiers
     source   1..2425
                     /organism="Homo sapiens"
```

RESULT 44
AK057100
LOCUS   AK057100   2424 bp   mRNA   linear   PRI 31-OCT-2001
DEFINITION Homo sapiens cDNA FLJ32538 fis, clone SMINT2000454, highly similar
            to CMP-NeuAC:(beta)-N-acetylgalactosaminide.
ACCESSION   AK057100
VERSION   AK057100.1 GI:16552686
KEYWORDS   oligo capping; fis (full insert sequence).
SOURCE   Homo sapiens small intestine cDNA to mRNA, clone_lib:SMINT2
            clone:SMINT2000454.
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (sites)
  AUTHORS   Kawakami,B., Sugiyama,A., Takemoto,M., Sugiyama,T., Irie,R.,
            Otsuki,T., Sato,H., Wakamatsu,A., Ishii,S., Yamamoto,J., Isono,Y.,
            Kawai-Hio,Y., Saito,K., Nishikawa,T., Kimura,K., Yamashita,H.,
            Matsuo,K., Nakamura,Y., Sekine,M., Kikuchi,H., Kanda,K.,
            Wagatsuma,M., Murakawa,K., Kanehori,K., Takahashi-Fujii,A.,
            Oshima,A., Suzuki,Y., Sugano,S., Nagahari,K., Masuho,Y., Nagai,K.
            and Isogai,T.
  TITLE   NEDO human cDNA sequencing project
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 2424)
  AUTHORS   Isogai,T., Otsuki,T. and Sugiyama,T.
  TITLE   Direct Submission
  JOURNAL   Submitted (24-OCT-2001) Takao Isogai, Helix Research Institute,
            Genomics Laboratory; 1532-3 Yana, Kisarazu, Chiba 292-0812, Japan
            (E-mail:genomics@hri.co.jp, Tel:81-438-52-3951, Fax:81-438-52-3952)
COMMENT   NEDO human cDNA sequencing project supported by Ministry of
            Economy, Trade and Industry of Japan; cDNA full insert sequencing:
            Research Association for Biotechnology (RAB) cDNA library
            construction: Helix Research Institute (HRI) (supported by Japan
            Key Technology Center etc.); 5'- & 3'-end one pass sequencing: RAB,
            HRI, and Biotechnology Center, National Institute of Technology and
            Evaluation: clone selection for full insert sequencing: RAB and
            HRI.
FEATURES   Location/Qualifiers
     source   1..2424
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="SMINT2000454"
                     /tissue_type="small intestine"
                     /clone_lib="SMINT2"
                     /note="cloning vector: pME18SFL3"
BASE COUNT   465 a   724 c   715 g   520 t
ORIGIN

Query Match   6.4%; Score 82.6; DB 9; Length 2424;
Best Local Similarity   52.1%; Pred. No. 6.8e-12;
Matches 209; Conservative   0; Mismatches 189; Indels   3; Gaps   1;

Qy   394 tgtgacccttgtccatagtgtcaaactcaggtcagatggtggccagaaggtgggaaat 453
           || ||| | ||||| ||| | | | |||| |||| ||| ||| | | |||||
Db   458 TGCCACCAGTGTGTGATTGTCAGCAGTGTCCACCGCCAGCCCTGCTGGCCACCAAGCTGGGGCCCT 517

Qy   454 gagatagatcgatcctcctgcattggagaatgaacaatgcccccaccaaaggttatgaa 513
```

DEFINITION    Homo sapiens cDNA FLJ13838 fis, clone THYRO1000756, weakly similar
              to ALPHA-N-ACETYLGALACTOSAMINIDE ALPHA-2,6-SIALYLTRANSFERASE (EC
              2.4.99.-).
ACCESSION     AK023900
VERSION       AK023900.1  GI:10435975
KEYWORDS      oligo capping; fis (full insert sequence).
SOURCE        Homo sapiens thyroid gland cDNA to mRNA, clone_lib:THYRO1
              clone:THYRO1000756.
ORGANISM      Homo sapiens
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE     1  (sites)
AUTHORS       Isogai,T., Ota,T., Hayashi,K., Sugiyama,T., Otsuki,T., Suzuki,Y.,
              Nishikawa,T., Nagai,K., Sugano,S., Takahashi-Fujii,A., Hara,H.,
              Tanase,T., Nomura,Y., Togiya,S., Komai,F., Hara,R., Takeuchi,K.,
              Arita,M., Nabekura,T., Ishii,S., Kawai,Y., Saito,K., Yamamoto,J.,
              Wakamatsu,A., Nakamura,Y., Nagahari,K., Masuho,Y. and Oshima,A.,
              NEDO human cDNA sequencing project
TITLE         Unpublished (2000)
JOURNAL
REFERENCE     2  (bases 1 to 2350)
AUTHORS       Isogai,T. and Otsuki,T.
TITLE         Direct Submission
JOURNAL       Submitted (23-AUG-2000) Takao Isogai, Helix Research Institute,
              Genomics Laboratory; 1532-3 Yana, Kisarazu, Chiba 292-0812, Japan
              (E-mail:genomics@hri.co.jp; Tel:81-438-52-3951, Fax:81-438-52-3952)
COMMENT       NEDO human cDNA sequencing project supported by Ministry of
              International Trade and Industry of Japan; cDNA full insert
              sequencing; Research Association for Biotechnology; cDNA library
              construction, 5'- & 3'-end one pass sequencing and clone selection:
              Helix Research Institute (supported by Japan Key Technology Center
              etc.) and Department of Virology, Institute of Medical Science,
              University of Tokyo.
FEATURES             Location/Qualifiers
     source          1..2350
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="THYRO1000756"
                     /tissue_type="thyroid gland"
                     /clone_lib="THYRO1"
                     /note="cloning vector: pME18SFL3"
     CDS             174..1073
                     /note="unnamed protein product"
                     /codon_start=1
                     /protein_id="BAB14715.1"
                     /db_xref="GI:10435976"
                     /translation="MSSNKEQRSAVFVILFALITILILYSSNANEVFHYGSLRGRSR
                     RPVNLKKWSITDGYVPILGNKTLPSRCHQCVIVSSSSHLLGTKLGPEIERAECTIRMN
                     DAPTTGYSADVGNKTTYRVAHSSVFRVLRRPQEFVNRTPETVFIFWGPFSKMQKPQG
                     SLVRVIQRAGLVFPNMEAYAVSPGRMRQFDDLFRGETGKDREKSHSWLSTGWFTVIA
                     VELCDHVHVYGMVPPNYCSQRPRLQRMPYHYYEPKGPDECVTIYQNEHSRKGNHHRFI
                     TEKRVFSSWAQLYGITFSHPSWT"
BASE COUNT      440 a    706 c    706 g    498 t
ORIGIN

Query Match          6.4%;   Score 82.6;  DB 9;  Length 2350;
Best Local Similarity 52.1%;   Pred. No. 6.8e-12;
Matches  209;   Conservative   0;  Mismatches  189;  Indels   3;  Gaps   1;

Qy    394 tgtgacctttgtgccatagtgtcaaactcagtcagatggttggccagaaggtggcagaaggtggcagaagtggcagaagtggaaat 453
          ||||||||||||||||| || | ||||| ||||||||||||| ||||||| ||||||| |||||||||||||
Db    384 TGCCACCAGTGTGTGATTGTCAGCAGCTCCAGCCTGCTGGGCACCAACCTGGGCCCT 443

Qy    454 gagatagatcgatcctcctgcatttggagaatgaacaatgcccccaccaaaggttatgaa 513
          ||||| ||||| |  | || || ||| || | |   |||||||||||| ||||||
Db    444 GAGATCGAGCGGGGCTGAGTGTACAATCCGCATGAATGACGCACCCACCACCTGGCTACTCA 503

Qy    514 gaagatgtcggccgcatgaccatgattgagttgtgtcccatacccagcgttcctctttg 573
          |||||| |||||   |   || ||||||  | | ||   ||  ||||   ||| ||||
Db    504 GCTGATGTGGGCAACAAGACCACCTACCGCTCGTGGTGGCCCATTCCAGTGTGTTCCGCGTG 563

Qy    574 ctaaaaaccctgattatttttcaaggaagcgaatactatttgttgttattggga 633
          ||  | |  |||| |  | |||  ||||    |  | || |||  |||| |||||
Db    574 ctaaaaaccctgattatttttcaaggaagcgaatactatttgttgttattgggga 633

RESULT 43
AK023900
LOCUS       AK023900             2350 bp    mRNA        linear    PRI 29-SEP-2000

```
*      94499   104139: contig of 9641 bp in length
*     104140   104239: gap of unknown length
*     104240   113608: contig of 9369 bp in length
*     113609   113708: gap of unknown length
*     113709   114866: contig of 1158 bp in length
*     114867   114966: gap of unknown length
*     114967   128022: contig of 13056 bp in length
*     128023   128122: gap of unknown length
*     128123   139097: contig of 10975 bp in length
*     139098   139197: gap of unknown length
*     139198   149544: contig of 10347 bp in length
*     149545   149644: gap of unknown length
*     149645   162226: contig of 12582 bp in length
*     162227   162326: gap of unknown length
*     162327   178058: contig of 15732 bp in length
*     178059   178158: gap of unknown length
*     178159   195531: contig of 17373 bp in length
*     195532   195631: gap of unknown length
*     195632   196744: contig of 1113 bp in length
*     196745   196844: gap of unknown length
*     196845   198567: contig of 1723 bp in length
*     198568   198667: gap of unknown length
*     198668   200798: contig of 2131 bp in length
*     200799   200898: gap of unknown length
*     200899   202307: contig of 1409 bp in length
*     202308   202407: gap of unknown length
*     202408   203812: contig of 1405 bp in length.

FEATURES          Location/Qualifiers
     source        1..203812
                   /organism="Homo sapiens"
                   /db_xref="taxon:9606"
                   /chromosome="1"
                   /clone="RP11-627E4"
     misc_feature  1..2006
                   /note="assembly_name:Contig10"
     misc_feature  2107..4788
                   /note="assembly_name:Contig11"
     misc_feature  4889..7839
                   /note="assembly_name:Contig12"
     misc_feature  7940..11627
                   /note="assembly_name:Contig13"
     misc_feature  11728..16118
                   /note="assembly_name:Contig14"
     misc_feature  16219..19679
                   /note="assembly_name:Contig15"
     misc_feature  19780..23680
                   /note="assembly_name:Contig16"
     misc_feature  23781..28919
                   /note="assembly_name:Contig17"
     misc_feature  29020..33880
                   /note="assembly_name:Contig18"
     misc_feature  33981..39616
                   /note="assembly_name:Contig19"
     misc_feature  39717..46646
                   /note="assembly_name:Contig20"
     misc_feature  46747..52566
                   /note="assembly_name:Contig21"
     misc_feature  52667..59318
                   /note="assembly_name:Contig22"
     misc_feature  59419..65916
                   /note="assembly_name:Contig23"
     misc_feature  66017..72318
                   /note="assembly_name:Contig24"
     misc_feature  72419..80778
                   /note="assembly_name:Contig27"
     misc_feature  80879..86913
                   /note="assembly_name:Contig25"
     misc_feature  87014..94398
                   /note="assembly_name:Contig26"
     misc_feature  94499..104139
                   /note="assembly_name:Contig28"
     misc_feature  104240..113608
                   /note="assembly_name:Contig29"
     misc_feature  113709..114866
                   /note="assembly_name:Contig3"
     misc_feature  114967..128022
                   /note="assembly_name:Contig10"
     misc_feature  128123..139097
                   /note="assembly_name:Contig31"
     misc_feature  139198..149544
                   /note="assembly_name:Contig32"
     misc_feature  149645..162226
                   /note="assembly_name:Contig33"
     misc_feature  162327..178058
                   /note="assembly_name:Contig34"
     misc_feature  178159..195531
                   /note="assembly_name:Contig35"
     misc_feature  195632..196744
                   /note="assembly_name:Contig4"
     misc_feature  196845..198567
                   /note="assembly_name:Contig5"
     misc_feature  198668..200798
                   /note="assembly_name:Contig7"
     misc_feature  200899..202307
                   /note="assembly_name:Contig8"
     misc_feature  202408..203812
                   /note="assembly_name:Contig9"
BASE COUNT    62850 a  38041 c  38166 g  61646 t   3109 others
ORIGIN

Query Match          6.4%;  Score 83.4;  DB 2;  Length 203812;
Best Local Similarity  50.1%;  Pred. No. 7.5e-12;
Matches  207;  Conservative  0;  Mismatches  206;  Indels  0;  Gaps  0;

Qy   377 agcctttgcaactgactgtgaccctttgtgccatagtgtcaaactcaggtcagatggttg 436
         |||| |  || ||| ||| || |   ||||| |||| | ||| | |||||| || ||
Db 113059 AGCCCCTGAAAATGCACTGCAGGGACGTGTCCCCTGGTGACCAGCTCAGGCATCTGCTGC 113000

Qy   437 gccagaaggtgggaaatgagatagatcgatcctccgcatttggagaatgaacaatgccc 496
         ||||| ||  | |||  |    ||| | | | || || |  |||||
Db 112999 ACAGTCGGCAAGGCTCCCAGATTGACCAGACAGAGTGTGTCATCCGCATGAATGACGCGCC 112940

Qy   497 ccaccaaggttatgaagaagatgcggcgcatgaccatgactgagttgtgtcccata 556
         |||  |  |||    | |||  | || |||||| | |
Db 112939 CCACACGGCGTATGGCGTGACGTGGGCAATCGCACCAGCCTGAGGGTCATCGGCATT 112880

Qy   557 ccagcgttcctcttttgctaaaaacccgattattttcaaggaagcgaatactacta 616
          | |||  | | ||||  |  ||| |  || | ||| |||
Db 112879 CCAGCATCCAGAGGATCCTCCGCAACCCATGACCGCTCAACCTGAGCCAGGGCACCG 112820

Qy   617 tttgtgttatttgggacctttccgcaatatgaggaaagatggcatggcatcgtttaca 676
         || | | |||| ||| || ||  |  | |||| | |||| | || || ||| ||| |
Db 112819 TGTTCATCTTCTGGGCCCCAGCAGTCACATGCGGCGGACGCGGGACCAAGGGCCAGGTCTACA 112760

Qy   677 acatgttgaaaagacagttggtatctatccgaatgcccaaatatacgtgaccacagaga 736
         |||  ||  |  |||| || || | | || |  |  ||  |  || | ||  | |
Db 112759 ACAACCTGCATCTCCTGAGCCAGGTGCTCGCCGCCCTGAGGCCTCATGATTACTCGCC 112700

Qy   737 agcgcatgagttactgtgatggagtttaagaagaagaaactgggaggacagg 789
         || | | |  || |  ||| | ||||  ||||||| |  || ||| || ||
Db 112699 ACAAGATGCTGCAGTTTGATGAGCTCTTCAAGCAGCAGGACTGGCAAAGACAGG 112647

RESULT 42
AB035173
LOCUS       AB035173               1009 bp    mRNA            linear   PRI 26-NOV-1999
DEFINITION  Homo sapiens ST6GalNAc VI mRNA for N-acetylgalactosaminide
            alpha2,6-sialyltransferase, complete cds.
ACCESSION   AB035173
VERSION     AB035173.1  GI:6468228
KEYWORDS    ST6GalNAc VI; N-acetylgalactosaminide alpha2,6-sialyltransferase.
SOURCE      Homo sapiens Adult liver cDNA to mRNA.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
```

```
gene            /db_xref="taxon:10090"
                1..431
                /gene="ST6GalNAc IV"
intron          <1..10
                /gene="ST6GalNAc IV"
                /number=3
exon            11..423
                /gene="ST6GalNAc IV"
                /number=4
CDS             <11..>423
                /gene="ST6GalNAc IV"
                /codon_start=1
                /product="GalNAc alpha-2,6-sialyltransferase"
                /protein_id="CAB93946.1"
                /db_xref="GI:8346956"
                /translation="PLIRELCHSCAVVSSSGQMLGSGLGAQIDGAECVLRMNQAPTVG
                FEEDVGQRSTLRVISHTSVPLLLRNYSHYFQHARDTLYVWCQQRHMDRVLGGRTYRT
                LLQLTRMYPGLQVYTFTERMMAYCDQIFQDETGKNR"
intron          424..>431
                /gene="ST6GalNAc IV"
                /number=4
BASE COUNT      88 a      126 c      129 g      88 t
ORIGIN

Query Match          6.7%;      Score 86.2;  DB 10;  Length 431;
Best Local Similarity   50.9%;   Pred. No. 5.3e-13;
Matches   205;   Conservative    0;   Mismatches   198;   Indels    0;   Gaps    0;

Qy    394 tgtgaccttgtgccatagtgtcaaactcaggtcagatggttggccagaagtgggaaat 453
          || |||| | ||||| || || |||||| | || || ||||||| ||
Db     29 TGCCACAGCGTGTGCGGTGGTGTCCGTCTGGCCAGATGCTGGGTTCAGGCCTGGGTGCC 88

Qy    454 gagatagatcgatccctcgcattggagaatgaacaatgccccaccaaaggttatgaa 513
          ||||| ||| | | ||| | | |||| || ||||| | |||||| | ||| ||||
Db     89 CAGATCGATGGCGCAGAGTGCCGTGCTACGCATGAACCAGGCACCCACCGTGGGCTTTGAG 148

Qy    514 gaagatgtcggcgcgcatgaccatgatgattcggatgttgtgtcccataccagcgttcctctttg 573
          ||| ||| | ||| | |||  | | || || |||| ||| |||| ||| ||| |
Db    149 GAGGACGTGGGCCAGCGACCACTCTCGCGTGATCTCTCACACAAGTGTCCATTGCTT 208

Qy    574 ctaaaaaccctgattattttttcaaggaagcgaatactacatttgtgttattgggga 633
          ||  ||  | |||| || || ||||||| | || | | ||| ||||
Db    209 CTGCGCAACTACTCCACACTATTTCCAGCATGCCCGAGACACGCTCTACGTGGTGTGGGGC 268

Qy    634 cctttccgcaatatgaggaaagatggcaatggcatcgttacacaacatgtgaaaaagaca 693
          | || ||| | ||| || |||  || ||| |||| || | || ||| || || |
Db    269 CAGGCAGGCACATGGACAGGGTGCTGGCGCGGCCGCACCTACCGAACGTTCTGCGAGCTC 328

Qy    694 gttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgt 753
          ||| | ||| | ||||| |||| ||  || | || ||| ||| | |
Db    329 ACCAGAATGTATCCAGGCCGTGCAAGTGTACAACCTTCACTGAACGCATCGCCCTACTGT 388

Qy    754 gatggagttttaagaaggaaactgggaggacagggggcatg 796
          |||| | ||| ||| || ||| || ||| ||||| | ||
Db    389 GACCAGATCTTCCAAGATGAGACAGGCCAGAACCGGTGAGCTG 431

RESULT 41
AC026874/c
LOCUS           AC026874          203812 bp    DNA     linear   HTG 01-SEP-2000
DEFINITION      Homo sapiens chromosome 1 clone RP11-627E4, WORKING DRAFT SEQUENCE,
                32 unordered pieces.
ACCESSION       AC026874
VERSION         AC026874.4  GI:9958302
KEYWORDS        HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE          human.
  ORGANISM      Homo sapiens
                Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE       1  (bases 1 to 203812)
  AUTHORS       Waterston,R.H.
  TITLE         The sequence of Homo sapiens clone
```

```
              --------------- Genome Center --------------
              Center: Washington University Genome Sequencing Center
              Center code: WUGSC
              Web site: http://genome.wustl.edu/gsc/index.shtml
              ------------- Project Information ------------
              Center project name: H_NH0627E04
              --------------- Summary Statistics ------------
              Sequencing vector: M13; 100%
              Sequencing vector: plasmid: 0%
              Chemistry: Dye-primer ET; 100% of reads
              Chemistry: Dye-terminator Big Dye; 0% of reads
              Assembly program: Phrap; version 0.990319
              Consensus quality: 186139 bases at least Q40
              Consensus quality: 190766 bases at least Q30
              Consensus quality: 192884 bases at least Q20
              Insert size: 192000; agarose-fp
              Insert size: 200712; sum-of-contigs
              Quality coverage: 3.83 in Q20 bases; agarose-fp
              Quality coverage: 3.78 in Q20 bases; sum-of-contigs
              --------------------------------------------
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 32 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *       1      2006:  contig of 2006 bp in length
            *    2007      2106:  gap of unknown length
            *    2107      4788:  contig of 2682 bp in length
            *    4789      4888:  gap of unknown length
            *    4888      7839:  contig of 2951 bp in length
            *    7840      7939:  gap of unknown length
            *    7940     11627:  contig of 3688 bp in length
            *   11628     11727:  gap of unknown length
            *   11728     16118:  contig of 4391 bp in length
            *   16119     16218:  gap of unknown length
            *   16219     19679:  contig of 3461 bp in length
            *   19680     19779:  gap of unknown length
            *   19780     23680:  contig of 3901 bp in length
            *   23681     23780:  gap of unknown length
            *   23781     28919:  contig of 5139 bp in length
            *   28920     29019:  gap of unknown length
            *   29020     33880:  contig of 4861 bp in length
            *   33881     33980:  gap of unknown length
            *   33981     39616:  contig of 5636 bp in length
            *   39617     39716:  gap of unknown length
            *   39717     46646:  contig of 6930 bp in length
            *   46647     46746:  gap of unknown length
            *   46747     52566:  contig of 5820 bp in length
            *   52567     52666:  gap of unknown length
            *   52667     59318:  contig of 6652 bp in length
            *   59319     59418:  gap of unknown length
            *   59419     65916:  contig of 6498 bp in length
            *   65917     66016:  gap of unknown length
            *   66017     72318:  contig of 6302 bp in length
            *   72319     72418:  gap of unknown length
            *   72419     80778:  contig of 8360 bp in length
            *   80779     80878:  gap of unknown length
            *   80879     86913:  contig of 6035 bp in length
            *   86914     87013:  gap of unknown length
            *   87014     94398:  contig of 7385 bp in length
            *   94399     94498:  gap of unknown length
```

TITLE   Roy,A., Santos,R., Severy,P., Spencer,B., Stange-Thomann,N.,
Stojanovic,N., Subramanian,A., Talamas,J., Tesfaye,S., Theodore,J.,
Tirrell,A., Vassiliev,H., Viel,R., Vo,A., Wu,X., Wyman,D., Ye,W.J.,
Zimmer,A. and Zody,M.
JOURNAL Direct Submission
Submitted (16-JAN-2000) Whitehead Institute/MIT Center for Genome
Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT On May 26, 2001 this sequence version replaced gi:13359238.
All repeats were identified using RepeatMasker:
http://ftp.genome.washington.edu/RM/RepeatMasker.html
----------- Genome Center
Center: Whitehead Institute/ MIT Center for Genome Research
Center code: WIBR
Web site: http://www-seq.wi.mit.edu
Contact: sequence_submissions@genome.wi.mit.edu
----------- Project Information
Center project name: L5136
Center clone name: 17_P_12
----------- Summary Statistics
sequencing vector: M13; M77815; 33% of reads
sequencing vector: Plasmid; n/a; 67% of reads
Chemistry: Dye-terminator Big Dye; 100% of reads
Assembly program: Phrap; version 0.960731
Consensus quality: 203129 bases at least Q40
Consensus quality: 203356 bases at least Q30
Consensus quality: 203482 bases at least Q20
Insert size: 183000; agarose-fp
Insert size: 203712; sum-of-contigs
Quality coverage: 13.9 in Q20 bases; agarose-fp
Quality coverage: 12.5 in Q20.
* NOTE: This is a 'working draft' sequence. It currently
* consists of 8 contigs. The true order of the pieces
* is not known and their order in this sequence record is
* arbitrary. Gaps between the contigs are represented as
* runs of N, but the exact sizes of the gaps are unknown.
* This record will be updated with the finished sequence
* as soon as it is available and the accession number will
* be preserved.
*   1   32797: contig of 32797 bp in length
* 32798 32897: gap of 100 bp
* 32898 35312: contig of 2415 bp in length
* 35313 35412: gap of 100 bp
* 35413 45618: contig of 10206 bp in length
* 45619 45718: gap of 100 bp
* 45719 56122: contig of 10404 bp in length
* 56123 56222: gap of 100 bp
* 56223 73927: contig of 17705 bp in length
* 73928 74027: gap of 100 bp
* 74028 104383: contig of 30356 bp in length
* 104384 104483: gap of 100 bp
* 104484 142987: contig of 38504 bp in length
* 142988 143087: gap of 100 bp
* 143088 204412: contig of 61325 bp in length.
FEATURES   Location/Qualifiers
source   1..204412
/organism="Mus musculus"
/db_xref="taxon:10090"
/clone="RP23-17P12"
/clone_lib="RPCI-23 Female Mouse BAC"
misc_feature   1..32797
/note="assembly_fragment
clone_end:SP6
vector_side:left"
misc_feature   32898..35312
/note="assembly_fragment"
misc_feature   35413..45618
/note="assembly_fragment"
misc_feature   45719..55122
/note="assembly_fragment"
misc_feature   56223..73927
/note="assembly_fragment"
misc_feature   74028..104383

misc_feature   104484..142987
/note="assembly_fragment"
misc_feature   143088..204412
/note="assembly_fragment
clone_end:T7
vector_side:right"

BASE COUNT 50853 a 53694 c 51727 g 47438 t 700 others
ORIGIN

Query Match   6.7%; Score 86.6; DB 2; Length 204412;
Best Local Similarity 50.9%; Pred. No. 9.5e-13;
Matches 206; Conservative 0; Mismatches 199; Indels 0; Gaps 0;

Qy   394 tgtgaccttgtgcatagtgtcaaactcagtcaggtcagatggttggccagaaggtgggaaat 453
          |||||||| ||||| |||||| || ||||| ||| ||||||||||||
Db 195543 TGCCAGCTGTGCGTGGTGTCCAGCTCTGGCCAGATGCTGGGTTCAGGCCTGGGTGCC 195484

Qy   454 gagatagatgatcctcctgcatttggagaatgacaatgcccccaccaaaggttatgaa 513
          |||||| || |||||| || |||||| |||||| |||
Db 195483 CAGATCGATGCGCAGAGTGCGTGCTACGCAGGAACCAGGCACCCACCGTGGGCTTGAG 195424

Qy   514 gaagatgtcgcgccgatgaccatgtcgagttgtgtcgctccataccagcgttcctctttg 573
          ||| | || |||| | || ||| | || ||
Db 195423 GAGGACGTGGCGCCAGCGCAGCCACTCTGCCGCGTGATCTCTCACACAAGTGTGCCATTGCTT 195364

Qy   574 ctaaaaaccctgattattttttcaaggaagcgaatactactatttgtgttattttggggga 633
          || ||| || ||| |||| ||| || | ||||| ||||||
Db 195363 CTGCGCAACTACTCACACTATTTCCAGCATGCCCGAGACACGCCTCTACGTGCGTGTGGGGC 195304

Qy   634 cctttccgcaatatgaggaaagatggcaatggcatcgttacaacatgtgaaaaagaca 693
          ||| || ||||| || | ||||| ||| ||| ||
Db 195303 CAGGGCAGGCACATGGACACAGGGTGCTGGGCGGCCGCCACCTACCGAACGTTGCTGCAGCTC 195244

Qy   694 gttggtatctatccgaatccgaaatacagtgaccacagagaagcgcatgagtactgt 753
          || || ||| ||| ||| ||||| |||||
Db 195243 ACCAGAATGTATCCAGGCCTGCAAGTGTACACCTTCACTGAACGCATGATGGCCTACTGT 195184

Qy   754 gatgggagttttaaggaggaaactgggaaggacaggggggcatgca 798
          || ||||| ||||| | ||||||| ||| ||||| |||||
Db 195183 GACCAGATCTTCCAAGATGACACAGGCAAGAACCCGTGAGCTGGA 195139

RESULT 40
MMU19055
LOCUS   MMU19055   431 bp   DNA   linear   ROD 06-JUN-2000
DEFINITION Mus musculus partial ST6GalNAc IV gene for GalNAc
alpha-2,6-sialyltransferase exon 4.
ACCESSION Y19055
VERSION   Y19055.1 GI:8346955
KEYWORDS   GalNAc alpha-2,6-sialyltransferase; ST6GalNAc IV gene.
SOURCE   house mouse.
  ORGANISM Mus musculus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE 1 (bases 1 to 431)
AUTHORS   Takashima,S., Kurosawa,N., Tachida,Y., Inoue,M. and Tsuji,S.
TITLE   Comparative analysis of the genomic structures and promoter
activities of mouse Sialpha2,3Galbeta1,3GalNAc GalNAcalpha2,
6-sialyltransferase genes (ST6GalNAc III and IV): characterization
of their Sp1 binding sites
JOURNAL   J. Biochem. 127 (3), 399-409 (2000)
MEDLINE   20198252
REFERENCE 2 (bases 1 to 431)
AUTHORS   Tsuji,S.
TITLE   Direct Submission
JOURNAL   Submitted (02-JUN-1999) S. Tsuji, Laboratory for Molecular
Glycobiology, Frontier Research Program, Inst. Phys. and Chemical
Research RIKEN, Wako, Saitama, 351-0198, JAPAN
FEATURES   Location/Qualifiers
source   1..431
/organism="Mus musculus"

```
                                                                    PDECTMYLSHERGRKGSHHRPITEKRVFKNWARTNIHFQPDWKPESLAINHPENKP
                                                                    VF"

BASE COUNT      558 a    535 c    497 g    500 t

ORIGIN

Query Match          6.8%;    Score 88.4;  DB 9;  Length 2090;
Best Local Similarity   49.8%;    Pred. No. 1.6e-13;
Matches 224;  Conservative   0;  Mismatches 226;  Indels   0;  Gaps   0:

Qy    340 cgaactcactatggatacataaatgtgaagacaagagcctttgcaactggactgtgac 399
            || | || ||||| ||  | |||||  | ||| ||  ||||| || ||||||||||||
Db    458 CGGCCACTGGACGGATACCTGGAGTGGCGGACCACAAGCCCTGAAAATGCACTGCAGG 517

Qy    400 ctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaatgagata 459
            ||||||| ||| ||| || | |||||| || ||||| | ||||||| |||| ||
Db    518 GACTGTGCCCTGGTGACCAGCTCAGGCATCTGCTGCTGCCAGTCGCGGCAAGGCTCCCAGATT 577

Qy    460 gatcgatcctccctgcatttggaggaatgaacaatgccccaccaaaggtatgaagaagat 519
            || |   |||   |||||| || ||  | ||| || ||||  ||||| || |||| |
Db    578 GACCAGACAGAGTGTGTCATCCGCATGAATGACGCCCCCACACGCGGCTATGGGCGTGAC 637

Qy    520 gtcggccgcatgaccatgattcgagttgtgtccataccagcgttccctctttgctaaaa 579
            || ||  |||  || |||||||  || || ||||| |||| |||||||  |||||||  |
Db    638 GTGGGCAANTCGCACCAGCCTGAGGGTCATCGGCATTCCAGCATCCAGAGGATCCTCCGC 697

Qy    580 aaccctgattattttttcaaggaagcgaatactacctatttgtttatttggggaccttc 639
            |||||   |  |||||| |||| || |  || ||| || ||   |   |||||||||||
Db    698 AACCGCCATGACCTGCTCAACGTGACGTGAGCCCAGGCACCGTGTTCATCTTCTGGGCCCCAGC 757

Qy    640 cgcaatatgaggaaagatggcaatgcgcatcgtgtttacaacatgtgaaaagacagttggt 699
            || || |||| || |||||| ||  |  |||| |||| || |||||  |   ||| ||| |
Db    758 AGCTACATGCGGCGGACGGCAAGGGCCAGGTCTACAACAACCTGCATCTCCTGAGCCAG 817

Qy    700 atcatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgtgatgga 759
            | | ||||  |||||   | |  ||| || ||||| || ||||||  ||| || |||||
Db    818 GTGCTGCCCCGGCTGAAGGCCTTCATGATTACTCGCCACAAGATGCTGCAGTTTGATGAG 877

Qy    760 gtttttaagaaggaaactgggaaggacagg 789
            | |||||||||| |  |||| ||||||||||
Db    878 CTCTTCAAGCAGGAGACTGGCAAAGACAGG 907

RESULT 38
AK056241
LOCUS         AK056241               2090 bp    mRNA     linear     PRI 31-OCT-2001
DEFINITION    Homo sapiens cDNA FLJ31679 fis, clone NT2RI2005150, highly similar
              to Mus musculus ST6GalNAc V mRNA for GD1 alpha synthase.
ACCESSION     AK056241
VERSION       AK056241.1  GI:16551587
KEYWORDS      oligo capping; fis (full insert sequence).
SOURCE        Homo sapiens teratocarcinoma cell line:NT2 cDNA to mRNA,
              clone_lib:NT2RI2 clone:NT2RI2005150.
  ORGANISM    Homo sapiens
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE     1  (sites)
  AUTHORS     Ishibashi,T., Kanehori,K., Yosida,M., Watanabe,S., Ishida,S.,
              Ono,Y., Hotuta,T., Hiraoka,S., Murakawa,K., Takiguchi,S.,
              Kusano,J., Watanabe,M., Fujimori,K., Tanai,H., Ishida,M.,
              Yamashita,H., Chiba,Y., Sugiyama,Y., Irie,R., Otsuki,T., Sato,H.,
              Wakamatsu,A., Ishii,S., Yamamoto,J., Isono,Y., Kawai-Hio,Y.,
              Saito,K., Nishikawa,T., Kimura,K., Matsuo,K., Nakamura,Y.,
              Sekine,M., Kikuchi,H., Kanda,K., Wagatsuma,M., Takahashi-Fujii,A.,
              Oshima,A., Sugiyama,A., Kawakami,B., Suzuki,Y., Sugano,S.,
              Nagahari,K., Masuho,Y., Nagai,K. and Isogai,T.
  TITLE       NEDO human cDNA sequencing project
  JOURNAL     Unpublished
REFERENCE     2  (bases 1 to 2090)
  AUTHORS     Isogai,T., Otsuki,T. and Sugiyama,T.
  TITLE       Direct Submission
  JOURNAL     Submitted (24-OCT-2001) Takao Isogai, Helix Research Institute,
              Genomics Laboratory; 1532-3 Yana, Kisarazu, Chiba 292-0812, Japan
              (E-mail:genomics@hri.co.jp, Tel:81-438-52-3951, Fax:81-438-52-3952)
COMMENT       NEDO human cDNA sequencing project supported by Ministry of
              Economy, Trade and Industry of Japan; cDNA full insert sequencing:
              Research Association for Biotechnology (RAB); cDNA library
              construction: Helix Research Institute (HRI) (supported by Japan
              Key Technology Center etc.); 5'- & 3'-end one pass sequencing: RAB,
              HRI, and Biotechnology Center, National Institute of Technology and
              Evaluation; clone selection for full insert sequencing: RAB and
              HRI.
FEATURES             Location/Qualifiers
     source          1..2090
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="NT2RI2005150"
                     /cell_line="NT2"
                     /cell_type="teratocarcinoma"
                     /clone_lib="NT2RI2"
                     /note="cloning vector: pME18SFL3-mRNA from NT2 neuronal
                     precursor cells treated 2-weeks mitotic inhibitor after
                     5-weeks retinoic acid (RA) induction.-majorly NT2 neuron"
     CDS             236..1246
                     /codon_start=1
                     /note="unnamed protein product"
                     /protein_id="BAB71127.1"
                     /db_xref="GI:16551588"
                     /translation="MKTLMRHGLAVCLALTTMCTSLLLVYSSLGGQKERPQQQQQQQ
                     QQQQAGATGSSGSQPAAESSTQQRPGVPAGPRPLDGYLGVADHKPLKMHCRDCALVTSS
                     GHLLHSRQGSOIDQTECVIRMNDAPTRGYGRDVGNRTSLRVIAHSSIQRILRNRHDLL
                     NVSQGTVFIFWGPSSYMRRDCKGQVYNLHLLSQVLPRLKAFMITRHKMLQFDELFKQ
                     ETGKDRKISNTWLSTGWFTMTIALELCDRINVYCMVPPDFCRDPNHPSVYHYEPFG
```

RESULT 39
AC021446/c
LOCUS   AC021446   204412 bp   DNA   linear   HTG 26-MAY-2001
DEFINITION   Mus musculus clone RP23-17P12, WORKING DRAFT SEQUENCE, 8 unordered
              pieces.
ACCESSION   AC021446
VERSION   AC021446.5 GI:14209779
KEYWORDS   HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_FULLTOP.
SOURCE   Mus musculus
              house mouse.
  ORGANISM   Mus musculus
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1 (bases 1 to 204412)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,E.
  TITLE   Mus musculus chromosome, clone RP23-17P12
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 204412)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Abraham,H., Allen,N.,
              Anderson,S., Baldwin,J., Barna,N., Beckerly,R., Beda,F.,
              Boguslavkiy,L., Boukhgalter,B., Brown,A., Burkett,G., Castle,A.,
              Choepel,Y., Colangelo,M., Collins,S., Collymore,A., Cooke,P.,
              DeArellano,K., Dewar,K., Domino,M., Doyle,M., Fenestor,J.,
              Ferreira,P., FitzHugh,W., Forrest,C., Gage,D., Galagan,J.,
              Gardyna,S., Grant,G., Hagos,B., Heaford,A., Horton,L.,
              Howland,J.C., Johnson,R., Jones,C., Kann,L., Karatas,A., Klein,J.,
              Landers,T., Lehoczky,J., Levine,R., Lieu,C., Liu,C., Locke,K.,
              Macdonald,P., Marquis,N., McEwan,P., McGurk,A., McKernan,K.,
              McPheeters,R., Meldrim,J., Meneus,L., Morrow,J., Naylor,J.,
              Norman,C.H., O'Connor,T., O'Donnell,P., Olivar,T.M., Peterson,K.,
              Pierre,N., Pisani,C., Pollara,V., Raymond,C., Riley,R., Rothman,D.,

```
KEYWORDS    MGC.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 2048)
AUTHORS     Strausberg,R.
TITLE       Direct Submission
JOURNAL     Submitted (11-DEC-2000) National Institutes of Health, Mammalian
            Gene Collection (MGC), Cancer Genomics Office, National Cancer
            Institute, 31 Center Drive, Room 11A03, Bethesda, MD 20892-2590,
            USA
REMARK      NIH-MGC Project URL: http://mgc.nci.nih.gov
COMMENT     Contact: MGC help desk
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: ATCC
            cDNA Library Preparation: Rubin Laboratory
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Genome Sequence Centre,
            BC Cancer Agency, Vancouver, BC, Canada
            info@bcgsc.bc.ca
            Steven Jones, Jennifer Asano, Ian Bosdet, Yaron Butterfield,
            Susanna Chan, Readman Chiu, Chris Fjell, Erin Garland, Ran Guin,
            Leticia Hsiao, Martin Krzywinski, Reta Kutsche, Oliver Lee, Soo
            Sen Lee, Victor Ling, Carrie Mathewson, Candice McLeavy, Steven
            Ness, Pawan Pandoh, Anna-Liisa Prabhu, Parvaneh Saeedi, Jeff Stott,
            Michael Thorne, Miranda Tsai, Natasja van den Bosch, Jill Vardy,
            George Yang, Scott Zuyderduyn, Marco Marra.
            Clone distribution: MGC clone distribution information can be found
            through the I.M.A.G.E. Consortium/LLNL at: http://image.llnl.gov
            Series: IRAL Plate: 6 Row: c Column: 10
            This clone was selected for full length sequencing because it
            passed the following selection criteria: Hexamer frequency ORF
            analysis.
FEATURES             Location/Qualifiers
     source          1..2048
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="MGC:3184 IMAGE:3356535"
                     /tissue_type="Eye, retinoblastoma"
                     /clone_lib="NIH_MGC_16"
                     /lab_host="DH10B-R"
                     /note="Vector: pOTB7"
     CDS             176..1186
                     /codon_start=1
                     /product="Similar to sialyltransferase 7
                     ((alpha-N-acetylneuraminyl
                     2,3-betagalactosyl-1,3)-N-acetyl galactosaminide
                     alpha-2,6-sialyltransferase) E"
                     /protein_id="AAH01201.1"
                     /db_xref="GI:12654719"
                     /translation="MKTLMRHGLAVCLALFTMCTSLLIVYSSLGGQKERPPQQQQQQ
                     QQQQQQASATGSSQPAAESSTQQRPGVPAGPRPLDGYLGVADHKPLKMICRDCALVTSS
                     GHLLHSRQGSQIDQTECVIRMNDAPTRGYGRDVGNRTSLRVIAHSSIQRILRNRHDLL
                     NVSQGTVFIFWGPSSYMRRDGKGQVYNNLHLLSQVLPRLKAFMITRHKMLQFDELFKQ
                     ETGDRKISNTWLSTGWFTMTIALELCDRINVYGMVPPDFCRDPNHPSVPYHYYEPFG
                     PDECTMYLSHERGRKGSHHRFITEKRVFKNWARTFNIHFFQPDWKPESLAINHPENKP
                     VF"
BASE COUNT          563 a          525 c          481 g          479 t
ORIGIN
```

```
Query Match                        6.8%;        Score 88.4;     DB 9;    Length 2048;
Best Local Similarity    49.8%;     Pred. No. 1.6e-13;
Matches  224;   Conservative    0;   Mismatches  226;    Indels    0;    Gaps    0;

Qy    340 cgaactcactatggatacataaatgtgaagacacaagagcctttgcaactggactgtgac 399
          |||||  | |||   | ||||||||||||  | | | |||| |||||  ||||||||||||
Db    398 CGGCCACTGGACGGATACCTCGGAGTGGCGGACCCCACAGCCCCTGAAAATGCACTGCAGG 457

Qy    400 ctttgtgccatagtgtcaaactcaggtcaggtggtcagatggtggccagaagagtggga... 459
```

```
Db    458 GACTGTGCCCTGGTGACCAGCTCAGGGCATCTGCTGCACAGTCGGCAAGGCTCCCAGATT 517
Qy    460 gatcgatcctgcatttggagaatggacaatgcccaccaaaggttatgaagaagat       519
          ||   |||||||||||||||||||||   ||||||  | |||||  |||  ||||||
Db    518 GACCAGACAGAGTGTCATCCGCATGAATGAGCCCCCACAGGCGGCTATGGGCGTGAC     577
Qy    520 gtcggccgcatgaccatgattcgagttgtgtcccataccagcgttcctctttgctaaaa 579
          ||  |||  || | | |||| |||||||  | | || |  |||||||| |||  ||||||
Db    578 GTGGGCAATCGCACCAGCCTGAGGGTCATCGCACATTCCAGCATCCAGAGGATCCTCCGC 637
Qy    580 aaccctgattatttttcaaggaagcggaatactactatttgtgttattgggggacctttc 639
          ||||| |||| |||||||  |||||  | |||| |||| ||| || ||||||  |||| ||
Db    638 AACCGCCCATGACCTGCTCAACGTGACGTGAGCCAGGGCACCGTGTTCATCTCTCGGGGC 697
Qy    640 cgcaatatgaggaaagatggcaatggcatcgttacaacatgttgaaaaagacagttggt 699
          ||| || || ||||||| ||  || ||||| ||  |||| || | || |||| |
Db    698 AGCTACATCGGCGGCGGACGCAAGGGCCAGGTGCTACACAACAACCTGCATCCTCCTGAGCCAG 757
Qy    700 atctatcgaatgcccaaatatacgtgaccacagagagcgcatgagttactgtgatgga 759
          || ||||| ||||||   ||||| ||  | | |||||  ||||||    |||||||  |||
Db    758 GTGCTGCCCCGGCTGAAGGCCTTCATGATTACTCGCCACAAGATGCTGCAGTTTGATGAG 817
Qy    760 gttttaagaggaaactggaaggacagg 789
          || ||| | || ||| |||||||||||
Db    818 CTCTTCAAGCAGGAGACTGGCAAAGACAGG 847
```

```
RESULT 37
AR166331
LOCUS       AR166331                  2056 bp    DNA      linear   PAT 17-OCT-2001
DEFINITION  Sequence 12 from patent US 6280989.
ACCESSION   AR166331
VERSION     AR166331.1  GI:16241598
KEYWORDS    .
SOURCE      Unknown.
ORGANISM    Unknown.
            Unclassified.
REFERENCE   1  (bases 1 to 2056)
AUTHORS     Kapitonov,D. and Yu,R.K.
TITLE       Sialyltransferases
JOURNAL     Patent: US 6280989-A 12 28-AUG-2001;
FEATURES             Location/Qualifiers
     source          1..2056
                     /organism="unknown"
BASE COUNT          567 a          527 c          481 g          481 t
ORIGIN
```

```
Query Match                        6.8%;        Score 88.4;     DB 6;    Length 2056;
Best Local Similarity    49.8%;     Pred. No. 1.6e-13;
Matches  224;   Conservative    0;   Mismatches  226;    Indels    0;    Gaps    0;

Qy    340 cgaactcactatggatacataaatgtgaagacacaagagcctttgcaactggactgtgac 399
          |||||  | |||   | ||||||||||||  | | | |||| |||||  ||||||||||||
Db    403 CGGCCACTGGACGGATACCTCGGAGTGGCGGACCCCACAGCCCCTGAAAATGCACTGCAGG 462
Qy    400 ctttgtgccatagtgtcaaactcaggtcaggtggtcagatggtggccagaagagtggaatgagata 459
          ||||| || |||||||||||||||||||||||||||||||||||||||||| |||||
Db    463 GACTGTGCCCTGGTGACCAGCTCAGGGCATCTGCTGCACAGTCGGCAAGGCTCCCAGATT 522
Qy    460 gatcgatcctgcatttggagaatggacaatgcccaccaaaggttatgaagaagat 519
          ||   |||||||||||||||||||||   ||||||  | |||||  |||  ||||||
Db    523 GACCAGACAGAGTGTCATCCGCATGAATGAGCCCCCACAGGCGGCTATGGGCGTGAC 582
Qy    520 gtcggccgcatgaccatgattcgagttgtgtcccataccagcgttcctctttgctaaaa 579
          ||  |||  || | | |||| |||||||  | | || |  |||||||| |||  ||||||
Db    583 GTGGGCAATCGCACCAGCCTGAGGGTCATCGCACATTCCAGCATCCAGAGGATCCTCCGC 642
Qy    580 aaccctgattatttttcaaggaagcggaatactactatttgtgttattgggggacctttc 639
          ||||| |||| |||||||  |||||  | |||| |||| ||| || ||||||  |||| ||
Db    643 AACCGCCCATGACCTGCTCAACGTGACGTGAGCCAGGGCACCGTGTTCATCTCTCGGGGCCAGC 702
```

```
CDS
      /translation="MEHVVTCWRLKLLSWPVFLIWICLSLASVSLISWDQLPAFLIPS
      TGDSSLQTAKSRDSMKAPGRLLLLTLCILTFSAVCVFLCCWACLPLCLATCLDRHLPA
      APRSTVPGPLHFSGYSSVPDGKPLIRELCHSCAVVSNSGQMLGSSLGAQIDGAECVLR
      MNQAPTVGFEEDVGQRTLRVISHTSVPLLLRNYSHYFQHARDTLYVWGQGRHMDRV
      LGGRYYRTLQLTRMYPGLQYYTFTERMMAYCDQIFQDETGKNRRQSGSFLSTGWFTM
      IPALELCEEIVVYGMVSDSYCSEKSPRSVPYHYFEKGRLDECQMYRLHEQAPRSAHRF
      ITEKAVFSRWAKKRPIVFAHPSWRAK"
```

```
CDS
      229..1137
      /gene="ST6GalNAc IV"
      /EC_number="2.4.99.7"
      /note="short form"
      /codon_start=1
      /product="Sia-alpha-2-3-Gal-beta-1-3-GalNAc
      GalNAc-alpha-2,6-sialyltransferase"
      /protein_id="CAB43515.1"
      /db_xref="GI:4902854"
      /translation="MKAPGRLLLLTLCILTFSAVCVFLCCWACLPLCLATCLDRHLPA
      APRSTVPGPLHFSGYSSVPDGKPLIRELCHSCAVVSNSGQMLGSSLGAQIDGAECVLR
      MNQAPTVGFEEDVGQRTLRVISHTSVPLLLRNYSHYFQHARDTLYVWGQGRHMDRV
      LGGRYYRTLQLTRMYPGLQYYTFTERMMAYCDQIFQDETGKNRRQSGSFLSTGWFTM
      IPALELCEEIVVYGMVSDSYCSEKSPRSVPYHYFEKGRLDECQMYRLHEQAPRSAHRF
      ITEKAVFSRWAKKRPIVFAHPSWRAK"
```

```
BASE COUNT     340 a    495 c    433 g    385 t
ORIGIN
```

```
Query Match     7.0%;
Best Local Similarity   51.4%;    Score 90.2;    DB 10;    Length 1653;
Matches 209;    Conservative    0;    Mismatches 198;    Indels    0;    Gaps    0;
```

```
Qy     394  tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat   453
            || | ||  ||| |||| |  |  ||||| ||  | ||||| ||| ||||| ||||||||
Db     445  TGCCACAGCTGTGCGGTGGTGTCCAACTCTGGCCAGATGCTGGGTTCAGCGCTGGGTGCC   504

Qy     454  gagagatcgatcctcctgcattggagaatgaacaatgcccccaccaaggttatgaa      513
            ||| ||  || | ||||||  | |||||| ||||| || ||  | || |||| ||||
Db     505  CAGATCGATGGCGCAGAGTGCGTGCTACGCATGGACCAGGCACCCCCACCAAGGTTATGAA   564

Qy     514  gaagatgtcggcgccatgaccatgatcgagttgtgtccataccagcgttcctcttttg    573
            | ||||  || | ||||  |||  | ||| | ||  ||||| || | || |||| |||
Db     565  GAGGACGTGGGCCCACGCACGACTCTGCCGCGTGATCTCTCACACAAGTGTGCCATTGCTT   624

Qy     574  ctaaaaaccctgattattttcaaggaagcgaatactactattgtgtgtattgggga      633
            || |   ||||| | |||  ||||||||  || ||||| | ||| | ||| || ||
Db     625  CTGCGCAACTACTCACACTATTTCCAGCATGCCCGAGACACCCTCTACGTCGTGTGGGGC   684

Qy     634  ccttccgcaatatgagaagaaatgtgccatgcatcgttacaacatgttgaaaagaca     693
            || | ||||||||  |  ||||| || |||||| |||  | || || || |||| |||
Db     685  CAGGGCCAGGCACATGGAGCAGAGCGCAGCGCAGCACTCCCGAGACACGCGCAGCGTGCGTC   744

Qy     694  gttggtatctccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgt   753
            || | |||  ||||||||| | ||||||| |||  |  || ||| ||||| || ||||
Db     745  ACCAGAATGTATCCAGGCCTGCAAGTGTACACCTTCACTGAACCGATGATGGCCTACTGT   804

Qy     754  gatggagtttttaagaggaaggacaggggggcatgcaag      800
            || ||||| |||| ||| ||||| | || |  ||||||
Db     805  GACCAGATCTTCCAAGATGAGACAGGGCAAGAACCGGAGACAATCAGG   851
```

```
RESULT 35
LOCUS       MMU7310                3635 bp   mRNA   linear      ROD 25-MAY-1999
DEFINITION  Mus musculus mRNA for putative sialyltransferase.
ACCESSION   AJ007310
VERSION     AJ007310.1  GI:3250086
KEYWORDS    putative; sialyltransferase.
SOURCE      house mouse.
  ORGANISM  Mus musculus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1  (bases 1 to 3635)
  AUTHORS   Lee,Y.C., Kaufmann,M., Kitazume-Kawaguchi,S., Kono,M.,
            Takashima,S., Kurosawa,N., Liu,H., Pircher,H. and Tsuji,S.
```

```
TITLE     Molecular cloning and functional expression of two members of mouse
          NeuAcalpha2,3Galbeta1.3GalNAc GalNAcalpha2,6-sialyltransferase
          family, ST6GalNAc III and IV
JOURNAL   J. Biol. Chem. 274 (17), 11958-11967 (1999)
MEDLINE   99223522
REFERENCE 2  (bases 1 to 3635)
AUTHORS   Kaufmann,M.
TITLE     Direct Submission
JOURNAL   Submitted (18-JUN-1998) Kaufmann M., Dep. of Immunology, Inst.
          Medical Microbiology and Hygiene, Hermann-Herder-Str. 11, Freiburg,
          79104, GERMANY
FEATURES             Location/Qualifiers
     source          1..3635
                     /organism="Mus musculus"
                     /db_xref="taxon:10090"
     CDS             235..1143
                     /codon_start=1
                     /product="putative sialyltransferase"
                     /protein_id="CAA07446.1"
                     /db_xref="GI:3250887"
                     /db_xref="SPTREMBL:O88725"
                     /translation="MKAPGRLLLLTLCILTFSAVCVFLCCWACLPLCLATCLDRHLPA
                     APRSTVPGPLHFSGYSSVPDGKPLIRELCHSCAVVSSGQMLGSSLGAQIDGAECVLR
                     MNQAPTVGFEEDVGQRSTLRVISHTSVPLLLRNYSHYFQHARDTLYVWGQGRHMDRV
                     LGGRYYRTLLQLTRMYPGLQVYTFTERMMAYCDQIFQDETGKNRRQSGSFLSTGWFTM
                     ILALELCEEIVVYGMVSDSYCSEKSPRSVPYHYFEKGRLDECQMYRLHEQAPRSAHRF
                     ITEKAVFSRWAKKRPIVFAHPSWRAK"
```

```
BASE COUNT     756 a   1029 c    988 g    862 t
ORIGIN
```

```
Query Match     6.8%;
Best Local Similarity   51.1%;    Score 88.6;    DB 10;    Pred. No. 1.5e-13;
Matches 208;    Conservative    0;    Mismatches 199;    Indels    0;    Gaps    0;
```

```
Qy     394  tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat   453
            || | ||  ||| |||| |  |  ||||| ||  | ||||| ||| ||||| ||||||||
Db     451  TGCCACAGCTGTGCGGTGGTGTCCAGTCTGGCCAGATGCTGGGTTCAGGCCTGGGTGCC   510

Qy     454  gagagatcgatcctcctgcattggagaatgaacaatgcccccaccaaggttatgaa      513
            ||| ||  || | ||||||  | |||||| ||||| || ||  | || |||| ||||
Db     511  CAGATCGATGGCGCAGAGTGCGTGCTACGCATGGACCAGGCACCCCCACCAAGGTTATGAA   570

Qy     514  gaagatgtcggcgccatgacccatgaccgattcagttgtgtcccataccagcgttcctttg   573
            | ||||  || | ||||  |||  | ||| | ||  ||||| || | || |||| |||
Db     571  GAGGACGTGGGCCCAGCGACCACTCTCCGCGTGATCTCTCACACAAGTGTGCCATTGCTT   630

Qy     574  ctaaaaaccctgattattttcaaggaagcggatactactatttgtgttatttgggga      633
            || |   ||||| | |||  ||||||||  || ||||| | ||| | ||| || ||
Db     631  CTGCGCAACTACTCACACTATTTCCAGCATGCCCGAGACACGCGCAGCGTGCGTGCGTC   690

Qy     634  ccttccgcaatatgaggaagatgcaatggcatcgttacaacatgttgaaaagaca      693
            || | ||||||||  |  ||||| || |||||| |||  | || || || |||| |||
Db     691  CAGGGCCAGGCACATGGAGCAGAGCGCAGCGCAGCACTCCCGAGACACGTTGCTGCAGCTC   750

Qy     694  gttggtatctatccgaatgccccaaatatacgtgaccacagagaagcgcatgagttactgt   753
            || | |||  ||||||||| | ||||||| |||  |  || ||| ||||| || ||||
Db     751  ACCAGAATGTATCCAGGCCTGCAAGTGTACACCTTCACTGAACCGATGATGGCCTACTGT   810

Qy     754  gatggagtttttaagaggaaggacaggggggcatgcaag      800
            || ||||| |||| ||| ||||| | || |  ||||||
Db     811  GACCAGATCTTCCAAGATGAGACAGGGCAAGAACCGGAGACAATCAGG   857
```

```
RESULT 36
LOCUS       BC001201               2048 bp   mRNA   linear      PRI 12-JUL-2001
DEFINITION  Homo sapiens, Similar to sialyltransferase 7
            ((alpha-N-acetylneuraminyl 2,3-betagalactosyl-1,3)-N-acetyl
            galactosaminide alpha-2,6-sialyltransferase) E, clone MGC:3184
            IMAGE:3356535, mRNA, complete cds.
ACCESSION   BC001201
VERSION     BC001201.1  GI:12654718
```

RESULT 33

MMY15779
LOCUS   MMY15779   1641 bp   mRNA   linear   ROD 25-MAY-1999
DEFINITION   Mus musculus mRNA for Sia-alpha-2-3-Gal-beta-1-3-GalNAc
                GalNAc-alpha-2,6-sialyltransferase, isoform 1.
ACCESSION   Y15779
VERSION   Y15779.1 GI:4894176
KEYWORDS   long form; short form; sialyltransferase; ST6GalNAc IV gene.
SOURCE   house mouse.
ORGANISM   Mus musculus
                Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1 (bases 1 to 1641)
AUTHORS   Lee,Y.C., Kaufmann,M., Kitazume-Kawaguchi,S., Kono,M.,
                Takashima,S., Kurosawa,N., Liu,H., Pircher,H. and Tsuji,S.
TITLE   Molecular cloning and functional expression of two members of mouse
                NeuAcalpha2,3Galbeta1,3GalNAc GalNAcalpha2,6-sialyltransferase
                family, ST6GalNAc III and IV
JOURNAL   J. Biol. Chem. 274 (17), 11958-11967 (1999)
MEDLINE   99223522
REFERENCE   2 (bases 1 to 1641)
AUTHORS   Tsuji,S.
TITLE   Direct Submission
JOURNAL   Submitted (04-DEC-1997) S. Tsuji, The Institute of Physical &
                Chemical, Research (RIKEN), Molecular Glycobiology, Frontier
                Research Program, Hirosawa 2-1 Wako, Saitama 351-01, JAPAN
FEATURES   Location/Qualifiers
     source   1..1641
                /organism="Mus musculus"
                /strain="ICR"
                /db_xref="taxon:10090"
                /tissue_type="brain"
     gene   73..1125
                /gene="ST6GalNAc IV"
     CDS   73..1125
                /gene="ST6GalNAc IV"
                /EC_number="2.4.99.7"
                /note="isoform 1, long form"
                /codon_start=1
                /product="Sia-alpha-2-3-Gal-beta-1-3-GalNAc
                GalNAc-alpha-2,6-sialyltransferase"
                /protein_id="CAB43507.1"
                /db_xref="GI:4894177"
                /translation="MSSEORILSQRTPIRSFVSLISWDQLPAFLIPSTGDSSLQTAK
                SRDSMKAPGRLLLTLCILTFSAVCVFLCCWACLPLCLATCLDRHLPAAPRSTVPGPL
                HFSGYSSVPDGKPLIRELCHSCAVVSNSGQMLGSGLGAQIDGAECVLRMNQAPTVGFE
                EDVGQRTTLRVISHTSVPLLLRNYSHYFQHARDTLYVVWQGRHMDRVLGGRTYRTLL
                QLTRMYPGLQVYTFTERMMAYCDQIFQDETGKNRROSGSFLSTGWFTMIPALELCEEI
                VVYGMVSDSYCSEKSPRSVPYHYFEKGRLDECQMYRLHEQAPRSAHRFITEKAVFSRW
                AKKRPIVFAHPSWRAK"
     CDS   217..1125
                /gene="ST6GalNAc IV"
                /EC_number="2.4.99.7"
                /note="short form"
                /codon_start=1
                /product="Sia-alpha-2-3-Gal-beta-1-3-GalNAc
                GalNAc-alpha-2,6-sialyltransferase"
                /protein_id="CAB43508.1"
                /db_xref="GI:4894178"
                /translation="MKAPGRLLLTLCILTFSAVCVFLCCWACLPLCLATCLDRHLPA
                APRSTVPGPLHFSGYSSVPDGKPLIRELCHSCAVVSNSGQMLGSGLGAQIDGAECVLR
                MNQAPTVGFEEDVGQRTTLRVISHTSVPLLLRNYSHYFQHARDTLYVVWQGRHMDRV
                LGGRTYRTLLQLTRMYPGLQVYTFTERMMAYCDQIFQDETGKNRRQSGSFLSTGWFTM
                IPALELCEEIVVYGMVSDSYCSEKSPRSVPYHYFEKGRLDECQMYRLHEQAPRSAHRF
                ITEKAVFSRNAKKRPIVFAHPSWRAK"

BASE COUNT   337 a   508 c   436 g   360 t
ORIGIN

Query Match   7.08; Score 90.2; DB 10; Length 1641;
Best Local Similarity   51.48; Pred. No. 4.8e-14;
Matches 209; Conservative   0; Mismatches 198; Indels   0; Gaps   0;

```
Qy    394 tgtgaccttgtgccatagtgtcaaactcagtcagatgttggtggctggcagaaggtgggaaat 453
              |||  |||| ||||||||  ||||| ||||||| |||| |||| |||| ||||||||||||| |
Db    433 TGCCACAGCTGTGCCGGTGGTGTCCAACTCTGGCCAGATGTCTGGGTTCAGGCCTGGGTGCC 492

Qy    454 gagatagatgatcctcctgcatttggagaataacaatgccccaccaaaggttatgaa 513
              ||||| ||| | |||||||  || |||||||||||||||| |||| ||| ||||||
Db    493 CAGATCGATGGCGCAGAGTGCGTGCTACGCATGAACCAGGCACCAGCCGTCGGCCTTTGAG 552

Qy    514 gaagagtgtcggcgcgatgaccatgatcgagttgtgtcccataccagcgttcctcctttg 573
              | |||||| |||| |||||| ||  |||| || ||| | || ||||| ||||| ||||||
Db    553 GAGGACGTCGGCAGCCTGGCCAGCGCACGACTCTGCGCCGTGATCCTCACACAAGTGTGCCATTGCTT 612

Qy    574 ctaaaaaccctgattattttttcaaggaggcgaatactacctatttgtgttattgggga 633
              ||||||| ||| ||| || ||| || ||||||||||||||||||||||| |||||||| |
Db    613 CTGCGCAACTACTCACACTATTCCAGCATGCCCGAGACACGCTCTACGTGGTGTGGGGC 672

Qy    634 cctttccgcaatatgaggaaagatgcaatggcatcgttacaacatgttgaaaagaca 693
              ||| ||||| ||||||| || || || | ||||  ||||| || | |||||  | |||
Db    673 CAGGGCAGGCACATGGACAGGGTGCTGGGCGGCCGGACCTACCGAACGTTGCTGCAGCTC 732

Qy    694 gttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgt 753
              ||| ||  ||| |||   ||||  |||||| ||  ||||| || |||||||| |||||||
Db    733 ACCAGAATGTATCCAGGCCTGCAAGTGTACACCTTCACTGAACGCATGATGGCCTACTGT 792

Qy    754 gatggagttttaagaggaaactgggaagacaggggggcatgcaag 800
              ||||| ||||| ||  ||||| ||||| ||| ||||| ||||| ||
Db    793 GACCAGATCTTCCAAGATGACAGCAGGCAAGAACCGGAGACAATCAGG 839
```

RESULT 34

MMY15780
LOCUS   MMY15780   1653 bp   mRNA   linear   ROD 26-MAY-1999
DEFINITION   Mus musculus mRNA for Sia-alpha-2-3-Gal-beta-1-3-GalNAc
                GalNAc-alpha-2,6-sialyltransferase, isoform 2.
ACCESSION   Y15780
VERSION   Y15780.1 GI:4902852
KEYWORDS   long form; short form; sialyltransferase; ST6GalNAc IV gene.
SOURCE   house mouse.
ORGANISM   Mus musculus
                Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1 (bases 1 to 1653)
AUTHORS   Lee,Y.C., Kaufmann,M., Kitazume-Kawaguchi,S., Kono,M.,
                Takashima,S., Kurosawa,N., Liu,H., Pircher,H. and Tsuji,S.
TITLE   Molecular cloning and functional expression of two members of mouse
                NeuAcalpha2,3Galbeta1,3GalNAc GalNAcalpha2,6-sialyltransferase
                family, ST6GalNAc III and IV
JOURNAL   J. Biol. Chem. 274 (17), 11958-11967 (1999)
MEDLINE   99223522
REFERENCE   2 (bases 1 to 1653)
AUTHORS   Tsuji,S.
TITLE   Direct Submission
JOURNAL   Submitted (04-DEC-1997) S. Tsuji, The Institute of Physical &
                Chemical, Research (RIKEN), Molecular Glycobiology, Frontier
                Research Program, Hirosawa 2-1 Wako, Saitama 351-01, JAPAN
FEATURES   Location/Qualifiers
     source   1..1653
                /organism="Mus musculus"
                /strain="ICR"
                /db_xref="taxon:10090"
                /tissue_type="brain"
     gene   55..1137
                /gene="ST6GalNAc IV"
     CDS   55..1137
                /gene="ST6GalNAc IV"
                /EC_number="2.4.99.7"
                /note="isoform 2, long form"
                /codon_start=1
                /product="Sia-alpha-2-3-Gal-beta-1-3-GalNAc
                GalNAc-alpha-2,6-sialyltransferase"
                /protein_id="CAB43514.1"
                /db_xref="GI:4902853"

```
ACCESSION    AF127142
VERSION      AF127142.1  GI:6002699
KEYWORDS     .
SOURCE       human.
ORGANISM     Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE    1  (bases 1 to 1165)
AUTHORS      Kim,K.-W., Kim,K.-S., Do,S.-I., Kim,C.-H. and Lee,Y.-C.
TITLE        Molecular cloning of NeuAcalpha2,3Galbeta1,3GalNAc
             alpha2,6-sialyltransferase cDNA from human fetal liver
JOURNAL      Unpublished
REFERENCE    2  (bases 1 to 1165)
AUTHORS      Kim,K.-W., Kim,K.-S., Kim,C.-H. and Lee,Y.-C.
TITLE        Direct Submission
JOURNAL      Submitted (10-FEB-1999) Biotechnology, Dong-A University, 840,
             Hadan-dong, Saha-Gu, Pusan 604-714, South Korea
FEATURES             Location/Qualifiers
     source          1..1165
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /tissue_type="liver"
                     /dev_stage="fetus"
     CDS             50..958
                     /note="ST6GalNAc IV"
                     /codon_start=1
                     /product="NeuAc-alpha-2,3-Gal-beta-1,3-GalNAc-alpha-2,
                     6-sialyltransferase alpha2,6-sialyltransferase"
                     /protein_id="AAF00102.1"
                     /db_xref="GI:6002700"
                     /translation="MKAPGRLVLIILCSVVFSAVYILLCCWAGLPLCLATCLDHHFPT
                     GSRPTVPGPLHFSGYSSVPDGKPLVREPCRSCAVVSSSGQMLGSGLGAEIDSAECVFR
                     MNQAPTVGFEADVGQRQALRVVSHTSVPLLLRNVSHYFQKARDTLYMWNGQGRHMDRV
                     LGGRTYRTLLQLTRMYPGLQVYTFERMAAYCDQIFQDETGKNRRQSGSFLSTGWFTM
                     ILALELCEEIVVYGMVSDSYCREKSHPSVPYHYFEKGRLDECQMYLAHEQAPRSAHRF
                     ITEKAVFSRWAKKRPIVFAHPSWRTE"
BASE COUNT    207 a    391 c    339 g    228 t
ORIGIN
```

```
Query Match             7.2%;  Score 93.2;  DB 9;  Length 1165;
Best Local Similarity  52.0%;  Pred. No. 6.5e-15;
Matches  209;        Mismatches 193;    Indels    0;    Gaps    0;

Qy    393 ctgtgaccttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaa 452
          ||| ||||| || |||| | ||||||| | |||||||| | ||||| || ||||| ||||
Db  85996 CTGCGCCAGCTGTGCCGCTGGTGTCGCTCCGGCCAAATCTCGGCTCCAGGCCTGGGTGC 85937

Qy    453 tgagatagatcgatcctcctgcatttggagaatgaacaatgcgccccaccaaagttatga 512
          | ||||||| |||| |||| ||||||| |  |||| | |||||| || ||||| ||||
Db  85936 TGAGATCGACAGTGCCGAGTGCGTGTTCCGCATGAACCAGGCGCCTCCCGCCCACCGGTGC 85877

Qy    513 agaagatgtcggccgatgaccatgatcgagttgtccataccagcgttcctcttt 572
          | | |||| || |  | || |||||| | | | | |||| || || ||| |||||
Db  85876 GGCGGATGTGGGCCAGCAGCACCCTGCGTCGTCCGTGTCGCCGCTGT 85817

Qy    573 gctaaaaaccctgattattttcaaggaagcgaatactactatttgtgttatttgggg 632
          ||||  |  |||| | |||||||| |||  | | | || ||| ||| |||| ||| ||
Db  85816 GCTGCGCAACTATTCACACTACTTCCAGAACGCGGGCCGAGACACGCTCTACATGGTGTGGGGG 85757

Qy    633 acctttccgacatatgaggaagatgcaatgcacccacctaccgcactaccgccagct 692
          ||  | ||||   | || | |||||| ||||  || ||||| || || ||| |||||
Db  85756 CCAGGGCAGGCACATGGACCGGGTGCTCGGCGGCCGGACGTACCGCACCCTGCTGCAGCT 85697

Qy    693 agttggtatctatccgaatgcccaaatatacgtgaccacagaggcgcatgagttactg 752
          ||| ||| | | |||||  ||| |||||||  |||| ||||| || ||| ||| ||||
Db  85696 GCTGCGCAACTATTCACACTACTTCCAGAAGGCGCGAGACACGCTCTACATGGTGTGGGG 85637

Qy    753 tgatggagttttcaagaaggaaactgggaagacagggggca 794
          || |||| |||| ||| || |||||| || |||||  ||
Db  85636 CGACCAGATCTTCCAGGACGAGACGGGCAAGAACCGGAGGCA 85598
```

```
RESULT 32
AF127142
LOCUS       AF127142        1165 bp   mRNA    linear   PRI 01-OCT-1999
DEFINITION  Homo sapiens
            NeuAc-alpha-2,3-Gal-beta-1,3-GalNAc-alpha-2,6-sialyltransferase
```

```
Db   539 ACAGAGTGTGTTATCCGCATGAATGATGCCCCCGAGGCTTATGGGCTTGACGTGGGC  598

Qy   526 cgcatgaccatgatcgagttgtgtcccataccagcgttcctcttttgtaaaaaccct  585
             |  || ||||| |  |||  |||||  |||  |||||||||||  || |||||
Db   599 AACCGCACGAGCCTGCGGGTCATCCGCACATTCCAGCATCCGCAACCGC  658

Qy   586 gattattttttcaaggaagcgaatactactattttgtgtttatttgggacctttccgcaat  645
             || |||| |||  ||  || | ||| |  ||  |||||  |   |||||
Db   659 CATGACCTGCTCAATGTGAGCCAGGGCACCGGTTCATCTTCTGGGGCCCCAGCAGCTAC  718

Qy   646 atgaggaaagatggcaatggcatcgttacacatgttgaaaaagacagttggtatctat  705
             |||    |||||  || ||||| ||  |||||  | |||||||
Db   719 ATGCGCGCCGGGATGGCAAGGGCCAGGGTACAACACCTACCTTAGCCAAGTGCTG  778

Qy   706 ccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgtgatggagttttt  765
             ||  || ||||| ||||||  | |||||  | ||||||
Db   779 CCTCGGCTGAAGGCCTTCATGATCACGCGCCACAGGATGCTGCAGTTCGATGAGCTCTTC  838

Qy   766 aagaagaaactgggaaggacagg  789
             || |||| || |||||||||
Db   839 AAGCAGGAGACTGGCAAAGACAGG  862

RESULT 30
AB028840
LOCUS        AB028840                 2780 bp    mRNA    linear    ROD 12-JAN-2000
DEFINITION   Mus musculus ST6GalNAc V mRNA for GalNAc alpha-2,
             6-sialyltransferase V, complete cds.
ACCESSION    AB028840
VERSION      AB028840.1  GI:6691442
KEYWORDS     GalNAc alpha-2, 6-sialyltransferase V.
SOURCE       Mus musculus 17 weeks male brain cDNA to mRNA.
ORGANISM     Mus musculus
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE    1  (sites)
AUTHORS      Ikehara,Y., Shimizu,N., Kono,M., Nishihara,S., Nakanishi,H.,
             Kitamura,T., Narimatsu,H., Tsuji,S. and Tatematsu,M.
TITLE        A novel glycosyltransferase with a polyglutamine repeat; a new
             candidate for GDIalpha synthase (ST6GalNAc V)(1)
JOURNAL      FEBS Lett. 463 (1-2), 92-96 (1999)
MEDLINE      20069453
REFERENCE    2  (bases 1 to 2780)
AUTHORS      Ikehara,Y., Shimizu,N. and Tatematsu,M.
TITLE        Direct Submission
JOURNAL      Submitted (09-JUN-1999) Yuzuru Ikehara, Aichi Cancer Center
             Research Institute, Division of Pathology 1st; 1-1 Kanokoden
             Chikusa-ku, Nagoya, Aichi 464-8681, Japan
             (E-mail:yikehara@aichi-cc.pref.aichi.jp, Tel:81-52-764-2972,
             Fax:81-52-764-2972)
FEATURES             Location/Qualifiers
     source          1..2780
                     /organism="Mus musculus"
                     /db_xref="taxon:10090"
                     /sex="male"
                     /tissue_type="brain"
                     /dev_stage="17 weeks"
     gene            170...1180
                     /gene="ST6GalNAc V"
     CDS             170...1180
                     /gene="ST6GalNAc V"
                     /codon_start=1
                     /product="GalNAc alpha-2, 6-sialyltransferase V"
                     /protein_id="BAA89292.1"
                     /db_xref="GI:6691443"
                     /translation="MKTLMRHGLAVCLVLTTMCTSLLLVYSSLGSQKERPPQQQQQQ
                     QQQQAATATGTSTQLVESSPQRRRTAPAGPRQLEGYLGVADHKPLKMHCKDCALVTSS
                     GHLLRSQQGPHIDQTECVIRMNDAPTRGYGLDVGNRTSLRVIAHSSIQRILRNRHDLL
                     NVSGGTVFIFWGPSSYMRRDGKGQAYNNLQLLSQVLPRLKAFMITRHRMLQFDELFKQ
                     ETGKDRKISNTWLSTGWFTWTIALELCDRIDVYGMVPPDFCRDPKHPSVPYHYEPSG
                     PDECTMYLSHERGRKGSHRFITEKRVFKNWARTFNIHFFQPDWKPESPAVNHAEGKP
                     VF"
BASE COUNT    744 a    694 c    676 g    666 t
```

REFERENCE 1 (sites)
AUTHORS   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
          Watanabe,K., Kumagai,A., Itakura,S., Yamazaki,M., Tashiro,H.,
          Ota,T., Suzuki,Y., Obayashi,M., Nishi,T., Shibahara,T., Tanaka,T.,
          Nakamura,Y., Isogai,T. and Sugano,S.
TITLE   NEDO human cDNA sequencing project
JOURNAL   Unpublished (2000)
REFERENCE 2 (bases 1 to 1662)
AUTHORS   Sugano,S., Suzuki,Y., Ota,T., Obayashi,M., Nishi,T., Isogai,T.,
          Shibahara,T. Tanaka,T. and Nakamura,Y.
TITLE   Direct Submission
JOURNAL   Submitted (15-FEB-2000) Sunio Sugano, Institute of Medical Science,
          University of Tokyo, Deptment of Virology; Shirokane-dai, 4-6-1,
          Minato-ku, Tokyo 108-8639, Japan (E-mail:cdna1@ims.u-tokyo.ac.jp,
          Tel:81-3-5449-5286, Fax:81-3-5449-5416)
COMMENT   NEDO human cDNA sequencing project supported by Ministry of
          International Trade and Industry of Japan; cDNA full insert
          sequencing: Research Association for Biotechnology; cDNA library
          construction, 5'- & 3'-end one pass sequencing: Depertent of
          Virology and Human Genome Center, Institute of Medical Science,
          University of Tokyo (partly supported by Science and Technology
          Agency).
FEATURES   Location/Qualifiers
     source   1..1662
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="KAT08984"
                     /cell_line="KATO III"
                     /cell_type="signet-ring cell carcinoma"
                     /clone_lib="KAT"
                     /note="cloning vector pME18SFL3"
     CDS   273..1181
                     /note="unnamed protein product"
                     /codon_start=1
                     /protein_id="BAA91281.1"
                     /db_xref="GI:7020805"
                     /translation="MKAPGRLVLILCSVVFSAVYILLCCWAGLPLCLATCLDHHFPT
                     GSRPTVPGPLHFSGYSSVPDGKPLVREPCRSCAVVSSSGQMLGSGLGAEIDSAECVFR
                     MNQAPIVGFEADVGQRSTLRVVSHTSVPLLLRNYSHYLQKARDILYMWWGQGRHMDRV
                     LGGRIYRTLIQLTRMYPGLQVYTFTERMMAYCDQIFQDETGKNRRQSGSFLSTGWFTM
                     ILALELCEEIVVYGMVSDSYCREKSHPSVPYHYFEKGRLDECQMYLAHEQAPRSAHRF
                     ITEKAFVSRWNAKKRPIVFAHPSWRTE"
BASE COUNT   300 a   558 c   485 g   319 t
ORIGIN

Query Match   7.4%;   Score 96.4; DB 9; Length 1662;
Best Local Similarity 52.5%; Pred. No. 8.7e-16;
Matches 211; Conservative 0; Mismatches 191; Indels   0; Gaps   0;

Qy 393 ctgtgaccttgtgccatagtgtcaaactcaggtcagatgttggccagaaggtgggaaa 452
        || |||||| || ||||| | |||||| ||-| |||| || ||||||||||||
Db 488 CTGCCCAGCTGTGCCGTGGTGTCCAGCTCCGGCCAAATGCTGGCTCAGGCCTGGGTGC 547

Qy 453 tgagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaaggttatga 512
        ||||||||| ||||| ||| ||||||| |||||| ||||| | |||||| |||||
Db 548 TGAGATCGACAGTGCCGAGTGCGTGTTCCCGATGAACCAGGCGCCCACCGTGGGCTTTGA 607

Qy 513 agaagatgtcggccgcatgaccatgatcgagttgtgtcccataccagcgtcctcctttt 572
        | ||||||| ||| |||||||| || || ||| |||| | || || | ||||| ||
Db 608 GGCGGATCTGGGCCAGCCAGCACCCCGGTCGTCGTCGTCAACACACAGGCGCCGCCCTGCT 667

Qy 573 gctaaaaaacctgattatttttcaaggagcggaatactacatttgttatttgggg 632
        ||| |||| ||| || |||| ||| || ||| || || | |||| |||||
Db 668 GCTGCGCAACTATTCACACTACCTTCCAGAAGGCCCAGACCACCGTCTACATGGTGTGGGG 727

Qy 633 acctttccgcaatatgaggaaagatggcaatggcatcgtttacaacatgttgaaaaagac 692
        ||| |||| |||||||||||||||| || ||||| | | || || ||||||||| |
Db 728 CCAGGGCCAGCGCCACATGACCCGGGTGCTCGGCGGCCGCATCTACCGCACGCTGCTGCAGCT 787

Qy 693 agttggtatctatccgaatgccccaaatatacgtgaccaccagagaagcgcatgagttactg 752
        || |||||| ||| | ||||| | || ||| |||| | ||| ||| ||| ||| ||
Db 788 CACCAGGATGTACCCCGGCCTGCAGGTGTACACCTTCACGGAGCGGATGATGGCCTACTG 847

Qy 753 tgatggagttttaagaaggaaactggaggaacacaggggca 794
        ||| || |||| |||||||||| || ||||| || |||| |
Db 848 CGACCAGATCTTCCAGGACGAGACGGGCAAGAACCGGAGGCA 889

RESULT 29
LOCUS   AB030836   1685 bp   mRNA   linear   ROD 23-OCT-1999
DEFINITION Mus musculus ST6GalNAc V mRNA for GD1 alpha synthase, complete cds.
ACCESSION   AB030836
VERSION   AB030836.1 GI:6097862
KEYWORDS   GD1 alpha synthase.
SOURCE   Mus musculus (strain:C57BL-6J) adult brain cDNA to mRNA.
  ORGANISM Mus musculus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1 (sites)
AUTHORS   Okajima,T., Fukumoto,S., Ito,H., Kiso,M., Hirabayashi,Y., Urano,T.
            and Furukawa,K.
TITLE   Molecular cloning of brain-specific GD1alpha synthase (ST6GalNAc V)
            containing CAG/Glutamine repeats
JOURNAL   J. Biol. Chem. 274 (43), 30557-30562 (1999)
MEDLINE   99452943
REMARK   Erratum:[[published erratum appears in J Biol Chem 2000 Jan
            14;275(2):1520]]
REFERENCE   2 (bases 1 to 1685)
AUTHORS   Furukawa,K.
TITLE   Direct Submission
JOURNAL   Submitted (06-AUG-1999) Koichi Furukawa, Nagoya University School
            of Medicine, Department of Biochemistry II; 65 Tsurumai, Showa-ku,
            Nagoya, Aichi 466-0065, Japan (E-mail:koichi@med.nagoya-u.ac.jp,
            Tel:81-52-744-2070, Fax:81-52-744-2069)
FEATURES   Location/Qualifiers
     source   1..1685
                     /organism="Mus musculus"
                     /strain="C57BL-6J"
                     /db_xref="taxon:10090"
                     /tissue_type="brain"
                     /dev_stage="adult"
     gene   194..1201
                     /gene="ST6GalNAc V"
     CDS   194..1201
                     /gene="ST6GalNAc V"
                     /codon_start=1
                     /product="GD1 alpha synthase"
                     /protein_id="BAA85747.1"
                     /db_xref="GI:6097863"
                     /translation="MKTLMRHGLAVCLVLTTMCTSLLLVYSSLGSQKERPQQQQQQQ
                     QQQQAATATGSTQLVESSPQPRRTAPAGPRQLEGYLGVADHKPLKMHCKDCALVTSSG
                     HLLRSQOGPHIDQTECVIRMNDAPTRGYGLDVGNRTSLRVIAHSSIQRLRNRHDLLN
                     VSQGTVFIFWGPSSYMRRDGKGQAYNNLQLLSQVLPRLKAFMITHRHMLQFDELFKQE
                     TGKRDRKISNTWLSTGWFTMTIALELCRIDVYGMVPPDFCRDPKHPSVPTHYYEPSGP
                     DECTMYLSHERGRKGSHHRFITEKRVFKNWARTFNIHFFQPDWKPESPAVNHAEGKPV
                     F"
BASE COUNT   429 a   483 c   435 g   338 t
ORIGIN

Query Match   7.4%;   Score 95.2; DB 10; Length 1685;
Best Local Similarity 50.9%; Pred. No. 1.9e-15;
Matches 226; Conservative 0; Mismatches 218; Indels   0; Gaps   0;

Qy 346 cactatgatacataaatgtgaagacacaagagccttgcaactggactgtgacctttgt 405
        | |||| ||| |||| || || | ||| || | || || |||||||| |||
Db 419 CTCGAAGGATACCTCGGTGTAGCACAGACCACCAAGCCCTGAAAATGCATTGCAAGGATGC 478

Qy 406 gccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaatgggaatagatcga 465
        ||| | ||||||||||||| || || |||| || ||||||||| |||| |||| | ||
Db 479 GCCCTGGTGACCAGCTCAGGCCATCTGCCTGCCTAGTCAGTGCCTCAGCAGGCGCCCCACATCGACCAG 538

Qy 466 tcctcctgcattggagaatgaacaatgccccaccaaaggttatgaagaagtgtcggc 525
        | |||| ||| ||||||||||| ||| ||||| ||||| ||| || |||| |||
Db 466 CACCAGGATGTACCCCGGCCTGCAGGTGTACACCTTCACGGAGCGGATGATGGCCTACTG 847

FEATURES   Location/Qualifiers
     source   1..1687
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
     CDS   268..1176
                     /note="unnamed protein product"
                     /codon_start=1
                     /protein_id="CAC27250.1"
                     /db_xref="GI:12578465"
                     /translation="MKAPGRLVLIILCSVVFSAVYILLCCWAGLPLCLATCLDHHFPT
                     GSRPTVPGPLHFSGYSSVPDGKPLVREPCRSCAVVSSSGQMLGSGLGAEIDSAECVFR
                     MNQAPTVGFEADVGQRSTLRVVSHTSVPLLLRNYSHYFQKARDTLYMVWGQGRHMDRV
                     LGGRTYRTLLQLTRMYPGLQVYTFTERMMAYCDQIFQDETGKNRRQSGSFLSTGWFTM
                     ILALELCEEIVVGMVSDSYCREKSHPSVPYHYFEKGRLDECQMYLAHEQAPRSAHRF
                     ITEKAVFSRWAKKRPIVFAHPSWRTE"

BASE COUNT   285 a   571 c   504 g   327 t
ORIGIN

Query Match   7.6%;   Score 98; DB 6; Length 1687;
Best Local Similarity 52.7%;   Pred. No. 3.1e-16;
Matches   212;   Conservative   0;   Mismatches 190;   Indels   0;   Gaps   0;

Qy   393 ctgtgacctttgtgccatagtgtcaaaactcaggtcagatggttggccagaaggtgggaaa 452
          ||||||||||||||||||||||||||| || |||||| ||| |||||||||||||||
Db   483 CTGCCGCAGCTGTGCCGTGGTGTCCAGCTCCGGCCAAATGCTGGGCCTCAGGCCTGGGTGC 542

Qy   453 tgagatagatcgatctcctgcatttggagaatgaacaatgccccaccaaaggttatga 512
          |||||| || | |||| | |||| |||||| |||| ||| |||||| ||| |||
Db   543 TGAGATCGACAGTGCGAGTGCGTGTTCCCGATGAACCAGCGCCCACCGTGGGCTTTGA 602

Qy   513 agaagatgtcggccgcatgaccatgaccatgtccatacccgttcctctttt 572
          |||||| ||| ||| | | || || || ||||| |||| |||||||
Db   603 GGCGGATGTGGGCCAGCGACCAGCACCCTGCCTGTCGTCTCACACAACGGTCGCCGCTGCT 662

Qy   573 gctaaaaaccctgattattttttcaaggaagcgaatactatttgttatttgggg 632
          || || |||||||| ||| ||||| ||| ||| |||||| || ||||||
Db   663 GCTGCGCAACTATTCACACTACTTCCAGAAGGCCCGAGACACGCTGTACATGGTGTGGGGG 722

Qy   633 accttccgcaatatgaggaaagatggcaatggcatcgtgttacaacatgttgaaaaagac 692
          || | | | |||| ||| |||||||| | ||| ||| ||| |||| |||||||||
Db   723 CCAGGGCAGGCACATGGACCGGGTGCTCGGCGGCCGCACCTACCGCACCCTGCTGCAGCT 782

Qy   693 agttgtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactg 752
          || ||||| | | |||| ||| || ||||||| || |||| ||||||| ||||
Db   783 CACCAGGATGTACCCCGGCCTGCAGGTGTACACCTTCACCGAGCGCATGATGGCCTACTG 842

Qy   753 tgatggagtttttaagaaggaaactgggaaggacaggggca 794
          ||| || || ||||||| |||| | |||| ||| |
Db   843 CGACCAGATCTTCCAGGACGAGACGGGCAAGAACCGGAGGCA 884

RESULT 27
LOCUS   HSA271734   1276 bp   mRNA   linear   PRI 13-NOV-2000
DEFINITION Homo sapiens mRNA for alpha2,6-sialyltransferase (ST6GalNAc IV
            gene).
ACCESSION   AJ271734
VERSION   AJ271734.1 GI:9998768
KEYWORDS   alpha 2,6-sialyltransferase; ST6GalNAc IV gene.
SOURCE   human.
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 1275)
  AUTHORS   Harduin-Lepers,A., Stokes,D.C., Steelant,W.F., Samyn-Petit,B.,
            Krzewinski-Recchi,M.A., Vallejo-Ruiz,V., Zanetta,J.P., Auge,C. and
            Delannoy,P.
  TITLE   Cloning, expression and gene organization of a human
            Neu5Acalpha2-3Galbeta1-3GalNAc alpha2,6-sialyltransferase:
            hST6GalNAc IV
  JOURNAL   Biochem. J. 352 (Pt 1), 37-48 (2000)
   PUBMED   11062056

FEATURES   Location/Qualifiers
     source   1..1276
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
     gene   292..1200
                     /gene="ST6GalNAc IV"
     CDS   292..1200
                     /gene="ST6GalNAc IV"
                     /codon_start=1
                     /evidence=experimental
                     /product="alpha2,6-sialyltransferase"
                     /protein_id="CAC07404.1"
                     /db_xref="GI:9998769"
                     /translation="MKAPGRLVLIILCSVVFSAVYILLCCWAGLPLCLATCLDHHFPT
                     GSRPTVPGPLHFSGYSSVPDGKPLVREPCRSCAVVSSSGQMLGSGLGAEIDSAECVFR
                     MNQAPTVGFEADVGQRTTLRVVSHTSVPLLLRNYSHYFQKARDTLYMVWGQGRHMDRV
                     LGGRTYRTLLQLTRMYPGLQVYTFTERMMAYCDQIFQDETGKNRRQSGSFLSTGWFTM
                     ILALELCEEIVVGMVSDSYCREKSHPSVPYHYFEKGRLDECQMYLAHEQAPRSAHRF
                     ITEKAVFSRWAKKRPIVFAHPSWRTE"

BASE COUNT   223 a   434 c   384 g   235 t
ORIGIN

Query Match   7.4%;   Score 96.4; DB 9; Length 1276;
Best Local Similarity 52.5%;   Pred. No. 8.4e-16;
Matches   211;   Conservative   0;   Mismatches 191;   Indels   0;   Gaps   0;

Qy   393 ctgtgacctttgtgccatagtgtcaaaactcaggtcagatggttggccagaaggtgggaaa 452
          ||||||||||||||||||||||||||| || |||||| ||| |||||||||||||
Db   507 CTGCCGCAGCTGTGCCGTGGTGTCCAGCTCCGGCCAAATGCTGGGCCTCAGGCCTGGGTGC 566

Qy   453 tgagatagatcgatctcctgcatttggagaatgaacaatgccccaccaaaggttatga 512
          |||||| || | |||| | |||| |||||| |||| ||| |||||| ||| |||
Db   567 TGAGATCGACAGTGCGAGTGCGTGTTCCGATGAACCAGCGCCCACCGTGGGCTTTGA 626

Qy   513 agaagatgtcggccgcatgaccatgaccatgtccatacccagcgttcctctttt 572
          |||||| ||| ||| | | || || || ||||| || | |||||||
Db   627 GGCGGATGTGGGCCAGCGACCAGCACCCTGCCTGTCGTCTCACACAACGGTCGCCGCTGCT 686

Qy   573 gctaaaaaccctgattattttttcaaggaagcgaatactatttgttatttgggg 632
          || || |||||||| ||| ||||| ||| ||| |||||| || ||||||
Db   687 GCTGCGCAACTATTCACACTACTTCCAGAAGGCCCGAGACACGCTGTACATGGTGTGGGGG 746

Qy   633 accttccgcaatatgaggaaagatggcaatggcatcgttacacatgttgaaaaagac 692
          || | | | |||| ||| |||||||| | ||| ||| ||| |||| |||||||||
Db   747 CCAGGGCAGGCACATGGACCGGGTGCTCGGCGGCCGCACCTACCGCACCCTGCTGCAGCT 806

Qy   693 agttgtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactg 752
          || ||||| | | |||| ||| || ||||||| || |||| ||||||| ||||
Db   807 CACCAGGATGTACCCCGGCCTGCAGGTGTACACCTTCACCGAGCGCCATGATGATGGCCTACTG 866

Qy   753 tgatggagtttttaagaaggaaactgggaaggacagggggca 794
          ||| || || ||||||| |||| | |||| ||| |
Db   867 CGACCAGATCTTCCAGGACGAGACGGGCAAGAACCGGCAGGACA 908

RESULT 28
LOCUS   AK000600
DEFINITION Homo sapiens cDNA FLJ20593 fis, clone KAT08984.
ACCESSION   AK000600   1662 bp   mRNA   linear   PRI 22-FEB-2000
VERSION   AK000600.1 GI:7020804
KEYWORDS   oligo capping; fis (full insert sequence).
SOURCE   Homo sapiens signet-ring cell carcinoma cell_line:KATO III cDNA to
            mRNA, clone_lib:KAT clone:KAT08984.
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

LOCUS   AX040084   1416 bp   DNA   linear   PAT 18-NOV-2000
DEFINITION   Sequence 7 from Patent WO0063351.
ACCESSION   AX040084
VERSION   AX040084.1 GI:11230046
KEYWORDS   .
SOURCE   human.
ORGANISM   Homo sapiens
                Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 1416)
AUTHORS   Lal,P., Yue,H., Tang,Y.T., Hillman,J.L., Baughn,M.R. and Yang,J.
TITLE   Carbohydrate-modifying enzymes
JOURNAL   Patent: WO 0063351-A 7 26-OCT-2000;
                Incyte Genomics, Inc. (US)
FEATURES   Location/Qualifiers
     source   1..1416
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
     unsure   1398
                     /note="a or g or c or t, unknown, or other
                     Incyte ID NO: 983984CB1"
BASE COUNT   246 a   489 c   416 g   264 t   1 others
ORIGIN

Query Match   7.6%; Score 98; DB 6; Length 1416;
Best Local Similarity 52.7%; Pred. No. 3e-16;
Matches 212; Conservative   0; Mismatches 190; Indels   0; Gaps   0;

Qy   393 ctgtgacctttgtgccatagtgtcaggtcagatggttggccagaaggtgggaaa 452
          ||| ||||||||||||| |||||||||||||||| ||||| ||||||||||||
Db   499 CTGCCCGCAGCTGTGCCGTGGTCCAGCTCCGGCTCAGGTCGGGTGGTGC 558

Qy   453 tgagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaggttatga 512
          ||||| || | | ||||||| |||||| | | |||| ||| |||| |||||||||
Db   559 TGAGATCGACAGTGCCAGTGCCGTGTTCCGATGCGTGTTCCGATGAACCAGGCGCC 618

Qy   513 agaagatgtcggccgcatgaccatgattcgagttgtgtcccataccagcgttcctctttt 572
          |||||||||| || ||| || |||||||| ||| |||| |||||||||||||| |||||
Db   619 GGCGGATGTGGGCCAGCGCCAGCACCCTGCGTCGTGCCGCGCT 678

Qy   573 gctaaaaacctgattatttttcaaggaagcgaatactactatttgtgtatttggg 632
          ||| |||| ||||||||||||||||||| |||||| ||||||||||||
Db   679 GCTCGCGCAACTATTCACACTACTTCCAGAAGGCCCAGACACCGCTCTACATGGTGTGGGG 738

Qy   633 acctttccgcaatatgaggaaagatggcaatggcatcgtttacaacatgttgaaaaagac 692
          |||||| | | ||||||||| ||| ||||||| |||||||||| |||||| |||||
Db   739 CCAGGGCAGGCACATGACCGTGCTGCGGCCGGCACCTACCCCACCCTGCTGCAGCT 798

Qy   693 agttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactg 752
          |||| |||||| |||||||||| ||||||||| ||||||||||| ||||||
Db   799 CACCAGGATGTACCCCGCCTGCAGGTGTACACCTTCACGGAGCGCCATGATGGCCTACTG 858

Qy   753 tgatggagtttttaagaaggaaactgggaaggacaggggca 794
          |||||||||||||||||||||||||||||||||||||
Db   859 CGACCAGATCTTCCAGGACGACGCGGCAAGAACCGGCA 900

RESULT 25
AX061620
LOCUS   AX061620   1556 bp   DNA   linear   PAT 24-JAN-2001
DEFINITION   Sequence 25 from Patent WO0100806.
ACCESSION   AX061620
VERSION   AX061620.1 GI:12406701
KEYWORDS   .
SOURCE   human.
ORGANISM   Homo sapiens
                Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 1556)
AUTHORS   dumas milne Edwards,J.B., Bouqueleret,L. and Jobert,S.
TITLE   Complementary dna's encoding proteins with signal peptides
JOURNAL   Patent: WO 0100806-A 25 04-JAN-2001;

FEATURES   GENSET (FR)
     source   Location/Qualifiers
                     1..1556
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
     sig_peptide   261..314
                     /note="Von Heijne matrix score 8.80 seq RLVLIILCSVVFS/AV"
     CDS   261..1169
                     /note="unnamed protein product"
                     /codon_start=1
                     /protein_id="CAC24981.1"
                     /db_xref="GI:12406702"
                     /translation="MKAPGRLVLIILCSVVFSAVYIILCCWAGLPLCLATCLDHHPT
                     GSRPTVPGPLHFSGYSSVPDGKPLVREPCRSCAVVSSSGQMLGSGLGAEIDSAECVFR
                     MNQAPTVGFEADVGQRSTLRVVSHTSVPLLLRNYSHYFQKARDTLYMWGGGRHMDRV
                     LGGRTYRTLQLIRMYPGLQVYFTERMAYCDQIFQDETGKNRRQSGFLSTGWFTM
                     ILALELCEIVVYGMVSDSYCREKSHPSVPYHYFEKGRLDECQMYLAHEQAPRSAHRF
                     ITEKAVFSRWAKKRPIVFAHPSWRTE"
     polyA_site   1524..1556
BASE COUNT   287 a   521 c   460 g   288 t
ORIGIN

Query Match   7.6%; Score 98; DB 6; Length 1556;
Best Local Similarity 52.7%; Pred. No. 3.1e-16;
Matches 212; Conservative   0; Mismatches 190; Indels   0; Gaps   0;

Qy   393 ctgtgacctttgtgccatagtgtcaggtcagatggttggccagaaggtgggaaa 452
          ||| ||||||||||||| |||||||||||||||| ||||| ||||||||||||
Db   476 CTGCCCGCAGCTGTGCCGTGGTCCAGCTCCGGCTCAGGTCGGGTGGTGC 535

Qy   453 tgagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaggttatga 512
          ||||| || | | ||||||| |||||| | | |||| ||| |||| |||||||||
Db   536 TGAGATCGACAGTGCCAGTGCCGTGTTCCGATGCGTGTTCCGATGAACCAGGCGCC 595

Qy   513 agaagatgtcggccgcatgaccatgattcgagttgtgtcccataccagcgttcctctttt 572
          |||||||||| || ||| || |||||||| ||| |||| |||||||||||||| |||||
Db   596 GGCGGATGTGGGCCAGCGCCAGCACCCTGCGTCGTGCCGCGCT 655

Qy   573 gctaaaaacctgattatttttcaaggaagcgaatactactatttgtgtatttggg 632
          ||| |||| ||||||||||||||||||| |||||| ||||||||||||
Db   656 GCTCGCGCAACTATTCACACTACTTCCAGAAGGCCCAGACACCGCTCTACATGGTGTGGGG 715

Qy   633 acctttccgcaatatgaggaaagatggcaatggcatcgtttacaacatgttgaaaaagac 692
          |||||| | | ||||||||| ||| ||||||| |||||||||| |||||| |||||
Db   716 CCAGGGCAGGCACATGACCGTGCTGCGGCCGGCACCTACCCCACCCTGCTGCAGCT 775

Qy   693 agttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactg 752
          |||| |||||| |||||||||| ||||||||| ||||||||||| ||||||
Db   776 CACCAGGATGTACCCCGCCTGCAGGTGTACACCTTCACGGAGCGCCATGATGGCCTACTG 835

Qy   753 tgatggagtttttaagaaggaaactgggaaggacaggggca 794
          |||||||||||||||||||||||||||||||||
Db   836 CGACCAGATCTTCCAGGACGACGCGGCAAGAACCGGCAGGCA 877

RESULT 26
AX068265
LOCUS   AX068265   1687 bp   DNA   linear   PAT 25-JAN-2001
DEFINITION   Sequence 27 from Patent WO0102563.
ACCESSION   AX068265
VERSION   AX068265.1 GI:12578464
KEYWORDS   .
SOURCE   human.
ORGANISM   Homo sapiens
                Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
                Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 1687)
AUTHORS   Kato,S. and Kimura,T.
TITLE   Human proteins having hydrophobic domains and dnas encoding these
                proteins
JOURNAL   Patent: WO 0102563-A 27 11-JAN-2001;
                SAGAMI CHEMICAL RESEARCH CENTER (JP) ; Protegene Inc. (JP)

```
Db     962 TAAATGTGAGGACCCAAGAG  981
           ||||||||| ||| ||||||
```

RESULT 22
LOCUS   AX068255   906 bp   DNA   linear   PAT 25-JAN-2001
DEFINITION   Sequence 17 from Patent WO00102563.
ACCESSION   AX068255
VERSION   AX068255.1 GI:12578448
KEYWORDS   .
SOURCE   human.
ORGANISM   Homo sapiens
               Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
               Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 906)
AUTHORS   Kato,S. and Kimura,T.
TITLE   Human proteins having hydrophobic domains and dnas encoding these
               proteins
JOURNAL   Patent: WO 0102563-A 17 11-JAN-2001;
               SAGAMI CHEMICAL RESEARCH CENTER (JP) ; Protegene Inc. (JP)
FEATURES   Location/Qualifiers
     source   1..906
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
BASE COUNT   157 a   300 c   279 g   170 t
ORIGIN

Query Match   7.6%;   Score 98; DB 6; Length 906;
Best Local Similarity 52.7%;   Pred. No. 2.8e-16;
Matches 212; Conservative   0; Mismatches 190; Indels   0; Gaps   0;

Qy   393 ctgtgaccttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaa 452
          ||| ||||||| |||||| |||||||||||||| ||||||||| || ||||||| ||||
Db   216 CTGCCCAGCTGTGCCGTGGTGTCCCAGCTCCGGCCCAAATGCTGGGCTCAGCCTGGGTGC 275

Qy   453 tgagatagatccgatcctcctgcatttggagaatgaacaatgcccccaccaaggttatga 512
          |||| | ||| | || || |||| ||| ||| || |||| ||||| ||||||| ||||
Db   276 TGAGATCGCAGTGCCGAGTGCGTGTTCCGCATGAACCAGGCGCCCACCGTGGGCTTTGA 335

Qy   513 agaagatgtcggccgcgatgaccatgatccgagttgtgtcccataccagcgtcctctttt 572
          ||| ||||| | || || ||| |||| ||||||| |||| | |||| || |||| ||||
Db   336 GGCGGATGGTGGCCGCAGCGCAGCACCCTGTCTCTCACACAGCCTGCCGCGCTCCGCTGCT 395

Qy   573 gctaaaaacctgattatttttcaaggaaggaaatactactatttgtgttatttgggg 632
          ||| ||| ||| || |||| |||||| || |||| || |||||||| | |||||||||
Db   396 GCTCGCAACTATTCACACTACTTCCAGAAGCCCAGAGACGCGCTCTTACATGGTGTGGGG 455

Qy   633 accttccgacaatatgaggaaagatggcaatgcatcgtgttacaacaacatgttgaaaaagac 692
          || ||||| | |||| |||| ||| |||| || || ||||||||| |||||||||| ||||||
Db   456 CCAGGGCCAGGCACATGGACCGGGTGCTGCGGCCGCCACCTACCCGCCACGCGTGCTGCAGCT 515

Qy   693 agttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactg 752
          ||||||||||| |||| ||| ||| ||||| |||||||||| ||||| |||| ||||||||
Db   516 CACCAGGATGTACCCCGGCCTGCAGTGTACACCTTCACGGAGCGCGAGCCATGATGGCCTACTG 575

Qy   753 tgatggagtttttaagaaggaaaactgggaaggacagggggca 794
          | |||||||| ||||| |||||| |||| |||| |||||
Db   576 CGACCAGATCTTCCAGGACGCAGACGCGGCAAGAACCGGAGGCA 617

RESULT 23
LOCUS   AB035172   1004 bp   mRNA   linear   PRI 26-NOV-1999
DEFINITION   Homo sapiens ST6GalNAc4 mRNA for N-acetylgalactosaminide
               alpha2,6-sialyltransferase, complete cds.
ACCESSION   AB035172
VERSION   AB035172.1 GI:6468226
KEYWORDS   ST6GalNAc4; N-acetylgalactosaminide alpha2,6-sialyltransferase.
SOURCE   Homo sapiens Adult lung cDNA to mRNA.
ORGANISM   Homo sapiens
               Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
```

(right column)

REFERENCE   1 (bases 1 to 1004)
AUTHORS   Yoshida,A.
TITLE   N-acetylgalactosaminide alpha2,6-sialyltransferase
JOURNAL   Published Only in Database (1999) In press
REFERENCE   2 (bases 1 to 1004)
AUTHORS   Yoshida,A.
TITLE   Direct Submission
JOURNAL   Submitted (20-NOV-1999) Aruto Yoshida, Central Laboratories for Key
               Technology, Kirin Brewery Co., Ltd., Glycotechnology Group; 1-13-5,
               Fukuura, Yokohama, Kanagawa 236-0004, Japan
               (E-mail:ayoshida@kirin.co.jp, Tel:81-45-788-7361,
               Fax:81-45-788-4047)
FEATURES   Location/Qualifiers
     source   1..1004
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /tissue_type="lung"
                     /dev_stage="Adult"
     gene   22..930
                     /gene="ST6GalNAc4"
     CDS   22..930
                     /gene="ST6GalNAc4"
                     /codon_start=1
                     /product="N-acetylgalactosaminide
                     alpha2,6-sialyltransferase"
                     /protein_id="BAA87034.1"
                     /db_xref="GI:6468227"
                     /translation="MKAPGRIVLIILCSVVFSAVYILLCCWAGLPLCLATCLDHHFPT
                     GSRPTVPGPLHFSGYSSVPDGKPLVREPCRSCAVVSSSGQMLGSGLGAEIDSAECVFR
                     MNQAPTVGFEADVGQRSTLRVVSHTSVPLLLRNYSHYFQKARDTLYMWWGQGRHMDRV
                     LGGRYRTLLQLTRMYPGLQVYTFTERMAYCDIFQDETGKNRRQSGFSLSTGWFTM
                     ILALELCEEIVYGMVSDSYCREKSHPSVPYHYFEKGRLDECQMYLAHEQAPRSAHRF
                     ITEKAVFSRWAKKRPIVFAHPSWRTE"
BASE COUNT   175 a   339 c   303 g   187 t
ORIGIN

Query Match   7.6%;   Score 98; DB 9; Length 1004;
Best Local Similarity 52.7%;   Pred. No. 2.9e-16;
Matches 212; Conservative   0; Mismatches 190; Indels   0; Gaps   0;

Qy   393 ctgtgaccttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaa 452
          ||| ||||||| |||||| |||||||||||||| ||||||||| || ||||||| ||||
Db   237 CTGCCCAGCTGTGCCGTGGTGTCCCAGCTCCGGCCCAAATGCTGGGCTCAGCCTGGGTGC 296

Qy   453 tgagatagatccgatcctcctgcatttggagaatgaacaatgcccccaccaaggttatga 512
          |||| | ||| | || || |||| ||| ||| || |||| ||||| ||||||| ||||
Db   297 TGAGATCGCAGTGCCGAGTGCGTGTTCCGCATGAACCAGGCGCCCACCGTGGGCTTTGA 356

Qy   513 agaagatgtcggccgcgatgaccatgatccgagttgtgtcccataccagcgtcctctttt 572
          ||| ||||| | || || ||| |||| ||||||| |||| | |||| || |||| ||||
Db   357 GGCGGATGGTGGCCGCAGCGCAGCACCCTGTCTCTCACACAGCCTGCCGCGCTCCGCTGCT 416

Qy   573 gctaaaaacctgattatttttcaaggaaggaaatactactatttgtgttatttgggg 632
          ||| ||| ||| || |||| |||||| || |||| || |||||||| | |||||||||
Db   417 GCTCGCAACTATTCACACTACTTCCAGAAGCCCAGAGACGCGCTCTTACATGGTGTGGGG 476

Qy   633 accttccgacaatatgaggaaagatggcaatgcatcgtgttacaacaacatgttgaaaaagac 692
          || ||||| | |||| |||| ||| |||| || || ||||||||| |||||||||| ||||||
Db   477 CCAGGGCCAGGCACATGGACCGGGTGCTGCGGCCGCCACCTACCCGCCACGCGTGCTGCAGCT 536

Qy   693 agttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactg 752
          ||||||||||| |||| ||| ||| ||||| |||||||||| ||||| |||| ||||||||
Db   537 CACCAGGATGTACCCCGGCCTGCAGTGTACACCTTCACGGAGCGCGAGCCATGATGGCCTACTG 596

Qy   753 tgatggagtttttaagaaggaaaactgggaaggacagggggca 794
          | |||||||| ||||| |||||| |||| |||| |||||
Db   597 CGACCAGATCTTCCAGGACGCAGACGCGGCAAGAACCGGAGGCA 638

RESULT 24
           AX040084

```
SOURCE      gene.
            Takifugu rubripes.
ORGANISM    Takifugu rubripes
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
            Acanthomorpha; Acanthopterygii; Percomorpha; Tetraodontiformes;
            Tetraodontidae; Takifugu.
REFERENCE   1  (bases 1 to 3559)
AUTHORS     Gilley,J. and Fried,M.
TITLE       Extensive gene order differences within regions of conserved
            synteny between the Fugu and human genomes: implications for
            chromosomal evolution and the cloning of disease genes
JOURNAL     Hum. Mol. Genet. 8 (7), 1313-1320 (1999)
MEDLINE     99299247
REFERENCE   2  (bases 1 to 3559)
AUTHORS     Fried,M.
TITLE       Direct Submission
JOURNAL     Submitted (02-JUN-1998) M. Fried, Imperial Cancer Research Fund, P
            O Box 123, Lincoln's Inn Fields, London WC2A 3PX, UK
FEATURES             Location/Qualifiers
     source          1..3559
                     /organism="Takifugu rubripes"
                     /db_xref="taxon:31033"
     gene            1447..3066
                     /gene="SIAT3C"
     exon            <1447..1856
                     /gene="SIAT3C"
     CDS             join(<1447..1856,2125..2232,2306..2492)
                     /gene="SIAT3C"
                     /codon_start=1
                     /product="alpha-N-acetylgalactosamine
                     alpha-2,6-sialyltransferase"
                     /protein_id="CAB44338.1"
                     /db_xref="GI:5002573"
                     /translation="FLAVHCNQCALVSSSGQMLGAGLGEEIDKIQCVIRMNNAPTAGY
                     EEDVGSLTSLRVVSHTSVPLLVKNELYYFHQAANTTYVFWGPDSKMRODGKGQIFNVL
                     LKIAKKYPNVRMYSMTSEKIKYCDQVFQNETGKNRMKTGAFLSTGFFTMILALNVCDS
                     IQIYGMINDNHCSQENRSLVPYHYYEQNRVEECRMYRVIEHKKRGGHRFITEKAIYAK
                     WAKWHKIVFKHPAWSL"
     intron          1857..2125
                     /gene="SIAT3C"
     exon            2126..2232
                     /gene="SIAT3C"
     intron          2233..2305
                     /gene="SIAT3C"
     exon            2305..3066
                     /gene="SIAT3C"
BASE COUNT      975 a    828 c    733 g   1023 t
ORIGIN

Query Match             11.8%;  Score 153.2;  DB 5;  Length 3559;
Best Local Similarity   58.6%;  Pred. No. 1.1e-31;
Matches  266;  Conservative    0;  Mismatches  188;  Indels    0;  Gaps    0;

Qy    363 tgtgaagacaaagagcctttgcaactggactgtgacctttgtgcatagtgtcaaactc 422
          |||||||||| || |||||| |  ||| ||| ||  | || ||| |   |   |  | |||
Db   1431 TGTGTTTTCTCAGCAGTTCCTGGCCGTGCACTGCAACCAATGTGCTCTGGTTTCTAGCTC 1490

Qy    423 aggtcagatggttggccagagaaggtgggaaatagatagatcgatcctcctgcattggag 482
          |||||||| ||||| || || || ||  || ||  ||  ||| | || || | |  | || ||
Db   1491 TGGCCAGATGCTCGGTGCAGGCCTCGGAGGAGAGGAGATAGACAAGATCCAGTGTGTGATCCG 1550

Qy    483 aatgaacaatgcccccaccaaagttatgaagaagaagtgtcgccgatgaccatgattcg 542
          |||||||| || ||  ||| |  || ||| || ||   || |  |    |||   | |  |
Db   1551 GATGAACAACGCCGGCCACGGCCTCGGTCGGTACGAGGAGATGTAGGGAGTCCACCAGCCTGCG 1610

Qy    543 agttgtgtccatacaccagcgttcctctttgctaaaaaccctgattattttttcaagga 602
          ||||| || |  || | ||||| | | |||| |  ||   | |  |    ||     | ||
Db   1611 AGTTGTGTCTCACACTAGCCTTCCTCTGCTTGGTGAAGAACGAGCTCTTACTACTTCCACCA 1670

Qy    603 agcgaatactacatttgtgtatttgggaccttccgcaatatgaggaaagagatggcaa 662
          |  ||| |  || | ||| ||||||||  |||||||| | | || | |    || ||| ||
```

```
Db   1671 GGCTGCAAATACCACCATATGTTTTTGGGGTCCGACGACAGCAAAATGAGACAAGATGGGAA 1730

Qy    663 tggcatcgtcttacaacatgtgaaaagacagttggtatcgatcggccaaatata 722
          | |   |  | |||| ||  |  | |  ||||| ||| | |||| |   ||| ||||
Db   1731 AGGACAAATCTTCAACGTTCTCCTGAAAATAGCAAAGAAATATCCGAATGTGAAAATGTA 1790

Qy    723 cgtgaccacagagaagcgcatagagttactgtgactggagtttaagaagaaactgggaa 782
          | ||||| ||||||||  ||||| |   |  ||| ||| |  ||||| |     |||||||
Db   1791 CTCTATGACTAGTGAGAAGATTAAGTACTGCCGACCAGTGTTCCAGAATGAAACGGGAAA 1850

Qy    783 ggacaggggcatgcaaggcgactgctgattcct 816
          | ||||||| || | ||| | ||||| |||| |
Db   1851 GAACAGGTAGAGTAATGGTTCAGAAATCATTTCT 1884
```

```
RESULT 21
LOCUS       MMY11344               1541 bp    DNA     linear   ROD 21-JUN-2000
DEFINITION  Mus musculus ST6GalNAcIII gene, exon 2.
ACCESSION   Y11344
VERSION     Y11344.1  GI:8671206
KEYWORDS    GalNAC alpha-2, 6-sialyltransferase III.
SOURCE      house mouse.
ORGANISM    Mus musculus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1  (bases 1 to 1541)
AUTHORS     Lee,Y.C., Kaufmann,M., Kitazume-Kawaguchi,S., Kono,M.,
            Takashima,S., Kurosawa,N., Liu,H., Pircher,H. and Tsuji,S.
TITLE       Molecular cloning and functional expression of two members of mouse
            NeuAcalpha2,3Galbeta1,3GalNAc GalNAcalpha2,6-sialyltransferase
            family ST6GalNAc III and IV
JOURNAL     J. Biol. Chem. 274 (17), 1958-11967 (1999)
MEDLINE     99223522
REFERENCE   2  (bases 1 to 1541)
AUTHORS     Tsuji,S.
TITLE       Direct Submission
JOURNAL     Submitted (18-FEB-1997) S. Tsuji, The Institute of Physical &
            Chemical Research (RIKEN), Glyco Molecular Biology, Frontier
            Research Program, Wako, Saitama 351-01, JAPAN
FEATURES             Location/Qualifiers
     source          1..1541
                     /organism="Mus musculus"
                     /db_xref="taxon:10090"
                     /cell_line="NIH3T3"
     gene            787..981
                     /gene="ST6GalNAcIII"
     exon            787..981
                     /gene="ST6GalNAcIII"
                     /number=2
                     /usedin=Y11343:III_RNA
                     /usedin=Y11343:III_CDS
BASE COUNT      420 a    332 c    380 g    408 t
ORIGIN

Query Match             10.4%;  Score 134.4;  DB 10;  Length 1541;
Best Local Similarity   79.5%;  Pred. No. 1.8e-26;
Matches  159;  Conservative    0;  Mismatches   41;  Indels    0;  Gaps    0;

Qy    179 tgaaggaaagtctgtgattgctgtgagcttcatagcagcgttccttttcctgctggttg 238
          | ||||| ||| |||||| |||| ||||| ||||  ||| ||| |  || || ||| |||| |
Db    782 TGCAGAGGAAGCCCGTGCTTGTGTGTGGTGAGCTTCATAGCCCTGTGCATCTTGCTGCTAGCCA 841

Qy    239 tgcgtcttgtaaatgaagtgaatttcccattgctactaaactgctttggacaactgta 298
          |||| ||||| |||| ||| |||||| ||||  |||| |||  |  ||||| |  ||| ||
Db    842 TGCGCCTTGTCAATGATGCGGACTTTCCCTTTGCCTGTTCCTGAACTGCTTTGGACAGCCTAAGA 901

Qy    299 caaagtggataccattctcctacacatacaggcggcccttgaactcactatggatca 358
          |||| ||| |  | |||||| ||| ||||  |||| |   |  || | ||| || |||
Db    902 CCAAATGGATCCCTTTGCCCTACCATCAGCCACCATTCAGGCAGCCTTCGAACTCACTATGGGATACA 961

Qy    359 taaatgtgaagaccaaagag 378
          ||| || |||| ||| |||
```

```
             --------   --------  --------   --------
               693        <800       334       <800
Query Match            12.4%;  Score 160.6; DB 9; Length 182529;
Best Local Similarity  94.9%;  Pred. No. 1.6e-33;
Matches 166; Conservative 0; Mismatches 9; Indels 0; Gaps 0;

Qy    28 ccggtccccttatttggatctgcgggaatggtggctggagaggtcctgccggtgtacc 87
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 151150 CCGCGGTCCCCTTATTGGATCTGCGGGAATGGGCTGGAGAGGTCCTGCCGTGTACC 151209

Qy    88 agcctccagctgccccaggactgcccctgaccccaggcgcgcccgtgctcggtggcag 147
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 151210 AGCCTCCAGCTGCCCCCAGGACTGCCCCTGACCCAGGCGCGCCCGCTGCTCGGTGGCAG 151269

Qy   148 gagggccggcggagcgccatggcctgcatcctgaagagagaaagtctgtgattgctg 202
         |||||||||||||||||||||||||||||||   || ||  || |
Db 151270 GAGGGCCGGCGGGCGGGAGCGCCATGGCCTGCATCCTGAAGGTAACGACTTGGATCTGTG 151324

RESULT 19
AC012517
LOCUS       AC012517          202402 bp  DNA    linear   HTG 04-SEP-2000
DEFINITION  Homo sapiens chromosome 3 clone RP11-29F9, WORKING DRAFT SEQUENCE,
            12 unordered pieces.
ACCESSION   AC012517
VERSION     AC012517.15  GI:9966197
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 202402)
AUTHORS     Muzny,D.M., Adams,C., Bailey,M., Barbaria,J., Blankenburg,K.,
            Bodota,B., Bouck,J., Bowie,S., Brooks,A., Buhay,C., Bunac,C.,
            Burkett,C., Burrows,J., Carter,M., Chacko,D., Chen,Z., Cox,C.,
            David,R., Delgado,O., Deshazo,D., Ding,Y., Domah-Rashid,N.,
            Dugan-Rocha,S., Durbin,K.J., Fernandez,C., Ferraguto,D.,
            Forcum-Tansey,J., Frantz,P., Ganesh,R., Gorrell,J.H., Gorrell,L.L.,
            Guevara,W., Harris,K., Hernandez,J., Hodgson,A., Hogues,M.,
            Holloway,C., Hosak,H., Jackson,L.E., Jackson,L., Jia,Y., Jones,M.,
            Kelly,S., Kondejewski,N., Kong,Y., Kovar,C., Leal,B., Li,Z.,
            Lichtarge,O., Liu,J., Liu,W., Logan,O., Lozado,R.J., Lu,J.,
            Lucier,R., Martin,R., Martinez,C., McLeod,M.P., Mei,G., Morgan,M.,
            Morris,S., Nash,S., Nelson,A., Nguyen,N., Nguyen,N., Nguyen,S.,
            Oswal,G., Parish,B., Paxton,S., Payton,B., Perez,L., Pu,L.L.,
            Quiles,M., Reiter,D., Rives,M., Samuel,S., Say,J., Scherer,S.,
            Shah,E., Shen,H., Simon,M., Sparks,A., Stamps,A., Sucgang,R.,
            Tabor,P., Taylor,T., Vasquez,L., Vinson,L., Vo,Q., Wabbah,M.,
            Watlington,S., Weinstock,G., Weinstock,I.R., Williamson,A.,
            Worley,K., Wren,J., Wrensford,G., Yu,W., Zhou,X., Nelson,D. and
            Gibbs,R.
TITLE       Direct Submission
JOURNAL     Unpublished
REFERENCE   2  (bases 1 to 202402)
AUTHORS     Worley,K.C.
TITLE       Direct Submission
JOURNAL     Submitted (29-OCT-1999) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
COMMENT     On Sep 4, 2000 this sequence version replaced gi:9929524.
            -------------- Genome Center
            Center: Baylor College of Medicine
            Center code: BCM
            Web site: http://www.hgsc.bcm.tmc.edu/
            Contact: hgsc-help@bcm.tmc.edu
            -------------- Project Information
            Center project name: HMPC
            Center clone name: RP11-29F9
            -------------- Summary Statistics
            Assembly program: Phrap; version 0.990329
            Consensus quality: 178291 bases at least Q40
            Consensus quality: 193653 bases at least Q30
            Consensus quality: 198664 bases at least Q20
            Estimated insert size: 195200; sum-of-contigs estimation
            Estimated insert size: 238657; agarose-fp estimation
            Quality coverage: 3.6x in Q20 bases; agarose-fp estimation
            Quality coverage: 4.4x in Q20 bases; sum-of-contigs estimation
            ------------
            * NOTE: Estimated insert size may differ from sequence length
            *   (see http://www.hgsc.bcm.tmc.edu/docs/Genbank_draft_data.html).
            * NOTE: This is a 'working draft' sequence. It currently
            *   consists of 12 contigs. The true order of the pieces
            *   is not known and their order in this sequence record is
            *   arbitrary. Gaps between the contigs are represented as
            *   runs of N, but the exact sizes of the gaps are unknown.
            *   This record will be updated with the finished sequence
            *   as soon as it is available and the accession number will
            *   be preserved.
            *        1        53163:   contig of 53163 bp in length
            *    53164        53263:   gap of unknown length
            *    53264       105224:   contig of 51961 bp in length
            *   105225       105324:   gap of unknown length
            *   105325       131884:   contig of 26560 bp in length
            *   131885       131984:   gap of unknown length
            *   131985       158405:   contig of 26421 bp in length
            *   158406       158505:   gap of unknown length
            *   158506       169697:   contig of 11192 bp in length
            *   169698       169797:   gap of unknown length
            *   169798       180955:   contig of 11162 bp in length
            *   180960       181059:   gap of unknown length
            *   181060       192909:   contig of 11850 bp in length
            *   192910       193009:   gap of unknown length
            *   193010       196383:   contig of 3374 bp in length
            *   196384       196483:   gap of unknown length
            *   196484       197950:   contig of 1467 bp in length
            *   197951       198050:   gap of unknown length
            *   198051       199389:   contig of 1339 bp in length
            *   199390       199489:   gap of unknown length
            *   199490       200657:   contig of 1168 bp in length
            *   200658       200757:   gap of unknown length
            *   200758       202402:   contig of 1645 bp in length
            *
FEATURES             Location/Qualifiers
     source          1..202402
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /chromosome="3"
                     /clone="RP11-29F9"
BASE COUNT    61071 a  39035 c  39482 g  61702 t   1112 others
ORIGIN

Query Match            12.4%;   Score 160.6; DB 2; Length 202402;
Best Local Similarity  94.9%;  Pred. No. 1.6e-33;
Matches 166; Conservative 0; Mismatches 9; Indels 0; Gaps 0;

Qy    28 ccggtccccttatttggatctgcgggaatggtggctggagaggtcctgccggtgtacc 87
         |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  8559 CCGCGGTCCCCTTATTGGATCTGCGGGAATGGGCTGGAGAGGTCCTGCCGTGTACC 8618

Qy    88 agcctccagctgccccaggactgcccctgaccccaggcgcgcccgtgctcggtggcag 147
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  8619 AGCCTCCAGCTGCCCCCAGGACTGCCCCTGACCCAGGCGCGCCCGCTGCTCGGTGGCAG 8678

Qy   148 gagggccggcggagcgccatggcctgcatcctgaagagagaaagtctgtgattgctg 202
         |||||||||||||||||||||||||||||||   || ||  || |
Db  8679 GAGGGCCGGCGGGCGGGAGCGCCATGGCCTGCATCCTGAAGGTAACGACTTGGATCTGTG 8733

RESULT 20
FRU17466
LOCUS       FRU17466          3559 bp  DNA    linear   VRT 03-JUN-1999
DEFINITION  Fugu rubripes SIAT3C gene, last three exons.
ACCESSION   Y17466
VERSION     Y17466.1  GI:5002572
KEYWORDS    alpha-N-acetylgalactosamine alpha-2,6-sialyltransferase; SIAT3C
```

3': RP4-738H2 (UWGC:sc0209) AC094023

Sequence Quality Assessment:
This entry has been annotated with sequence quality
estimates computed by the Phrap assembly program.
All manually edited bases have been reduced to quality zero.
Quality levels above 40 are expected to have less than
1 error in 10,000 bp.
Base-by-base quality values are not generally visible from the
GenBank flat file format but are available as part
of this entry's ASN.1 file.

This sequence was finished as follows unless otherwise noted:
all regions were either double-stranded or sequenced with an
alternate chemistry or covered by high quality data (i.e., phred
quality >= 30); an attempt was made to resolve all sequencing
problems, such as compressions and repeats; all regions were
covered by at least one plasmid subclone or more than one M13
subclone; and the assembly was confirmed by restriction digest.

Sequence Validation:
This sequence has been validated by Multiple Complete Digest
fingerprinting. Comparison of the experimentally derived digest
fragments with sequence-predicted fragments is given below.
The electronically-digested sequence consists of both insert and
vector, in order to accurately represent the entire circular BAC.
Small fragments below a variable cutoff (approximately 400-800 bp)
are not resolved in the fingerprint and hence do not appear
in the table. There are no significant remaining discrepancies
between the experimental and predicted values. Uniquely ordered
fragments are separated by dashed lines.

| EcoRI | | HindIII | | BglII | | | | | | | | | | | | | |
SeqDerMap	FngrPrnt	SeqDerMap	FngrPrnt	SeqDerMap	FngrPrnt												
8696	8870	479	<800	3434	3412	573	<800	888	913	14555	14615
6	<800	6382	6461	2067	2054	1062	1086	4415	4308	4258	4290
1750	1719	512	<800	7806	8014	10306	10123	174	<800	2920	2926
4612	4604	449	<800	11773	11641	4890	4863	2720	2760	159	<800
573	<800	1834	1786	8658	8657	1073	1086	6550	6103	4397	4290
1261	1247	2504	2625	8479	8657	3336	3332	783	<800	1502	1467
827	810	6049	6103	1146	1134	3864	3806	4085	3966	2729	2753
6064	6010	201	<800	762	773	2108	2104	4324	4308	774	773
5743	6010	470	<800	1900	1877	1271	1247	911	913	2461	2502
1105	1086	2660	2760	1024	1017	2331	2320	2813	2906	8851	8657
2124	2104	2093	2097	3082	3077	3943	3916	352	<800	3058	3077
5883	6010	1269	1258	5016	5010	2319	2320	5748	5860	4519	4474
1913	1889	12103	12483	1058	1017	15668	16002	4799	5077	2067	2054
5676	5695	11212	11026	251	<800	2821	2808	2763	2760	5834	5825
3479	3512	2869	3013	3793	3766	6034	6010	2448	2476	6304	6290
268	<800	3042	3013	1899	1877	12378	12246	346	<800	2505	2502
630	<800	754	<800	3381	3412	1638	1719	3838	3966	1912	2054
1255	1247	1278	1258	3594	3606	1405	1384	10557	10560	5333	5306
						11423	11163	5644	5578	5414	5306
						1011	1018	1670	1665	999	1017
						9603	9557	629	<800	9817	9806
						786	810	1795	1786	2248	2287
						1199	1173	1992	1994	3785	3766
						678	<800	1414	1399	552	<800
						274	<800	6360	6461	766	773
						2003	1993	6215	6103	1155	1134
						428	<800	2133	2097	204	<800
						2312	2320	1728	1786	8244	8277
						182	<800	3743	3739	2036	2054
						4802	4863	2420	2476	5254	5306
						2409	2432	3446	3359	7497	7457
						2964	2968	569	<800		
						1696	1719	1688	1786		
						7474	7438	1483	1471		
						11310	11163	1782	1665		
						676	<800	5160	5578		
						417	<800	2466	2476		

```
*      170102   171299: contig of 1198 bp in length.

Query Match                    12.4%;   Score 160.6;  DB 2;  Length 171299;
Best Local Similarity  94.9%;   Pred. No. 1.5e-33;
Matches 166;  Conservative   0;  Mismatches   9;  Indels   0;  Gaps   0:

Qy      28  ccgcggtcccctatttggatctgcgggaatgtgggctggagaggtcctgccgtggtacc  87
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   93495  CCGCGGTCCCCTTATTGGATCTGCGGGAATGTGGGCTGGAGAGGTCCTGCCGTGGTACC  93554

Qy      88  agcctccagctgccccaggactgcccctgaccaggcgcgcccgctgctcggtggcag  147
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   93555  AGCCTCCAGCTGCCCCAGGACTGCCCCTGACCAGGCGCGCCCGCTGCTCGGTGGCAG  93614

Qy     148  gaggggccggcggagcggccatggcctgcatcctgaagagaaagtctgtgattgctg  202
            || ||||||||||||||||||||||||||||||||||||||||||||  ||| |||  ||
Db   93615  GAGGGCCGGCGGCGGAGCGCGAGCGCCATGGCCTGCATCCTGAAGGTAACGACTTGGATCTGTG  93669


RESULT 18
AC092813
LOCUS       AC092813              182529 bp    DNA      linear    PRI 06-NOV-2001
DEFINITION  Homo sapiens chromosome 1 clone RP11-550H2, complete sequence.
ACCESSION   AC092813 AL359387
VERSION     AC092813.2  GI:16751900
KEYWORDS    HTG.
SOURCE      human.
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 182529)
  AUTHORS   Kaul,R.K., Olson,M.V., Zhou,Y., James,R.A., Raymond,C. and
            Haugen,E.D.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 182529)
  AUTHORS   Kaul,R.K., Olson,M.V., Raymond,C., Clendenning,J., Ivey,R.G. and
            Haugen,E.D.
  TITLE     Direct Submission
  JOURNAL   Submitted (28-JUL-2001) Genome Center, University of Washington,
            Box 352145, Seattle, WA 98195, USA
REFERENCE   3  (bases 1 to 182529)
  AUTHORS   Kaul,R.K., Olson,M.V., Zhou,Y., James,R.A., Raymond,C. and
            Haugen,E.D.
  TITLE     Direct Submission
  JOURNAL   Submitted (06-NOV-2001) Genome Center, University of Washington,
            Box 352145, Seattle, WA 98195, USA
COMMENT     On Nov 6, 2001 this sequence version replaced gi:15027766.
            --------------- Genome Center
            Center: University of Washington Genome Center
            Center Code: UWGC
            Web site: http://www.genome.washington.edu
            Contact: uwgchtgs@u.washington.edu
            Drafting Center: SC
            --------------- Project Information
            Center project name: chr-1
            Center clone name: RP11-550H2 (sc0177)
            --------------- Summary Statistics
            Sequencing vector: plasmid; 32% of reads
            Sequencing vector: plasmid; L08752; 68% of reads
            Chemistry: Dye-terminator ET; 89% of reads
            Chemistry: Dye-terminator Big Dye; 11% of reads
            Assembly program: Phrap; version 0.990319
            Consensus quality: 182460 bases at least Q40
            Consensus quality: 182526 bases at least Q30
            Consensus quality: 182529 bases at least Q20
            Insert size: 182871; 8.5% error; agarose-fp
            Insert size: 182228; sum-of-contigs
            Quality coverage: 9.1x in Q20 bases; agarose-fp
            Quality coverage: 9.1x in Q20 bases; sum-of-contigs
            ---------------
            Overlapping Sequences:
            5': RP11-262K24 AL445464
```

```
*     98815   98914: gap of unknown length
*     98915  101019: contig of 2105 bp in length
*    101020  101119: gap of unknown length
*    101120  104576: contig of 3457 bp in length
*    104577  104676: gap of unknown length
*    104677  107328: contig of 2652 bp in length
*    107329  107428: gap of unknown length
*    107429  110212: contig of 2784 bp in length
*    110213  110312: gap of unknown length
*    110313  113585: contig of 3273 bp in length
*    113586  113685: gap of unknown length
*    113686  116993: contig of 3308 bp in length
*    116994  117093: gap of unknown length
*    117094  119824: contig of 2731 bp in length
*    119825  119924: gap of unknown length
*    119925  123989: contig of 4065 bp in length
*    123990  124089: gap of unknown length
*    124090  126799: contig of 2710 bp in length
*    126800  126899: gap of unknown length
*    126900  128789: contig of 1890 bp in length
*    128790  128889: gap of unknown length
*    128890  131083: contig of 2194 bp in length
*    131084  131183: gap of unknown length
*    131184  133170: contig of 1987 bp in length
*    133171  133270: gap of unknown length
*    133271  134662: contig of 1392 bp in length
*    134663  134762: gap of unknown length
*    134763  136128: contig of 1366 bp in length
*    136129  136228: gap of unknown length
*    136229  138600: contig of 2372 bp in length
*    138601  138700: gap of unknown length
*    138701  140698: contig of 1998 bp in length
*    140699  140798: gap of unknown length
*    140799  142900: contig of 2102 bp in length
*    142901  143000: gap of unknown length
*    143001  144007: contig of 1007 bp in length
*    144008  144107: gap of unknown length
*    144108  145414: contig of 1307 bp in length
*    145415  145514: gap of unknown length
*    145515  146831: contig of 1317 bp in length
*    146832  146931: gap of unknown length
*    146932  148378: contig of 1447 bp in length
*    148379  148478: gap of unknown length
*    148479  149798: contig of 1320 bp in length
*    149799  149898: gap of unknown length
*    149899  151273: contig of 1375 bp in length
*    151274  151373: gap of unknown length
*    151374  153114: contig of 1741 bp in length
*    153115  153214: gap of unknown length
*    153215  154375: contig of 1161 bp in length
*    154376  154475: gap of unknown length
*    154476  155728: contig of 1253 bp in length
*    155729  155828: gap of unknown length
*    155829  156957: contig of 1129 bp in length
*    156958  157057: gap of unknown length
*    157058  158058: contig of 1001 bp in length
*    158059  158158: gap of unknown length
*    158159  159833: contig of 1675 bp in length
*    159834  159933: gap of unknown length
*    159934  161914: contig of 1981 bp in length
*    161915  162014: gap of unknown length
*    162015  163466: contig of 1452 bp in length
*    163467  163567: gap of unknown length
*    163567  164714: contig of 1148 bp in length
*    164715  164814: gap of unknown length
*    164815  166097: contig of 1283 bp in length
*    166098  166197: gap of unknown length
*    166198  167395: contig of 1198 bp in length
*    167396  167495: gap of unknown length
*    167496  168685: contig of 1190 bp in length
*    168686  168785: gap of unknown length
*    168786  170001: contig of 1216 bp in length
*    170002  170101: gap of unknown length
```

Query Match   12.4%;   Score 160.6;   DB 2;   Length 148113;
Best Local Similarity   94.9%;   Pred. No. 1.5e-33;
Matches 166;   Conservative   0;   Mismatches   9;   Indels   0;   Gaps   0;

Qy   28 ccgcggtcccctattggatctgcggaatgtgggctggagaggtcctgccggtgtacc   87
           ||||||||||||||||| ||||||||||||||||||||||||||||||||||||||||
Db   63038 CCGCGGTCCCCTATTGGATCTGCGGAATGTGGGCTGGAGAGGTCCTGCCGGTGTACC   63097

Qy   88 agcctccagcctgcgccccaggactgccccctgacccaggcgcccgctgctcggtcag 147
           |||||||||||||| ||||||||||||||||||||||||||||||||||||||||||||
Db   63098 AGCCTCCAGCCTGCGCCCCAGGACTGCCCCTGACCCAGGCGCCCGCTGCTCGGTCAG   63157

Qy   148 gagggccggcggagcggagcgccatggccgctgcatcctgaagagagaagtctgtgattgctg 202
           |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   63158 GAGGGCCGGCGGCGGAGCGGAGCGCCATGGCCGCTGCATCCTGAAGAGTAACGACTTGGATCTGTG   63212

RESULT 17
ACO79307
LOCUS   ACO79307   171299 bp   DNA   linear   HTG 19-SEP-2000
DEFINITION Homo sapiens chromosome 3 clone RP11-91D13, *** SEQUENCING IN
            PROGRESS ***, 56 unordered pieces.
ACCESSION   ACO79307
VERSION   ACO79307.3 GI:10190648
KEYWORDS   HTG; HTGS_PHASE1.
SOURCE   human.
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 171299)
  AUTHORS   Muzny,D.M., Adams,C., Adio-Oduola,B., Ali-osman,F.R., Allen,C.,
            Alsbrooks,S.L., Amaratunge,H.C., Are,J.R., Banks,T., Barbaria,J.,
            Benton,J., Bimage,K., Blankenburg,K., Bonnin,D., Bouck,J.,
            Bowie,S., Brieva,M., Brown,E., Brown,M., Bryant,N.P., Buhay,C.,
            Burch,P., Burkett,C., Burrell,K.L., Byrd,N.C., Carron,T.F.,
            Carter,M., Cavazos,S.R., Chacko,J., Chavez,D., Chen,G., Chen,R.,
            Chen,Z., Chowdhry,I., Christopoulos,C., Cleveland,C.D., Cox,C.,
            Coyle,M.D., Dathorne,S.R., David,R., Davila,M.L., Davis,C.,
            Davy-Carroll,L., Dederich,D.A., Delaney,K.R., Delgado,O.,
            Denn,A.L., Ding,Y., Dinh,H.H., Douthwaite,K.J., Draper,H.,
            Dugan-Rocha,S., Durbin,K.J., Earnhart,C., Edgar,D., Edwards,C.C.,
            Elhaj,C., Escotto,M., Falls,T., Ferraguto,D., Flagg,N., Ford,J.,
            Foster,P., Frantz,P., Gabisi,A., Gao,J., Garcia,A., Garner,T.,
            Garza,N., Gill,R., Gorrell,J.H., Guevara,W., Gunaratne,P., Hale,S.,
            Hamilton,K., Harris,C., Harris,K., Hart,M., Havlak,P., Hawes,A.,
            Hernandez,J., Hernandez,O., Hodgson,A., Hogues,M., Holloway,C.,
            Hollins,B., Homsi,F., Howard,S., Huber,J., Hulyk,S., Hume,J.,
            Jackson,L.E., Jacobson,B., Jia,Y., Johnson,R., Jolivet,S.,
            Joudah,S., Karlsson,E., Kelly,S., Khan,U., King,L., Korvah,J.,
            Kovar,C., Kratovic,J., Kureshi,A., Landry,N., Leal,B., Lewis,L.C.,
            Lewis,L., Li,J., Li,Z., Lichtarge,O., Lieu,C., Liu,J., Liu,W.,
            Louiseged,H., Lozado,R.J., Lu,X., Lucier,A., Lucier,R., Luna,R.,
            Ma,J., Maheshwari,M., Mapua,P., Martin,R., Martindale,A.,
            Martinez,E., Massey,E., Mawhiney,E., McLeod,M.P., Meador,M.,
            Mei,G., Metzker,M., Miner,G., Miner,Z., Mitchell,T., Mohabbat,K.,
            Morgan,M., Morris,S., Moser,M., Neal,D., Newton,J., Newtson,N.,
            Nguyen,A., Nguyen,N., Nguyen,N., Nickerson,E., Nwokenkwo,S.,
            Oguh,M., Okwuonu,G., Oragunye,N., Oviedo,R., Pace,A., Payton,B.,
            Peery,J., Perez,L., Peters,L., Pickens,R., Primus,E., Pu,L.L.,
            Quiles,M., Ren,Y., Rives,M., Rojas,A., Rojubokan,I., Rolfe,M.,
            Ruiz,S., Savery,G., Scherer,S., Scott,G., Shen,H., Shooshtari,N.,
            Sisson,I., Sodergren,E., Sonaike,T., Sparks,A., Stanley,H.,
            Stone,H., Sutton,A., Svatek,A., Tabor,T., Tamerisa,A., Tamerisa,K.,
            Tang,H., Tansey,J., Taylor,C., Taylor,T., Telfrod,B., Thomas,N.,
            Thomas,S., Usmani,K., Vasquez,L., Vera,V., Villalon,D., Vinson,R.,
            Wall,R., Wang,S., Ward-Moore,S., Warren,R., Washington,C.,
            Watlington,S., Williams,G., Williamson,A., Wleczyk,R., Wooden,S.,
            Worley,K., Wu,C., Wu,Y., Wu,Y.F., Zhou,J., Zorrilla,S., Nelson,D.
            and Gibbs,R.
  TITLE   Direct Submission
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 171299)

  AUTHORS   Worley,K.C.
  TITLE   Direct Submission
  JOURNAL   Submitted (27-AUG-2000) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
  COMMENT   On Sep 19, 2000 this sequence version replaced gi:10180046.
            .
            ----------------------- Genome Center

            Center: Baylor College of Medicine
            Center code: BCM
            Web site: http://www.hgsc.bcm.tmc.edu/
            Contact: hgsc-help@bcm.tmc.edu
            ----------------------- Project Information

            Center project name: HATF
            Center clone name: RP11-91D13
            ----------------------- Summary Statistics

            Sequencing vector: M13; L08821
            Chemistry: Dye-primer Bodipy: 54% of reads
            Chemistry: Dye-terminator Big Dye: 46% of reads
            Assembly program: Phrap; version 0.990329
            Consensus quality: 111517 bases at least Q40
            Consensus quality: 127225 bases at least Q30
            Consensus quality: 136992 bases at least Q20
            Estimated insert size: 139968; sum-of-contigs estimation
            Quality coverage: 0x in Q20 bases; agarose-fp estimation
            Quality coverage: 2.1x in Q20 bases; sum-of-contigs estimation
            * NOTE: Estimated insert size may differ from sequence length
            *   (see http://www.hgsc.bcm.tmc.edu/docs/Genbank_draft_data.html).
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 56 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *   1   9169: contig of 9169 bp in length
            *   9170   9269: gap of unknown length
            *   9270 16659: contig of 7290 bp in length
            *   16660 16659: gap of unknown length
            *   16660 25907: contig of 9248 bp in length
            *   25908 26007: gap of unknown length
            *   26008 31686: contig of 5679 bp in length
            *   31687 31786: gap of unknown length
            *   31787 37195: contig of 5409 bp in length
            *   37196 37295: gap of unknown length
            *   37296 43803: contig of 6508 bp in length
            *   43804 43903: gap of unknown length
            *   43904 48761: contig of 4858 bp in length
            *   48762 48861: gap of unknown length
            *   48862 53452: contig of 4591 bp in length
            *   53453 53552: gap of unknown length
            *   53553 59148: contig of 5596 bp in length
            *   59149 59248: gap of unknown length
            *   59249 63264: contig of 4016 bp in length
            *   63265 63364: gap of unknown length
            *   63365 67162: contig of 3798 bp in length
            *   67163 67262: gap of unknown length
            *   67263 70841: contig of 3579 bp in length
            *   70842 70941: gap of unknown length
            *   70942 75748: contig of 4807 bp in length
            *   75749 75848: gap of unknown length
            *   75849 80383: contig of 4535 bp in length
            *   80384 80483: gap of unknown length
            *   80484 84364: contig of 3881 bp in length
            *   84365 84464: gap of unknown length
            *   84465 87882: contig of 3418 bp in length
            *   87883 87982: gap of unknown length
            *   87983 91909: contig of 3927 bp in length
            *   91910 92009: gap of unknown length
            *   92010 94658: contig of 2649 bp in length
            *   94659 94758: gap of unknown length
            *   94759 98814: contig of 4056 bp in length

```
FEATURES
     source          1  122685: contig of 122685 bp in length.
                     Location/Qualifiers
                     1..122685
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /clone="RP4-738H2"
                     /clone_lib="RPCI human PAC library 4"
     misc_feature    1..122685
                     /note="assembly_name:contig32"
BASE COUNT    33268 a   24834 c   25976 g   38607 t
ORIGIN


Query Match           12.4%;    Score 160.6; DB 2;   Length 122685;
Best Local Similarity  94.9%;   Pred. No. 1.5e-33;
Matches 166;  Conservative 0;  Mismatches 9;  Indels 0;  Gaps 0;

Qy   28 ccgcgtcccctatttggatctgcgggaatgtgggctggagaggtcctgccggtggtacc   87
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 6405 CCGCGGTCCCCCTTATTTGGATCTGCGGGAATGTGGGCTGGAGAGGTCCTGCCGTGGTACC 6464

Qy   88 agcctccagcctgcccccaggactgcccctgacccaggacgcgcccgctctcggtggcag  147
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 6465 AGCCTCCAGCCTGCCCCCAGGACTGCCCCTGACCCAGGACGCGCCCGCTCTCGGTGGCAG 6524

Qy  148 gagggccggcgggagcgccatggcctgcatcctgaagagaaagtctgtgattgctg  202
           |||||||||||||||||||||||||||| ||| |||  || ||
Db 6525 GAGGGCCGGCGGGAGCGCCATGGCCTGCATCCTGAAGGTAACGACTTGGATCTGTG 6579


RESULT 16
AL391624
LOCUS       AL391624    148113 bp    DNA    linear    HTG 11-SEP-2001
DEFINITION  Homo sapiens chromosome 1 clone RP11-192B20, *** SEQUENCING IN
            PROGRESS ***, 13 unordered pieces.
ACCESSION   AL391624
VERSION     AL391624.1  GI:9931031
KEYWORDS    HTG; HTGS_PHASE1; HTGS_CANCELLED.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 148113)
AUTHORS     Plumb,B.
TITLE       Direct Submission
JOURNAL     Submitted (10-SEP-2001) Sanger Centre, Hinxton, Cambridgeshire,
            CB10 1SA, UK. E-mail enquiries: humquery@sanger.ac.uk Clone
            requests: clonerequest@sanger.ac.uk
COMMENT     ---------- Genome Center
            Center: Sanger Centre
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: humquery@sanger.ac.uk
            ---------- Project Information
            Center project name: bA192B20
            ---------- Summary Statistics
            Assembly program: XGAP4; version 4.5
            Sequencing vector: plasmid; L08752; 100% of reads
            Chemistry: Dye-terminator Big Dye; 100% of reads
            Consensus quality: 143191 bases at least Q40
            Consensus quality: 145305 bases at least Q30
            Consensus quality: 146274 bases at least Q20
            Insert size: 146913; sum-of-contigs
            Insert size: 138648; agarose-fp
            Quality coverage: 3.88x in Q20 bases; sum-of-contigs Quality
            coverage: 4.48x in Q20 bases; agarose-fp
            ----------
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 13 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *      1   22211: contig of 22211 bp in length
            *  22212   22311: gap of        100 bp
            *  22312   30481: contig of 8170 bp in length
            *  30482   30581: gap of        100 bp
            *  30582   41145: contig of 10564 bp in length
            *  41146   41245: gap of        100 bp
            *  41246   44154: contig of 2909 bp in length
            *  44155   44254: gap of        100 bp
            *  44255   51772: contig of 7518 bp in length
            *  51773   51872: gap of        100 bp
            *  51873   66542: contig of 14670 bp in length
            *  66543   66642: gap of        100 bp
            *  66643   88904: contig of 22262 bp in length
            *  88905   89004: gap of        100 bp
            *  89005  100380: contig of 11376 bp in length
            * 100381  100480: gap of        100 bp
            * 100481  107159: contig of 6679 bp in length
            * 107160  107259: gap of        100 bp
            * 107260  109910: contig of 2651 bp in length
            * 109911  110010: gap of        100 bp
            * 110011  114698: contig of 4688 bp in length
            * 114699  114798: gap of        100 bp
            * 114799  125674: contig of 10876 bp in length
            * 125675  125774: gap of        100 bp
            * 125775  148113: contig of 22339 bp in length.
FEATURES             Location/Qualifiers
     source          1..148113
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /clone="RP11-192B20"
                     /clone_lib="RPCI-11.1"
     misc_feature    1..22211
                     /note="assembly_fragment:00477
                     fragment_chain:1"
     misc_feature    22312..30481
                     /note="assembly_fragment:00950
                     fragment_chain:1"
     misc_feature    30582..41145
                     /note="assembly_fragment:00147
                     fragment_chain:1"
     misc_feature    41246..44154
                     /note="assembly_fragment:01563
                     fragment_chain:1"
     misc_feature    44255..51772
                     /note="assembly_fragment:00582
                     fragment_chain:2"
     misc_feature    51873..66542
                     /note="assembly_fragment:00268
                     fragment_chain:2"
     misc_feature    66643..88904
                     /note="assembly_fragment:01013
                     fragment_chain:2"
     misc_feature    89005..100380
                     /note="assembly_fragment:00964
                     fragment_chain:3"
     misc_feature    100481..107159
                     /note="assembly_fragment:00970
                     fragment_chain:3"
     misc_feature    107260..109910
                     /note="assembly_fragment:00475"
     misc_feature    110011..114698
                     /note="assembly_fragment:00606"
     misc_feature    114799..125674
                     /note="assembly_fragment:00936"
     misc_feature    125775..148113
                     /note="assembly_fragment:01227"
BASE COUNT    42880 a   28102 c   28930 g   46994 t    1207 others
ORIGIN
```

```
Qy    541  cgagttgtgtccataccagcgtcctctttgctaaaaacctgattattttcaag  600
           ||||||||||||| || |||||| |||||||||||||| ||| |||||||||||
Db  32016  CGAGTTGTGTCCCAAACAAGCGTTCTCTTTTGCTAAAAAACCTTGA-TATTTTTCAAG  31958

Qy    601  gaagcgaatactactatttgtta-tttgggaccttccgcaatatgaggaaagatgg  659
           ||||||||||||||||||||| || ||||||||||||||||||||||||||||||||
Db  31957  GAAGCGAATACTACTATTTATTTTGGGGACCTTTCCGCAATATGAGGAAAAGATGG  31898

Qy    660  caat-ggcatcgttacaacatgttgaaaaacagttggtatctat-ccgaatgccaa  717
           |||| |||||||||||||||||||||||||||||||||||||||| ||||||||||
Db  31897  CAATGGGCATCGTTACAACATGTTGAAAAAGACAGTTGGTATCTATCCCGAATGCCCAA  31838

Qy    718  atatacgtgaccacagagaagccgcatgagttactgtgatggagtttttaagaaggaaact  777
           ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  31837  ATATACGTGACCACCAGAGAAGCCGCATGAGTTACTGTGATGGAGTTTTTAAGAAGGAAACT  31778

Qy    778  gggaaggacagggg  791
           ||||||||| ||||
Db  31777  GGGAAGGACAGGTG  31764
```

```
RESULT 15
AC094023
LOCUS       AC094023                122685 bp    DNA     linear   HTG 13-SEP-2001
DEFINITION  Homo sapiens chromosome 1 clone RP4-738H2, WORKING DRAFT SEQUENCE,
            1 unordered pieces.
ACCESSION   AC094023
VERSION     AC094023.1  GI:15594341
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_FULLTOP; HTGS_ACTIVEFIN.
SOURCE      Homo sapiens
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 122685)
  AUTHORS   Kaul,R.K., Olson,M.V., Raymond,C., Clendenning,J. and Haugen,E.D.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 122685)
  AUTHORS   Kaul,R.K., Olson,M.V., Raymond,C., Clendenning,J. and Haugen,E.D.
  TITLE     Direct Submission
  JOURNAL   Submitted (13-SEP-2001) Genome Center, University of Washington,
            Box 352145, Seattle, WA 98195, USA
COMMENT     On Sep 13, 2001 this sequence version replaced gi:12539602.
            Center: University of Washington Genome Center
            Center Code: UWGC
            Web site: http://www.genome.washington.edu
            Contact: uwgchtgs@u.washington.edu
            Drafting Center: SC
            -------- Project Information
            Center project name: chr-1
            Center clone name: RP4-738H2 (sc0209)
            -------- Summary Statistics
            Sequencing vector: plasmid; L08752; 54% of reads
            Sequencing vector: unknown; 0% of reads
            Sequencing vector: plasmid; 46% of reads
            Chemistry: Dye-terminator ET; 66% of reads
            Chemistry: Dye-terminator Big Dye; 34% of reads
            Assembly program: Phrap; version 0.990319
            Consensus quality: 122591 bases at least Q40
            Consensus quality: 122680 bases at least Q30
            Consensus quality: 122685 bases at least Q20
            Insert size: 122685; sum-of-contigs
            Quality coverage: 7.4x in Q20 bases; sum-of-contigs
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 1 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
```

```
COMMENT     Box 352145, Seattle, WA 98195, USA
            On Nov 20, 2001 this sequence version replaced gi:12578292.
            -------- Genome Center
            Center: University of Washington Genome Center
            Center Code: UWGC
            Web site: http://www.genome.washington.edu
            Contact: uwgchtgs@u.washington.edu
            Drafting Center: SC
            -------- Project Information
            Center project name: chr-1
            Center clone name: RP5-963M5 (sc0227)
            -------- Summary Statistics
            Sequencing vector: plasmid; 44% of reads
            Sequencing vector: plasmid; L08752; 56% of reads
            Chemistry: Dye-terminator ET; 80% of reads
            Chemistry: Dye-terminator Big Dye; 20% of reads
            Assembly program: Phrap; version 0.990319
            Consensus quality: 93748 bases at least Q40
            Consensus quality: 96026 bases at least Q30
            Consensus quality: 97280 bases at least Q20
            Insert size: 98241; sum-of-contigs
            Quality coverage: 6.3x in Q20 bases; sum-of-contigs
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 7 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *      1   7651: contig of 7651 bp in length
            *   7652   7751: gap of unknown length
            *   7752  13135: contig of 5384 bp in length
            *  13135  13235: gap of unknown length
            *  13236  22864: contig of 9629 bp in length
            *  22865  22964: gap of unknown length
            *  22965  32016: contig of 9052 bp in length
            *  32017  32116: gap of unknown length
            *  32117  40630: contig of 8514 bp in length
            *  40631  40730: gap of unknown length
            *  40731  69399: contig of 28669 bp in length
            *  69400  69499: gap of unknown length
            *  69500  98841: contig of 29342 bp in length.
FEATURES             Location/Qualifiers
     source          1..98841
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /clone="RP5-963M5"
                     /clone_lib="RPCI human PAC library 5"
     misc_feature    1..7651
                     /note="assembly_name:Contig38"
     misc_feature    7752..13135
                     /note="assembly_name:Contig39"
     misc_feature    13236..22864
                     /note="assembly_name:Contig40"
     misc_feature    22965..32016
                     /note="assembly_name:Contig41"
     misc_feature    32117..40630
                     /note="assembly_name:Contig42"
     misc_feature    40731..69399
                     /note="assembly_name:Contig43"
     misc_feature    69500..98841
                     /note="assembly_name:Contig44"
BASE COUNT    31185 a  18401 c  18621 g  30034 t    600 others
ORIGIN
```

```
Query Match             15.2%;  Score 196.4;  DB 2;  Length 98841;
Best Local Similarity   96.1%;  Pred. No. 1.3e-43;
Matches  244;  Conservative   0;  Mismatches    6;  Indels    4;  Gaps    4;
```

```
RESULT 13
AL355983/c
LOCUS       AL355983              129305 bp    DNA     linear   HTG 03-DEC-2001
DEFINITION  Homo sapiens chromosome 1 clone RP4-746H14, *** SEQUENCING IN
            PROGRESS ***, 9 unordered pieces.
ACCESSION   AL355983
VERSION     AL355983.3  GI:9797399
KEYWORDS    HTG; HTGS_PHASE1; HTGS_CANCELLED.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (sites)
AUTHORS     Mclay,K.
TITLE       Direct Submission
JOURNAL     Submitted (30-NOV-2001) Wellcome Trust Sanger Institute, Hinxton,
            Cambridgeshire, CB10 1SA, UK. E-mail enquiries:
            humquery@sanger.ac.uk Clone requests: clonerequest@sanger.ac.uk
COMMENT     On Aug 12, 2000 this sequence version replaced gi:9213689.
            ----------  Genome Center
            Center: Wellcome Trust Sanger Institute
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: humquery@sanger.ac.uk
            ----------  Project Information
            Center project name: dJ746H14
            ----------  Summary Statistics
            Assembly program: XGAP4; version 4.5
            Sequencing vector: plasmid; L08752; 100% of reads.
            Chemistry: Dye-terminator Big Dye; 100% of reads
            Consensus quality: 125697 bases at least Q40
            Consensus quality: 125692 bases at least Q30
            Consensus quality: 127099 bases at least Q30
            Consensus quality: 127861 bases at least Q20
            Insert size: 128505; sum-of-contigs
            Insert size: 118687; 7.8% error; agarose-fp
            Quality coverage: 3.96x in Q20 bases; sum-of-contigs Quality
            coverage: 4.33x in Q20 bases; agarose-fp
            ----------
            * NOTE: This is a 'working draft' sequence. It currently
            * consists of 9 contigs. The true order of the pieces
            * is not known and their order in this sequence record is
            * arbitrary. Gaps between the contigs are represented as
            * runs of N, but the exact sizes of the gaps are unknown.
            * This record will be updated with the finished sequence
            * as soon as it is available and the accession number will
            * be preserved.
            *      1   11622: contig of 11622 bp in length
            *  11623   11722: gap of      100 bp
            *  11723   14222: contig of 2500 bp in length
            *  14223   14322: gap of      100 bp
            *  14323   18217: contig of 3895 bp in length
            *  18218   18317: gap of      100 bp
            *  18318   39078: contig of 20761 bp in length
            *  39079   39178: gap of      100 bp
            *  39179   80264: contig of 41086 bp in length
            *  80265   80364: gap of      100 bp
            *  80365   87666: contig of 7302 bp in length
            *  87667   87766: gap of      100 bp
            *  87767   94606: contig of 6840 bp in length
            *  94607   94706: gap of      100 bp
            *  94707  104528: contig of 9822 bp in length
            * 104529  104628: gap of      100 bp
            * 104629  129305: contig of 24677 bp in length.
FEATURES             Location/Qualifiers
     source          1..129305
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /clone="RP4-746H14"
                     /clone_lib="RPCI-4"
     misc_feature    1..11622
                     /note="assembly_fragment:00560
                     fragment_chain:1
                     vector_side:left"
                     clone_end:SP6
     misc_feature    11723..14222
                     /note="assembly_fragment:00449
                     fragment_chain:1"
     misc_feature    14323..18217
                     /note="assembly_fragment:00903
                     fragment_chain:1"
     misc_feature    18318..39078
                     /note="assembly_fragment:00854
                     fragment_chain:1"
     misc_feature    39179..80264
                     /note="assembly_fragment:00355
                     fragment_chain:1"
     misc_feature    80365..87666
                     /note="assembly_fragment:00569
                     fragment_chain:1"
     misc_feature    87767..94606
                     /note="assembly_fragment:00205
                     fragment_chain:1"
     misc_feature    94707..104528
                     /note="assembly_fragment:00720
                     fragment_chain:1"
     misc_feature    104629..129305
                     /note="assembly_fragment:00709
                     fragment_chain:1"
BASE COUNT    41007 a   25662 c   24337 g   37497 t    802 others
ORIGIN

Query Match         15.3%;  Score 198.4;  DB 2;  Length 129305;
Best Local Similarity 99.5%;  Pred. No. 3.6e-44;
Matches 199;  Conservative 0;  Mismatches 1;  Indels 0;  Gaps 0;

Qy    179 tgaagagaaagtctgtgattgctgtgagcttcatagcagcgttccttttcctgctggttg 238
              ||| ||||||||||||||||||||||||||||||||||||| |||||||||||||||||
Db  14881 TGTAGAGAAAGTCTGTGATTGCTGTGAGCTTCATAGCAGCGGTTCCTTTTCCTGCTGGTTG 14822

Qy    239 tgcgtcttgtaaatgaagtgaatttcccattgctactaaactgctttggacaaccctgta 298
              |||||||||||||||||||||||||||||||||||||||||||||||||||||| ||||
Db  14821 TGCGTCTTGTAAATGAAGTGAATTTCCCATTGCTACTAAACTGCTTTGGACAACCTGGTA 14762

Qy    299 caagtggataccattctcctacacatacaggcggcccctcgaactcactatggataca 358
              ||||||||||||||| |||||||||||||||| |||||||| ||||||||||||||||
Db  14761 CAAGTGGATACCATTCCTCCTACACATCCTACACATACAGGGCGGCCCCTTCGAACTCACTATGGATACA 14702

Qy    359 taaatgtgaagacacaagag 378
              ||||||||||||||||||||
Db  14701 TAAATGTGAAGACACAAGAG 14682

RESULT 14
AC099769/c
LOCUS       AC099769               98841 bp    DNA     linear   HTG 20-NOV-2001
DEFINITION  Homo sapiens chromosome 1 clone RP5-963M5, WORKING DRAFT SEQUENCE,
            7 unordered pieces.
ACCESSION   AC099769
VERSION     AC099769.1  GI:17017968
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_FULLTOP; HTGS_ACTIVEFIN.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 98841)
AUTHORS     Kaul,R.K., Olson,M.V., Raymond,C. and Haugen,E.D.
TITLE       Direct Submission
JOURNAL     Unpublished
REFERENCE   2 (bases 1 to 98841)
AUTHORS     Kaul,R.K., Olson,M.V., Raymond,C. and Haugen,E.D.
TITLE       Direct Submission
JOURNAL     Submitted (20-NOV-2001) Genome Center, University of Washington,
```

```
Db 163313 ACCAAGCTCCCTCTGCTGAAAAACCCGACTATTTTTCAAGGAGGCGAGCACACC 163372
              |||| |||||||| ||||| |||| |||||||||| ||||||||| |||||||||
Qy     616 atttgtgttatttggggacctttccgcaatatgaggaaagatggcaatggcatcgtttac 675
              ||||| |||  ||  ||  ||   ||||| ||| ||||||| || || ||||| ||||
Db 163373 ATTTACGTCATCTGGGGCCCTTTCCCGCAACATGAGGAAGACACGGGAACGGGATCGTGTAC 163432

Qy     676 aacatgttgaaaagacagttggtatctatccgaatgcccaaatatacgtgaccacagag 735
              |||||| || |||||| |||| || || || |||||| ||  ||||||||||||  |||
Db 163433 AACATGCTAAAGAAGACTGTCGACACCTACCCAGACGCCGCAGATCTACGTGACCACCGGAG 163492

Qy     736 aagccatgagttactgtgatgtggagtttttaaggagaaagaaactgggaaggacaggg 791
              | |||||| ||| ||| |||||| ||||||||| ||||||| ||||||| |||||||||
Db 163493 CACCGGATGACGTACTGCGACGGCGGGGTGTTTAAGGATGAAACTGGGAAAGACAGGTG 163548
```

```
RESULT  12
AL139155/c
LOCUS       AL139155     127234 bp    DNA     linear    HTG 10-JUL-2001
DEFINITION  Homo sapiens chromosome 1 clone RP4-800D18, *** SEQUENCING IN
            PROGRESS ***, 13 unordered pieces.
ACCESSION   AL139155
VERSION     AL139155.3  GI:9212195
KEYWORDS    HTG; HTGS_PHASE1; HTGS_CANCELLED.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 127234)
AUTHORS     Plumb,B.
TITLE       Direct Submission
JOURNAL     Submitted (09-JUL-2001) Sanger Centre, Hinxton, Cambridgeshire,
            CB10 1SA, UK. E-mail enquiries: humquery@sanger.ac.uk Clone
            requests: clonerequest@sanger.ac.uk
COMMENT     On Jul 15, 2000 this sequence version replaced gi:8051902.
            -------------- Genome Center
            Center: Sanger Centre
            Center code: SC
            Web site: http://www.sanger.ac.uk
            Contact: humquery@sanger.ac.uk
            -------------- Project information
            Center project name: dJ800D18
            -------------- Summary Statistics
            Assembly program: XGAP4; version 4.5
            Sequencing vector: plasmid; L08752; 100% of reads
            Chemistry: Dye-terminator Big Dye; 100% of reads
            Consensus quality: 119643 bases at least Q40
            Consensus quality: 122904 bases at least Q30
            Consensus quality: 124553 bases at least Q20
            Insert size: 126034; sum-of-contigs
            Insert size: 123029; 4.6% error; agarose-fp
            Quality coverage: 3.77x in Q20 bases; sum-of-contigs Quality
            coverage: 3.86x in Q20 bases; agarose-fp

          * NOTE: This is a 'working draft' sequence. It currently
          * consists of 13 contigs. The true order of the pieces
          * is not known and their order in this sequence record is
          * arbitrary. Gaps between the contigs are represented as
          * runs of N, but the exact sizes of the gaps are unknown.
          * This record will be updated with the finished sequence
          * as soon as it is available and the accession number will
          * be preserved.
          *        1    2241: contig of 2241 bp in length
          *     2242 2341: gap of     100 bp
          *     2342 11262: contig of 8921 bp in length
          *    11263 11362: gap of     100 bp
          *    11363 54059: contig of 42697 bp in length
          *    54060 54159: gap of     100 bp
          *    54160 61431: contig of 7272 bp in length
          *    61432 61531: gap of     100 bp
          *    61532 64263: contig of 2732 bp in length
          *    64264 64363: gap of     100 bp
          *    64364 71431: contig of 7068 bp in length
          *    71432 71531: gap of     100 bp
```

```
          *    71532  82012: contig of 10481 bp in length
          *    82013  82112: gap of     100 bp
          *    82113  85208: contig of 3096 bp in length
          *    85209  85308: gap of     100 bp
          *    85309  88169: contig of 2861 bp in length
          *    88170  88269: gap of     100 bp
          *    88270 108304: contig of 20035 bp in length
          *   108305 108404: gap of     100 bp
          *   108405 116626: contig of 8222 bp in length
          *   116627 116726: gap of     100 bp
          *   116727 119049: contig of 2323 bp in length
          *   119050 119149: gap of     100 bp
          *   119150 127234: contig of 8085 bp in length.
FEATURES             Location/Qualifiers
     source          1..127234
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /clone="RP4-800D18"
                     /clone_lib="RPCI-4"
     misc_feature    1..241
                     /note="assembly_fragment:00851
                     clone_end:SP6
                     vector_side:left"
     misc_feature    2342..11262
                     /note="assembly_fragment:00081"
     misc_feature    11363..54059
                     /note="assembly_fragment:00319"
     misc_feature    54160..61431
                     /note="assembly_fragment:00328"
     misc_feature    61532..64263
                     /note="assembly_fragment:00383"
     misc_feature    64364..71431
                     /note="assembly_fragment:00450"
     misc_feature    71532..82012
                     /note="assembly_fragment:00486"
     misc_feature    82113..85208
                     /note="assembly_fragment:00507"
     misc_feature    85309..88169
                     /note="assembly_fragment:00577"
     misc_feature    88270..108304
                     /note="assembly_fragment:00693"
     misc_feature    108405..116626
                     /note="assembly_fragment:00849"
     misc_feature    116727..119049
                     /note="assembly_fragment:00979"
     misc_feature    119150..127234
                     /note="assembly_fragment:00688
                     clone_end:T7
                     vector_side:right"
BASE COUNT   40428 a  23445 c  24074 g  38081 t   1206 others
ORIGIN
```

```
Query Match         15.3%;     Score 198.4;  DB 2;  Length 127234;
Best Local Similarity  99.5%;  Pred. No. 3.6e-44;
Matches 199;  Conservative 0;  Mismatches 1;  Indels 0;  Gaps  0;

Qy    179 tgaagagaaagtctgtgatgctgtgagcttcatagagcagcgttccttttcctgctggttg 238
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  82672 TGTAGAGAAAGTCTGTGATTGCTGTGAGCTTCATAGCAGCGTTCCTTTTCCTGCTGGTTG 82613

Qy    239 tgcgtcttgtaaatgaagtgaattcccattgtactaaaactgctttggacaacctggta 298
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  82612 TGCGTCTTGTAAATGAAGTGAATTCCCATTGTACTAAAACTGCTTTGGACAACCTGGTA 82553

Qy    299 caaagtggataccattctcctacacatacaggcggcccctttcggactcactatggatca 358
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  82552 CAAAGTGGATACCATTCTCCTACACATACAGGCGGCCCCCTTCGAACTCACTATGGATACA 82493

Qy    359 taaatgtgaagacacaagag 378
          ||||||||||||||||||||
Db  82492 TAAATGTGAAGACACAAGAG 82473
```

```
  Consensus quality: 165497 bases at least Q20
  Estimated insert size: 153897; sum-of-contigs estimation
  Quality coverage: 0x in Q20 bases; agarose-fp estimation
  Quality coverage: 1.8x in Q20 bases; sum-of-contigs estimation
  -----------
* NOTE: Estimated insert size may differ from sequence length.
*     (see http://www.hgsc.bcm.tmc.edu/docs/Genbank_draft_data.html).
* NOTE: This is a 'working draft' sequence. It currently
*     consists of 80 contigs. The true order of the pieces
*     is not known and their order in this sequence record is
*     arbitrary. Gaps between the contigs are represented as
*     runs of N, but the exact sizes of the gaps are unknown.
*     This record will be updated with the finished sequence
*     as soon as it is available and the accession number will
*     be preserved.
```

```
*       1      7753: contig of 7753 bp in length          *  101545   104376: contig of 2832 bp in length
*    7754      7853: gap of unknown length                *  104377   104476: gap of unknown length
*    7854     13341: contig of 5488 bp in length          *  104477   105796: contig of 1320 bp in length
*   13342     13441: gap of unknown length                *  105797   105896: gap of unknown length
*   13442     18386: contig of 4945 bp in length          *  105897   107733: contig of 1837 bp in length
*   18387     18486: gap of unknown length                *  107734   107833: gap of unknown length
*   18487     22665: contig of 4179 bp in length          *  107834   110378: contig of 2545 bp in length
*   22666     22765: gap of unknown length                *  110379   110478: gap of unknown length
*   22766     26906: contig of 4141 bp in length          *  110479   112335: contig of 1857 bp in length
*   26907     27006: gap of unknown length                *  112336   112435: gap of unknown length
*   27007     31827: contig of 4821 bp in length          *  112436   114798: contig of 2363 bp in length
*   31828     31927: gap of unknown length                *  114799   114898: gap of unknown length
*   31928     35660: contig of 3733 bp in length          *  114899   116703: contig of 1805 bp in length
*   35661     35760: gap of unknown length                *  116704   116803: gap of unknown length
*   35761     39943: contig of 4183 bp in length          *  116804   118175: contig of 1372 bp in length
*   39944     40043: gap of unknown length                *  118176   118275: gap of unknown length
*   40044     43003: contig of 2960 bp in length          *  118276   119294: contig of 1019 bp in length
*   43004     43103: gap of unknown length                *  119295   119394: gap of unknown length
*   43104     45933: contig of 2830 bp in length          *  119395   121511: contig of 2117 bp in length
*   45934     46033: gap of unknown length                *  121512   121611: gap of unknown length
*   46034     49873: contig of 3840 bp in length          *  121612   122986: contig of 1375 bp in length
*   49874     49973: gap of unknown length                *  122987   123086: gap of unknown length
*   49974     54204: contig of 4231 bp in length          *  123087   125158: contig of 2072 bp in length
*   54205     54304: gap of unknown length                *  125159   125258: gap of unknown length
*   54305     58218: contig of 3914 bp in length          *  125259   127312: contig of 2054 bp in length
*   58219     58318: gap of unknown length                *  127313   127412: gap of unknown length
*   58319     62353: contig of 4035 bp in length          *  127413   129211: contig of 1799 bp in length
*   62354     62453: gap of unknown length                *  129212   129311: gap of unknown length
*   62454     64949: contig of 2496 bp in length          *  129312   130594: contig of 1283 bp in length
*   64950     65049: gap of unknown length                *  130595   130694: gap of unknown length
*   65050     67849: contig of 2800 bp in length          *  130695   132148: contig of 1454 bp in length
*   67850     67949: gap of unknown length                *  132149   132248: gap of unknown length
*   67950     70274: contig of 2325 bp in length          *  132249   133702: contig of 1454 bp in length
*   70275     70374: gap of unknown length                *  133703   133802: gap of unknown length
*   70375     73125: contig of 2751 bp in length          *  133803   135404: contig of 1602 bp in length
*   73126     73225: gap of unknown length                *  135405   135504: gap of unknown length
*   73226     76428: contig of 3203 bp in length          *  135505   137804: contig of 2300 bp in length
*   76429     76528: gap of unknown length                *  137805   137904: gap of unknown length
*   76529     79119: contig of 2591 bp in length          *  137905   139845: contig of 1941 bp in length
*   79120     79219: gap of unknown length                *  139846   139945: gap of unknown length
*   79220     81682: contig of 2463 bp in length          *  139946   141767: contig of 1822 bp in length
*   81683     81782: gap of unknown length                *  141768   141867: gap of unknown length
*   81783     84434: contig of 2652 bp in length          *  141868   143091: contig of 1224 bp in length
*   84435     84534: gap of unknown length                *  143092   143191: gap of unknown length
*   84535     87351: contig of 2817 bp in length          *  143192   144919: contig of 1728 bp in length
*   87352     87451: gap of unknown length                *  144920   145019: gap of unknown length
*   87452     89551: contig of 2100 bp in length          *  145020   146733: contig of 1714 bp in length
*   89552     89651: gap of unknown length                *  146734   146833: gap of unknown length
*   89652     93236: contig of 3585 bp in length          *  146834   147928: contig of 1095 bp in length
*   93237     93336: gap of unknown length                *  147929   148028: gap of unknown length
*   93337     95668: contig of 2332 bp in length          *  148029   149102: contig of 1074 bp in length
*   95669     95768: gap of unknown length                *  149103   149202: gap of unknown length
*   95769     97544: contig of 1776 bp in length          *  149203   150511: contig of 1309 bp in length
*   97545     97644: gap of unknown length                *  150512   150611: gap of unknown length
*   97645     98815: contig of 1171 bp in length
*   98816     98915: gap of unknown length
*   98916    101444: contig of 2529 bp in length
*  101445    101544: gap of unknown length
```

```
Query Match           Score 264.8;  DB 2;  Length 188850;
Best Local Similarity 78.8%;         Pred. No. 8.7e-63;
                      20.5%;         Conservative  0;  Mismatches  87;  Indels 1;  Gaps  1;
Matches 328;

Qy     377 agccttgcaactggactgt-gacctttgtgccatagtgtcaaactcaggtcagatggtt 435
           ||||||||| |||||||||| ||| ||||||| |||||||||||| ||| |||||| ||||
Db  163133 AGCCTTGCAGCTGAACTGTAAACCATTGTGCCGTCGCAACTCGGGTCGAACTCGGTCTTATCGTT 163192

Qy     436 ggccagaaggtgggaaatgagatagatcgatcctcctgcattggagaatgaacaatgcc 495
           || |||||||||||| |||| || |||| |||||||||||| || ||||||||||||||
Db  163193 GGACAGAAGGTGGGGAATATATAGACCTGCCTCCTGCATCCTGGATAATGAACAATGCC 163252

Qy     496 cccaccaaggttatgaagaagagtgtcgccgcatgaccatgaccatcgagttgtgtcccat 555
           |||||||||| ||| || |||| ||| || |||||||| |||| || |||| ||||| ||
Db  163253 CCCACCAAGGGTTTCGAGGAAGATGTCCGCTACATGACGATGGTCCGAGTGGTGTCACAC 163312

Qy     556 accagcgttcctctttgctaaaaaccctgattattttcaaggaggagcgaatactact 615
           |||| ||||||||| ||| ||||||||||||| ||||||||||||||| || || ||
```

```
DEFINITION   Mus musculus ST6GalNAcIII gene, exon 3.
ACCESSION    Y11345
VERSION      Y11345.1   GI:8671207
KEYWORDS     GalNAc alpha-2, 6-sialyltransferase III.
SOURCE       house mouse.
ORGANISM     Mus musculus
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE    1  (bases 1 to 1489)
AUTHORS      Lee,Y.C., Kaufmann,M., Kitazume-Kawaguchi,S., Kono,M.,
             Takashima,S., Kurosawa,N., Liu,H., Pircher,H. and Tsuji,S.
TITLE        Molecular cloning and functional expression of two members of mouse
             NeuAcalpha2,3Galbeta1,3GalNAc GalNAcalpha2,6-sialyltransferase
             family, ST6GalNAc III and IV
JOURNAL      J. Biol. Chem. 274 (17), 11958-11967 (1999)
MEDLINE      99223522
REFERENCE    2  (bases 1 to 1489)
AUTHORS      Tsuji,S.
TITLE        Direct Submission
JOURNAL      Submitted (18-FEB-1997) S. Tsuji, The Institute of Physical &
             Chemical Research (RIKEN), Glyco Molecular Biology, Frontier
             Research Program, Wako, Saitama 351-01, JAPAN
FEATURES             Location/Qualifiers
     source          1..1489
                     /organism="Mus musculus"
                     /db_xref="taxon:10090"
                     /cell_line="NIH3T3"
     gene            837..1246
                     /gene="ST6GalNAcIII"
     exon            837..1246
                     /gene="ST6GalNAcIII"
                     /number=3
                     /usedin=Y11343:III_RNA
                     /usedin=Y11343:III_CDS
BASE COUNT      434 a    321 c    306 g    426 t    2 others
ORIGIN
```

```
Query Match             23.0%;  Score 298.2;  DB 10;  Length 1489;
Best Local Similarity   82.4%;  Pred. No. 1.9e-72;
Matches  342:  Conservative    0;  Mismatches   73;  Indels    0;  Gaps    0;

Qy    377 agcctttgcaactggactgtgacctttgtgcatagtgtcaaactcaggtcagatggttg 436
          |||||||||||||||||||| ||||| |||||||| |||||||| ||||||| |||||||
Db    835 AGCCTTTGCAACTGAACTGTACCACTGTGCCATCGTGTCAAATTCAGGTCAAATGGTCG 894

Qy    437 gccagagagtgggaaatgagatagatcgatctcctgcatttggagagatgaacaatgccc 496
          | |||||||||| |||||||||||||| | |||||||||||||||||||||||| ||||
Db    895 GGCGAGAGGTGGGGGAACGAGAGATAGACCATGCATCCTGCATCTGGAGAATGAACAACGCCC 954

Qy    497 ccaccaaaggttatgaagaagatgtcggccgccatgaccatgactcgagttgtgtcccata 556
          | ||||| |||||| |||||||||||||||| ||||||||| |||| ||||| |||||||
Db    955 CAACCAAGGGCTTTGAGGAAGATGTGCGGCTACCATGACAATGACTGTCCGGAGTTGTGTGTCACATA 1014

Qy    557 ccagcgttcctctttgctaaaaaaccctgattattttttcaaggaagcgaatactacta 616
          |||||| |||||| |||||||| |||||||||||||| | |||||| |||| |||||
Db   1015 CCAGTGTCCCTCCTCTTGCTGAAAATCCTGACTATTTTTTCAAAGAAGCAAGAAGCAGGACCA 1074

Qy    617 tttgtgttattgggaggacctttccgcaatatgaggaagaagatgcaatgcatcgtttaca 676
          ||| ||||| ||||||||||||||||| ||||||||||||||||||| ||||||||| |||
Db   1075 TTTATGTTATCTGGGGGCCCCTTTCCGCAACATGAGGAAGGGAATGGTAATGCCATCCTGTACA 1134

Qy    677 acatgttgaaaagacagttggtatctatccgaatgcccaaaatatacgtgaccacagaga 736
          ||||||| |||||||||||| ||| || ||||||||| ||||||||||||||||||||||
Db   1135 ACATGTTAAAGAGACAGTTGATGCCTATCCAGATGCCGCAGATCTACGTGACCACAGAGC 1194

Qy    737 agcgcatgagttactgtgatggagtttaagaaggaaactgggaggacagggg 791
          ||| ||| | ||| |||||||||||| ||||||||||||||| |||||||||||
Db   1195 AGCAGATGACTCACTGCGATAGAGTGTTTAAGGATGAGACTGAGAAAGGACAGGTG 1249
```

```
RESULT 11
AC097068
```

```
LOCUS        AC097068          188850 bp    DNA    linear   HTG 20-DEC-2001
DEFINITION   Rattus norvegicus clone CH230-3J14, *** SEQUENCING IN PROGRESS ***,
             80 unordered pieces.
ACCESSION    AC097068
VERSION      AC097068.3  GI:17941059
KEYWORDS     HTG; HTGS_PHASE1.
SOURCE       Norway rat.
ORGANISM     Rattus norvegicus
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae;
             Rattus.
REFERENCE    1  (bases 1 to 188850)
AUTHORS      Muzny,D.M., Adams,C., Adio-Oduola,B., Ali-osman,F.R., Allen,C.,
             Alsbrooks,S.L., Amaratunge,H.C., Are,J.R., Banks,T., Barbaria,J.,
             Benton,J., Blimage,K., Blankenburg,K., Bonnin,D., Bouck,J.,
             Bowie,S., Brleva,M., Brown,E., Brown,M., Bryant,N.P., Buhay,C.,
             Burch,P., Burkett,C., Burrell,K.L., Byrd,N.C., Carron,T.F.,
             Carter,M., Cavazos,S.R., Chacko,J., Chavez,D., Chen,R.,
             Chen,Z., Chowdhry,I., Christopoulos,C., Cleveland,C.D., Cox,C.,
             Coyle,M.D., Dathorne,S.R., David,R., Davila,M.L., Davis,C.,
             Davy-Carroll,L., Dederich,D.A., Delaney,K.R., Delgado,O.,
             Denn,A.L., Ding,Y., Dinh,H.H., Douthwaite,K.J., Draper,H.,
             Dugan-Rocha,S., Durbin,K.J., Earnhart,C., Edgar,D., Edwards,C.C.,
             Elhaj,C., Escotto,M., Falls,T., Ferraguto,D., Flagg,N., Ford,J.,
             Foster,P., Frantz,P., Gabisi,A., Gao,J., Garcia,A., Garner,T.,
             Garza,N., Gill,R., Gorrell,J.H., Guevara,W., Gunaratne,P., Hale,S.,
             Hamilton,K., Harris,C., Harris,K., Hart,M., Havlak,P., Hawes,A.,
             Hernandez,J., Hernandez,O., Hodgson,A., Hogues,M., Holloway,C.,
             Hollins,B., Homsi,F., Howard,S., Huber,J., Hulyk,S., Hume,J.,
             Jackson,L.E., Jacobson,B., Jia,Y., Johnson,R., Jolivet,S.,
             Joudah,S., Karlsson,E., Kelly,S., Khan,U., King,L., Korvah,J.,
             Kovar,C., Kratovic,J., Kureshi,A., Landry,N., Leal,B., Lewis,L.C.,
             Lewis,L.J., Li,Z., Li,J., Lichtarge,O., Lieu,C., Liu,J., Liu,W.,
             Loulseged,H., Lozado,R.J., Lu,X., Lucier,A., Lucier,R., Luna,R.,
             Ma,J., Maheshwari,M., Mapua,P., Martin,R., Martindale,A.,
             Martinez,E., Massey,E., Mawhiney,E., McLeod,M.P., Meador,M.,
             Mei,G., Metzker,M., Miner,G., Miner,Z., Mitchell,T., Mohabbat,K.,
             Morgan,M., Morris,S., Moser,M., Neal,D., Newtson,J., Newtson,N.,
             Oguh,M., Okwuonu,G., Oragunye,N., Oviedo,R., Pace,A., Payton,B.,
             Peery,J., Perez,L., Peters,L., Pickens,R., Primus,E., Pu,L.L.,
             Quiles,M., Ren,Y., Rives,M., Rojas,A., Rojubokan,I., Rolfe,M.,
             Ruiz,S., Savery,G., Scherer,S., Scott,G., Shen,H., Shooshtari,N.,
             Sisson,I., Sodergren,E., Sonaike,T., Sparks,A., Stanley,H.,
             Stone,H., Sutton,A., Svatek,A., Tabor,P., Tamerisa,K., Tamerisa.K.,
             Tang,H., Tansey,J., Taylor,C., Taylor,T., Telford,D., Thomas,N.,
             Thomas,S., Usmani,K., Vasquez,L., Vera,V., Villalon,D., Vinson,R.,
             Wall,R., Wang,S., Ward-Moore,S., Warren,R., Washington,C.,
             Watlington,S., Williams,G., Williamson,A., Wleczyk,R., Wooden,S.,
             Worley,K., Wu,C., Wu,Y., Wu,Y.F., Zhou,J., Zorrilla,S., Nelson,D.,
             Weinstock,G. and Gibbs,R.
TITLE        Direct Submission
JOURNAL      Unpublished
REFERENCE    2  (bases 1 to 188850)
AUTHORS      Worley,K.C.
TITLE        Direct Submission
JOURNAL      Submitted (09-OCT-2001) Human Genome Sequencing Center, Department
             of Molecular and Human Genetics, Baylor College of Medicine, One
             Baylor Plaza, Houston, TX 77030, USA
COMMENT      On Dec 20, 2001 this sequence version replaced gi:16901538.
             --------------------- Genome Center
                Center: Baylor College of Medicine
                Center code: BCM
                Web site: http://www.hgsc.bcm.tmc.edu/
                Contact: hgsc-help@bcm.tmc.edu
             --------------------- Project Information
                Center project name: GAKK
                Center clone name: CH230-3J14
             --------------------- Summary Statistics
             Assembly program: Phrap; version 0.990329First call to
             findPhrapList
                Consensus quality: 144356 bases at least Q40
                Consensus quality: 155476 bases at least Q30
```

```
ACCESSION   AC103592
VERSION     AC103592.1  GI:17149457
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_FULLTOP; HTGS_ACTIVEFIN.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 180515)
AUTHORS     Kaul,R.K., Olson,M.V., Raymond,C. and Haugen,E.D.
TITLE       Direct Submission
JOURNAL     Unpublished
REFERENCE   2 (bases 1 to 180515)
AUTHORS     Kaul,R.K., Olson,M.V., Raymond,C. and Haugen,E.D.
TITLE       Direct Submission
JOURNAL     Submitted (29-NOV-2001) Genome Center, University of Washington,
            Box 352145, Seattle, WA 98195, USA
COMMENT     ---------- Genome Center
            Center: University of Washington Genome Center
            Center Code: UWGC
            Web site: http://www.genome.washington.edu
            Contact: uwgchtgs@u.washington.edu
            ---------- Project Information
            Center project name: chr-1
            Center clone name: RpII-335E14 (sc0329)
            ---------- Summary Statistics
            Sequencing vector: plasmid; 100% of reads
            Chemistry: Dye-terminator ET; 96% of reads
            Chemistry: Dye-terminator Big Dye; 4% of reads
            Assembly program: Phrap; version 0.990319
            Consensus quality: 168075 bases at least Q40
            Consensus quality: 174964 bases at least Q30
            Consensus quality: 177955 bases at least Q20
            Insert size: 179215; sum-of-contigs
            Quality coverage: 6.4x in Q20 bases; sum-of-contigs
            -----------
          * NOTE: This is a 'working draft' sequence. It currently
          * consists of 14 contigs. The true order of the pieces
          * is not known and their order in this sequence record is
          * arbitrary. Gaps between the contigs are represented as
          * runs of N, but the exact sizes of the gaps are unknown.
          * This record will be updated with the finished sequence
          * as soon as it is available and the accession number will
          * be preserved.
          * -----------
          *       1: contig of 2568 bp in length
          *    2569: gap of unknown length
          *    2669: contig of 4118 bp in length
          *    6786: gap of unknown length
          *    6887: contig of 5027 bp in length
          *   11913: gap of unknown length
          *   11914: contig of 4711 bp in length
          *   16724: gap of unknown length
          *   16725: contig of 8163 bp in length
          *   16825: gap of unknown length
          *   24987: contig of 6103 bp in length
          *   24988: gap of unknown length
          *   25087: contig of 6103 bp in length
          *   25088: gap of unknown length
          *   31190: contig of 10254 bp in length
          *   31191: gap of unknown length
          *   41544: contig of 7293 bp in length
          *   41545: gap of unknown length
          *   41645: contig of 7346 bp in length
          *   48937: gap of unknown length
          *   49037: contig of 9330 bp in length
          *   49038: gap of unknown length
          *   56383: contig of 8163 bp in length
          *   56384: gap of unknown length
          *   56483: contig of 9330 bp in length
          *   56484: gap of unknown length
          *   65813: contig of 12830 bp in length
          *   65814: gap of unknown length
          *   65913: contig of 12830 bp in length
          *   65914: gap of unknown length
          *   78743: contig of 16649 bp in length
          *   78744: gap of unknown length
          *   78843: contig of 16649 bp in length
          *   78844: gap of unknown length
          *   95492: gap of unknown length
          *   95493: contig of 26789 bp in length
          *   95593: gap of unknown length
          *  122381: contig of 58034 bp in length.
          *  122382: gap of unknown length
          *  122482: gap of unknown length
          *  180515: contig of 58034 bp in length.
FEATURES             Location/Qualifiers
     source          1..180515
```

```
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /clone_lib="RPCI human BAC library 11"
                     /clone="RPll-335E14"
     misc_feature    1..2568
                     /note="assembly_name:Contig11"
     misc_feature    2669..6786
                     /note="assembly_name:Contig13"
     misc_feature    6887..11913
                     /note="assembly_name:Contig14"
     misc_feature    12014..16724
                     /note="assembly_name:Contig15"
     misc_feature    16825..24987
                     /note="assembly_name:Contig16"
     misc_feature    25088..31190
                     /note="assembly_name:Contig17"
     misc_feature    31291..41544
                     /note="assembly_name:Contig18"
     misc_feature    41645..48937
                     /note="assembly_name:Contig19"
     misc_feature    49038..56383
                     /note="assembly_name:Contig20"
     misc_feature    56484..65813
                     /note="assembly_name:Contig21"
     misc_feature    65914..78743
                     /note="assembly_name:Contig22"
     misc_feature    78844..95492
                     /note="assembly_name:Contig23"
     misc_feature    95593..122381
                     /note="assembly_name:Contig24"
     misc_feature    122482..180515
                     /note="assembly_name:Contig25"
BASE COUNT    54138 a   34251 c   33833 g   56937 t   1356 others
ORIGIN
```

```
Query Match                 31.8%;  Score 411.8;  DB 2;  Length 180515;
Best Local Similarity    99.5%;  Pred. No. 4.6e-104;
Matches 413;  Conservative  0;  Mismatches  2;  Indels  0;  Gaps  0;

Qy   377 agccttgcaactggactgtgacctttgtgccatagtgtcaaactcaggtcagatggttg 436
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 16202 AGCCTTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTG 16261

Qy   437 gccagaaggtgggaaatgagatagatcgatcctcctgcatttggaagatgaacaatgccc 496
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 16262 GCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCC 16321

Qy   497 ccaccaaaggttatgaagagagtggcggccgcatgaccgattcgagttgtgtcccata 556
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 16322 CCACCAAAGGTTATGAAGAGAGATGTGGCCGCATGACCGATTCGAGTTGTGTCCCATA 16381

Qy   557 ccagcgttcctctttgctaaaaaccctgattatttttcaaggaagcgaatactacta 616
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 16382 CCAGCGTTCCTCTTTTGCTAAAAAAACCCTGATTATTTTTTTCAAGGAAGCGAATACTACTA 16441

Qy   617 tttgtgttatttgggacctttccgcaatatgaggaaagatggcaatggcatcgtttaca 676
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 16442 TTTATGTTATTTGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGGCATCGTTTACA 16501

Qy   677 acatgttgaaaagacagttgtatctcatccgaatgcccaaatatacgtgaccacagaga 736
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 16502 ACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGTGACCACAGAGA 16561

Qy   737 agcgcatgagttactgtgatggagttttaagaaggaaactgggaaggacagggg 791
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 16562 AGCGCATGAGTTACTGTGATGGAGTTTTTAAGAAGGAAACTGGGAAGGACAGGTG 16616
```

```
RESULT 10
MMYl11345
LOCUS       MMYl11345               1489 bp    DNA     linear   ROD 21-JUN-2000
```

```
DEFINITION   Homo sapiens chromosome 1 clone RP4-800D18, *** SEQUENCING IN
             PROGRESS ***, 13 unordered pieces.
ACCESSION    AL139155
VERSION      AL139155.3  GI:9221195
KEYWORDS     HTG; HTGS_PHASE1; HTGS_CANCELLED.
SOURCE       human.
ORGANISM     Homo sapiens
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE    1 (bases 1 to 127234)
AUTHORS      Plumb,B.
TITLE        Direct Submission
JOURNAL      Submitted (09-JUL-2001) Sanger Centre, Hinxton, Cambridgeshire,
             CB10 1SA, UK. E-mail enquiries: humquery@sanger.ac.uk Clone
             requests: clonerequest@sanger.ac.uk
COMMENT      On Jul 15, 2000 this sequence version replaced gi:8051902.
             -------------- Genome Center
             Center: Sanger Centre
             Center code: SC
             Web site: http://www.sanger.ac.uk
             Contact: humquery@sanger.ac.uk
             -------------- Project Information
             Center project name: dJ800D18
             -------------- Summary Statistics
             Assembly program: XGAP4; version 4.5
             Sequencing vector: plasmid; L08752; 100% of reads
             Chemistry: Dye-terminator Big Dye; 100% of reads
             Consensus quality: 119643 bases at least Q40
             Consensus quality: 122904 bases at least Q30
             Consensus quality: 124553 bases at least Q20
             Insert size: 126034; sum-of-contigs
             Insert size: 123029; 4.6% error; agarose-fp
             Quality coverage: 3.77x in Q20 bases; sum-of-contigs Quality
             coverage: 3.86x in Q20 bases; agarose-fp
             --------------
           * NOTE: This is a 'working draft' sequence. It currently
           * consists of 13 contigs. The true order of the pieces
           * is not known and their order in this sequence record is
           * arbitrary. Gaps between the contigs are represented as
           * runs of N, but the exact sizes of the gaps are unknown.
           * This record will be updated with the finished sequence
           * as soon as it is available and the accession number will
           * be preserved.
           *        1: contig of 2241 bp in length
           *     2242: gap of     100 bp
           *     2342  2341: contig of 2241 bp in length
           *     2342  11262: contig of 8921 bp in length
           *    11263  11362: gap of     100 bp
           *    11363  54059: contig of 42697 bp in length
           *    54060  54159: gap of     100 bp
           *    54160  61431: contig of 7272 bp in length
           *    61432  61531: gap of     100 bp
           *    61532  64263: contig of 2732 bp in length
           *    64264  64363: gap of     100 bp
           *    64364  71431: contig of 7068 bp in length
           *    71432  71531: gap of     100 bp
           *    71532  82012: contig of 10481 bp in length
           *    82013  82112: gap of     100 bp
           *    82113  85208: contig of 3096 bp in length
           *    85209  85308: gap of     100 bp
           *    85309  88169: contig of 2861 bp in length
           *    88170  88269: gap of     100 bp
           *    88270  108304: contig of 20035 bp in length
           *   108305  108404: gap of     100 bp
           *   108405  116626: contig of 8222 bp in length
           *   116627  116726: gap of     100 bp
           *   116727  119049: contig of 2323 bp in length
           *   119050  119149: gap of     100 bp
           *   119150  127234: contig of 8085 bp in length.
FEATURES             Location/Qualifiers
     source          1..127234
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /chromosome="1"
```

```
     misc_feature    /clone="RP4-800D18"
                     /clone_lib="RPCI-4"
     misc_feature    1..2241
                     /note="assembly_fragment:00851
                     clone_end:SP6
                     vector_side:left"
     misc_feature    2342..11262
     misc_feature    /note="assembly_fragment:00081"
                     11363..54059
     misc_feature    /note="assembly_fragment:00319"
                     54160..61431
     misc_feature    /note="assembly_fragment:00328"
                     61532..64263
     misc_feature    /note="assembly_fragment:00383"
                     64364..71431
     misc_feature    /note="assembly_fragment:00450"
                     71532..82012
     misc_feature    /note="assembly_fragment:00486"
                     82113..85208
     misc_feature    /note="assembly_fragment:00507"
                     85309..88169
     misc_feature    /note="assembly_fragment:00577"
                     88270..108304
     misc_feature    /note="assembly_fragment:00693"
                     108405..116626
     misc_feature    /note="assembly_fragment:00849"
                     116727..119049
     misc_feature    /note="assembly_fragment:00979"
                     119150..127234
     misc_feature    /note="assembly_fragment:00688
                     clone_end:T7
                     vector_side:right"
BASE COUNT     40428 a   23445 c   24074 g   38081 t   1206 others
ORIGIN
```

```
Query Match           31.8%;      Score 411.8;  DB 2;   Length 127234;
Best Local Similarity 99.5%;      Pred No. 4.4e-104;
Matches   413;  Conservative   0;  Mismatches   2;  Indels   0;  Gaps   0;

Qy    377 agcctttgcaactggactgtgactttgtgcatagtgtcaaactcaggtcagatggttg 436
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 121702 AGCCTTTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTG 121761

Qy    437 gccagaaggtgggaaatggaacatggacatgatcctcctcatttggaagtgaacaatgccc 496
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 121762 GCCAGAAGGTGGGAAATGGAACATGGACATGATCCTCCTGCATTTGGAGAATGAACAATGCCC 121821

Qy    497 ccaccaaaggttatgaagaagagtgtcggccgcatgaccatgatgcgagttgtcccata 556
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 121822 CCACCAAAGTTATGAAGAAGAGATGTCGGCCGCCATGACCATGATTCGAGTTGTGTCCCATA 121881

Qy    557 ccagcgtcctctttgctaaaaacctgatatttttcaaggaagcgaatactacta 616
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 121882 CCAGCGTTCCTCCTTTTGCTAAAAAACCCTGATTTATTTTTTCAAGGAAGCGAATACTACTA 121941

Qy    617 tttgtgttatttgggacctttccgcaatatgaggaaagatggcaatggcatcgtttaca 676
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 121942 TTTATGTTATTTGGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGGCATCGTTTACA 122001

Qy    677 acatgttgaaaaagacagttggtatctatccgaatgcccaaatatacgtgaccacagaga 736
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 122002 ACATGTTGAAAAAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGTGACCACAGAGA 122061

Qy    737 agcgcatgagttactgtgatggagttttaagaggaaactgggaaggacagggg 791
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 122062 AGCGCATGAGTTACTGTGATGGAGTTTTTAAGAAGGAAACTGGGAAGGACAGGTG 122116
```

```
RESULT        9
AC103592
LOCUS         AC103592          180515 bp   DNA       linear   HTG 29-NOV-2001
DEFINITION    Homo sapiens chromosome 1 clone RP11-335E14, WORKING DRAFT
```

source   1..2956
                /organism="Rattus norvegicus"
                /strain="Sprague-Dawley"
                /db_xref="taxon:10116"
                /tissue_type="brain"
                /dev_stage="adult"

CDS   226..1143
                /codon_start=1
                /product="alpha 2,6-sialyltransferase"
                /protein_id="AAC42086.1"
                /db_xref="GI:1280387"
                /translation="MACIIKRKPALAVSFIALCILLLAMRLANDVTFPLLLNCFGQPK
                TKWIPLSYTLRQPLQTHYGYINVRTQEPLQLNCNHCAVVSNSGQMVGQKVGEEIDRAS
                CIWRMNNAPTKGFEEDVGYMTMVRVSHTSVPLLLKNPDYFEKEASTIYIVWGPFRN
                MRKDGNGIVYNMLKKTVDAYPDAQIYVTTEQRMYCDGVFKDETGKDRVQSGSYLSTG
                WFTFILAMDACYSIHVGMINETYCTTEGYRKVPYHYEQGKDECNEYLLHEHAPYGG
                HRFITEKKVFAKWAKKHRIVFHPNWTVS"

BASE COUNT   805 a   712 c   665 g   774 t
ORIGIN

Query Match   33.9%;   Score 438.2; DB 10;   Length 2956;
Best Local Similarity   80.6%;   Pred. No. 1e-111;
Matches 512;   Conservative   0;   Mismatches 123;   Indels   0;   Gaps   0;

Qy   160 agcgccatggcctgcatcctgaagagaaagtctggtgattgctgagcttcatagcagcg 219
          ||||||||||||||| |||||| || |||| || ||| |||||||||||||||||||
Db   220 AGCGCCATGGCCTGCATCCTCAAGAGGAGAAGGCCTGCGCTTGCGGTGAGCTTCATAGCCCTG 279

Qy   220 ttcctttcctgctgttgcgtcttgtaaatgaagtgaattccattgctactaaac 279
          ||| || | |||| || |||| || ||||||||||||||||||||||||||||
Db   280 TGCATCTTGCTGCTAGCCATGACGTGCCTTGCCAATGAGCTGACTTTCCCTTTGCTCCTGAAC 339

Qy   280 tgcttggacaacctggtacaaagtggataccattcctcctacacatacaggcggcccctt 339
          |||||| || || |||||| || || ||||| ||| ||| |||||||||||| |||
Db   340 TGCTTTGGACAACCTAAAACCAAATGATCCCTTTGTCCTACACACTCAGGCAGCCTCTT 399

Qy   340 cgaactcactatggatacataaatgtgaagacacaagagccttgcaactgactgtgac 399
          | ||||| |||| ||||| ||||||| ||||| ||||||||||||||||||||||||
Db   400 CAAACTCACTATGGATACATAAACGTGACGAGGACCCCAAGAGCCTTTGCAGCTGAACTGTAAC 459

Qy   400 ctttgtccatagtgtcaaactcagtcagtggttggccagaaggttggtggaaatgagata 459
          |||||||||||| |||| |||||||||||||||| || || ||||| |||||||||||
Db   460 CATTGTGCCGTCGTGTCGAACTCGGGTCAGATGGTTGCCACAGAAGGTGGGGGAAGAGATA 519

Qy   460 gatcgatcctcctgcatttggagaatgaacaatgcccccaccaaaggttatgaagaagat 519
          ||| ||| | |||||||||| ||| ||||| | |||||||||| || ||||||||||
Db   520 GACCGGCGTCCTGCGCTCTGGAGAATGGAATGAACAATGCCCCACCAAAGGTTTCCAGGAAGAT 579

Qy   520 gtcggccgcatgaccatgattcgagttggtcccatacagcgttcctcctttgctaaaa 579
          ||| ||| |||||||| |||||||||| | |||||| ||| ||| |||| ||||| ||
Db   580 GTCGGCTACACGACGATGGTCGGAGTGGTCACACACCAGGACGTGGTCACACCAGGATGAA 639

Qy   580 aaccctgattattttcaaggaagcggaatactacaccatattggttatttgtggggaccttc 639
          ||||| || |||| ||||||||| ||| |||| |||| ||| ||||||||| ||||||||
Db   640 AACCCGGACTATTTTTTCAAGGAGGCGAGCACAACCATTTACGTCATCGGGCGGCCCTTTC 699

Qy   640 cgcaatatgaggaaagatgcaatggcatcgttttacaacatgttgaaaagacagttggt 699
          |||| ||||| || |||| ||||||||||| |||||||||||||||||||||||||| |
Db   700 CGCAACAATGAGGAAGACGGAACGGCATCGGTCTACAACATGCTAAAGAAGACGGTGAC 759

Qy   700 atctatccgaatgcccaaatatacgtgaccacagagaagcgcatgatgactactgtgatgga 759
          ||||||||||| | ||| ||||| | ||||||||||||||||||||||| || ||||||||
Db   760 GCCTACCCAGACGCGCAGATCTACGTGACCACAGAGCAGCGGATGACGGATGACGACTGCGGG 819

Qy   760 gtttttaagaaggaaactgggaaggacaggggca 794
          ||||| ||||| ||| ||||||||||| || ||
Db   820 GTGTTTAAGGATGAAACTGGAAAGACAGAGTCCA 854

RESULT 8
AL139155
LOCUS   AL139155   127234 bp   DNA   linear   HTG 10-JUL-2001

ORIGIN

Query Match   34.7%;   Score 449.4; DB 10;   Length 3903;
Best Local Similarity   81.7%;   Pred. No. 7.5e-115;
Matches 519;   Conservative   0;   Mismatches 116;   Indels   0;   Gaps   0;

Qy   160 agcgccatggcctgcatcctgaagagaaagtctggtgattgctgagcttcatagcagcg 219
          ||||||||||| | ||||||| || |||| || ||| |||||||||||||||||||||
Db   66 AGCGCCATGGCCTGCATCCTCAAGAGGAGAAGGCCTGCGCTTGCGGTGAGCTTCATAGCCCTG 125

Qy   220 ttcctttcctgctgttgcgtcttgtaaatgaagtgaattccattgctactaaac 279
          ||| || | |||| || |||| || ||||||||||||||||||||||||||||
Db   126 TGCATCTTGCTGCTAGCCATGACGTGCCTTGCCAATGAGCTGACTTTCCCTTTGCTCCTGAAC 185

Qy   280 tgcttggacaacctggtacaaagtggataccattcctcctacacatacaggcggcccctt 339
          |||||| || || |||||| || || ||||| ||| ||| |||||||||||| |||
Db   186 TGCTTTGGACAACCTAAAACCAAATGATCCCTTTGTCCTACACACTCAGGCAGCCTCTT 245

Qy   340 cgaactcactatggatacataaatgtgaagacacaagagccttgcaactgactgtgac 399
          | ||||| |||| ||||| ||||||| ||||| ||||||||||||||||||||||||
Db   246 CAAACTCACTATGGATACATAAACGTGACGAGGACCCCAAGAGCCTTTGCAGCTGAACTGTAAC 305

Qy   400 ctttgtccatagtgtcaaactcagtcagtggttggccagaaggttggtggaaatgagata 459
          |||||||||||| |||| |||||||||||||||| || || ||||| |||||||||||
Db   306 CACTGTGCCATCGTGTCAAATTCAGGTCAACAATGGTCGGCAGAAGGTGGGGGAAGAGATA 365

Qy   460 gatcgatcctcctgcatttggagaatgaacaatgcccccaccaaaggttatgaagaagat 519
          ||| | | | |||||| ||| ||| ||||| | |||||||||| || ||||||||||
Db   366 GACCATCGATCCTGCGCTCTGGAGAATGGAATGAACAACCAAGGGCTTTGAGGAAGAT 425

Qy   520 gtcggccgcatgaccatgattcgagttggtcccatacagcgttcctcctttgctaaaa 579
          ||| ||| |||||||| |||||||||| | |||||| ||| ||| |||| ||||| ||
Db   426 GTCGGGCTACATGACAATGGTCCCAGTTGTGTCCAGTACCAGTGTCCCTCTCTTGTCTGAAA 485

Qy   580 aaccctgattattttcaaggaagcggaatactacaccatattggttatttgtggggacctttc 639
          |||||| || |||| |||||||| | |||| |||| ||| ||||||||| |||||||
Db   486 AATCCTGACTATTTTTTCAAGGAGGCAGCAGCCACATTTATGTTATCGTGGGGCCCTTTC 545

Qy   640 cgcaatatgaggaaagatgcaatggcatcgttttacaacatgttgaaaagacagttggt 699
          |||| ||||| || |||| ||||||||||| ||||||||||||||||||||||||| |
Db   546 CCCAACAATGAGGAAGGTGTAATGGCATCGTTACAACATGTTAAAGAAGACAGTTGAT 605

Qy   700 atctatccgaatgcccaaatatacgtgaccacagagaagcgcatgatgactactgtgatgga 759
          ||||||||||| | ||| ||||| | ||||||||||||||||||||||| || ||||||||
Db   606 GCCTATCCGAGATCGCAGATCTACGTGACCACAGAGCAGCGGATGACTGACCTCACTGCGATAGA 665

Qy   760 gtttttaagaaggaaactgggaaggacaggggca 794
          ||||| ||||| ||| ||||||||||| || ||
Db   666 GTGTTTAAGGATGAAACTGGAAAGGACAGAGTCCA 700

RESULT 7
RATA26S
LOCUS   RATA26S   2956 bp   mRNA   linear   ROD 23-APR-1996
DEFINITION   Rattus norvegicus alpha 2,6-sialyltransferase mRNA, complete cds.
ACCESSION   L29554
VERSION   L29554.1 GI:1008902
KEYWORDS   alpha 2,6 sialyltransferase; sialyltransferase.
SOURCE   Rattus norvegicus (strain Sprague-Dawley) adult brain cDNA to mRNA.
  ORGANISM   Rattus norvegicus
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae;
              Rattus.
REFERENCE   1 (bases 1 to 2956)
  AUTHORS   Sjoberg,E.R., Kitagawa,H., Glushka,J., van Halbeek,H. and
              Paulson,J.C.
  TITLE   Molecular cloning of a developmentally regulated
              N-acetylgalactosamine alpha2,6-sialyltransferase specific for
              sialylated glycoconjugates
  JOURNAL   J. Biol. Chem. 271 (13), 7450-7459 (1996)
  MEDLINE   96205924
FEATURES   Location/Qualifiers

```
 *  NOTE: This is a 'working draft' sequence. It currently
 *  consists of 9 contigs. The true order of the pieces
 *  is not known and their order in this sequence record is
 *  arbitrary. Gaps between the contigs are represented as
 *  runs of N, but the exact sizes of the gaps are unknown.
 *  This record will be updated with the finished sequence
 *  as soon as it is available and the accession number will
 *  be preserved.
 *        1     2316: contig of 2316 bp in length
 *     2317     2416: gap of      100 bp
 *     2417    12562: contig of 10146 bp in length
 *    12563    12662: gap of      100 bp
 *    12663    23766: contig of 11104 bp in length
 *    23767    23866: gap of      100 bp
 *    23867    35469: contig of 11603 bp in length
 *    35470    35569: gap of      100 bp
 *    35570    48475: contig of 12906 bp in length
 *    48476    48575: gap of      100 bp
 *    48576    67870: contig of 19295 bp in length
 *    67871    67970: gap of      100 bp
 *    67971    90884: contig of 22914 bp in length
 *    90885    90984: gap of      100 bp
 *    90985   112852: contig of 21868 bp in length
 *   112853   112952: gap of      100 bp
 *   112953   156585: contig of 43633 bp in length.
FEATURES             Location/Qualifiers
     source          1..156585
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="RP11-45M21"
                     /clone_lib="RPCI-11 Human Male BAC"
     misc_feature    1..2316
                     /note="assembly_fragment"
     misc_feature    2417..12562
                     /note="assembly_fragment"
     misc_feature    12663..23766
                     /note="assembly_fragment"
     misc_feature    23867..35469
                     /note="assembly_fragment"
                     clone_end:T7
                     vector_side:left"
     misc_feature    35570..48475
                     /note="assembly_fragment"
     misc_feature    48576..67870
                     /note="assembly_fragment"
                     clone_end:SP6
                     vector_side:left"
     misc_feature    67971..90884
                     /note="assembly_fragment"
     misc_feature    90985..112852
                     /note="assembly_fragment"
     misc_feature    112953..156585
                     /note="assembly_fragment"
BASE COUNT    47608 a   29383 c   29104 g   49678 t   812 others
ORIGIN
Query Match     39.1%;  Score 506.4;  DB 2;  Length 156585;
Best Local Similarity   99.8%;  Pred. No.  1.2e-130;
Matches  507;  Conservative    0;  Mismatches    0;  Indels    1;  Gaps    0;

Qy    786 cagggggcatgcaaggcgactgctgatttctcacagacacttttaagcggattaccagtgc 845
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 146080 CAGGGGGCATGCAAGGCGACTGCTGATTTCTCACAGACACTTTTAAGCGGATTACCAGTGC 146139

Qy    846 tggcaagtggaactacctttccggtcctcttacaagcatccagtcacttgctgaaatgtc 905
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 146140 TGGCAAGTGGAACTACCTTTCCGGTCCTCTTACAAGCATCCAGTCACTTGCTGAAATGTC 146199

Qy    906 ataagcgatataaacctgctgacaggccagatcattgcatctccgcctcctccttcca 965
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 146200 ATAAGCGATATAAACCTGCTGACAGGCCAGGATCATTGCATCTCCGCCTCCTCCTTCCA 146259
```

```
Qy    966 cgtaacaaatctcattgttgattggcatatggcagcaagcatcccaacaccagagtggt 1025
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 146260 CGTAACAAATCTCATTGTTGATTGGCATATGGCAGCAAGCATCCAACACCAGAGTGGT 146319

Qy   1026 gtcttatttctgagggagcaggtgtctgtgtgatgcacacacaggggacaatcccc 1085
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 146320 GTTCTTATTTCTGAGGGAGCAGGGTCTGTGTGTGAATTGCACACACAGGGAGCAATCCCC 146379

Qy   1086 tgccctgatacaggcaacctgagtcgttagttccttcctctgctcagaacttagtgtgact 1145
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 146380 TGCCCTGATACAGGCAACCTGAGTCGTGCTTAGTTCCTTCCTCTGCTCAGAACTTAGTGTGACT 146439

Qy   1146 atgtggctacctcacattgttgttgtacacctacacaggagaaaaaggaaaaatgtcctt 1205
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 146440 ATGTGGCTACCTCACCATTGTTGTTGTTACACCTACACAGGAAAAAGGAAAAATGTCCTT 146499

Qy   1206 ttgattccatgctgtagagatgttcatccaatttgaatgaacatgtagccaaggtagtg 1265
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 146500 TTGATTCCATGCTTATAGAGATGTTCATCCAATTTGAATGAACATGTAGCCAAGGTAGTG 146559

Qy   1266 tcttccccccttttcttctcctttttttt 1293
          |||||||||||||||||||||||||||||
Db 146560 TCTTCCCCCTTTTCTTCTCCCTTTTTTTTT 146587
```

```
RESULT  6
MMY11342
LOCUS       MMY11342    3903 bp    mRNA    linear    ROD 20-SEP-2000
DEFINITION  Mus musculus mRNA for GalNAc alpha-2, 6-sialyltransferase III.
ACCESSION   Y11342
VERSION     Y11342.1   GI:4894174
KEYWORDS    GalNAc alpha-2, 6-sialyltransferase III.
SOURCE      house mouse.
  ORGANISM  Mus musculus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1  (bases 1 to 3903)
  AUTHORS   Lee,Y.C., Kaufmann,M., Kitazume-Kawaguchi,S., Kono,M.,
            Takashima,S., Kurosawa,N., Liu,H., Pircher,H. and Tsuji,S.
  TITLE     Molecular cloning and functional expression of two members of mouse
            NeuAcalpha2,3Galbeta1,3GalNAc GalNAcalpha2,6-sialyltransferase
            family, ST6GalNAc III and IV
  JOURNAL   J. Biol. Chem. 274 (17), 11958-11967 (1999)
   MEDLINE   99223522
REFERENCE   2  (bases 1 to 3903)
  AUTHORS   Tsuji,S.
  TITLE     Direct Submission
  JOURNAL   Submitted (18-FEB-1997) S. Tsuji, The Institute of Physical &
            Chemical Research (RIKEN), Glyco Molecular Biology, Frontier
            Research Program, Wako, Saitama 351-01, JAPAN
FEATURES             Location/Qualifiers
     source          1..3903
                     /organism="Mus musculus"
                     /strain="ICR"
                     /db_xref="taxon:10090"
                     /tissue_type="brain"
                     /dev_stage="adult"
     gene            72..989
                     /gene="ST6GalNAcIII"
     CDS             72..989
                     /gene="ST6GalNAcIII"
                     /product="GalNAc alpha-2,6-sialyltransferase"
                     /codon_start=1
                     /protein_id="CAA72181.2"
                     /db_xref="GI:10241806"
                     /db_xref="SPTREMBL:Q9WUV2"
                     /translation="MACILKRKPVLVVSFIALCILLLAMRLVNDATFPLLLNCFGQPK
                     TKWIPLPYTFRQPLRTHYGYINVRTQEFLQLNCNHCAIVSNSGQMVGQKVGEIDHAS
                     CIWRMNNAPTKGFEEDVGYMTMRVRVSHTSVPLLLKNPDYFFKEASRTIYVIWGPFRN
                     MRKDGNGIVYNMLKKTVDAYPDAQIYVTTEQQMTHCDRVFKDETGKDRVQGSYLSTG
                     WFTFILAMDACYSIHVYGMINEYCKTEGYRKVPYHYYEQGKDECNEYLLHEHAPYGG
                     HRFITEKVFAKWAKKHRIVFTHPNWTLS"
BASE COUNT   1059 a    923 c    816 g   1105 t
```

```
Db  43679  TGCCCTGATACAGGCAACCTGAGTGCTTAGTTCCTTCTCTGCTCAGAACTTAGTGTGACT  43738
                     ||||||||||||||||||||||||||||||||||||||||||||||||
Qy   1146  atgtggcctacctcacatgttgttgttacacctcacaggaaaagaaaaaagtgtcctt   1205
                     |||||||||||||||||||||||||||||||||||||||||||||||||||
Db  43739  ATGTGGCCTACCTCACATTGTTTGTGTTACACCTACACAGGAAAAAAGGAAAAATGTCCTT  43798

Qy   1206  ttgattccatgcttgtagagatgttcatccacaatttgatgaaccatgtagccaaggtagtg  1265
                     |||||||||||||||||||||||||||||||||||||||||||||||||||
Db  43799  TTGATTCCATGCTTGTAGAGATGTTCATCCAAATTGAATGAACCATGTAGCCAAGGTAGTG  43858

Qy   1266  tcttccccttttcctcccttttttt   1293
                     ||||||||||||||||||||
Db  43859  TCTTCCCCTTTTCTTCCCTTTTTTTTTT  43886
```

```
RESULT 5
AC012109
LOCUS       AC012109              156585 bp    DNA    linear    HTG 26-MAY-2000
DEFINITION  Homo sapiens clone RP11-45M21, WORKING DRAFT SEQUENCE, 9 unordered
            pieces.
ACCESSION   AC012109
VERSION     AC012109.2  GI:7107733
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE      human.
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 156585)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C. and Lander,E.
  TITLE     Homo sapiens, clone RP11-45M21
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 156585)
  AUTHORS   Birren,B., Linton,L., Nusbaum,C., Lander,E., Allen,N., Anderson,M.,
            Baldwin,J., Barna,N., Beckerly,R., Boguslavkiy,L., Boukhgalter,B.,
            Brown,A., Castle,A., Colangelo,M., Collins,S., Collymore,A.,
            Cooke,P., DeArellano,K., Dewar,K., Domino,M., Donelan,L., Doyle,M.,
            Ferreira,P., FitzHugh,W., Forrest,C., Funke,R., Gage,D.,
            Galagan,J., Gardyna,S., Grant,G., Hagos,B., Heaford,A., Horton,L.,
            Howland,J.C., Johnson,R., Jones,C., Kann,L., Karatas,A., Klein,J.,
            Lehoczky,J., Lieu,C., Locke,K., Macdonald,P., Marquis,N.,
            McEwan,P., McGurk,A., McKernan,K., McLaughlin,J., Meldrim,J.,
            Morrow,J., Naylor,J., Norman,C.H., O'Connor,T., O'Donnell,P.,
            Peterson,K., Pollara,V., Riley,R., Roy,A., Santos,R., Severy,P.,
            Stange-Thomann,N., Stojanovic,N., Subramanian,A., Talamas,J.,
            Tesfaye,S., Tirrell,A., Vassiliev,H., Vo,A., Wheeler,J., Wu,X.,
            Wyman,D., Ye,W.J., Zimmer,A. and Zody,M.
  TITLE     Direct Submission
  JOURNAL   Submitted (20-OCT-1999) Whitehead Institute/MIT Center for Genome
            Research, 320 Charles Street, Cambridge, MA 02141, USA
COMMENT     On Feb 28, 2000 this sequence version replaced gi:6088018.
            All repeats were identified using RepeatMasker.
            Smit,A.F.A. & Green,P. (1996-1997)
            http://ftp.genome.washington.edu/RM/RepeatMasker.html
            ---------------- Genome Center
            Center: Whitehead Institute/ MIT Center for Genome Research
            Center code: WIBR
            Web site: http://www-seq.wi.mit.edu
            Contact: sequence_submissions@genome.wi.mit.edu
            ---------------- Project Information
            Center project name: L1202
            Center clone name: 45_M_21
            ---------------- Summary Statistics
            Sequencing vector: M13; M77815; 100% of reads
            Chemistry: Dye-primer-amersham; 5% of reads
            Chemistry: Dye-terminator Big Dye; 95% of reads
            Assembly program: Phrap; version 0.960731
            Consensus quality: 113936 bases at least Q40
            Consensus quality: 133319 bases at least Q30
            Consensus quality: 146386 bases at least Q20
            Insert size: 160000; agarose-fp
            Insert size: 155785; sum-of-contigs
            Quality coverage: 3.1 in Q20 bases; agarose-fp
            Quality coverage: 3.2 in Q20 base.
```

```
    *  arbitrary. Gaps between the contigs are represented as
    *  runs of N, but the exact sizes of the gaps are unknown.
    *  This record will be updated with the finished sequence
    *  as soon as it is available and the accession number will
    *  be preserved.
    *           1    2759: contig of 2759 bp in length
    *        2760    2859: gap of unknown length
    *        2860    6136: contig of 3277 bp in length
    *        6137    6236: gap of unknown length
    *        6237   15319: contig of 9083 bp in length
    *       15320   15419: gap of unknown length
    *       15420   27252: contig of 11833 bp in length
    *       27253   27352: gap of unknown length
    *       27353   48106: contig of 20754 bp in length
    *       48107   48206: gap of unknown length
    *       48207   64072: contig of 15866 bp in length
    *       64073   64172: gap of unknown length
    *       64173  104590: contig of 40418 bp in length
    *      104551  104690: gap of unknown length
    *      104691  152387: contig of 47697 bp in length.

FEATURES             Location/Qualifiers
     source          1..152387
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /chromosome="1"
                     /clone="RP11-286H10"
                     /clone_lib="RPCI human BAC library 11"
     misc_feature    1..2759
                     /note="assembly_name:Contig13"
     misc_feature    2860..6136
                     /note="assembly_name:Contig14"
     misc_feature    6237..15319
                     /note="assembly_name:Contig15"
     misc_feature    15420..27252
                     /note="assembly_name:Contig16"
     misc_feature    27353..48106
                     /note="assembly_name:Contig17"
     misc_feature    48207..64072
                     /note="assembly_name:Contig18"
     misc_feature    64173..104590
                     /note="assembly_name:Contig19"
     misc_feature    104691..152387
                     /note="assembly_name:Contig20"
BASE COUNT    49042 a  28162 c  28792 g  45634 t    757 others
ORIGIN
```

```
Query Match     39.3%;  Score 508;  DB 2;  Length 152387;
Best Local Similarity  100.0%;  Pred. No. 4.4e-131;
Matches  508;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy    786  cagggggcatgcaaggcgactgctgatttctacagacactttaagcgattaccagtgc   845
                     ||||||||||||||||||||||||||||||||||||||||||||||||||
Db  43379  CAGGGGGCATGCAAGGCGACTGCTGATTTCTACAGACACTTTTAAGCGATTACCAGTGC  43438

Qy    846  tggcaagtggaactacctttccgtcctcttacaagcatccagtcacttgctgaaatgtc   905
                     |||||||||||||||||||||||||||||||||||||||||||||||||
Db  43439  TGGCAAGTGGAACTACCTTTCCGGTCCTCTTACAAGCATCCAGTCACTTGCTGAAATGTC  43498

Qy    906  ataagcgatataaacctgctgacagccaggatcattgcatctcctgcctcctccttca   965
                     ||||||||||||||||||||||||||||||||||||||||||||||||
Db  43499  ATAAGCGATATAAACCTGCTGACAGCCAGGATCATTGCATCTCCTGCCTCCTCCTTCCA  43558

Qy    966  cgtaacaaatctcattgttgattggcatatggcagcaagcatccaacaccccagagtggt  1025
                     ||||||||||||||||||||||||||||||||||||||||||||||||||
Db  43559  CGTAACAAATCTCATTGTTGATTGGCATATGGCAGCAAGCACATCCCAACACCCAGAGTGGT  43618

Qy   1026  gttcttatttctgagggaggagcagggtctgtgtgtgaattgcacacacaggggagcaatcccc  1085
                     ||||||||||||||||||||||||||||||||||||||||||||||||||
Db  43619  GTTCTTATTTCTGAGGGAGCACAGGGTCTGCTGTGTGTGAATTGCACACACAGGGAGCAATCCCC  43678

Qy   1086  tgccctgatacaggcaacctgagtgcttagttccttctctgctcagaacttagtgtgact  1145
                     |||||||||||||||||||||||||||||||||||||||||||||||||||
```

TITLE   Direct Submission
JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 103671)
AUTHORS   Kaul,R.K., Olson,M.V., Raymond,C. and Haugen,E.D.
TITLE   Direct Submission
JOURNAL   Submitted (28-DEC-2001) Genome Center, University of Washington,
               Box 352145, Seattle, WA 98195, USA
COMMENT   On Dec 28, 2001 this sequence version replaced gi:9797366.
               -------------- Genome Center
               Center: University of Washington Genome Center
               Center Code: UWGC
               Web site: http://www.genome.washington.edu
               Contact: uwchtgs@u.washington.edu
               Drafting Center: SC
               -------------- Project Information
               Center project name: chr-1
               Center clone name: RP5-1153M13 (sc0860)
               -------------- Summary Statistics
               Sequencing vector: plasmid; 43% of reads
               Sequencing vector: plasmid; L08752; 57% of reads
               Chemistry: Dye-terminator ET; 67% of reads
               Chemistry: Dye-terminator Big Dye; 33% of reads
               Assembly program: Phrap; version 0.990319
               Consensus quality: 101923 bases at least Q40
               Consensus quality: 102957 bases at least Q30
               Consensus quality: 103308 bases at least Q20
               Insert size: 103671; sum-of-contigs
               Quality coverage: 7.2x in Q20 bases; sum-of-contigs
               ----
               * NOTE: This is a 'working draft' sequence. It currently
               * consists of 3 contigs. The true order of the pieces
               * is not known and their order in this sequence record is
               * arbitrary. Gaps between the contigs are represented as
               * runs of N, but the exact sizes of the gaps are unknown.
               * This record will be updated with the finished sequence
               * as soon as it is available and the accession number will
               * be preserved.
               *   1   8527; contig of 8527 bp in length
               *   8528   8627; gap of unknown length
               *   8628   53183; contig of 44556 bp in length
               *   53184   53283; gap of unknown length
               *   53284   103671; contig of 50388 bp in length.
FEATURES   Location/Qualifiers
     source   1..103671
               /organism="Homo sapiens"
               /db_xref="taxon:9606"
               /chromosome="1"
               /clone="RP5-1153M13"
               /clone_lib="RPCI human PAC library 5"
     misc_feature   1..8527
               /note="assembly_name:Contig49"
     misc_feature   8628..53183
               /note="assembly_name:Contig50"
     misc_feature   53284..103671
               /note="assembly_name:Contig51"
BASE COUNT   33186 a   19185 c   19552 g   31548 t   200 others
ORIGIN

Query Match   39.3%;   Score 508;   DB 2;   Length 103671;
Best Local Similarity   100.0%;   Pred. No. 4.2e-131;
Matches 508;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

Qy   786 caggggcatgcaagcgactgctgatttctacagacacttttaagcgattaccagtgc 845
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 66748 CAGGGGCATGCAAGCGACTGCTGATTTCTACAGACACTTTTAAGCGATTACCAGTGC 66807

Qy   846 tggcaagtggaactacctttccggtcctcttacaagcatccagtcacttgctgaaatgtc 905
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 66808 TGGCAAGTGGAACTACCTTTCCGGTCCTCTTACAAGCATCCAGTCACTTGCTGAAATGTC 66867

Qy   906 ataagcgatataaacctgctgacaggccaggatcattgcatctcctgcctcctccttcca 965
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||

Db 66868 ATAAGCGATATAAACCTGCTGACAGGCCAGGATCATTGCATCTCCTGCCTCCTCCTTCCA 66927

Qy   966 cgtaacaaatctcattgttgattggcatatggcagcaagcaagcatcccaacacccagagtggt 1025
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 66928 CGTAACAAATCTCATTGTTGATTGGCATATGGCAGCAAGCAAGCATCCCAACACCCAGAGTGGT 66987

Qy   1026 gttctattctgagggagcaggtctgtgtgtgaattgcacacacaggagcaatcccc 1085
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 66988 GTTCTTATTTCTGAGGGAGCAGGTCTGTGTGTGAATTGCACACACAGGAGCAATCCCC 67047

Qy   1086 tgccctgatacaggcaacctgagtgcttagtccttctctgctcagaacttagtgtgact 1145
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 67048 TGCCCTGATACAGGCAACCTGAGTGCTTAGTCCTTCTCTGCTCAGAACTTAGTGTGACT 67107

Qy   1146 atgtggctacctcacattgttgttacacctacacaggagaaaaggaaaaatgtcctt 1205
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 67108 ATGTGGCCTACCTCACATTGTTGTTGTTACACCTACACAGGAAAAAGGAAAAATGTCCTT 67167

Qy   1206 ttgattccatgctgtgtagagatgttcatccaatttgaatgaacatgtagccaaggtagtg 1265
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 67168 TTGATTCCATGCTGTGTGTAGAGATGTTCATCCAATTTGAATGAACATGTAGCCAAGGTAGTG 67227

Qy   1266 tcttccccttttcttcctcctttttttt 1293
          ||||||||||||||||||||||||||||
Db 67228 TCTTCCCCTTTTCTTCCTCTTTTTTTTT 67255

RESULT 4
AC099672
LOCUS   AC099672   152387 bp   DNA   linear   HTG 17-NOV-2001
DEFINITION   Homo sapiens chromosome 1 clone RP11-286H10, WORKING DRAFT
               SEQUENCE, 8 unordered pieces.
ACCESSION   AC099672
VERSION   AC099672.1 GI:16973754
KEYWORDS   HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_FULLTOP; HTGS_ACTIVEFIN.
SOURCE   human.
ORGANISM   Homo sapiens
               Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
               Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 152387)
AUTHORS   Kaul,R.K., Olson,M.V., Raymond,C. and Haugen,E.D.
TITLE   Direct Submission
JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 152387)
AUTHORS   Kaul,R.K., Olson,M.V., Raymond,C. and Haugen,E.D.
TITLE   Direct Submission
JOURNAL   Submitted (17-NOV-2001) Genome Center, University of Washington,
               Box 352145, Seattle, WA 98195, USA
COMMENT   -------------- Genome Center
               Center: University of Washington Genome Center
               Center Code: UWGC
               Web site: http://www.genome.washington.edu
               Contact: uwchtgs@u.washington.edu
               -------------- Project Information
               Center project name: chr-1
               Center clone name: RP11-286H10 (sc0344)
               -------------- Summary Statistics
               Sequencing vector: plasmid; 93% of reads
               Sequencing vector: plasmid; L08752; 7% of reads
               Chemistry: Dye-terminator ET; 86% of reads
               Chemistry: Dye-terminator Big Dye; 14% of reads
               Assembly program: Phrap; version 0.990319
               Consensus quality: 146402 bases at least Q40
               Consensus quality: 149769 bases at least Q30
               Consensus quality: 151161 bases at least Q20
               Insert size: 182780; 19.1% error; agarose-fp
               Insert size: 151687; sum-of-contigs
               Quality coverage: 6.8x in Q20 bases; agarose-fp
               Quality coverage: 8.2x in Q20 bases; sum-of-contigs
               ----
               * NOTE: This is a 'working draft' sequence. It currently
               * consists of 8 contigs. The true order of the pieces
               * is not known and their order in this sequence record is

```
CC      Contact: humquery@sanger.ac.uk
CC      Center project information
CC      Center project name: dJ1153M13
CC      -------- Summary Statistics
CC      Assembly program: XGAP4; version 4.5
CC      Sequencing vector: plasmid; L08752; 100% of reads
CC      Chemistry: Dye-terminator ET-amersham; 13% of reads
CC      Chemistry: Dye-terminator Big Dye; 86% of reads
CC      Consensus quality: 93447 bases at least Q40
CC      Consensus quality: 95957 bases at least Q30
CC      Consensus quality: 97381 bases at least Q20
CC      Insert size: 98513; sum-of-contigs
CC      Insert size: 112005; 10.3% error; agarose-fp
CC      Quality coverage: 3.65x in Q20 bases; sum-of-contigs
CC      Quality coverage: 3.31x in Q20 bases; agarose-fp
CC      --------
CC    * NOTE: This is a 'working draft' sequence. It currently
CC    * consists of 11 contigs. The true order of the pieces is
CC    * not known and their order in this sequence record is
CC    * arbitrary. Where the contigs adjacent to the vector can
CC    * be identified, they are labelled with 'clone_end' in the
CC    * feature table.  Some order and orientation information
CC    * can tentatively be deduced from paired sequencing reads
CC    * which have been identified to span the gap between two
CC    * contigs.  These are labelled as part of the same
CC    * 'fragment_chain', and the order and relative orientation
CC    * of the pieces within a fragment_chain is reflected in
CC    * this file.  Gaps between the contigs are represented as
CC    * runs of N, but the exact sizes of the gaps are unknown.
CC    * This record will be updated with the finished sequence as
CC    * soon as it is available and the accession number will be
CC    * preserved.
CC    *       1 contig of  3974 bp in length
CC    *    4075 contig of  2099 bp in length; fragment_chain 1
CC    *    6274 contig of  6086 bp in length; fragment_chain 1
CC    *   12359 contig of 26137 bp in length; fragment_chain 1
CC    *   38596 contig of  8400 bp in length; fragment_chain 2
CC    *   47096 contig of  4329 bp in length; fragment_chain 2
CC    *   51525 contig of 26110 bp in length; fragment_chain 2
CC    *   77735 contig of  6633 bp in length; fragment_chain 2
CC    *   84468 contig of  4083 bp in length; fragment_chain 3
CC    *   88651 contig of  2124 bp in length; fragment_chain 3
CC    *   90875 contig of  8538 bp in length; fragment_chain 3
CC    *   99513
XX
FH   Key             Location/Qualifiers
FH
FT   source          1..99513
FT                   /chromosome="1"
FT                   /db_xref="taxon:9606"
FT                   /organism="Homo sapiens"
FT                   /clone="RP5-1153M13"
FT                   /clone_lib="RPCI-5"
FT   misc_feature    1..3974
FT                   /note="assembly_fragment:00169"
FT                   /note="clone_end:SP6"
FT                   /note="vector_side:left"
FT   misc_feature    4075..6173
FT                   /note="assembly_fragment:00330"
FT                   /note="fragment_chain:1"
FT   misc_feature    6274..12359
FT                   /note="assembly_fragment:00213"
FT                   /note="fragment_chain:1"
FT   misc_feature    12460..38596
FT                   /note="assembly_fragment:00640"
FT                   /note="fragment_chain:1"
FT   misc_feature    38697..47096
FT                   /note="assembly_fragment:00538"
FT                   /note="fragment_chain:1"
FT   misc_feature    47197..51525
FT                   /note="assembly_fragment:00244"
FT                   /note="fragment_chain:2"
FT   misc_feature    51626..77735
FT                   /note="assembly_fragment:00695"
```

```
FT   misc_feature    77836..84468
FT                   /note="fragment_chain:2"
FT                   /note="assembly_fragment:00880"
FT   misc_feature    84569..88651
FT                   /note="fragment_chain:2"
FT                   /note="assembly_fragment:00487"
FT   misc_feature    88752..90875
FT                   /note="fragment_chain:3"
FT                   /note="assembly_fragment:00868"
FT   misc_feature    90976..99513
FT                   /note="fragment_chain:3"
FT                   /note="assembly_fragment:00686"
FT                   /note="clone_end:T7"
FT                   /note="vector_side:right"
XX
SQ   Sequence 99513 BP; 30382 A; 18649 C; 18229 G; 31252 T; 1001 other;
```

```
Query Match             39.3%;  Score 508;  DB 30;  Length 99513;
Best Local Similarity  100.0%;  Pred. No. 4.1e-131;
Matches  508;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy    786 caggggcatgcaaggcgactgctgattctcacagacacttttaagcgattaccagtgc  845
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  15847 CAGGGGCATGCAAGGCGACTGCTGATTCTCACAGACACTTTTAAGCGATTACCAGTGC 15906

Qy    846 tggcaagtggaactacctttccggtcctcttacaagcatccagtcacttgctgaaatgtc  905
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  15907 TGGCAAGTGGAACTACCTTTCCGGTCCTCTTACAAGCATCCAGTCACTTGCTGAAATGTC 15966

Qy    906 ataagcgatataaacctgctgacaggccaggatcattgcatctcctgcctcctccttca  965
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  15967 ATAAGCGATATAAACCTGCTGACAGGCCAGGATCATTGCATCTCCTGCCTCCTCCTTCA 16026

Qy    966 cgtaacaaatctcattgttgattggcatatggcagcaagcaagcatcccaacaccagagtggt 1025
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  16027 CGTAACAAATCTCATTGTTGATTGGCATATGGCAGCAAGCATCCCAACACCCAGAGTGGT 16086

Qy   1026 gttcttatttctgaggagagcaggtctgtgtgtgaattgcacacacagggagcaatcccc 1085
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  16087 GTTCTTATTTCTGAGGAGAGCAGGGTCTGTGTGTGAATTGCACACACAGGGAGCAATCCCC 16146

Qy   1086 tgccctgatacaggcaacctgagtgcttagtcctcttctgctcagaaacttagtgtgact 1145
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  16147 TGCCCTGATACAGGCAACCTGAGTGCTTAGTTCCTTCTTCTCTGCTCAGAAACTTAGTGTGACT 16206

Qy   1146 atgtggcctacctcacattgttgttgttacacctacacaggaaaaaggaaaaatgtcctt 1205
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  16207 ATGTGGCCTACCTCACATTGTTTGTTGTTACACCTACACACAGGAAAAAAGGAAAAAATGTCCTT 16266

Qy   1206 ttgattccatgctgtgtagagatgttcatccaatttgaatgaacatgtagccaagtagtg 1265
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  16267 TTGATTCCATGCTGTGTAGAGATGTTCATCCAATTTGAATGAACATGTAGCCAAGGTAGTG 16326

Qy   1266 tcttcccccttttcttctctctttttttt 1293
          ||||||||||||||||||||||||||||
Db  16327 TCTTCCCCCTTTTCTTCTCTCTTTTTTTTT 16354
```

```
RESULT   3
AC105279
LOCUS       AC105279            103671 bp    DNA    linear   HTG 28-DEC-2001
DEFINITION  Homo sapiens chromosome 1 clone RP5-1153M13, WORKING DRAFT
            SEQUENCE, 3 unordered pieces.
ACCESSION   AC105279
VERSION     AC105279.1  GI:17985910
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_FULLTOP; HTGS_ACTIVEFIN.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 103671)
AUTHORS     Kaul,R.K., Olson,M.V., Raymond,C. and Haugen,E.D.
```

```
74    38.8   3.0    85593   2  AC109745   Rattus no
75    38.8   3.0    40235   1  SC210A7    Streptomy
76    38.4   3.0    79174   9  AL356372   Human DNA
77    38.4   3.0    98060   9  AC092618   Homo sapi
78    38.4   3.0   167574   2  AC011274   Homo sapi
79    38.2   3.0   125020   2  AF429315   Homo sapi
80            38    181848   2  AC098077   Rattus no
81    37.8   2.9      676    9  HSA329071  Homo sapi
82    37.8   2.9      831    9  HSA335354  Homo sapi
83    37.8   2.9    44516    2  AC094224   Homo sapi
84    37.8   2.9   125020   2  AF429315   Rattus no
85    37.8   2.9   164431   2  AL669934   Homo sapi
86    37.8   2.9   166022   9  AL354950   Human DNA
87    37.8   2.9   183238   2  AC053525   Homo sapi
88    37.8   2.9   183979   2  AL354671   Homo sapi
89    37.8   2.9   192512   2  AL606756   Mus muscu
90    37.8   2.9   218844   2  AL590226   Homo sapi
91    37.8   2.9   223078   2  AL512504   Human DNA
92    37.6   2.9     1838       GGBGST     G.gallus mR
93    37.6   2.9    84433    2  AC091175   Homo sapi
94    37.6   2.9   142737    8  AC027658   Oryza sat
95    37.6   2.9   177998   2  AC073192   Homo sapi
96    37.4   2.9     1668   10  MMY11343   Mus musculu
97    37.4   2.9   164632   2  AC025624   Homo sapi
98    37.4   2.9   166778   2  AC103113   Rattus no
99    37.4   2.9   169582   2  AC092934   Homo sapi
100   37.4   2.9   171052   2  AC025802   Homo sapi
```

ALIGNMENTS

```
Db   121  CCATGGCCTGCCATCCTGAAGAGAAAGTCTGTGATTGCTGCTGTGAGCTTCATAGCAGCGTTCC  180
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   224  ttttcctgctggttgcgtcttgtaaatgaagtgaattccattgctactaaactgct  283
          |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181  TTTTCCTGCTGGTTGGCGTCTTGTAAATGAAGTGAATTTCCCATTGCTACTAAACTGCT  240
Qy   284  ttggacaacctggtacaaagtggataccattctcctacacatacaggcggccccttcgaa  343
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241  TTGGACAACCTGGTACAAAGTGGATACCATTCTCCTACACATACAGGCGCCCCTTCGAA  300
Qy   344  ctcactatggatacataaatgtgaagacacaagagcctttgcaactggactgtgacctt  403
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301  CTCACTATGGATACATAAATGTGAAGACACACAGAGCCTTTGCAACTCGACTGTGACCCTT  360
Qy   404  gtgccatagtgtcaaactcaggtcagtggttggccagaaggtgggaaatgagatagatc  463
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361  GTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATC  420
Qy   464  gatcctcctgcattggagaatgacaatgcccccaccaaagttatgagaaagatgtcg  523
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   421  GATCCTCCTGCATTGGAGAATGACAATGACCAAATGCCCACCAAAGTTATGAAGAAGATGTCG  480
Qy   524  gccgcatgaccatgatcgagttgtgtcccataccagcgtctcctctttgctcaaaaaccc  583
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   481  GCCCCATGACCATGATTCGAGTTGTGTCCCATACCAGCGTTCCTATACCACCGCGTTCCTAAAAAAACC  540
Qy   584  ctgattattttttcaaggagcgaatactacatattgtgttatttggggaccttccgca  643
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   541  CTGATTATTTTTTTCAAGGAGCGAATACTACTATTTATGTTATTTATTTGGGACCTTTCCGCA  600
Qy   644  atatgaggaaagatggcaatggcgatcgttcacaacatgttgaaaaagacagtggtatct  703
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   601  ATATGAGGAAAGATGGCAATGGCCATCGTTTACAACATGTTGAAAAAGACAGTGGTATCT  660
Qy   704  atccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgtagtggagttt  763
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   661  ATCCGAATGCCCAAATATACGTGACCACAGAGAAGCGCATGAGTTACTGTGATGGAGTTT  720
Qy   764  ttaagaaggaaactgggaaggaggacag  788
          ||||||||||||||||||||||||||||
Db   721  TTAAGAAGGAAACTGGGAAGGAGGACAG  745
```

```
RESULT      1
AX195188
LOCUS       AX195188                 1122 bp     DNA        linear     PAT 28-AUG-2001
DEFINITION  Sequence 41 from Patent WO0151638.
ACCESSION   AX195188
VERSION     AX195188.1  GI:15385751
KEYWORDS    Drug metabolizing enzymes
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 1122)
AUTHORS     Yang,J., Baughn,M.R., Buford,N., Au-Young,J., Lu,D.A., Reddy,R.,
            Ring,H.Z., Hillman,J.L., Yue,H., Azimzai,Y., Yao,M.G., Gandhi,A.R.,
            Nguyen,D.B., Tang,Y.T., Lal,P. and Bandman,O.
TITLE       Patent: WO 0151638-A 41 19-JUL-2001;
JOURNAL     Incyte Genomics, Inc. (US)
FEATURES    Location/Qualifiers
source      1..1122
            /organism="Homo sapiens"
            /db_xref="taxon:9606"
            /note="Incyte ID No: 3041639CB1"
BASE COUNT     338 a    228 c    261 g    295 t
ORIGIN
```

```
Query Match        57.4%;   Score 743.4;  DB 6;  Length 1122;
Best Local Similarity   99.9%;   Pred. No. 1.8e-197;
Matches  744;  Conservative  0;  Mismatches  1;  Indels  0;  Gaps  0;
```

```
Qy    44  tggatctgcgggaatggagggtcctggtaccagcctccagcctgccc  103
          |||||||||||||||||||||||||||||||||||||||||||||||
Db     1  TGGATCTGCGGGAATGGAGGGTCCTGGTACCAGCCTCCAGCCTGCCC  103
Qy   104  ccaggactgccctgacccaggcgcgccgcgtcggtcggcaggaggccggcggacg  163
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    61  CCAGGACTGCCCCTGACCCAGGCGCGCCGCGTCGCGGTGGCCAGGAGGGCCGGCGGAGCG  120
Qy   164  ccatggcctgcatcctgaagagaaagtctgtgattgctgtgagcttcatagcagcgttcc  223
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
```

RESULT   2
AL355804

```
ID   AL355804   standard; DNA; HTG; 99513 BP.
XX
AC   AL355804;
XX
SV   AL355804.4
XX
DT   10-MAY-2000 (Rel. 63, Created)
DT   23-JAN-2001 (Rel. 66, Last updated, Version 5)
XX
DE   Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone RP5-1153M13
XX
KW   HTG; HTGS_DRAFT; HTGS_PHASE1.
XX
OS   Homo sapiens (human)
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC   Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX
RN   [1]
RA   Pavitt R.;
RT   ;
RL   Submitted (21-JAN-2001) to the EMBL/GenBank/DDBJ databases.
RL   Sanger Centre, Hinxton, Cambridgeshire CB10 1SA, UK. E-mail enquiries:
RL   humquery@sanger.ac.uk Clone requests: clonerequest@sanger.ac.uk
XX
CC   ----------------- Genome Center
CC   Center: Sanger Centre
CC   Center code: SC
CC   Web site: http://www.sanger.ac.uk
```

```
                GenCore version 4.5
       Copyright (c) 1993 - 2000 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on:      May 7, 2002, 15:18:14 ; Search time 1707.52 Seconds
                                     (without alignments)
                             15858.636 Million cell updates/sec

Title:       US-09-714-936-218
Perfect score: 1294
Sequence:    1 ccggaattccgggtcgacg........tttcttctcctttttttttg 1294
Scoring table: IDENTITY_NUC
             Gapop 10.0 , Gapext 1.0
Searched:    1797656 seqs, 1046326293 residues
Total number of hits satisfying chosen parameters:        3595312

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 100 summaries
Database :   GenEmbl:*
       1: gb_ba:*
       2: gb_htg:*
       3: gb_in:*
       4: gb_om:*
       5: gb_ov:*
       6: gb_pat:*
       7: gb_ph:*
       8: gb_pl:*
       9: gb_pr:*
      10: gb_ro:*
      11: gb_sts:*
      12: gb_sy:*
      13: gb_un:*
      14: gb_vi:*
      15: em_ba:*
      16: em_fun:*
      17: em_hum:*
      18: em_in:*
      19: em_mu:*
      20: em_om:*
      21: em_or:*
      22: em_ov:*
      23: em_pat:*
      24: em_ph:*
      25: em_pl:*
      26: em_ro:*
      27: em_sts:*
      28: em_un:*
      29: em_vi:*
      30: em_htg_hum:*
      31: em_htg_inv:*
      32: em_htg_other:*
      33: em_htgo_inv:*
```

SUMMARIES

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

c	Result No.	Score	Query Score	Match Length	Pred. No.	DB ID	Description
	1	743.4	57.4	1122	6	AX195188	AX195188 Sequence
	2	508	39.3	99513	2	AL355804	AL355804 Human DNA
	3	508	39.3	103671	2	AC105279	AC105279 Homo sapl
	4	508	39.1	152387	2	AC099672	AC099672 Homo sapl
	5	506.4	39.1	156585	2	AC012109	AC012109 Homo sapl
	6	449.4	34.7	3903	10	MMY11342	Y11342 Mus musculu
	7	438.2	33.9	2956	10	RATA26S	L29554 Rattus norv
	8	411.8	31.8	127234	2	AL139155	AL139155 Homo sapl
	9	411.8	31.8	180515	2	AC103592	AC103592 Homo sapl
	10	298.2	23.0	1489	10	MMY11345	Y11345 Mus musculu
	11	264.8	20.5	188850	2	AC097068	AC097068 Rattus no
c	12	198.4	15.3	127234	2	AL139155	AL139155 Homo sapl
c	13	198.4	15.3	129305	2	AL355983	AL355983 Homo sapl
c	14	196.4	15.2	98841	2	AC099769	AC099769 Homo sapl
	15	160.6	12.4	122685	2	AC094023	AC094023 Homo sapl
	16	160.6	12.4	148113	2	AL391624	AL391624 Homo sapl
	17	160.6	12.4	171299	2	AC079307	AC079307 Homo sapl
	18	160.6	12.4	182529	2	AC092813	AC092813 Homo sapl
	19	160.6	12.4	202402	2	AC012517	AC012517 Homo sapl
	20	153.2	11.8	3559	5	FRU17466	Y17466 Fugu rubrip
	21	134.4	10.4	1541	10	MMY11344	Y11344 Mus musculu
	22	98	7.6	906	6	AX068255	AX068255 Sequence
	23	98	7.6	1004	9	AB035172	AB035172 Homo sapl
	24	98	7.6	1416	6	AX040084	AX040084 Sequence
	25	98	7.6	1556	6	AX061620	AX061620 Sequence
	26	98	7.6	1687	6	AX068265	AX068265 Sequence
	27	96.4	7.4	1276	9	HSA271734	AJ271734 Homo sapl
	28	96.4	7.4	1662	9	AK000600	AK000600 Homo sapl
	29	95.2	7.4	1685	10	AB030836	AB030836 Mus muscu
	30	95	7.4	2780	10	AB028840	AB028840 Mus muscu
c	31	93.2	7.3	164201	9	AL157935	AL157935 Human DNA
	32	93.2	7.0	1165	9	AF127142	AF127142 Homo sapl
	33	90.2	7.0	1641	10	MMY15779	Y15779 Mus musculu
	34	90.2	7.0	1653	10	MMY15780	Y15780 Mus musculu
	35	88.6	6.8	3635	10	MMU7310	AJ007310 Mus muscu
	36	88.4	6.8	2048	9	BC001201	BC001201 Homo sapl
	37	88.4	6.8	2056	9	AR166331	AR166331 Sequence
	38	88.4	6.7	2090	9	AK056241	AK056241 Homo sapl
c	39	86.2	6.7	204412	2	AC021446	AC021446 Mus muscu
	40	86.2	6.7	431	10	MMU19055	Y19055 Mus musculu
c	41	83.4	6.4	203812	2	AC026874	AC026874 Homo sapl
	42	82.6	6.4	1009	9	AB035173	AB035173 Homo sapl
	43	82.6	6.4	2350	9	AK023900	AK023900 Homo sapl
	44	82.6	6.4	2424	9	AK057100	AK057100 Homo sapl
	45	82.6	6.4	2425	9	BC007802	BC007802 Homo sapl
	46	82.6	6.4	2425	9	BC016299	BC016299 Homo sapl
	47	82.6	6.4	2433	9	BC006564	BC006564 Homo sapl
	48	81.8	6.3	888	10	AB035174	AB035174 Mus muscu
	49	81.8	6.3	1121	10	AB035123	AB035123 Mus muscu
c	50	81.8	6.3	138783	9	HS564M11	AL035409 Human DNA
c	51	81.2	6.3	188923	9	AL162586	AL162586 Homo sapl
	52	50.6	3.9	1020	4	AR028685	AR028685 Sequence
	53	49.8	3.8	1217	6	PIGSLTFA	M97753 Sus scrofa
	54	49.8	3.8	1218	6	AR028678	AR028678 Sequence
	55	49.8	3.8	1218	6	AR078149	AR078149 Sequence
	56	49.2	3.8	1405	10	MMGAL	X73523 M.musculus
	57	49	3.8	2071	9	HUMS1ATA	L29555 Human (clon
	58	47.4	3.7	2427	9	AF059321	AF059321 Homo sapl
	59	47.4	3.7	2513	9	HUMSIAT	L13972 Homo sapien
	60	46.2	3.6	1591	3	AF397532	AF397532 Drosophil
	61	46.2	3.6	1604	3	AF218237	AF218237 Drosophil
	62	45.4	3.5	978	4	BTA305086	AJ305086 Bos tauru
c	63	42.8	3.3	147951	30	AC025310	AC025310 Homo sapl
c	64	42.8	3.3	148377	6	AC105900	AC105900 Homo sapl
c	65	42.2	3.3	1141	6	AX083744	AX083744 Sequence
	66	41.6	3.2	1623	3	HSST30II	X96667 H.sapiens m
	67	41.6	3.2	1862	3	HSU63090	U63090 Human Gal b
c	68	40.6	3.1	123495	9	AC008502	AC008502 Homo sapl
c	69	40.6	3.1	187592	9	AC069033	AC069033 Homo sapl
c	70	40.2	3.1	151903	9	HSDJ47704	AL121586 Human DNA
	71	39.6	3.1	93312	9	HS32110	Z85994 Human DNA s
	72	39.6	3.1	4051	5	CHKBABA1	M33711 G.gallus B-
	73	38.8	3.0	2192	5	GGRNABGAS	X75558 G.gallus mR

XX
PI   Vinals De Bassols YC;
XX
DR   WPI; 2001-329083/34.
DR   P-PSDB; AAB83857.
XX
PT   Novel CASB7435 polypeptides and polynucleotides, useful in diagnosis
PT   and as vaccine for prophylaxis, treatment of autoimmune diseases,
PT   cancers, particularly ovarian and colon cancer -
XX
PS   Claim 27; Page 65-66; 97pp; English.
XX
CC   The present sequence encodes a CASB7435 polypeptide. CASB7435 is
CC   homologous to a human N-acetylgalactosamine-alpha2,6-sialyltransferase
CC   (GalNAC alpha-2,6-sialyltransferase I), which is a candidate gene for
CC   synthesis of the syalyl-Tn(s-Tn) antigen, a tumour-associated antigen
CC   of colorectal cancers. CASB7435 polypeptides and polypeptides are useful
CC   for inducing in vitro immune response in cells from the immune system.
CC   The activated immune cells are then reinfused for the treatment of
CC   diseases such as ovarian, colon, pancreas, kidney, endometrial or
CC   gastric cancer or leukemia. CASB7435 is useful for diagnosing a disease,
CC   or a susceptibility to disease, particularly colon cancer in a subject
CC   related to expression or activity of CASB7435 polypeptide or
CC   polynucleotide. CASB7435 polypeptides and polynucleotides are also
CC   useful for treating autoimmune diseases and other related conditions.
XX
SQ   Sequence 2203 BP; 588 A; 596 C; 555 G; 463 T; 1 other;

Query Match   2.8%;   Score 35.6; DB 22;   Length 2203;
Best Local Similarity 55.7%;   Pred. No. 2.1;
Matches   68;   Conservative   0; Mismatches   54;   Indels   0;   Gaps   0;

Qy   403 tgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaatgagatagat 462
          |||||| |||| ||| || || || | |||| | ||||||||
Db   919 tgtgccgtggtgggcaacggggcatcctgaacaactcccacatgggccaggagatagac 978

Qy   463 cgatccctgcattggagaatgaacaatgccccccaccaaggttatgaagaaagatgtc 522
          | |||| | ||| || | ||| || || ||| |||| ||| ||| | |||||
Db   979 agtcacgactacgtgttccgattgagcggagctctcattaaaggctacgaacaggatg 1038

Qy   523 gg 524
          ||
Db   1039 gg 1040

Search completed: May 7, 2002, 17:00:58
Job time: 3608 sec

Db   4146 BTSRYBGYATKAGSRHNWHSTBTSRYBGYATKAGSRHNWGHMSRHNWKDSVKSRHNWNMY 4087
            :.:::: |::::. .   .   .   .   .   :|:::. .;
Qy   514 gaagatgtcggccgcatgaccatgattcgagttgtgtcccatacagcgttcctcttttg 573
            ::.| ::::. |::| .. .   .   . :|:::. .   :| |
Db   4086 HVVCARRYWBVHNMRWMKKKKMGKKHGSVKNNYVKNCTYYAYYHTDANDTYCTYTATH 4027
                 :. :|::. |:.| |.: .:   . . :|:::.:|::::::
Qy   574 ctaaaaaccctgattattttttcaaggaagcgaatactactatttgtgttatttgggga 633
            :.: :. |:| : | |||:.   . : :|:|:::. .|:.::.:
Db   4026 TDMGCNHTDDDDKGTKYNTTTTDHKMDKGGGDKGKDCMDHDHDMDGBBBBBBBBBBBB 3967
            :   :.   . |: |. . ..   :   .   . .   :|:::.
Qy   634 ccttccgcaatatgaggaaagatggcaatggcatcgttacaacatgttgaaaaagaca 693
            :::: :. |::::|| .. .   . .   .   :|:::. . :|::.
Db   3966 BBBKMCHVTDGANDHDHDHDHGANDNNNDKDKDCYNKRRBHHHDHDHDBYVNDNDGWHN 3907
                :. |::::. . .   .   . .   :|:::.   . :|:.
Qy   694 gttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgt 753
            :. | ::::. . :|:. . .   .   . .   :|:::.   .
Db   3906 DHDHDHDHDHDHHWBNDNVWBHGHDBYVWBVYHNHHDHDHVYNDNDGRDCANKHGMTHGM 3847
            :. . .   . :|:::. . :|:.   . .   :|:::.   .
Qy   754 gatggagttttaagaggaaactggaaggacaggggggcatgcaaggcgcatgctgcgatt 813
            :. | :|::::. . :|:.   . .   :|:::.   . :|:.
Db   3846 RKKKHRAGHMSRHNWKDSVKATKYCYKNKTNCTCTCTTYASTSRNYAATMYTKHTYAHN 3787
            :. . :|:::.   . :|:.   . .   :|:::.   .
Qy   814 tctacagacactttttaagcgattaccagtgctgcaagtggaactaccttccggtcct 873
            :. | :|:::.   . :|:. |.: : :|:.   . :|:.:
Db   3786 TANATAAASNSWMGTDDAYCSRNYAATANATYDARVHAANKBHTYASHNHNTDGYTSYHT 3727
Qy   874 cttacaagcatccagtcactt 894
            :.:.::::.|::::.:
Db   3726 YRAYDATRASYBNAKTYHNTH 3706

RESULT 44
AAC99112
ID   AAC99112 standard; cDNA; 1457 BP.
XX
AC   AAC99112;
XX
DT   09-MAR-2001 (first entry)
XX
DE   Human pancreatic cancer antigen nucleotide sequence SEQ ID NO:340.
XX
KW   Human; pancreas; pancreatic cancer; pancreatic cancer antigen;
KW   detection; diagnosis; identification; cytostatic; neuroprotective;
KW   nootropic; immunomodulatory; relaxant; contraceptive; gynaecological;
KW   antiinflammatory; cardiant; gene therapy; chromosome mapping;
KW   linkage analysis; tissue identification; tissue typing; forensic;
KW   neural; immune system; muscular; reproductive; gastrointestinal;
KW   pulmonary; cardiovascular; renal; proliferative; ss.
XX
OS   Homo sapiens.
XX
PN   WO200055320-A1.
XX
PD   21-SEP-2000.
XX
PF   08-MAR-2000; 2000WO-US05989.
XX
PR   12-MAR-1999; 99US-0124270.
XX
PA   (HUMA-) HUMAN GENOME SCI INC.
XX
PI   Rosen CA, Ruben SM;
XX
DR   WPI; 2000-579444/54.
DR   P-PSDB; AAB54347.
XX
PT   New nucleic acid that is a pancreatic cancer antigen for preventing,
PT   treating, or ameliorating a medical condition, Particular pancreatic
PT   cancer, or for use in assays for diagnosing a pathological condition -
PS   Claim 1; Page 763; 1379pp; English.
XX

CC   AAC98773 to AAC99231 encode the human pancreatic cancer associated
CC   proteins, called pancreatic cancer antigens, given in AAB54008 to
CC   AAB54466. The human pancreatic cancer antigens have cytostatic,
CC   neuroprotective, nootropic, immunomodulatory, relaxant, contraceptive,
CC   gynaecological, cardiant and antiinflammatory activities, and can be used
CC   in gene therapy. The polynucleotide and proteins can be used for
CC   preventing, treating, or ameliorating a medical condition or in assays
CC   for diagnosing a pathological condition or a susceptibility to one in a
CC   subject. Binding partners to the proteins and the activity of the
CC   proteins can be identified. The pancreatic cancer antigens can be used to
CC   detect, treat or prevent pancreatic disorders, especially cancer.
CC   Agonists and antagonists to the antigens can be screened for. The
CC   pancreatic cancer antigen polynucleotides can be used to design nucleic
CC   acid hybridisation probes that can be used in chromosome mapping, linkage
CC   analysis, tissue identification and/or typing and a variety of forensic
CC   and diagnostic methods. The proteins can be used to generate antibodies
CC   which are used to purify, detect and target the polypeptides, including
CC   both in vivo and in vitro diagnostic and therapeutic methods. The
CC   proteins can be used to treat or prevent neural, immune system, muscular,
CC   reproductive, gastrointestinal, pulmonary, cardiovascular, renal or
CC   proliferative disorders. AAC99232 to AAC99240 and AAB54467 represent
CC   sequences used in the exemplification of the present invention.
XX
SQ   Sequence 1457 BP; 395 A; 355 C; 345 G; 355 T; 7 other;

Query Match   2.8%; Score 35.6; DB 21; Length 1457;
Best Local Similarity 55.7%; Pred. No. 1.6;
Matches   68; Conservative   0; Mismatches   54; Indels   0; Gaps   0;

Qy   403 tgtgccatagtgtcaaactcaggtcagatggttggccagaaggtcggaaatagagat 462
           |||||| ||| ||| || ||||| || || || || ||| ||| |||||||
Db   135 tgtgccgtggtggcaacgggggcatcctgaacaatcccacatgggccagagatagac 194
Qy   463 cgatcctcctgcatttggagaatgaacaatgccccaccaaagttatgaagaagatgtc 522
           ||||| || || || | | ||| | | || |||| || ||| |||||||
Db   195 agtcacgacacgtgttccgattgagcggagctccattaaaggctacagacaggatgtg 254
Qy   523 gg 524
           ||
Db   255 gg 256

RESULT 45
AAF89786
ID   AAF89786 standard; cDNA; 2203 BP.
XX
AC   AAF89786;
XX
DT   23-JUL-2001 (first entry)
XX
DE   Nucleotide sequence of a human CASB7435 isoform.
XX
KW   CASB7435; GalNAc alpha-2,6-sialyltransferase I; cancer; leukemia;
KW   N-acetylgalactosamine-alpha2,6-sialyltransferase; colon cancer;
KW   autoimmune disease; tumour-associated antigen; ss.
XX
OS   Homo sapiens.
XX
FH   Key   Location/Qualifiers
FT   CDS   61.1629
FT   /*tag= a
FT   /note= "CASB7435 isoform"
XX
PN   WO200134795-A2.
XX
PD   17-MAY-2001.
XX
PF   08-NOV-2000; 2000WO-EP11035.
XX
PR   09-NOV-1999; 99GB-0026532.
XX
PA   (SMIK) SMITHKLINE BEECHAM BIOLOGICALS.

Db   38 CATGGCGAGGCGGCGGCCCGGCCAGTGCGGAGCG 7
         | || || ||| || ||||||||

RESULT 43
AAH24065/C
ID   AAH24065 standard; DNA; 4590 BP.
XX
AC   AAH24065;
XX
DT   29-AUG-2001 (first entry)
XX
DE   Yeast AOD9604-associated DNA sequence, SEQ ID NO:1.
XX
KW   Human growth hormone analogue peptide; hGH: AOD9604; lipid metabolism;
KW   modulation; lipolysis stimulation; hormone-sensitive lipase stimulation;
KW   lipogenesis inhibition; acetyl CoA carboxylase inhibition; obesity;
KW   functional food; transgenic yeast; fat/lean ratio; food use; ds.
XX
OS   Saccharomyces cerevisiae.
XX
FH   Key   Location/Qualifiers
FH
FT   misc_feature   10
FT   /*tag= a
FT   /note= "Represented as * in the specification"
FT   misc_feature   3617
FT   /*tag= b
FT   /note= "Represented as * in the specification"
FT   misc_feature   3649
FT   /*tag= c
FT   /note= "Represented as * in the specification"
FT   misc_feature   3679
FT   /*tag= d
FT   /note= "Represented as * in the specification"
FT   misc_feature   3819
FT   /*tag= e
FT   /note= "Represented as * in the specification"
FT   misc_feature   3862
FT   /*tag= f
FT   /note= "Represented as * in the specification"
FT   misc_feature   3864
FT   /*tag= g
FT   /note= "Represented as * in the specification"
FT   misc_feature   3888
FT   /*tag= h
FT   /note= "Represented as * in the specification"
FT   misc_feature   3890
FT   /*tag= i
FT   /note= "Represented as * in the specification"
FT   misc_feature   3912
FT   /*tag= j
FT   /note= "Represented as * in the specification"
FT   misc_feature   3914
FT   /*tag= k
FT   /note= "Represented as * in the specification"
FT   misc_feature   3938
FT   /*tag= l
FT   /note= "Represented as * in the specification"
FT   misc_feature   3939
FT   /*tag= m
FT   /note= "Represented as * in the specification"
FT   misc_feature   3941
FT   /*tag= o
FT   /note= "Represented as * in the specification"
FT   misc_feature   3943
FT   /*tag= p
FT   /note= "Represented as * in the specification"
FT   misc_feature   4361
FT   /*tag= q
FT   /note= "Represented as * in the specification"
XX
PN   WO200133977-A1.

PD   17-MAY-2001.
XX
PF   06-NOV-2000; 2000WO-AU01362.
XX
PR   05-NOV-1999; 99AU-0003875.
XX
PA   (META-) METABOLIC PHARM LTD.
XX
PI   Belyea CI, Ng FM, Vaughan P;
XX
DR   WPI; 2001-328876/34.
XX
PT   New organisms containing nucleic acid encoding a growth hormone
PT   fragment which modulates lipid metabolism are useful to produce dietary
PT   aids for obesity and in the meat production industry -
XX
PS   Disclosure; Page 48-50; 54pp; English.
XX
CC   The invention relates to novel transgenic organisms useful in the
CC   production of functional food and drink products for the treatment
CC   or prevention of obesity via the regulation of lipid metabolism. The
CC   organisms comprise a polynucleotide encoding a growth hormone fragment
CC   capable of stimulating the activity of hormone-sensitive lipase (the key
CC   enzyme in lipolysis) and inhibiting acetyl CoA carboxylase (the key
CC   enzyme in lipogenesis). The growth hormone fragment preferably contains
CC   at least the disulphide-bonded loop of a mammalian growth hormone (but is
CC   not the full-length growth hormone) and is optionally linked to an
CC   epitope tag or heterologous fusion protein partner. The transgenic
CC   organism may be a microorganism used to produce a fermented product
CC   (e.g., yeast), or an edible plant or animal or cell thereof. Food or
CC   drink made using methods of the invention are used to modify fat/lean
CC   ratio, lipid metabolism or food use in a mammal. In particular, the food
CC   or drink products may be used to treat or prevent obesity, particularly
CC   in humans, and may also be used to improve the fat/lean ratio of
CC   livestock raised for meat production. In the exemplification of the
CC   invention, the human growth hormone (hGH) fragment analogue AOD9604 was
CC   expressed in yeast, optionally fused to the FLAG epitope (AAB73625).
CC   The present sequence is described as a DNA sequence from yeast in
CC   the sequence listing, but is not further referred to in the
CC   specification.
XX
SQ   Sequence 4590 BP; 661 A; 384 C; 127 G; 522 T; 2896 other;

Query Match   2.8%;   Score 36; DB 22; Length 4590;
Best Local Similarity 10.7%;   Pred. No. 2.6;
Matches   86; Conservative 354; Mismatches 357; Indels 4; Gaps 2;

Qy   96 gcctgccccaggactgcccctgacccaggcgcgcccgctgtcggtggcaggagggccg 155
           |: : |||:: |: | :||||:::|::::|::|| :|||||: : |||::::|::|
Db   4504 GASKSKYSSVKGTHGAKYGSHYNATKYNRYTKKSANKGHWRYYCTNTKGNATYASNKNAT 4445

Qy   156 gcggaggcgcatggcgctgacatcctgaagagaaagtctgtgattgctgtgagcttcatagc 215
           :: ::::: :|||:| |:|:|:|:|::|:|| :||: ::|::||: |||: |:|:|
Db   4444 KYNRYTKKSASCHTSTNTKANHGKANHGYSANKGANKGHHYWASHHYWHASNKHTAKHTS 4385

Qy   216 agggttcctttcctgctgtgcgtcctgtaaatgaagtgaattccattgctact 275
           |: |: :|:| ::|:::| :||| : ||:: |: :|||: ::|| |:::::|
Db   4384 NATGTYVTAVYSYYTDSYRYANAYHHHVNTHCHAAD--GMGTDDAYCHSYYHYWASYGKH 4327

Qy   276 aactgctttgacaacctggtacaaagtggataccattctcctacacatacaggcggcc 335
           ::: ::|:|: |: |:::|: |:::| ::| :| ||::: |:: |::| ::| |:|
Db   4326 SRHNWGSHNHNSRHNWSDDSRHNWSRHNWAHGSSATKASGHYWHASSVKDHSVVDDWN 4267

Qy   336 ccttcgaactcactatggatacatacaaatgtgaagacacaagagccttt gcaactggactg 395
           :: :| |::|::::| :|: : :::: |:|:|||:: ||| ::|| :|:::: |:|:
Db   4266 YYGTYTVKRSNTKYWNSKACKSSWMSWMSMYHSTBTSRYBGYATKAGSRHNWHSTBTS 4207

Qy   396 tgacctttgtgccatagtgtcaaactcaggtcagatgtgttggccagaaggtgggaaa--t 453
           ||: |:||||| |||:|:|:::::|::|: :|:::||:|:|: :|::|| :||| ::| :
Db   4206 RYBGYATKAGSRHNWHSTBTSRYBGYATKAGSRHNWHSTBTSRYBGYATKAGSRHNWHST 4147

Qy   454 gagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaggttatgaa 513

```
Qy   381 tttgcaactggactgactggctgtgccaatagtgtcaaactcagttcagatggttggcca 440
         ||| | | ||| ||||||| |  |||| ||||  |||||
Db   536 tatgataagcgttataatgtttgtctggttggaaacagtggaatcttgacagggag 595

Qy   441 gaggtgggaaatgagatagatcgatcctcctgcatttggagaatgaacaatgccccac 500
         || | || || || |||  |   ||||| | |||||| |
Db   596 tcagtggacaagaaatagataaatcagatttgttttctcgatgcaatttgccccgac 655

Qy   501 caaaggttatgaagaagatgtcggccgcatgacca 535
         |   ||| |  ||||||||  ||||  |||
Db   656 agaggcttccacaaagatgttgaaggaagaaacca 690
```

RESULT 41
ABL08348/c
ID   ABL08348 standard; cDNA; 4007 BP.
XX
AC   ABL08348;
XX
DT   26-MAR-2002 (first entry)
XX
DE   Drosophila melanogaster expressed polynucleotide SEQ ID NO 19526.
XX
KW   Drosophila; developmental biology; cell signalling; insecticide;
KW   pharmaceutical; gene; ss.
XX
OS   Drosophila melanogaster.
XX
PN   WO200171042-A2.
XX
PD   27-SEP-2001.
XX
PF   23-MAR-2001; 2001WO-US09231.
XX
PR   23-MAR-2000; 2000US-191637P.
PR   11-JUL-2000; 2000US-0614150.
XX
PA   (PEKE) PE CORP NY.
XX
PI   Venter JC, Adams M, Li PWD, Myers EW;
XX
DR   WPI; 2001-656860/75.
DR   P-PSDB; ABB64245.
XX
PT   New isolated nucleic acid detection reagent for detecting 1000 or more
PT   genes from Drosophila and for elucidating cell signalling and cell-cell
PT   interactions -
XX
PS   Claim 1; SEQ ID NO 19526; 21pp + Sequence Listing; English.
XX
CC   The invention relates to an isolated nucleic acid detection reagent
CC   capable of detecting 1000 or more genes from Drosophila. The invention is
CC   useful in developmental biology and in elucidating cell signalling and
CC   cell-cell interactions in higher eukaryotes for the development of
CC   insecticides, therapeutics and pharmaceutical drugs. The invention
CC   discloses genomic DNA sequences (ABL16176-ABL16175) and the encoded proteins
CC   sequences (ABL01840-ABL30511), expressed DNA
CC   sequences (ABL01840-ABL16175) and the encoded proteins
CC   (ABB57737-ABB72072).
CC   The sequence data for this patent did not form part of the printed
CC   specification, but was obtained in electronic format directly from WIPO
CC   at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ   Sequence 4007 BP; 1015 A; 1010 C; 980 G; 1002 T; 0 other;

```
Query Match             2.8%;  Score 36.4;  DB 23;  Length 4007;
Best Local Similarity  70.0%;  Pred. No. 1.7;
Matches   49;  Conservative   0;  Mismatches  21;  Indels   0;  Gaps  0;

Qy   480 gagaataacaatgccccaccaaagttatgaagaagatgtcggccgccatgaccatgat 539
         |||| | ||||| ||||||| | ||| ||  ||| || |||  || || |||||||||
Db  1860 GAGATTCAATCATGCCCCACCCACGACACGAGGTGGAVTGTTGGCAGCAAAAACCACGAT 1801
```

```
Qy   540 tcgagttgtg 549
         | || ||||
Db  1800 CCGTGTGGTG 1791
```

RESULT 42
AAH48729/c
ID   AAH48729 standard; cDNA; 3372 BP.
XX
AC   AAH48729;
XX
DT   26-OCT-2001 (first entry)
XX
DE   Human HCN2 cDNA.
XX
KW   Human; activator; patch-clamp; high through-put screening; inhibitor;
KW   hyperpolarization-activated cation channel; HCN2; ss.
XX
OS   Homo sapiens.
XX
FH   Key   Location/Qualifiers
FT   CDS   36..2705
FT   /*tag= a
FT   /product= "HCN2"
XX
PN   WO200159153-A2.
XX
PD   16-AUG-2001.
XX
PF   24-JAN-2001; 2001WO-EP00755.
XX
PR   12-FEB-2000; 2000DE-1006309.
XX
PA   (AVET) AVENTIS PHARMA DEUT GMBH.
XX
PI   Jansen H, Brueggemann A, Heitsch H, Goegelein H;
XX
DR   WPI; 2001-550023/61.
DR   P-PSDB; AAB86461.
XX
PT   Identifying substances which modify activity of
PT   hyperpolarization-activated cation channels using fluorescent imaging
PT   is useful to identify possible therapeutic pharmaceuticals -
XX
PS   Disclosure; Page 38-39; 58pp; German.
XX
CC   This invention describes a novel method for identifying substances which
CC   modify activity of hyperpolarization-activated cation channels (HACC), by
CC   placing cells which express an HACC in an iso-osmotic sodium ion-free
CC   buffer in the presence of a potential-sensitive fluorescent dye, and
CC   measuring membrane potential after the addition of sodium ions. The
CC   invention is used to identify activators or inhibitors of HACCs. Unlike
CC   prior art patch-clamp techniques, this invention can be automated, and
CC   allows high through put screening. This sequence encodes the human
CC   hyperpolarization-activated cation channel protein HCN2 which is
CC   described in the method of the invention.
XX
SQ   Sequence 3372 BP; 515 A; 1304 C; 1076 G; 477 T; 0 other;

```
Query Match             2.8%;  Score 36;  DB 22;  Length 3372;
Best Local Similarity  56.6%;  Pred. No. 2.1;
Matches   86;  Conservative   0;  Mismatches  65;  Indels   1;  Gaps  1;

Qy    13 ggtcgacgattccgtccgcgcgtcccttattggatctgcgggaatgtggctggagagg 72
         || ||||  |  ||||  | | |||||   |  | |      ||||   |||||||| |
Db   158 GGGCCGGCGGCGCGGCGGCGGCGGCCGGCTCGGGGGGCCGGGGGGCGGCGGCGGCGGCGG 99

Qy    73 tcctgccggtgtaccagcctccagctgccccaggagactgccctgacccag-gcgcgcc 131
         | |||| |  ||  ||||| || || ||||| | | |  |||| ||| || | |||| |
Db    98 CCCGGTCGTGTGGGGCTCGGGGCTCTCCCCGGGCGGCCGCCCCCGCGCCCCGGGGTC 39

Qy   132 cgctgctcggtcgtgcaggaggycgcgggagcg 163
```

Matches   81;   Conservative   0;   Mismatches   74;   Indels   0;   Gaps   0;

```
Qy  381 tttgcaactggactgacctttgtgccatagtgtcaaactcaggtcagatggttggcca 440
            |||  || || ||||||| ||||  || |||||   |||  ||   |||
Db  352 tatgataagcgttataatgtttgtctggttggaaacagtggaatcttgacagggag 411

Qy  441 gaaggtgggaaatgagatagatcgcatcctcctgcattggagaatgaacaatgcccccac 500
            |||||||||  |  ||| ||  |||||| |||   ||  ||   || ||||| |||| ||
Db  412 tcagtgtggacaagaaatagataaatcagattttgttctcgatgcaattttgccccgac 471

Qy  501 caaaggttatgaagaagatgtcggccgcatgacca 535
            | ||| ||||| ||| ||||| |  |||||  |||
Db  472 agaggcttccacaaagatgttggaaggaaaacca 506
```

RESULT 39
ID   AAT39663 standard; DNA; 1660 BP.
XX
AC   AAT39663;
XX
XX
DT   17-DEC-1996 (first entry)
XX
DE   Sia alpha 2,3Gal Beta 1,4GlcNAc alpha 2,8-sialyltransferase.
XX
KW   Sialyltransferase; oligosialic acids; protein; glycoprotein;
KW   glycolipid; sugar; biosynthesis; cancer; metastasis; spermatozoa;
KW   inflammation; nervous tissue; ss.
XX
OS   Mus musculus.
XX
FH   Key   Location/Qualifiers
FT   CDS   123..1217
FT   /*tag= a
FT   /product= Sialyltransferase.
XX
PN   EP736602-A2.
XX
PD   09-OCT-1996.
XX
PF   02-APR-1996; 96EP-0105267.
XX
PR   03-APR-1995; 95JP-0077469.
XX
PA   (RIKA) INST PHYSICAL & CHEM RES.
PA   (RIKA) RIKAGAKU KENKYUSHO.
XX
PI   Hamamoto T, Kojima N, Kurosawa N, Tsuji S, Yoshida Y;
XX
DR   WPI; 1996-444889/45.
DR   P-PSDB; AAW05300.
XX
PT   New isolated sialyltransferase enzyme - useful for treating e.g.
PT   hereditary diseases, cancer metastasis, inflammatory reactions or
PT   nervous tissues
XX
PS   Claim 3; Page 12-14; 25pp; English.
XX
CC   The sialyltransferase (SST) is useful as an agent for introducing
CC   oligosialic acids such as di-, tri- or tetra-sialic acids into
CC   proteins, glycoproteins or glycolipids. It can be used in the
CC   treatment of hereditary diseases which involve the lack of enzymes
CC   needed for the biosynthesis of specified sugar chains. It can also
CC   be used for the prevention of cancerous metastasis, maturation of
CC   sperm, inhibition of inflammatory reactions or regeneration and
CC   reactivation of nervous tissues.
XX
SQ   Sequence 1660 BP; 480 A; 396 C; 349 G; 435 T; 0 other;

Query Match   2.8%;   Score 36.6; DB 17; Length 1660;
Best Local Similarity   52.3%; Pred. No. 0.83;
Matches   81;   Conservative   0;   Mismatches   74;   Indels   0;   Gaps   0;

```
Qy  381 tttgcaactggactgacctttgtgccatagtgtcaaactcaggtcagatggttggcca 440
            |||  || || ||||||| ||||  || |||||   |||  ||   |||
Db  536 tatgataagcgttataatgtttgtctggttggaaacagtggaatcttgacagggag 595

Qy  441 gaaggtgggaaatgagatagatcgcatcctcctgcattggagaatgaacaatgcccccac 500
            |||||||||  |  ||| ||  |||||| |||   ||  ||   || ||||| |||| ||
Db  596 tcagtgtggacaagaaatagataaatcagattttgttctcgatgcaattttgccccgac 655

Qy  501 caaaggttatgaagaagatgtcggccgcatgacca 535
            | ||| ||||| ||| ||||| |  |||||  |||
Db  656 agaggcttccacaaagatgttggaaggaaaacca 690
```

RESULT 40
ID   ABI99514 standard; cDNA; 1660 BP.
XX
AC   ABI99514;
XX
DT   07-MAR-2002 (first entry)
XX
DE   Mouse ischaemic condition related cDNA sequence SEQ ID NO:496.
XX
KW   Mouse; ischaemia; compressive ischaemia; occlusive ischaemia;
KW   vasospastic ischaemia; ischaemic condition; ischaemic disease; ss.
XX
OS   Mus musculus.
XX
PN   WO200188188-A2.
XX
PD   22-NOV-2001.
XX
PF   18-MAY-2001; 2001WO-JP04192.
XX
PR   18-MAY-2000; 2000JP-0145977.
XX
PA   (UYNI-) UNIV NIHON SCHOOL JURIDICAL PERSON.
XX
PI   Ishikawa K, Asai S, Takahashi Y, Nagata T, Ishii Y;
XX
DR   WPI; 2002-034733/04.
DR   P-PSDB; ABB57203.
XX
PT   Examining the ischemic condition (e.g. occlusive ischemia) by measuring
PT   expression levels of particular genes defined in the specification or
PT   by determining the expression profile of a gene group comprising these
PT   genes -
XX
PS   Claim 2; Page 1376-1379; 2690pp; English.
XX
CC   The present invention describes a method for examining ischaemic
CC   conditions, comprising measuring the expression levels of particular
CC   genes (I) in a test sample or determining the expression profile of a
CC   gene group in the sample comprising genes selected from (I). The method
CC   is useful for examining the ischaemic condition (e.g. compressive
CC   ischaemia, occlusive ischaemia or vasospastic ischaemia) by measuring
CC   expression levels of particular genes (ABI99202 to ABI99912, encoding
CC   the protein sequences in ABB57020 to ABB57374) or by determining the
CC   expression profile of a gene group comprising these genes. The
CC   expression levels or expression profiles produced by these genes are
CC   used as an indicator when screening for ischaemic condition-improving
CC   drugs or therapeutics for ischaemic diseases. ABI99913 and ABI99914
CC   represent PCR primers for a mouse ischaemic condition related sequence,
CC   which are used in the exemplification of the present invention.
XX
SQ   Sequence 1660 BP; 480 A; 396 C; 349 G; 435 T; 0 other;

Query Match   2.8%;   Score 36.6; DB 24; Length 1660;
Best Local Similarity   52.3%; Pred. No. 0.83;
Matches   81;   Conservative   0;   Mismatches   74;   Indels   0;   Gaps   0;

```
Db   343  ctggagtgtcgtcgctgtgtgtggggaaatgggcaccggttgcggaacagctcgctg  402
          ||||| |||  |  |||   |  ||   | |||  |||      ||  ||
Qy   448  ggaaatgagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaggt  507
          ||  ||||||| |||  | |  |  |||||||||||  ||
Db   403  ggcggtgtcatcaacaagtacgacggtgtcatcagattgaacaatgctcctgtggctggc  462
          || ||||||| |||||||  | |||| || |||||
Qy   508  tatgaagaagatgtcggccgcatgaccatgatcgagttgtgtccat  555
          || ||||||| |||||  ||||  |  |||| ||
Db   463  tacgagggagatgtgggctccaagaccaccatacgtctctctatcct  510
```

```
RESULT 37
AAQ46811
ID   AAQ46811  standard; cDNA; 1919 BP.
XX
AC   AAQ46811;
XX
DT   14-JAN-1994  (first entry)
XX
DE   Human alpha2-3 sialyltransferase gene from cell line TYH.
XX
KW   alpha2-3 sialyltransferase; glycolipid; glycoprotein; glycosylation;
KW   glycosyltransferase; O-linked carbohydrate; N-linked carbohydrate;
KW   membrane-binding region; human histiocytic leukaemia cell line TYH;
KW   Ricinus communis 120 lectin resistance gene; lec; ss.
XX
OS   Homo sapiens.
XX
FH                  Location/Qualifiers
FT   Key
FT   CDS            129..1130
FT                  /*tag= a
FT                  /product= glycosyltransferase
XX
PN   EP552470-A.
XX
PD   28-JUL-1993.
XX
PF   17-DEC-1992;   92EP-0121482.
XX
PR   17-DEC-1991;   91JP-0333661.
PR   10-APR-1992;   92JP-0091044.
XX
PA   (KYOW ) KYOWA HAKKO KOGYO CO LTD.
XX
PI   Hanai N, Hasegawa M, Nishi T,  Sasaki K,  Sekine S;
PI   Watanabe E;
XX
DR   WPI; 1993-236233/30.
DR   P-PSDB; AAR39303.
XX
PT   Recombinant alpha 2-3 sialyl-transferase - useful for
PT   modification of glyco-protein(s) and glyco-lipid(s) to ensure
PT   correct physiological activity
XX
PS   Claim 1; Page 33-36; 77pp; English.
XX
CC   A cDNA library was prepared in E.coli LE392 cells from mRNA
CC   isolated from human histiocytic leukaemia cell line TYH. Plasmids
CC   isolated from the library were introduced into strain KJM-1.
CC   Transformants which became resistant to Ricinus communis 120 lectin
CC   were selected and found to contain a 1.9kb cDNA fragment. The
CC   "lectin-resistance gene" (LEC) was subcloned and sequenced. The
CC   deduced amino acid sequence corresponding to the open reading
CC   frame had a structure common to glycosyltransferases. The LEC gene
CC   was found to encode alpha2-3 sialyltransferase activity.
XX
SQ   Sequence 1919 BP; 440 A; 472 C; 502 G; 505 T; 0 other;
```

```
Query Match       2.8%;  Score 36.8; DB 14; Length 1919;
Best Local Similarity  51.2%;  Pred. No. 0.79;
Matches  86; Conservative   0; Mismatches  82; Indels . 0; Gaps  0;
```

```
Qy   388  ctggagtgtcgacctttgtgccatagtgtcaaactcaggtcagatggttggcagaaggtg  447
          ||||| || |  || |   |  ||   | |||  |||      ||  ||
Db   471  ctggagtgtctgcgctgtgtgtggggaaatgggcaccggttgcggaacagctcgctg  530
          ||  ||||||| |||  | |  |  |||||||||||  ||
Qy   448  ggaaatgagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaggt  507
          || ||||||| |||||||  | |||| || |||||
Db   531  ggcggtgtcatcaacaagtacgacggtgtcatcagattgaacaatgctcctgtggctggc  590
          || ||||||| |||||  ||||  |  |||| ||
Qy   508  tatgaagaagatgtcggccgcatgaccatgatcgagttgtgtccat  555
          || ||||||| |||||  ||||  |  |||| ||
Db   591  tacgagggagatgtgggctccaagaccaccatacgtctctctatcct  638
```

```
RESULT 38
AAT39664
ID   AAT39664  standard; DNA; 1048 BP.
XX
AC   AAT39664;
XX
DT   17-DEC-1996  (first entry)
XX
DE   Extracellularly releasable sialyltransferase.
XX
KW   Sialyltransferase; oligosialic acids; protein; glycoprotein;
KW   glycolipid; sugar; biosynthesis; cancer; metastasis; spermatozoa;
KW   inflammation; nervous tissue; ss.
XX
OS   Mus musculus.
XX
FH                  Location/Qualifiers
FT   Key
FT   CDS            14..1020
FT                  /*tag= a
FT                  /product= Sialyltransferase.
XX
PN   EP736602-A2.
XX
PD   09-OCT-1996.
XX
PF   02-APR-1996;   96EP-0105267.
XX
PR   03-APR-1995;   95JP-0077469.
XX
PA   (RIKA ) INST PHYSICAL & CHEM RES.
PA   (RIKA ) RIKAGAKU KENKYUSHO.
XX
PI   Hamamoto T, Kojima N,  Kurosawa N,  Tsuji S,  Yoshida Y;
XX
DR   WPI; 1996-444889/45.
DR   P-PSDB; AAW05301.
XX
PT   New isolated sialyltransferase enzyme - useful for treating e.g.
PT   hereditary diseases, cancer metastasis, inflammatory reactions or
PT   nervous tissues
XX
PS   Claim 13; Page 16-17; 25pp; English.
XX
CC   The sialyltransferase (SST) is useful as an agent for introducing
CC   oligosialic acids such as di-, tri- or tetra-sialic acids into
CC   proteins, glycoproteins or glycolipids. It can be used in the
CC   treatment of hereditary diseases which involve the lack of enzymes
CC   needed for the biosynthesis of specified sugar chains. It can also
CC   be used for the prevention of cancerous metastasis, maturation of
CC   sperm, inhibition of inflammatory reactions or regeneration and
CC   reactivation of nervous tissues. This extracellularly releasable
CC   sialyltransferase comprises the active domain of the
CC   sialyltransferase described in AAW05300.
XX
SQ   Sequence 1048 BP; 302 A; 247 C; 216 G; 283 T; 0 other;
```

```
Query Match       2.8%;  Score 36.6; DB 17; Length 1048;
Best Local Similarity  52.3%;  Pred. No. 0.61;
                                                                    0;
```

PR   22-DEC-1999; 99AT-0002170.
XX
PA   (BAXT) BAXTER AG.
XX
PI   Zimmermann K, Turecek P, Schwarz H, Rieger M;
XX
DR   WPI; 2001-408658/43.
XX
PT   Internal standards useful for nucleic acid amplification assays,
PT   comprises a synthetic nucleic acid made by non-recombinant techniques
PT   -
XX
PS   Example 1; Page 22-27; 30pp; English.
XX
CC   The present invention relates to methods for the preparation and use of
CC   internal controls for nucleic acid amplification assays. The internal
CC   controls comprise a synthetic nucleic acid made by non-recombinant
CC   techniques. The internal controls are useful for detecting nucleic acids
CC   in a sample such as blood, spinal fluid, semen, saliva, tears, cell
CC   culture fluid, recombinant cells, animal tissue or plant tissue, by a
CC   quantitative PCR assay, by adding the internal control to the sample,
CC   amplifying the nucleic acids in the sample and detecting the amplified
CC   products. The internal controls help in performing the nucleic acid
CC   amplification assay quickly, and inexpensively without sacrificing assay
CC   specificity or sensitivity. The present sequence is one such internal
CC   control, which was used in an example to illustrate the present
CC   invention.
CC   Note: the present sequence is the SEQ ID 8 shown in the sequence listing.
CC   This sequence differs from the SEQ ID 8 shown on page 13 of the
CC   disclosure (see AAH48038).
XX
SQ   Sequence 14041 BP; 2151 A; 1354 C; 466 G; 2218 T; 7852 other;

Query Match   2.9%; Score 37.6; DB 22; Length 14041;
Best Local Similarity   14.9%; Pred. No. 1.6;
Matches 108; Conservative 246; Mismatches 370; Indels   0; Gaps   0;

Qy   158 ggagcgccatggcctgcatcctcgaagagaaagtctgtgattgctgtgagcttcatagcag 217
             ::::: :: :::: ::::: ::   :: ::::: :: ::: :: ::   :: :: :
Db 6574 gbvrswththagnbdktagnhdngrmanywngthnstrctnsthsrandthdnawasnay 6633

Qy   218 cgttccttttcctgctgttgtcgtcttgtaaatgaagtgaatttcccattgctactaa 277
             :::::: :: :::   :: ::   :: : ::: :: ::: ::: :::
Db 6634 tdwththndcatdamntsdnawrthnsbctdtcrrttvdnawastractdrmctratda 6693

Qy   278 actgtcttggacaacctggtacaaagtgataccattcctcacacatacaggccgcccc 337
             ::::: :: :::: :: :: ::: :::::: : :: :: :: :::: :::: :
Db 6694 smasdnrsrmanannymschrthathysbctswththsamrcdrnaddtnrrthtractn 6753

Qy   338 ttcgaactcactatggatacataaatgtgaagacacaagagccttgcaactggactgtg 397
             :: :: :: :::: :: : : ::: : : ::: :::: ::::::::: :::::
Db 6754 armatycsthsngstranddntrnacntrttvcwraddtthasmasnayatswrsbctd 6813

Qy   398 acctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaatgaga 457
             ::::::::: :::: : :::::::::::::: : :: :: ::::::::::: :::::
Db 6814 tcrcrdysatsmstasnscstasarmatymmnngthwrdgstdrhrsatcnyssbrcnta 6873

Qy   458 tagatcgatcctcctgcatttggagaatgaacaatgcccccaccaaaggttatgaagaag 517
             :: ::: :: ::::: : :::::::::: :::::::::::::::: :::::::: ::
Db 6874 nngmmtrshchmmmgcnndtrandgmrtnaskrchmannhngrmanythnymwasnactv 6933

Qy   518 atgtcggccgatgaccatgatccgagttgtgtcccataccagcgttcctcttttgctaa 577
             ::: : ::::::: :: ::::::: :: :: :: :::: :::::::: ::::::::
Db 6934 atdirmnatcandthsysatwassbctddrctytcrymraschanractntnddtnsthbs 6993

Qy   578 aaaacccctgattattttttcaaggaagcgaatactactatttgtgttattttgggacctt 637
             :::: :::::: : :: :: ::: :: :::: :: ::::::::::::::: :::::
Db 6994 amatsthtractdttvdnasamsrthtarrddtnattavmcntannghtstartatmagnn 7053

Qy   638 tccgcaatatgaggaagatggcaatggcatcgtttacacacatgttgaaaagacagttg 697
             : ::: ::: :::::: ::: ::::::::::::::: :::: ::::: ::::::::::
Db 7054 thrsctvbrsdbythmanactrrmachdntandmachrmrsthrsctvrmrarsntrnac 7113

Qy   698 gtacctatccgaatgtgccaaatatacgtgaccacagagaagcgcatgagttagttagttcgttcgtgatg 757
             :: :: :: :::: :: ::: :: ::::: ::::: :: :::::: ::: :: :: :: ::
Db 7114 ntrswraddddtttvsamsaradyththtractnrcdrtthbsamsandththaysatsthy 7173

Qy   758 gagttttaagaaggaaaactgggaaggacagggggcgatgcagcgacgtgctgatttcta 817
             :: ::::::::::::::::: :::::::::::::: : :: :::: ::::::::::: :: ::
Db 7174 wradddtthndcatdractntbsrtcrthsncsarmrsandthntrnacntrsarshwn 7233

Qy   818 cagacacttttaagcgattaccagtgctggcaagtggaactacctttccggtctctcta 877
             :::::::::: :: ::: : :: :: :::::::::: :::::::::::::::::::::
Db 7234 ntabsamswrthnvradwthmnrancbatdrmnatcandamdrcycsnatrthrmbckbm 7293

Qy   878 caag 881
             ::ll
Db 7294 trag 7297

RESULT 36
AAF82336
ID   AAF82336 standard; DNA; 1002 BP.
XX
AC   AAF82336;
XX
DT   22-JUN-2001 (first entry)
XX
DE   Human alpha-2,3-N-sialate transferase nucleotide sequence.
XX
KW   Human; beta-1,3-N-acetylglucosamine transferase;
KW   N-acetyllactosamine; glycoprotein; glycolipid; sialate transferase;
KW   SiaT; alpha-2,3-N-SiaT; ds.
XX
OS   Homo sapiens.
XX
FH   Key   Location/Qualifiers
FT   CDS   1..1002
FT   /*tag= a
FT   /product= "alpha-2,3-N-SiaT"
XX
PN   JP2001029095-A.
XX
PD   06-FEB-2001.
XX
PF   26-JUL-1999; 99JP-0210039.
XX
PR   26-JUL-1999; 99JP-0210039.
XX
PA   (MITA) MITSUI CHEM INC.
XX
DR   WPI; 2001-303766/32.
DR   P-PSDB; AAB83011.
XX
PT   Decreasing the content of N-acetyllactosamine repeated structure in a
PT   sugar chain of a glycoprotein or a glycolipid -
XX
PS   Example 2; Page 17-18; 29pp; Japanese.
XX
CC   The present sequence encodes alpha-2,3-N-sialate transferase (SiaT).
CC   It is provided in a specification relating to method for decreasing the
CC   content of N-acetyllactosamine repeated structure in the sugar chain of
CC   a glycoprotein or a glycolipid produced by a cell. The intracellular
CC   expression of the sialate transferase gene is increased, and the
CC   relative activity of SiaT to the activity of beta-1,3-N-acetylglucosamine
CC   transferase (iGnT) is increased.
XX
SQ   Sequence 1002 BP; 252 A; 263 C; 247 G; 240 T; 0 other;

Query Match   2.8%; Score 36.8; DB 22; Length 1002;
Best Local Similarity   51.2%; Pred. No. 0.51;
Matches   86; Conservative   0; Mismatches   82; Indels   0; Gaps   0;

Qy   388 ctgactgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtg 447

```
XX
PA   (HUMA-) HUMAN GENOME SCI INC.
XX
PI   Rosen CA,   Barash SC,   Ruben SM;
XX
DR   WPI; 2001-541565/60.
DR   P-PSDB: ABB17825.
XX
PT   Nucleic acids encoding 3224 human nervous system antigen polypeptides,
PT   useful for preventing, diagnosing and/or treating nervous system
PT   cancers and metastases -
XX
PS   Claim 1; SEQ ID NO 3158; 1701pp + Sequence Listing; English.
XX
CC   The invention relates to novel genes (ABA11004-ABA21534) and proteins
CC   (ABB14678-ABB18001) useful for preventing, treating or ameliorating
CC   medical conditions e.g. by protein or gene therapy. The genes are
CC   isolated from a range of human tissues disclosed in the specification.
CC   The nucleic acids, proteins, antibodies and (ant)agonists are useful
CC   in the diagnosis, treatment and prevention of: (a) cancer, e.g. breast
CC   and ovarian cancer and other cancers of the adrenal gland, bone, bone
CC   marrow, breast, gastrointestinal tract, liver, lung, or urogenital;
CC   (b) immune disorders e.g. Addison's disease, allergies, autoimmune
CC   haemolytic anaemia, autoimmune thyroiditis, diabetes mellitus, Crohn's
CC   disease, multiple sclerosis, rheumatoid arthritis and ulcerative
CC   colitis; (c) cardiovascular disorders such as myocardial ischaemia;
CC   (d) wound healing; (e) neurological diseases e.g. cerebral anoxia and
CC   epilepsy; and (f) infectious diseases such as viral, bacterial, fungal
CC   and parasitic infections.
CC   Note: The sequence data for this patent did not form part of the
CC   printed specification, but was obtained in electronic format directly
CC   from WIPO at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ   Sequence 218 BP; 49 A; 69 C; 65 G; 34 T; 1 other;

Query Match       3.7%;  Score 47.6;  DB 22;  Length 218;
Best Local Similarity   52.0%;  Pred. No. 5.3e-05;
Matches  104;  Conservative   1;  Mismatches  95;  Indels  0;  Gaps  0;

Qy  366  gaagacacaagagcctttgcaacttgacttgtgccatagtgtcaaactcagg 425
         ||  | ||||| ||   || || ||| |  ||||| |    |||||||
Db    6  gagggaccacaagccccctgaaaatgcactgcagggactgtcccggtgaccagctcagg 65

Qy  426  tcagatggttggcagagaggtgggaaatagagatagatcctcctgcatttggagaat 485
         || |||||| |  || |      || |    | | | || || ||
Db   66  gcatctgctgcacagtcggcaaggtccggaccagacagagtgtgtcatccgcat 125

Qy  486  gaacaaatgccccaccaaagttatgaagaagatgtcggccgcatgaccatgattcgagt 545
         ||| | |||||||  | ||||  || |   ||  |  ||| ||| |
Db  126  gaatgacgcccccacacgcggctatgggcgtgacgtggcaatcgcaccagcctgaggt 185

Qy  546  tgtgtcccataccagcgttc 565
         |||| ||| |||| :||  |
Db  186  catccgcgcattccagmatcc 205

RESULT 34
ABL08349
ID   ABL08349 standard; cDNA; 1452 BP.
XX
AC   ABL08349;
XX
DT   26-MAR-2002  (first entry)
XX
DE   Drosophila melanogaster expressed polynucleotide SEQ ID NO 19529.
XX
KW   Drosophila; developmental biology; cell signalling; insecticide;
KW   pharmaceutical; gene; ss.
XX
OS   Drosophila melanogaster.
XX
PN   WO200171042-A2.
```

```
XX
PD   27-SEP-2001.
XX
PF   23-MAR-2001;  2001WO-US09231.
XX
PR   23-MAR-2000;  2000US-191637P.
PR   11-JUL-2000;  2000US-0614150.
XX
PA   (PEKE ) PE CORP NY.
XX
PI   Venter JC,  Adams M,  Li PWD,  Myers EW;
XX
DR   WPI; 2001-656860/75.
DR   P-PSDB; ABB64246.
XX
PT   New isolated nucleic acid detection reagent for detecting 1000 or more
PT   genes from Drosophila and for elucidating cell signalling and cell-cell
PT   interactions -
XX
PS   Claim 1; SEQ ID NO 19529; 21pp + Sequence Listing; English.
XX
CC   The invention relates to an isolated nucleic acid detection reagent
CC   capable of detecting 1000 or more genes from Drosophila. The invention is
CC   useful in developmental biology and in elucidating cell signalling and
CC   cell-cell interactions in higher eukaryotes for the development of
CC   insecticides, therapeutics and pharmaceutical drugs. The invention
CC   discloses genomic DNA sequences (ABL16176-ABL30511), expressed DNA
CC   sequences (ABL01840-ABL16175) and the encoded proteins
CC   (ABB57737-ABB72072).
CC   The sequence data for this patent did not form part of the printed
CC   specification, but was obtained in electronic format directly from WIPO
CC   at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ   Sequence 1452 BP; 312 A; 450 C; 398 G; 292 T; 0 other;

Query Match       3.6%;  Score 46.2;  DB 23;  Length 1452;
Best Local Similarity   57.1%;  Pred. No. 0.00054;
Matches  84;  Conservative  0;  Mismatches  63;  Indels  0;  Gaps  0;

Qy  403  tgtgtccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaatgagatagat 462
         || ||| |||| ||||||| ||  ||| || ||  || ||||   || || |
Db  748  tgcgccatcgtctccagtgcgggatcctgctggtgctggtcccagttaggccgcttcattgac 807

Qy  463  cgatcctcctgcatttggagaatgaacaatgccccccaccaaaggttatgaagaagatgtc 522
         |  || | | |  ||||  |||  ||||| |   |  ||||||  || || ||  |||
Db  808  acggcagcacttgtgatgagattcaatcatcgcgcccaccacgcgcaaggacacgaggtgg 867

Qy  523  ggccgcatgaccatgattcgagttgtg 549
         |||  ||| ||||| ||  ||| || ||
Db  868  ggcagcaaaaccacgatccgtgtggtg 894

RESULT 35
AAH48024
ID   AAH48024 standard; DNA; 14041 BP.
XX
AC   AAH48024;
XX
DT   18-SEP-2001  (first entry)
XX
DE   Internal control B19c #1.
XX
KW   Internal control; ss.
XX
OS   Parvovirus.
XX
PN   WO20014 6463-A2.
XX
PD   28-JUN-2001.
XX
PF   20-DEC-2000;  2000WO-EP12996.
XX
```

KW neurological disease; infection; nephrotropic; gene therapy; vaccine; ss.
XX
OS Homo sapiens.
XX
PN WO200159063-A2.
XX
PD 16-AUG-2001.
XX
PF 17-JAN-2001; 2001WO-US01334.
XX
PR 31-JAN-2000; 2000US-0179065.
PR 04-FEB-2000; 2000US-0180628.
PR 24-FEB-2000; 2000US-0184664.
PR 02-MAR-2000; 2000US-0186350.
PR 16-MAR-2000; 2000US-0189874.
PR 17-MAR-2000; 2000US-0190076.
PR 18-APR-2000; 2000US-0198123.
PR 19-MAY-2000; 2000US-0205515.
PR 07-JUN-2000; 2000US-0209467.
PR 28-JUN-2000; 2000US-0214886.
PR 30-JUN-2000; 2000US-0215135.
PR 07-JUL-2000; 2000US-0216647.
PR 07-JUL-2000; 2000US-0216880.
PR 11-JUL-2000; 2000US-0217487.
PR 11-JUL-2000; 2000US-0217496.
PR 14-JUL-2000; 2000US-0218290.
PR 26-JUL-2000; 2000US-0220963.
PR 26-JUL-2000; 2000US-0220964.
PR 14-AUG-2000; 2000US-0224518.
PR 14-AUG-2000; 2000US-0224519.
PR 14-AUG-2000; 2000US-0225213.
PR 14-AUG-2000; 2000US-0225214.
PR 14-AUG-2000; 2000US-0225266.
PR 14-AUG-2000; 2000US-0225267.
PR 14-AUG-2000; 2000US-0225268.
PR 14-AUG-2000; 2000US-0225270.
PR 14-AUG-2000; 2000US-0225447.
PR 14-AUG-2000; 2000US-0225757.
PR 14-AUG-2000; 2000US-0225758.
PR 14-AUG-2000; 2000US-0225759.
PR 18-AUG-2000; 2000US-0226279.
PR 22-AUG-2000; 2000US-0226681.
PR 22-AUG-2000; 2000US-0226868.
PR 22-AUG-2000; 2000US-0227182.
PR 23-AUG-2000; 2000US-0227009.
PR 30-AUG-2000; 2000US-0228924.
PR 01-SEP-2000; 2000US-0229287.
PR 01-SEP-2000; 2000US-0229343.
PR 01-SEP-2000; 2000US-0229344.
PR 01-SEP-2000; 2000US-0229345.
PR 05-SEP-2000; 2000US-0229509.
PR 05-SEP-2000; 2000US-0229513.
PR 06-SEP-2000; 2000US-0230437.
PR 06-SEP-2000; 2000US-0230438.
PR 08-SEP-2000; 2000US-0231242.
PR 08-SEP-2000; 2000US-0231243.
PR 08-SEP-2000; 2000US-0231244.
PR 08-SEP-2000; 2000US-0231413.
PR 08-SEP-2000; 2000US-0231414.
PR 08-SEP-2000; 2000US-0232080.
PR 08-SEP-2000; 2000US-0232081.
PR 12-SEP-2000; 2000US-0231968.
PR 14-SEP-2000; 2000US-0232397.
PR 14-SEP-2000; 2000US-0232398.
PR 14-SEP-2000; 2000US-0232399.
PR 14-SEP-2000; 2000US-0232400.
PR 14-SEP-2000; 2000US-0232401.
PR 14-SEP-2000; 2000US-0233063.
PR 14-SEP-2000; 2000US-0233064.
PR 14-SEP-2000; 2000US-0233065.
PR 21-SEP-2000; 2000US-0234223.
PR 21-SEP-2000; 2000US-0234274.
PR 25-SEP-2000; 2000US-0234997.
PR 25-SEP-2000; 2000US-0234998.
PR 26-SEP-2000; 2000US-0235484.
PR 27-SEP-2000; 2000US-0235834.
PR 27-SEP-2000; 2000US-0235836.
PR 29-SEP-2000; 2000US-0236327.
PR 29-SEP-2000; 2000US-0236367.
PR 29-SEP-2000; 2000US-0236368.
PR 29-SEP-2000; 2000US-0236369.
PR 29-SEP-2000; 2000US-0236370.
PR 02-OCT-2000; 2000US-0236802.
PR 02-OCT-2000; 2000US-0237037.
PR 02-OCT-2000; 2000US-0237038.
PR 02-OCT-2000; 2000US-0237039.
PR 02-OCT-2000; 2000US-0237040.
PR 13-OCT-2000; 2000US-0239935.
PR 13-OCT-2000; 2000US-0239937.
PR 20-OCT-2000; 2000US-0240960.
PR 20-OCT-2000; 2000US-0241785.
PR 20-OCT-2000; 2000US-0241786.
PR 20-OCT-2000; 2000US-0241787.
PR 20-OCT-2000; 2000US-0241808.
PR 20-OCT-2000; 2000US-0241809.
PR 20-OCT-2000; 2000US-0241826.
PR 20-OCT-2000; 2000US-0242221.
PR 01-NOV-2000; 2000US-0244617.
PR 08-NOV-2000; 2000US-0246474.
PR 08-NOV-2000; 2000US-0246475.
PR 08-NOV-2000; 2000US-0246476.
PR 08-NOV-2000; 2000US-0246477.
PR 08-NOV-2000; 2000US-0246478.
PR 08-NOV-2000; 2000US-0246523.
PR 08-NOV-2000; 2000US-0246524.
PR 08-NOV-2000; 2000US-0246525.
PR 08-NOV-2000; 2000US-0246526.
PR 08-NOV-2000; 2000US-0246527.
PR 08-NOV-2000; 2000US-0246528.
PR 08-NOV-2000; 2000US-0246532.
PR 08-NOV-2000; 2000US-0246609.
PR 08-NOV-2000; 2000US-0246610.
PR 08-NOV-2000; 2000US-0246611.
PR 08-NOV-2000; 2000US-0246613.
PR 17-NOV-2000; 2000US-0249207.
PR 17-NOV-2000; 2000US-0249208.
PR 17-NOV-2000; 2000US-0249209.
PR 17-NOV-2000; 2000US-0249210.
PR 17-NOV-2000; 2000US-0249211.
PR 17-NOV-2000; 2000US-0249212.
PR 17-NOV-2000; 2000US-0249213.
PR 17-NOV-2000; 2000US-0249214.
PR 17-NOV-2000; 2000US-0249215.
PR 17-NOV-2000; 2000US-0249216.
PR 17-NOV-2000; 2000US-0249217.
PR 17-NOV-2000; 2000US-0249218.
PR 17-NOV-2000; 2000US-0249244.
PR 17-NOV-2000; 2000US-0249245.
PR 17-NOV-2000; 2000US-0249264.
PR 17-NOV-2000; 2000US-0249265.
PR 17-NOV-2000; 2000US-0249297.
PR 17-NOV-2000; 2000US-0249299.
PR 17-NOV-2000; 2000US-0249300.
PR 01-DEC-2000; 2000US-0250391.
PR 05-DEC-2000; 2000US-0251160.
PR 05-DEC-2000; 2000US-0251030.
PR 05-DEC-2000; 2000US-0251988.
PR 06-DEC-2000; 2000US-0256719.
PR 08-DEC-2000; 2000US-0251479.
PR 08-DEC-2000; 2000US-0251856.
PR 08-DEC-2000; 2000US-0251868.
PR 08-DEC-2000; 2000US-0251869.
PR 08-DEC-2000; 2000US-0251989.
PR 08-DEC-2000; 2000US-0251990.
PR 11-DEC-2000; 2000US-0254097.
PR 05-JAN-2001; 2001US-0259678.

PR   04-AUG-1993;   93US-0102385.
XX
PA   (REGC) UNIV CALIFORNIA.
XX
PI   Burlingame AL, Gillespie W, Kelm S,   Livingston B;
PI   Medzihradszky K, Paulson JC, Wen X;
XX
DR   WPI; 1995-090894/12.
DR   P-PSDB; AAR65240.
XX
PT   Prodn. of mammalian sialyl:transferase(s) - useful in the
PT   addition of sialic acids on carbohydrate(s) and the
PT   identification of other members of the same gene family
XX
PS   Claim 33; Page 85-86; 136pp; English.
XX
CC   AAQ82869/R65240 are the nt and AA sequence of porcine Gal beta 1,3 Gal
CC   NAc alpha 2,3 sialyltransferase ("alpha 2,3-O"). The nt sequence of
CC   the porcine alpha 2,3-0 mRNA was determined from DNA sequence
CC   analysis of two overlapping clones, lambda ST1 and lambda ST2. The
CC   proposed signal anchor sequence and glycosylation sites are
CC   indicated in FT. The sequence corresp. to the long form of the alpha
CC   2,3 sialyltransferase, econcded by overlapping clones lambda ST1 and
CC   lambda ST2. A DNA isolate which encodes porcie ST30 sialyltransferase
CC   and an essentially pure porcine ST30 sialyltransferase are claimed.
XX
SQ   Sequence 1218 BP; 253 A; 396 C; 348 G; 221 T; 0 other;

Query Match   3.8%; Score 49.8; DB 16; Length 1218;
Best Local Similarity 55.5%; Pred. No. 3.2e-05;
Matches   96; Conservative   0; Mismatches 77; Indels   0; Gaps   0;

Qy   393 ctgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaa 452
          ||| |||||| ||| ||||| |||||| || ||| || | | | | |
Db   513 ctgccggcgctcgcgcctcgtgggcaactcgggcaacctgaaggagtcctactatgggcc 572

Qy   453 tggactgtgacctttgtgccatagtgtcaggtcaggtcagg   512
             ||||||| ||||| | || |
Db   573 tcagatagacagccagctcgctgggatgaacaaggccccaccacccccggggggtttga 632

Qy   513 agaagagtgtcggccgccatgaccatgaggttgtgttgtcccataccagcgttc   565
             | |||| | ||||| |||| | |
Db   633 ggccgacgtcgggagcaagagaccacccacccccccattcgttcgttacccgagagcttcc 685

RESULT 32
AAS82187
ID   AAS82187 standard; cDNA; 1464 BP.
XX
AC   AAS82187;
XX
DT   13-FEB-2002 (first entry)
XX
DE   DNA encoding novel human diagnostic protein #17991.
XX
KW   Human; chromosome mapping; gene mapping; gene therapy; forensic;
KW   food supplement; medical imaging; diagnostic; genetic disorder; ss.
XX
OS   Homo sapiens.
XX
PN   WO200175067-A2.
XX
PD   11-OCT-2001.
XX
PF   30-MAR-2001; 2001WO-US08631.
XX
PR   31-MAR-2000; 2000US-0540217.
PR   23-AUG-2000; 2000US-0649167.
XX
PA   (HYSE-) HYSEQ INC.
XX
PI   Drmanac RT, Liu C, Tang YT;

XX   WPI; 2001-639362/73.
DR   P-PSDB; ABG18000.
XX
PT   New isolated polynucleotide and encoded polypeptides, useful in
PT   diagnostics, forensics, gene mapping, identification of mutations
PT   responsible for genetic disorders or other traits and to assess
PT   biodiversity -
XX
PS   Claim 1; SEQ ID No 17991; 103pp; English.
XX
CC   The invention relates to isolated polynucleotide (I) and
CC   polypeptide (II) sequences. (I) is useful as hybridisation probes,
CC   polymerase chain reaction (PCR) primers, oligomers, and for chromosome
CC   and gene mapping, and in recombinant production of (II). The
CC   polynucleotides are also used in diagnostics as expressed sequence tags
CC   for identifying expressed genes.(I) is useful in gene therapy techniques
CC   to restore normal activity of (II) or to treat disease states involving
CC   (II). (II) is useful for generating antibodies against it, detecting or
CC   quantitating a polypeptide in tissue, as molecular weight markers and as
CC   a food supplement. (II) and its binding partners are useful in medical
CC   imaging of sites expressing (II).(I) and (II) are useful for treating
CC   disorders involving aberrant protein expression or biological activity.
CC   The polypeptide and polynucleotide sequences have applications in
CC   diagnostics, forensics, gene mapping, identification of mutations
CC   responsible for genetic disorders or other traits to assess biodiversity
CC   and to produce other types of data and products dependent on DNA and
CC   amino acid sequences. AAS64197-AAS94564 represent novel human
CC   diagnostic coding sequences of the invention.
CC   Note:The sequence data for this patent did not appear in the printed
CC   specification, but was obtained in electronic format directly from WIPO
CC   at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ   Sequence 1464 BP; 346 A; 403 C; 392 G; 323 T; 0 other;

Query Match   3.8%;   Score 49;   DB 23;   Length 1464;
Best Local Similarity 53.4%;   Pred. No. 6.5e-05;
Matches 103; Conservative   0; Mismatches 90; Indels   0; Gaps   0;

Qy   389 tggactgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgg 448
          ||| ||| || ||| | | |||||| || | | | | ||| |
Db   851 tgggctgcgcggcgctgcgcgcgttgtgggcaacctgagggagtcttttatg   910

Qy   449 gaaatgagatagatcgatcctcctgcatttggagaatgacaatgccccaccaaaggtt   508
           | ||||||||| | || | || |||||||||||||||| | ||||| |
Db   911 ggcctgagatagacagtcacgacttgtcctcaggatgaacaaggcgcccacggcaggt   970

Qy   509 atgaagaagatgtcggccgcatgaccatgattcgagttgtgtcccataccagcgttcctc 568
           ||||||| |||| || | ||||| | || | | || || | | |
Db   971 ttgaagctgatgtgggaccaagacacccaccatctggtgtaccctggagagctccggg   1030

Qy   569 tttgctaaaaa   581
           | | |
Db   1031 agctgggagataa 1043

RESULT 33
ABA14151
ID   ABA14151 standard; cDNA; 218 BP.
XX
AC   ABA14151;
XX
DT   23-JAN-2002 (first entry)
XX
DE   Human nervous system related polynucleotide SEQ ID NO 3158.
XX
KW   Human; nootropic; neuroprotective; cytostatic; dermatological; virucide;
KW   immunosuppressive; antiinflammatory; anti-HIV; antibacterial; vulnerary;
KW   antiparkinsonian; antisickling; antianaemic; antiarthritic; cancer;
KW   antirheumatic; hepatotropic; cerebroprotective; antiinflammatory;
KW   antiallergic; antidiabetic; antiulcer; anticonvulsant; antifungal;
KW   antiparasitic; cardiant; immune disorder; cardiovascular disorder;

```
PA   (REGC ) UNIV CALIFORNIA.
XX
PI   Burlingame AL, Gillespie W, Kelm S, Livingston B;
PI   Medzihradszky K, Paulson JC, Wen X;
XX
DR   WPI; 1995-090894/12.
DR   P-PSDB; AAR65244.
XX
PT   Prodn. of mammalian sialyl:transferase(s) - useful in the
PT   addition of sialic acids on carbohydrate(s) and the
PT   identification of other members of the same gene family
XX
PS   Claim 66; Figure 20; 136pp; English.
XX
CC   Human Gal beta 1,3GalNAc alpha 2,3 sialyltransferase is also
CC   called human ST30. In order to clone human ST30 sialyltransferase
CC   two degenerate oligos were synthesised (AAQ82880 & AAQ82881). For
CC   PCR amplification, first strand cDNA synthesised from human
CC   placenta or human fetal brain total RNA was combined with each
CC   primer. 8/50 clones obtd. from human placenta were judged to
CC   contain the human ST30 sialylmotif as judged by homology with the
CC   porcine sequence. A human placenta cDNA library was screened with
CC   the cloned PCR fragment. Characterisation of the positive clones
CC   revealed cDNA of two types which differed in their 5' ends. The nt
CC   sequence of the short form had a deletion from nt -253 - -37 and is
CC   shown in AAQ82873.
XX
SQ   Sequence 2070 BP; 496 A; 567 C; 562 G; 445 T; 0 other; .

Query Match              3.9%;
Best Local Similarity   53.9%;        Score 50.6;  DB 16;   Length 2070;
Matches  104;  Conservative    0;  Mismatches   89;  Indels    0;  Gaps    0;

Qy   389 tgagctgcgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgg 448
Db  1340 tgggctgcgcgcgcggcgttgggcaacctcggccaacctcgggggtcttcttatg 1399

Qy   449 gaaatgagatagagatcgatcctcctgcatttggagaatgaacaatgccccaccaaaggtt 508
Db  1400 ggcctgagatagacagtcacgacttgtcctcaggatgaacaaggcgccacggcaggt 1459

Qy   509 atgagaagaggtcggccgcatgaccatgattcgagttgtgtcccataccagcgttcctc 568
Db  1460 ttgaagctgatgtgtgggaccaagacaccacccaccacccattctgtaccctgagagcttccggg 1519

Qy   569 tttgctaaaaa 581
Db  1520 agctgccacataa 1532


RESULT  30
AAQ47958
ID   AAQ47958 standard; DNA; 1218 BP.
XX
AC   AAQ47958;
XX
DT   25-MAR-1994  (first entry)
XX
DE   Sialyltransferase coding sequence.
XX
KW   Sialyltransferase; peptide; carbohydrates; glycolipids; sugars;
KW   sialic acids; motif; conserved region; homology; ss.
XX
OS   Sus scrofa.
XX
FH   Key             Location/Qualifiers
FT   CDS             91..1122
FT                   /*tag= a
FT                   /product= Porcine Gal beta 1, 3GalNAc alpha 2,3
FT                             sialyltransferase.
XX
PN   WO9311157-A.
XX
PD   16-SEP-1993.
XX
PF   09-MAR-1993;     93WO-US02002.
XX
PR   09-MAR-1992;     92US-0850357.
PR   04-AUG-1992;     92US-0925369.
XX
PA   (CYTE ) CYTEL CORP.
PA   (REGC ) UNIV CALIFORNIA.
XX
PI   Burlingame AL, Gillespie W, Kelm S, Livingston BD;
PI   Medzihradszky K, Paulson JE, Wen X;
XX
DR   WPI; 1993-303471/38.
DR   P-PSDB; AAR41670.
XX
PT   DNA isolates encoding sialyl transferase - providing expression
PT   systems for recombinant prodn. of enzyme
XX
PS   Claim 27; Figure 1; 88pp; English.
XX
CC   Sialyltransferase catalyses the addition of sialic acids to
CC   carbohydrate groups which are present on glycoproteins and
CC   glycolipids or to sugar chains to produce carbohydrates which
CC   function as determinants in biological recognition.
XX
SQ   Sequence 1218 BP; 253 A; 396 C; 348 G; 221 T; 0 other;

Query Match             3.8%;        Score 49.8;  DB 14;   Length 1218;
Best Local Similarity  55.5%;        Pred. No. 3.2e-05;   Indels    0;  Gaps    0;
Matches  96;  Conservative    0;  Mismatches   77;

Qy   393 ctgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaa 452
Db   513 ctgccggcgcgtcgcgcgtcgggcaacctcgggcaacctgaggagtcctactatgggcc 572

Qy   453 tgagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaaggttatga 512
Db   573 tcagatagacagccacgacttgtgctgagatgaacaaggccccacggcaggggggtttga 632

Qy   513 agaagtgtcggccgcatgaccatgattcgagttgtgtcccataccagcgttc 565
Db   633 ggccgacgtcgggagcaagacaagacaccaccaccattcgtgacccgagagcttcc 685


RESULT  31
AAQ82869
ID   AAQ82869 standard; cDNA; 1218 BP.
XX
AC   AAQ82869;
XX
DT   26-SEP-1995  (first entry)
XX
DE   Porcine ST30 sialyltransferase cDNA.
XX
KW   Sialyltransferase; sialic acid; ss.
XX
OS   Sus scrofa.
XX
FH   Key             Location/Qualifiers
FT   CDS             91..1119
FT                   /*tag= a
FT                   /product= porcine Gal Beta 1,3 GalNAc alpha 2,3
FT                             sialyltransferase
XX
PN   WO9504816-A.
XX
PD   16-FEB-1995.
XX
PF   27-JUL-1994;     94WO-US08516.
XX
```

The present invention describes primer sets for synthesising 5602
full-length cDNAs defined in the specification. Where a primer set
comprises: (a) an oligo-dT primer and an oligonucleotide complementary
to the complementary strand of a polynucleotide which comprises one of
the 5602 nucleotide sequences defined in the specification, where the
oligonucleotide comprises at least 15 nucleotides; or (b) a combination
of an oligonucleotide comprising a sequence complementary to the
complementary strand of a polynucleotide which comprises a 5'-end
sequence and an oligonucleotide comprising a sequence complementary to a
polynucleotide which comprises a 3'-end sequence where the
oligonucleotide comprises at least 15 nucleotides and the combination of
the 5'-end sequence/3'-end sequence is selected from those defined in
the specification. The primer sets can be used in antisense therapy and
in gene therapy. The primer sets are useful for synthesising polynucleotides,
particularly full-length cDNAs. The primers are also useful for the
detection and/or diagnosis of the abnormality of the proteins encoded by
the full-length cDNAs. The primers allow obtaining of the full-length
cDNAs easily without any specialised methods. AAH03166 to AAH13628 and
AAH13633 to AAH18742 represent human cDNA sequences; AAB92446 to
AAB95893 represent human amino acid sequences; and AAH13629 to AAH13632
represent oligonucleotides, all of which are used in the exemplification
of the present invention.

Sequence 626 BP; 122 A; 213 C; 172 G; 107 T; 12 other;

Query Match 4.8%; Score 62.2; DB 22; Length 626;
Best Local Similarity 59.4%; Pred. No. 1.7e-09;
Matches 120; Conservative 0; Mismatches 81; Indels 1; Gaps 1;

Qy 394 tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat 453
        || ||||||| ||| ||||||||| ||||| |||||| ||||||||||||| |||||||
Db 384 tgccaccagtgtgtgattgtcancagctccagccacctgctgggcaccaagctgggccct 443

Qy 454 gagatagatcgatcctcctgcatttggagaatgaacaatgcccaccaaaggtta-tga 512
        ||||| ||| || ||||||||||| |||||| ||||||||| ||||||||||| |
Db 444 gagatcgancgggcgtgagtgtacaatccgcatgaatgatgcaccacctggctactca 503

Qy 513 agaagatgtcggccgcatgaccgcatgaccgatttgcagtggtgtgtccatccagcgttcctctttt 572
        ||||| ||| |||| |||| ||| ||||||||||| |||| ||| |||||||||||||
Db 504 agctgatgtgggcaacaagaccacctaccgtgtcntgggccatccagttcgtgttccgcgt 563

Qy 573 gctaaaaaaccctgattattt 594
        ||| ||| ||||||| |||
Db 564 gctgaagaagccccacagagtt 585

RESULT 29
AAQ82873
ID AAQ82873 standard; cDNA; 2070 BP.
XX
AC AAQ82873;
XX
DT 27-SEP-1995 (first entry)
XX
DE Human ST30 sialyltransferase.
XX
KW Sialyltransferase; sialic acid; ss.
XX
OS Homo sapiens.
XX
FH Key Location/Qualifiers
FT CDS 931..1953
FT /*tag= a
XX
PN WO9504816-A.
XX
PD 16-FEB-1995.
XX
PF 27-JUL-1994; 94WO-US08516.
XX
PR 04-AUG-1993; 93US-0102385.
XX

Query Match 6.38; Score 81.8; DB 22; Length 21521;
Best Local Similarity 49.9%; Pred. No. 6.8e-15;
Matches 206; Conservative 0; Mismatches 207; Indels 0; Gaps 0;

Qy 377 agccttgcaactggactgtgacctttgtgccatagtgtcaaactcaggtcagatggttg 436
        | ||| ||| ||| ||||| || ||||||| | | | ||||||||| |||||||
Db 1 agccctgaaaatgcactgcagggactgtgcctgtgaccagctcagggcatctgctgc 60

Qy 437 gccagaaggtgggaaatgagatagatcgatcctcctgcatttggagaatgaacaatgccc 496
        || ||||| ||| |||||| | ||| ||||| | |||| ||||| ||||| ||||||||
Db 61 acagtcggcaaggctcccagattgaccagacagagtgtgtcatccgcatgaatgacgccc 120

Qy 497 ccaccaaaggttatgaagaagatgtcggccgcatgaccatgattcgagttgtgtccccata 556
        ||||| ||||| || || |||| |||| |||| ||| | ||| | | |||||
Db 121 ccacacgcggctatggggcgtggcgtggcaatcgcaccagctgaggtcatcgcgcatt 180

Qy 557 cagcgtcctctttgctaaaaaaccctgattattttttcaaggaagcgaatactacta 616
        |||||| ||| ||||||| | |||||||| | |||| ||||||||||||| ||||||
Db 181 ccagcaccagagatcctccgcaaccgcatgaccgctcaacgtgagccaggcgcaccg 240

Qy 617 tttgtgttattgggaccttttccgcaatatgaggaaagatggcaatgcagtcgatcgtttaca 676
        ||||||| |||||||||| ||| ||||| || ||| ||| |||| |||| ||| ||||
Db 241 tgttcattctctgggcccagcgacatcgcgggacggcaaggcgcaggtctaca 300

Qy 677 acatgtgaaaagacagttggtatctatccgaatgccaaatatacgtgaccacagaga 736
        ||| |||| |||| ||| | |||| | ||| | | | | ||| |||
Db 301 acaacctgcatcctcctgagccaggtgctgccccggctgaaggcctcatgattactcgcc 360

Qy 737 agcgcatgagttactgtgatgagttttaagaaggaaactgggaggacagg 789
        | ||| ||| || || || | |||| | |||| |||||||||| ||||||
Db 361 acaagatgctgcagtttgatgagctcttcaagcagcaggagactggcaaagacagg 413

RESULT 28
AAH08484
ID AAH08484 standard; cDNA; 626 BP.
XX
AC AAH08484;
XX
DT 26-JUN-2001 (first entry)
XX
DE Human cDNA clone (5'-primer) SEQ ID NO:5319.
XX
KW Human; primer; detection; diagnosis; antisense therapy; gene therapy; ss.
XX
OS Homo sapiens.
XX
PN EP1074617-A2.
XX
PD 07-FEB-2001.
XX
PF 28-JUL-2000; 2000EP-0116126.
XX
PR 29-JUL-1999; 99JP-0248036.
PR 27-AUG-1999; 99JP-0300253.
PR 11-JAN-2000; 2000JP-0118776.
PR 02-MAY-2000; 2000JP-0183767.
PR 09-JUN-2000; 2000JP-0241899.
XX
PA (HELI-) HELIX RES INST.
XX
PI Ota T, Isogai T, Nishikawa T, Hayashi K, Saito K, Yamamoto J;
PI Ishii S, Sugiyama T, Wakamatsu A, Nagai K, Otsuki T;
XX
DR WPI; 2001-318749/34.
XX
PT Primer sets for synthesizing polynucleotides, particularly the 5602
PT full-length cDNAs defined in the specification, and for the detection
PT and/or diagnosis of the abnormality of the proteins encoded by the
PT full-length cDNAs -
XX
PS Claim 1; SEQ ID 5319; 2537pp + CD ROM; English.
XX

```
PR   14-AUG-2000;   2000US-0225268.
PR   14-AUG-2000;   2000US-0225270.
PR   14-AUG-2000;   2000US-0225447.
PR   14-AUG-2000;   2000US-0225757.
PR   14-AUG-2000;   2000US-0225758.
PR   14-AUG-2000;   2000US-0225759.
PR   18-AUG-2000;   2000US-0226279.
PR   22-AUG-2000;   2000US-0226681.
PR   22-AUG-2000;   2000US-0226868.
PR   22-AUG-2000;   2000US-0227182.
PR   23-AUG-2000;   2000US-0227009.
PR   30-AUG-2000;   2000US-0228924.
PR   01-SEP-2000;   2000US-0229287.
PR   01-SEP-2000;   2000US-0229343.
PR   01-SEP-2000;   2000US-0229344.
PR   01-SEP-2000;   2000US-0229345.
PR   05-SEP-2000;   2000US-0229509.
PR   05-SEP-2000;   2000US-0229513.
PR   06-SEP-2000;   2000US-0230437.
PR   06-SEP-2000;   2000US-0230438.
PR   08-SEP-2000;   2000US-0231242.
PR   08-SEP-2000;   2000US-0231243.
PR   08-SEP-2000;   2000US-0231244.
PR   08-SEP-2000;   2000US-0231413.
PR   08-SEP-2000;   2000US-0231414.
PR   08-SEP-2000;   2000US-0232080.
PR   08-SEP-2000;   2000US-0232081.
PR   12-SEP-2000;   2000US-0231968.
PR   14-SEP-2000;   2000US-0232397.
PR   14-SEP-2000;   2000US-0232398.
PR   14-SEP-2000;   2000US-0232399.
PR   14-SEP-2000;   2000US-0232400.
PR   14-SEP-2000;   2000US-0232401.
PR   14-SEP-2000;   2000US-0233063.
PR   14-SEP-2000;   2000US-0233064.
PR   14-SEP-2000;   2000US-0233065.
PR   21-SEP-2000;   2000US-0234223.
PR   21-SEP-2000;   2000US-0234274.
PR   25-SEP-2000;   2000US-0234997.
PR   25-SEP-2000;   2000US-0234998.
PR   26-SEP-2000;   2000US-0235484.
PR   27-SEP-2000;   2000US-0235834.
PR   27-SEP-2000;   2000US-0235836.
PR   29-SEP-2000;   2000US-0236327.
PR   29-SEP-2000;   2000US-0236367.
PR   29-SEP-2000;   2000US-0236368.
PR   29-SEP-2000;   2000US-0236369.
PR   29-SEP-2000;   2000US-0236370.
PR   02-OCT-2000;   2000US-0236802.
PR   02-OCT-2000;   2000US-0237037.
PR   02-OCT-2000;   2000US-0237038.
PR   02-OCT-2000;   2000US-0237039.
PR   02-OCT-2000;   2000US-0237040.
PR   13-OCT-2000;   2000US-0239935.
PR   13-OCT-2000;   2000US-0239937.
PR   20-OCT-2000;   2000US-0240960.
PR   20-OCT-2000;   2000US-0241221.
PR   20-OCT-2000;   2000US-0241785.
PR   20-OCT-2000;   2000US-0241786.
PR   20-OCT-2000;   2000US-0241787.
PR   20-OCT-2000;   2000US-0241808.
PR   20-OCT-2000;   2000US-0241809.
PR   20-OCT-2000;   2000US-0241826.
PR   01-NOV-2000;   2000US-0244617.
PR   08-NOV-2000;   2000US-0246474.
PR   08-NOV-2000;   2000US-0246475.
PR   08-NOV-2000;   2000US-0246476.
PR   08-NOV-2000;   2000US-0246477.
PR   08-NOV-2000;   2000US-0246478.
PR   08-NOV-2000;   2000US-0246523.
PR   08-NOV-2000;   2000US-0246524.
PR   08-NOV-2000;   2000US-0246525.
PR   08-NOV-2000;   2000US-0246526.

PR   08-NOV-2000;   2000US-0246527.
PR   08-NOV-2000;   2000US-0246528.
PR   08-NOV-2000;   2000US-0246532.
PR   08-NOV-2000;   2000US-0246609.
PR   08-NOV-2000;   2000US-0246610.
PR   08-NOV-2000;   2000US-0246611.
PR   08-NOV-2000;   2000US-0246613.
PR   17-NOV-2000;   2000US-0249207.
PR   17-NOV-2000;   2000US-0249208.
PR   17-NOV-2000;   2000US-0249209.
PR   17-NOV-2000;   2000US-0249210.
PR   17-NOV-2000;   2000US-0249211.
PR   17-NOV-2000;   2000US-0249212.
PR   17-NOV-2000;   2000US-0249213.
PR   17-NOV-2000;   2000US-0249214.
PR   17-NOV-2000;   2000US-0249215.
PR   17-NOV-2000;   2000US-0249216.
PR   17-NOV-2000;   2000US-0249217.
PR   17-NOV-2000;   2000US-0249218.
PR   17-NOV-2000;   2000US-0249244.
PR   17-NOV-2000;   2000US-0249245.
PR   17-NOV-2000;   2000US-0249264.
PR   17-NOV-2000;   2000US-0249265.
PR   17-NOV-2000;   2000US-0249297.
PR   17-NOV-2000;   2000US-0249299.
PR   17-NOV-2000;   2000US-0249300.
PR   01-DEC-2000;   2000US-0250160.
PR   01-DEC-2000;   2000US-0250391.
PR   05-DEC-2000;   2000US-0251030.
PR   05-DEC-2000;   2000US-0251988.
PR   05-DEC-2000;   2000US-0256719.
PR   05-DEC-2000;   2000US-0251479.
PR   06-DEC-2000;   2000US-0251856.
PR   08-DEC-2000;   2000US-0251868.
PR   08-DEC-2000;   2000US-0251869.
PR   08-DEC-2000;   2000US-0251989.
PR   08-DEC-2000;   2000US-0251990.
PR   11-DEC-2000;   2000US-0254097.
PR   05-JAN-2001;   2001US-0259678.
XX
PA   (HUMA-) HUMAN GENOME SCI INC.
XX
PI   Rosen CA, Barash SC, Ruben SM;
XX
DR   WPI; 2001-483426/52.
XX
PT   Nucleic acids encoding human immune/hematopoietic antigen polypeptides,
PT   useful for preventing, diagnosing and/or treating cancers and
PT   metastasis -
XX
PS   Disclosure; SEQ ID NO 32987; 3071pp + Sequence Listing; English.
XX
CC   AAK54951 to AAK64702 encode the human immune/haematopoietic antigen (I)
CC   amino acid sequences given in AAM82170 to AAM91921. (I) have cytostatic
CC   activity, and can be used in gene therapy and vaccine production. (I)
CC   proteins and polynucleotides may be used in the prevention, diagnosis and
CC   treatment of diseases associated with inappropriate (I) expression. For
CC   example, they may be used to treat disorders associated with decreased
CC   expression by rectifying mutations or deletions in a patient's genome
CC   that affect the activity of (I) by expressing inactive proteins or to
CC   supplement the patients own production of (I). Additionally, (I)
CC   polynucleotides may be used to produce the secreted (I), by inserting
CC   the nucleic acids into a host cell and culturing the cell to express the
CC   protein. (I) proteins and polynucleotides may be used to prevent,
CC   diagnose and treat immune/haematopoietic-related diseases, especially
CC   cancers and cancer metastases of haematopoietic-derived cells. AAK64703
CC   to AAK87694 represent human immune/haematopoietic antigen genomic
CC   sequences from the present invention. AAK54942 to AAK54950 and AAM82169
CC   represent sequences used in the exemplification of the present invention.
XX
SQ   Sequence 21521 BP; 6512 A; 4334 C; 4422 G; 6253 T; 0 other;
```

```
Db       1 agccctgaaaatgcatgcagggactgtgccctgtgccagctcagggcatctgctgc 60
           ||||  ||  || || |||   |||| || ||||||  || || ||
Qy     437 gccagaaggtgggaaatgagatagatcgatcctcctgtgatctcctgcattggagaatgaacaatgccc 495
           ||||||||||||||||      ||-|-|||-|-|||||-|-||||-||||-|||
Db      61 acagtcggcaaggctcccagattgaccagacagagtgtgtcatccgcatgaatgacgccc 120
Qy     497 ccaccaaaggttatgaagaagatgtcggccgcatgaccatgatccgagttgtgtcccata 556
           ||||  |||  |||| |||||||  ||  || |   || ||||  |-|||||
Db     121 ccacacgcggctatgggcgcgacgtgggcaatcgcaccagcctgagggtcatcgccgcatt 180
Qy     557 ccagcgttcctcttttgctaaaaacctgattatttttcaaggaagcgaatactacta 616
           ||  ||||-|-||||-|||||||||||-|-||||||||||-|-||||
Db     181 ccagcatccagagatcctccgcaaccgccatgacctgctcaactgagccagggcaccg 240
Qy     617 tttgtttattgggacctttccgcaatatgagaaagatggcaatggcatcgttaca 676
           ||||| ||||||||-|-||||-||||-|-||||||-|-|||||| ||| ||||
Db     241 tgttcatcttctgggcccagcagctacatccgatgccaaatatacgtgaccacagaga 300
Qy     677 acatgttgaaaaagacagttggtatctatccgaatgccaaatatacgtgaccacagaga 736
           |||  ||||||||||||-|-||||-|-|||||||-|-|||-||||
Db     301 acaactgcatcctcctgagccaggtgctgccccggctgaaggccttcatgattacctgcc 360
Qy     737 agcgcatgactactgtgatggagtttttaagaagagaaactgggaaggacagg 789
           ||| |||||||-|-||||||-|-||||||| ||||||||| |||||||
Db     361 acaagatgctgcagtttgatgagctcttcaagcaggaggactggcaaagacagg 413
```

RESULT 27
AAK78175
ID   AAK78175 standard; DNA; 21521 BP.
XX
AC   AAK78175;
XX
DT   07-NOV-2001 (first entry)
XX
DE   Human immune/haematopoietic antigen genomic sequence SEQ ID NO:32987.
XX
KW   Human; immune; haematopoietic; immune/haematopoietic antigen; cancer;
KW   cytostatic; gene therapy; vaccine; metastasis; ds.
XX
OS   Homo sapiens.
XX
PN   WO200157182-A2.
XX
PD   09-AUG-2001.
XX
PF   17-JAN-2001; 2001WO-US01354.
XX
PR   31-JAN-2000; 2000US-0179065.
PR   04-FEB-2000; 2000US-0180628.
PR   24-FEB-2000; 2000US-0184464.
PR   02-MAR-2000; 2000US-0186350.
PR   16-MAR-2000; 2000US-0189874.
PR   17-MAR-2000; 2000US-0190076.
PR   18-APR-2000; 2000US-0198123.
PR   19-MAY-2000; 2000US-0205515.
PR   07-JUN-2000; 2000US-0209467.
PR   28-JUN-2000; 2000US-0214886.
PR   30-JUN-2000; 2000US-0215135.
PR   07-JUL-2000; 2000US-0216647.
PR   07-JUL-2000; 2000US-0216880.
PR   11-JUL-2000; 2000US-0217487.
PR   11-JUL-2000; 2000US-0217496.
PR   14-JUL-2000; 2000US-0218290.
PR   26-JUL-2000; 2000US-0220963.
PR   26-JUL-2000; 2000US-0220964.
PR   14-AUG-2000; 2000US-0224518.
PR   14-AUG-2000; 2000US-0224519.
PR   14-AUG-2000; 2000US-0225213.
PR   14-AUG-2000; 2000US-0225214.
PR   14-AUG-2000; 2000US-0225266.
PR   14-AUG-2000; 2000US-0225267.

PR   08-NOV-2000; 2000US-0246613.
PR   17-NOV-2000; 2000US-0249207.
PR   17-NOV-2000; 2000US-0249208.
PR   17-NOV-2000; 2000US-0249209.
PR   17-NOV-2000; 2000US-0249210.
PR   17-NOV-2000; 2000US-0249211.
PR   17-NOV-2000; 2000US-0249212.
PR   17-NOV-2000; 2000US-0249213.
PR   17-NOV-2000; 2000US-0249214.
PR   17-NOV-2000; 2000US-0249215.
PR   17-NOV-2000; 2000US-0249216.
PR   17-NOV-2000; 2000US-0249217.
PR   17-NOV-2000; 2000US-0249218.
PR   17-NOV-2000; 2000US-0249244.
PR   17-NOV-2000; 2000US-0249245.
PR   17-NOV-2000; 2000US-0249264.
PR   17-NOV-2000; 2000US-0249265.
PR   17-NOV-2000; 2000US-0249297.
PR   17-NOV-2000; 2000US-0249299.
PR   17-NOV-2000; 2000US-0249300.
PR   01-DEC-2000; 2000US-0250391.
PR   01-DEC-2000; 2000US-0251160.
PR   05-DEC-2000; 2000US-0251030.
PR   05-DEC-2000; 2000US-0251988.
PR   05-DEC-2000; 2000US-0256719.
PR   06-DEC-2000; 2000US-0251479.
PR   08-DEC-2000; 2000US-0251856.
PR   08-DEC-2000; 2000US-0251868.
PR   08-DEC-2000; 2000US-0251869.
PR   08-DEC-2000; 2000US-0251989.
PR   08-DEC-2000; 2000US-0251990.
PR   11-DEC-2000; 2000US-0254097.
PR   05-JAN-2001; 2001US-0259678.
XX
PA   (HUMA-) HUMAN GENOME SCI INC.
XX
PI   Rosen CA, Barash SC, Ruben SM;
XX
DR   WPI; 2001-541565/60.
XX
PT   Nucleic acids encoding 3224 human nervous system antigen polypeptides,
PT   useful for preventing, diagnosing and/or treating nervous system
PT   cancers and metastases.
XX
PS   Disclosure; SEQ ID NO 13688; 1701pp + Sequence Listing; English.
XX
CC   The invention relates to novel genes (ABA11004-ABA21534) and proteins
CC   (ABB14678-ABB18001) useful for preventing, treating or ameliorating
CC   medical conditions e.g. by protein or gene therapy. The genes are
CC   isolated from a range of human tissues disclosed in the specification.
CC   The nucleic acids, proteins, antibodies and (ant)agonists are useful
CC   in the diagnosis, treatment and prevention of: (a) cancer, e.g. breast
CC   and ovarian cancer and other cancers of the adrenal gland, bone, bone
CC   marrow, breast, gastrointestinal tract, liver, lung, or urogenital;
CC   (b) immune disorders e.g. Addison's disease, allergies, autoimmune
CC   haemolytic anaemia, autoimmune thyroiditis, diabetes mellitus, Crohn's
CC   disease, multiple sclerosis, rheumatoid arthritis and ulcerative
CC   colitis; (c) cardiovascular disorders such as myocardial ischaemias;
CC   (d) wound healing; (e) neurological diseases e.g. cerebral anoxia and
CC   epilepsy; and (f) infectious diseases such as viral, bacterial, fungal
CC   and parasitic infections.
CC   Note: The sequence data for this patent did not form part of the
CC   printed specification, but was obtained in electronic format directly
CC   from WIPO at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ   Sequence 21521 BP; 6512 A; 4334 C; 4422 G; 6253 T; 0 other;

Query Match   6.3%; Score 81.8; DB 22; Length 21521;
Best Local Similarity 49.9%; Pred. No. 6.8e-15;
Matches 206; Mismatches 207; Conservative   0; Indels   0; Gaps   0;

Qy   377 agccttgcaactggactggactttgtgccatagtgtcaaactcaggtcagatggttg 436
```

```
Qy   574 ctaaaaaccctgattatttttcaaggaagcgaatactactatttgtgtattgggga 633
          ||| |-|| || | ||| |||| |||| | || ||||| | | |||||
Db   627 ctgaggaggccccaggagtttgtcaaccggacccctgaaaccgttcatcttctggggg 686

Qy   634 ccttccgcaatatgaggaaagatggcaatgcatcgtttacaacatgttgaaaaagaca 693
          || ||||| ||| || || | |-| ||| ||| | | |||| ||
Db   687 cccccgagcaagatgcaga---agcccgcagcctcgtgcgtgtgatccagcgagcg 743

Qy   694 gttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgt 753
          || | ||| |-|| | |||| | ||||||||| |
Db   744 ggcctggtgtccccaacatggaagcatatgccgtctctcccggccgcatgcggcaattt 803

Qy   754 gatggagttttaagaaggaaactgggaaggacagggggca 794
          ||-| || |-||| || ||||||||||| |
Db   804 gacgacctctccgggtgagacgggtgagacgggacagggagaa 844

RESULT 26
ABA21357
ID   ABA21357 standard; DNA; 21521 BP.
XX
AC   ABA21357;
XX
DT   23-JAN-2002  (first entry)
XX
DE   Human nervous system related polynucleotide SEQ ID NO 13688.
XX
KW   Human; nootropic; neuroprotective; cytostatic; dermatological; virucide;
KW   immunosuppressive; antiinflammatory; anti-HIV; antibacterial; vulnerary;
KW   antiparkinsonian; antisickling; antianaemic; antiarthritic; cancer;
KW   antirheumatic; hepatotropic; cerebroprotective; antiinflammatory;
KW   antiallergic; antidiabetic; antiulcer; anticonvulsant; antifungal;
KW   antiparasitic; cardiant; immune disorder; cardiovascular disorder;
KW   neurological disease; infection; nephrotropic; gene therapy; vaccine; ds.
XX
OS   Homo sapiens.
XX
PN   WO200159063-A2.
XX
PD   16-AUG-2001.
XX
PF   17-JAN-2001; 2001WO-US01334.
XX
PR   31-JAN-2000; 2000US-0179065.   18-AUG-2000; 2000US-0226279.
PR   04-FEB-2000; 2000US-0180628.   22-AUG-2000; 2000US-0226681.
PR   24-FEB-2000; 2000US-0184664.   22-AUG-2000; 2000US-0226868.
PR   02-MAR-2000; 2000US-0186350.   22-AUG-2000; 2000US-0227182.
PR   16-MAR-2000; 2000US-0189874.   23-AUG-2000; 2000US-0227009.
PR   17-MAR-2000; 2000US-0190076.   30-AUG-2000; 2000US-0228924.
PR   18-APR-2000; 2000US-0198123.   01-SEP-2000; 2000US-0229287.
PR   19-MAY-2000; 2000US-0205515.   01-SEP-2000; 2000US-0229343.
PR   07-JUN-2000; 2000US-0209467.   01-SEP-2000; 2000US-0229344.
PR   28-JUN-2000; 2000US-0214886.   01-SEP-2000; 2000US-0229345.
PR   30-JUN-2000; 2000US-0215135.   05-SEP-2000; 2000US-0229509.
PR   07-JUL-2000; 2000US-0216647.   05-SEP-2000; 2000US-0229513.
PR   07-JUL-2000; 2000US-0216880.   06-SEP-2000; 2000US-0230437.
PR   11-JUL-2000; 2000US-0217487.   06-SEP-2000; 2000US-0230438.
PR   11-JUL-2000; 2000US-0217496.   08-SEP-2000; 2000US-0231242.
PR   14-JUL-2000; 2000US-0218290.   08-SEP-2000; 2000US-0231243.
PR   26-JUL-2000; 2000US-0220963.   08-SEP-2000; 2000US-0231244.
PR   26-JUL-2000; 2000US-0220964.   08-SEP-2000; 2000US-0231413.
PR   14-AUG-2000; 2000US-0224518.   08-SEP-2000; 2000US-0231414.
PR   14-AUG-2000; 2000US-0224519.   08-SEP-2000; 2000US-0232080.
PR   14-AUG-2000; 2000US-0225213.   08-SEP-2000; 2000US-0232081.
PR   14-AUG-2000; 2000US-0225214.   12-SEP-2000; 2000US-0231968.
PR   14-AUG-2000; 2000US-0225266.   14-SEP-2000; 2000US-0232397.
PR   14-AUG-2000; 2000US-0225267.   14-SEP-2000; 2000US-0232398.
PR   14-AUG-2000; 2000US-0225268.   14-SEP-2000; 2000US-0232399.
PR   14-AUG-2000; 2000US-0225270.   14-SEP-2000; 2000US-0232400.
PR   14-AUG-2000; 2000US-0225447.   14-SEP-2000; 2000US-0232401.
PR   14-AUG-2000; 2000US-0225757.   14-SEP-2000; 2000US-0233063.
PR   14-AUG-2000; 2000US-0225758.   14-SEP-2000; 2000US-0233064.
PR   14-AUG-2000; 2000US-0225759.   14-SEP-2000; 2000US-0233065.
                                    14-SEP-2000; 2000US-0234223.
                                    21-SEP-2000; 2000US-0234274.
                                    25-SEP-2000; 2000US-0234997.
                                    25-SEP-2000; 2000US-0234998.
                                    26-SEP-2000; 2000US-0235484.
                                    27-SEP-2000; 2000US-0235834.
                                    27-SEP-2000; 2000US-0235836.
                                    29-SEP-2000; 2000US-0236327.
                                    29-SEP-2000; 2000US-0236367.
                                    29-SEP-2000; 2000US-0236368.
                                    29-SEP-2000; 2000US-0236369.
                                    29-SEP-2000; 2000US-0236370.
                                    02-OCT-2000; 2000US-0236802.
                                    02-OCT-2000; 2000US-0237037.
                                    02-OCT-2000; 2000US-0237038.
                                    02-OCT-2000; 2000US-0237039.
                                    02-OCT-2000; 2000US-0237040.
                                    13-OCT-2000; 2000US-0239935.
                                    13-OCT-2000; 2000US-0239937.
                                    20-OCT-2000; 2000US-0240960.
                                    20-OCT-2000; 2000US-0241785.
                                    20-OCT-2000; 2000US-0241786.
                                    20-OCT-2000; 2000US-0241787.
                                    20-OCT-2000; 2000US-0241808.
                                    20-OCT-2000; 2000US-0241809.
                                    20-OCT-2000; 2000US-0241826.
                                    01-NOV-2000; 2000US-0242221.
                                    08-NOV-2000; 2000US-0244617.
                                    08-NOV-2000; 2000US-0246474.
                                    08-NOV-2000; 2000US-0246475.
                                    08-NOV-2000; 2000US-0246476.
                                    08-NOV-2000; 2000US-0246477.
                                    08-NOV-2000; 2000US-0246478.
                                    08-NOV-2000; 2000US-0246523.
                                    08-NOV-2000; 2000US-0246524.
                                    08-NOV-2000; 2000US-0246525.
                                    08-NOV-2000; 2000US-0246526.
                                    08-NOV-2000; 2000US-0246527.
                                    08-NOV-2000; 2000US-0246528.
                                    08-NOV-2000; 2000US-0246532.
                                    08-NOV-2000; 2000US-0246609.
                                    08-NOV-2000; 2000US-0246610.
                                    08-NOV-2000; 2000US-0246611.
```

XX
DR WPI; 2001-442253/47.
DR P-PSDB; AAM41144.
XX
PT Novel nucleic acids and polypeptides, useful for treating disorders
    such as central nervous system injuries -
XX
PS Claim 1; SEQ ID NO 4289; 10078pp; English.
XX
CC The invention relates to human nucleic acids (AAI57798-AAI61369) and
CC the encoded polypeptides (AAM38642-AAM42213) with nootropic,
CC immunosuppressant and cytostatic activity. The polynucleotides are useful
CC in gene therapy. A composition containing a polypeptide or polynucleotide
CC of the invention may be used to treat diseases of the peripheral nervous
CC system, such as peripheral nervous injuries, peripheral neuropathy and
CC localised neuropathies, and central nervous system diseases, such as
CC Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic
CC lateral sclerosis, and Shy-Drager Syndrome. Other uses include the
CC utilisation of the activities such as: Immune system suppression,
CC Activin/inhibin activity, chemotactic/chemokinetic activity, haemostatic
CC and thrombolytic activity, cancer diagnosis and therapy, drug screening,
CC assays for receptor activity, arthritis and inflammation, leukaemias and
CC C.N.S disorders.
CC Note: The sequence data for this patent did not form part of the printed
CC specification.
XX
SQ Sequence 2652 BP; 509 A; 787 C; 794 G; 562 T; 0 other;

Query Match   6.4%;   Score 82.6; DB 22; Length 2652;
Best Local Similarity   52.1%;   Pred. No. 9.2e-16;
Matches 209; Conservative   0; Mismatches 189; Indels   3; Gaps   1;

Qy   394 tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat 453
          || ||| |||| ||||||||||||| || | ||| | | ||||||||| |||||||| |
Db   402 tgccaccagtgtgttgattgtcagcagctccagcacctgctgggcaccaagctggccct 461

Qy   454 gagatagatcgatcctcctgcatttggagaatgacaatgccccaccaaaggttatgaa 513
          |||||| | ||| ||| | |||||||| ||||| | ||||||||||||| | || | |
Db   462 ggatcgagcgggctagtgtacaatccgctgaatgatgcaccccaccacggctactca 521

Qy   514 gaagatgtcggccgatgaccatgtgagttgtgtccacacagcgttcctctttg 573
          | ||||||||| ||||| ||||||| |||||||||||| ||||| ||||||| |
Db   522 gctgatgtgggcaacaagaccacctaccgcgtcggccattccagtgttccgcgtg 581

Qy   574 ctaaaaacctgattatttttcaaggaagcgaatactacatttgtgttatttggg ga 633
          || | |||||||| ||| | ||||||||| | |||||||| |||| |||| |||||
Db   582 ctgaggaggcccagagtttgtcaaccggacccctgaaccgtgttcatcttctgggg 641

Qy   634 ccttccgcaatatgaggaaagatggcaatgcatcgttacacatgttgaaaaagaca 693
          || ||| | | | | || ||||| ||| | | | ||||||| | || | || | |
Db   642 ccccgcagcaagatgcaga--agccccaggcagcctcgtgcgtgatccagcgagcg 698

Qy   694 gttggtatctatccgaatgccaaatatacgtgaccacagaagcgcatgagttactgt 753
          | |||| | | |||| | | ||| | | | | | |||||| ||| || | |
Db   699 ggcctggtgttccccaacatgaagccatatgccgtctcccccggccgccatgcggcaattt 758

Qy   754 gatggagttttaaagaagaaactgggaagaacaggggcca 794
          || | ||| |||||||||||||||||||||| | |
Db   759 gacgacctcttccggggtgagacgggacaggacaggagaa 799

RESULT 25
AAI58514
ID AAI58514 standard; cDNA; 2697 BP.
XX
AC AAI58514;
XX
DT 22-OCT-2001 (first entry)
XX
DE Human polynucleotide SEQ ID NO 717.
XX
KW Human; nootropic; immunosuppressant; cytostatic; gene therapy; cancer;

KW peripheral nervous system; neuropathy; central nervous system; CNS;
KW Alzheimer's; Parkinson's disease; Huntington's disease; haemostatic;
KW amyotrophic lateral sclerosis; Shy-Drager Syndrome; chemotactic;
KW chemokinetic; thrombolytic; drug screening; arthritis; inflammation;
KW leukaemia; ss.
XX
OS Homo sapiens.
XX
PN WO200153312-A1.
XX
PD 26-JUL-2001.
XX
PF 26-DEC-2000; 2000WO-US34263.
XX
PR 21-JAN-2000; 2000US-0488725.
PR 25-APR-2000; 2000US-0552317.
PR 09-JUL-2000; 2000US-0598042.
PR 19-JUL-2000; 2000US-0620312.
PR 03-AUG-2000; 2000US-0653450.
PR 14-SEP-2000; 2000US-0662191.
PR 19-OCT-2000; 2000US-0693036.
PR 29-NOV-2000; 2000US-0727344.
XX
PA (HYSE-) HYSEQ INC.
XX
PI Tang YT, Liu C,   Asundi V, Chen R,   Ma Y,   Qian XB, Ren F, Wang D;
PI Wang J,   Wang Z, Wehrman T, Xu C, Xue AJ, Yang Y, Zhang J;
PI Zhao QA, Zhou P, Goodrich R, Drmanac RT;
XX
DR WPI; 2001-442253/47.
DR P-PSDB; AAM39358.
XX
PT Novel nucleic acids and polypeptides, useful for treating disorders
    such as central nervous system injuries.
XX
PS Claim 1; SEQ ID NO 717; 10078pp; English.
XX
CC The invention relates to human nucleic acids (AAI57798-AAI61369) and
CC the encoded polypeptides (AAM38642-AAM42213) with nootropic,
CC immunosuppressant and cytostatic activity. The polynucleotides are useful
CC in gene therapy. A composition containing a polypeptide or polynucleotide
CC of the invention may be used to treat diseases of the peripheral nervous
CC system, such as peripheral nervous injuries, peripheral neuropathy and
CC localised neuropathies and central nervous system diseases, such as
CC Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic
CC lateral sclerosis, and Shy-Drager Syndrome. Other uses include the
CC utilisation of the activities such as: Immune system suppression,
CC Activin/inhibin activity, chemotactic/chemokinetic activity, haemostatic
CC and thrombolytic activity, cancer diagnosis and therapy, drug screening,
CC assays for receptor activity, arthritis and inflammation, leukaemias and
CC C.N.S disorders.
CC Note: The sequence data for this patent did not form part of the printed
CC specification.
XX
SQ Sequence 2697 BP; 515 A; 802 C; 810 G; 570 T; 0 other;

Query Match   6.4%;   Score 82.6; DB 22; Length 2697;
Best Local Similarity   52.1%;   Pred. No. 9.3e-16;
Matches 209; Conservative   0; Mismatches 189; Indels   3; Gaps   1;

Qy   394 tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat 453
          || ||| |||| ||||||||||||| || | ||| | | ||||||||| |||||||| |
Db   447 tgccaccagtgtgttgattgtcagcagctccagcacctgctgggcaccaagctggccct 506

Qy   454 gagatagatcgatcctcctgcatttggagaatgacaatgccccaccaaaggttatgaa 513
          |||||| | ||| ||| | |||||||| ||||| | ||||||||||||| | || | |
Db   507 gagatcgagcgggctagtgtacaatccgctgaatgatgcaccccaccacggctactca 566

Qy   514 gaagatgtcggccgatgaccatgtgagttgtgtccacacagcgttcctctttg 573
          | ||||||||| ||||| ||||||| |||||||||||| ||||| ||||||| |
Db   567 gctgatgtgggcaacaagaccacctaccgcgtcggccattccagtgttccgcgtg 626

```
Qy   694 gttgtatctatcggaatgcccaaatatacgtgaccacagagaagcgcatgagttactgt 753
             | || || || ||| ||| | ||||||| ||
Db   691 ggcctggtgtcccaacatggaagcatatgccgtctctcccggccgcatgcggcaattt 750

Qy   754 gatggagtttttaaggaagaggaaactgggaaggggggca 794
             || ||| ||| | ||| | ||||||||| |
Db   751 gacgacctcttccgggtgagacgggcaaggacaggggagaa 791
```

RESULT 23
AAA39057
ID   AAA39057 standard; cDNA; 2409 BP.
XX
AC   AAA39057;
XX
DT   30-AUG-2000   (first entry)
XX
DE   Human secreted protein gene 6 SEQ ID NO:16.
XX
KW   Human; secreted protein; cytostatic; anti-proliferative; vulnerary;
KW   immunosuppressive; antibacterial; diagnosis; immune system; chemotaxis;
KW   hyperproliferative disorder; infectious disease; tissue regeneration;
KW   screening; food additive; preservative; wound healing;
KW   hyper-vascular disease; ss.
XX
OS   Homo sapiens.
XX
PN   WO200017222-A1.
XX
PD   30-MAR-2000.
XX
PF   22-SEP-1999;   99WO-US22012.
XX
PR   23-SEP-1998;   98US-0101546.
PR   02-OCT-1998;   98US-0102895.
XX
PA   (HUMA-) HUMAN GENOME SCI INC.
XX
PI   Ruben SM, Rosen CA, Duan RD, Shi Y, Lafleur DW, Young PE, Ni J;
PI   Komatsoulis G, Endress GA, Soppet DR;
XX
DR   WPI; 2000-283538/24.
DR   P-PSDB; AAB08896.
XX
PT   Human secreted proteins and coding sequences useful in diagnostic and
PT   therapeutic methods for disorders such as immune system or
PT   proliferative disorders, related to the proteins
XX
PS   Claim 1; Page 324; 416pp; English.
XX
CC   The polynucleotide sequences given in AAA39052 to AAA39088 encode the
CC   human secreted proteins given in AAB08891 to AAB08984. The human secreted
CC   proteins can have activities based on the tissues and cells they are
CC   expressed in. Examples of the activities are: cytostatic;
CC   anti-proliferative; immunosuppressive; antibacterial; and vulnerary. The
CC   secreted proteins and their related polynucleotide sequences are useful
CC   for diagnostic and therapeutic methods useful for diagnosing and treating
CC   disorders related to the secreted proteins. The proteins, and
CC   polynucleotide sequences may be useful for treating disorders of the
CC   immune system, hyperproliferative disorders, infectious disease,
CC   regeneration of tissues, for chemotaxis and for screening molecules that
CC   bind to the proteins. The proteins or polynucleotide sequences may be
CC   used as food additives or preservatives, to increase or decrease storage
CC   capabilities, fat content, lipid, protein, carbohydrate, vitamins,
CC   minerals, co-factors or other nutritional components. Agonists or
CC   antagonists of the proteins may be used to prevent scar tissue growth
CC   during wound healing, and hyper-vascular diseases. AAA39043 to AAA39051
CC   and AAB08890 are sequences used in the exemplification of the present
CC   invention.
XX
SQ   Sequence 2409 BP; 482 A; 712 C; 712 G; 503 T; 0 other;
```

```
Query Match         6.4%;  Score 82.6; DB 21; Length 2409;
Best Local Similarity  52.1%;  Pred. No. 8.6e-16;
Matches 209;  Conservative  0; Mismatches 189;  Indels  3; Gaps  1;

Qy   394 tgtgaccttgtgccatagtgtcaaactcaggtcagtcgatggttggccagaaggtgggaaat 453
             || ||| |||| | | ||| || |||| ||| | ||| |||
Db   414 tgccaccagtgtgtgattgtcagcagctccagcatccagcctgctgggcaccaagctgggccct 473

Qy   454 gagatagatcgatcctcctgcatttggagaatgaacaatgcccccaccaaaggttatgaa 513
             |||||| || || || | ||| | ||| ||||| |||||| ||
Db   474 gagatcgagcggcggggctgagtgtacaatccgcatgaatgatgcaccccaccggctactca 533

Qy   514 gaagatgtcggcgccgatgaccatgagttgtgtcccataccagcgttcctctttg 573
             | |||| ||| || || |||| | || |||| ||| ||| | |
Db   534 gctgatgtgggcaacaagaccacctaccgtcgtggccattccagtgtgttccgcgtg 593

Qy   574 ctaaaaaacctgattattttttcaaggaagcggaatactactatttgtgtattgggga 633
             || | | ||| || ||| |||| ||| |
Db   594 ctgaggaggccccaggagtttgtcaaccggaccccctgaaacgtgttcatcttctggggg 653

Qy   634 ccttccgcaatatgaggaaagatggcaatggcatcgtttacaacatgtgaaaaagaca 693
             ||| ||| | || | |||| |
Db   654 ccccgagcaagatgcaga---agccccaggcgagctcgtgctgtgatccagccgagcg 710

Qy   694 gttggtatctatcggaatgcccaaatatacgtgaccacagagaagaagcgcatgagttactgt 753
             | || || ||||||| | ||| |
Db   711 ggcctggtgtcccaacatggaagcatatgccgtctctcccggccgcatgcggcaattt 770

Qy   754 gatggagtttttaagaaggaaactgggaaggggacagggggca 794
             || ||| |||||||| | |||| ||| |||| |
Db   771 gacgacctcttccgggtgagacgggcaaggacaggggagaa 811
```

RESULT 24
AAI60300
ID   AAI60300 standard; cDNA; 2652 BP.
XX
AC   AAI60300;
XX
DT   22-OCT-2001   (first entry)
XX
DE   Human polynucleotide SEQ ID NO 4289.
XX
KW   Human; nootropic; immunosuppressant; cytostatic; gene therapy; cancer;
KW   peripheral nervous system; neuropathy; central nervous system; CNS;
KW   Alzheimer's; Parkinson's disease; Huntington's disease; haemostatic;
KW   amyotrophic lateral sclerosis; Shy-Drager Syndrome; chemotactic;
KW   chemokinetic; thrombolytic; drug screening; arthritis; inflammation;
KW   leukaemia; ss.
XX
OS   Homo sapiens.
XX
PN   WO200153312-A1.
XX
PD   26-JUL-2001.
XX
PF   26-DEC-2000;   2000WO-US34263.
XX
PR   21-JAN-2000;   2000US-0488725.
PR   25-APR-2000;   2000US-0552317.
PR   09-JUL-2000;   2000US-0598042.
PR   19-JUL-2000;   2000US-0620312.
PR   03-AUG-2000;   2000US-0653450.
PR   14-SEP-2000;   2000US-0662191.
PR   19-OCT-2000;   2000US-0693036.
PR   29-NOV-2000;   2000US-0727344.
XX
PA   (HYSE-) HYSEQ INC.
XX
PI   Tang YT, Liu C, Asundi V, Chen R, Ma Y, Qian XB, Ren F, Wang D;
PI   Wang J, Wang Z, Wehrman T, Xu C, Xue AJ, Yang Y, Zhang J;
PI   Zhao QA, Zhou P, Goodrich R, Drmanac RT;

XX
PI   Baker KP, Chen J, Desnoyers L, Goddard A, Godowski PJ,   Gurney AL;
PI   Pan J, Smith V, Watanabe CK, Wood WI, Zhang Z;
XX
DR   WPI; 2001-602746/68.
DR   P-PSDB; AAU29126.
XX
PT   Novel nucleic acids encoding PRO polypeptides, used to diagnose the
PT   presence of tumours, such as prostate and breast tumours, in mammals and
PT   to screen for modulators of the compounds -
XX
PS   Claim 2; Fig 205; 774pp; English.
XX
CC   Sequences AAS45925-AAS46231 represent DNA molecules encoding and PCR
CC   primers for PRO polypeptides of the invention. The sequences of the
CC   invention can be used to detect the presence of a tumour in a mammal by
CC   comparing the level of expression of a PRO polypeptide in a test sample
CC   of cells from the animal and a control sample of normal cells, whereby a
CC   higher level of expression in the test sample indicates the presence of a
CC   tumour in the mammal. Mammals include dogs, cats, cattle, horses, sheep,
CC   pigs, goats and rabbits but are preferably human. The polypeptides can be
CC   used to stimulate tumour necrosis factor (TNF) alpha release from human
CC   blood, when contacted with it. A specific polypeptide can be used to
CC   stimulate the proliferation or differentiation of chondrocyte cells. The
CC   PRO proteins can be used to determine the presence of tumours and also
CC   susceptibility to tumour development, particularly adrenal, lung, colon,
CC   breast, prostate, rectal, cervical, or liver tumours, in mammalian
CC   subjects. The oligonucleotide probes specific for the PRO nucleic acids
CC   can be used for genetic analysis of individuals with genetic disorders.
XX
SQ   Sequence 2401 BP; 491 A; 697 C; 690 G; 523 T; 0 other;

Query Match   6.4%;   Score 82.6;   DB 22;   Length 2401;
Best Local Similarity   52.1%;   Pred. No. 8.6e-16;
Matches 209;   Conservative   0;   Mismatches 189;   Indels   3;   Gaps   1;

Qy   394 tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat 453
           || ||| |||| |||| | ||| | || || ||||| ||||| ||| || |||||||
Db   394 tgccaccagtgtgattgtcagcagctccagccacctgggcaccaagctgggccct 453

Qy   454 gagatagatcgatcctcctgcattggaagatgaacaatgcccccccaaaggttatgaa 513
           ||||| || ||| | | | || |||||||||| || |||||||| |||| |||
Db   454 gagatcgagcgggctgagtgtacaatccgcatgaatgatgcgaccccaccactggctactca 513

Qy   514 gaagatgtcggccgccgaccatgatccgagttgtgtcccataccagcgttcctcctttg 573
           | | ||||| || || ||||| ||| ||| | ||| |||| |||||||| || ||
Db   514 gctgatgtgggcaacaagaccacctaccgcgtcgtggccattccagtgtgttccgcgtg 573

Qy   574 ctaaaaaacctgattattttttcaaggaagcgaatactactatttgtgttattgggga 633
           || | | || || | | || |||| || ||||| |||||| | | || | ||||
Db   574 ctgaggaggcccccaggagtttgtcaaccggacccctgaaaccgtgtcatcttctcggggg 633

Qy   634 ccttccgcaatatgaggaaagatggcaatggcaatgcagtgtttacaacatgttgaaaagaca 693
            | ||| ||||| ||||| |||| || | ||||| |||| | || || ||||| |
Db   634 ccccgcagcaagatgcaga---agccccagggcagcctcgtgtcgtgatccagccgagcg 690

Qy   694 gttggtatctatccgaatgccacaatatacgtgaccacagagaagcgcatgagttactgt 753
           || || ||| || || || | | | || || |||| || || | | |||| ||
Db   691 ggcctggtgttcccacaacatggaagcatatgccgtctcccggccgcatgcgccaattt 750

Qy   754 gatggagttttaagaagaggaaactgggaaggacaggggca 794
           ||| | ||||| || ||| | ||| | ||| | ||| ||
Db   751 gacgacctcttccgggggtgagcgggcaggacaggagagaa 791

RESULT 22
AAF54240
ID   AAF54240 standard; DNA; 2401 BP.
XX
AC   AAF54240;
XX
DT   02-APR-2001 (first entry)

XX
DE   DNA encoding protein of the invention #17.
XX
KW   Secreted; transmembrane; gene therapy; ss.
XX
OS   Unidentified.
XX
PN   WO200078961-A1.
XX
PD   28-DEC-2000.
XX
PF   18-FEB-2000; 2000WO-US04342.
XX
PR   23-JUN-1999;   99US-0141037.
PR   20-JUL-1999;   99US-0145698.
PR   26-JUL-1999;   99US-0145698.
PR   01-SEP-1999;   99WO-US20111.
PR   29-OCT-1999;   99US-0162506.
PR   30-NOV-1999;   99WO-US28313.
PR   02-DEC-1999;   99WO-US28551.
PR   16-DEC-1999;   99WO-US30095.
PR   05-JAN-2000;   2000WO-US00219.
PR   06-JAN-2000;   2000WO-US00376.
XX
PA   (GETH) GENENTECH INC.
XX
PI   Baker KP, Botstein D, Desnoyers L, Eaton DL, Ferrara N, Fong S;
PI   Gao W, Goddard A, Godowski PJ, Grimaldi CJ, Gurney AL, Hillan KJ;
PI   Pan J, Paoni NF, Roy MA, Smith V, Stewart TA, Tumas D;
PI   Watanabe CK, Williams PM, Wood WI;
XX
DR   WPI; 2001-071395/08.
XX
PT   Secreted and transmembrane proteins and nucleic acids designated PRO,
PT   useful as hybridization probes, in chromosome and gene mapping and gene
PT   therapy -
XX
PS   Claim 2; Fig 33; 787pp; English.
XX
CC   The present invention relates to secreted and transmembrane proteins.
CC   These proteins and the DNA encoding them may be used as hybridization
CC   probes, in chromosome and gene mapping and in the generation of
CC   anti-sense RNA and DNA. They may also be used to generate either
CC   transgenic animals or knockout animals which are in turn useful for
CC   development and screening of therapeutically useful reagents.
CC   The nucleic acids may also be used in gene therapy.
XX
SQ   Sequence 2401 BP; 491 A; 697 C; 690 G; 523 T; 0 other;

Query Match   6.4%;   Score 82.6;   DB 22;   Length 2401;
Best Local Similarity   52.1%;   Pred. No. 8.6e-16;
Matches 209;   Conservative   0;   Mismatches 189;   Indels   3;   Gaps   1;

Qy   394 tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat 453
           || ||| |||| |||| | ||| | || || ||||| ||||| ||| || |||||||
Db   394 tgccaccagtgtgattgtcagcagctccagccacctgggcaccaagctgggccct 453

Qy   454 gagatagatcgatcctcctgcattggaagatgaacaatgcccccccaaaggttatgaa 513
           ||||| || ||| | | | || |||||||||| || |||||||| |||| |||
Db   454 gagatcgagcgggctgagtgtacaatccgcatgaatgatgcgaccccaccactggctactca 513

Qy   514 gaagatgtcggccgccgaccatgatccgagttgtgtcccataccagcgttcctcctttg 573
           | | ||||| || || ||||| ||| ||| | ||| |||| |||||||| || ||
Db   514 gctgatgtgggcaacaagaccacctaccgcgtcgtggccattccagtgtgttccgcgtg 573

Qy   574 ctaaaaaacctgattattttttcaaggaagcgaatactactatttgtgttattgggga 633
           || | | || || | | || |||| || ||||| |||||| | | || | ||||
Db   574 ctgaggaggcccccaggagtttgtcaaccggacccctgaaaccgtgtcatcttctcggggg 633

Qy   634 ccttccgcaatatgaggaaagatggcaatggcaatgcagtgtttacaacatgttgaaaagaca 693
            | ||| ||||| ||||| |||| || | ||||| |||| | || || ||||| |
Db   634 ccccgcagcaagatgcaga---agccccagggcagcctcgtgtcgtgatccagccgagcg 690

```
PR    03-NOV-1998;    98US-0106919.
PR    03-NOV-1998;    98US-0106932.
PR    10-NOV-1998;    98US-0106934.
PR    17-NOV-1998;    98US-0107783.
PR    17-NOV-1998;    98US-0108775.
PR    17-NOV-1998;    98US-0108779.
PR    17-NOV-1998;    98US-0108787.
PR    17-NOV-1998;    98US-0108788.
PR    17-NOV-1998;    98US-0108801.
PR    17-NOV-1998;    98US-0108802.
PR    17-NOV-1998;    98US-0108806.
PR    17-NOV-1998;    98US-0108807.
PR    17-NOV-1998;    98US-0108867.
PR    17-NOV-1998;    98US-0108925.
PR    18-NOV-1998;    98US-0108848.
PR    18-NOV-1998;    98US-0108849.
PR    18-NOV-1998;    98US-0108850.
PR    18-NOV-1998;    98US-0108851.
PR    18-NOV-1998;    98US-0108852.
PR    18-NOV-1998;    98US-0108858.
PR    18-NOV-1998;    98US-0108904.
XX
PA    (GETH )  GENENTECH INC.
XX
PI    Baker K,  Goddard A,  Gurney AL,  Smith V,  Watanabe CK,  Wood WI;
XX
DR    WPI; 2000-237871/20.
DR    P-PSDB; AAY99356.
XX
PT    New mammalian DNA sequences encoding transmembrane, receptor or
PT    secreted PRO polypeptides, useful for screening of potential peptide or
PT    small molecule inhibitors of the relevant receptor/ligand interactions
XX
PS    Claim 2; Fig 33; 773pp; English.
XX
CC    AAA37022 to AAA37144 encode the new isolated human transmembrane,
CC    receptor or secreted PRO polypeptides given in AAY99340 to AAY99462. The
CC    transmembrane and receptor PRO proteins can be used for screening of
CC    potential peptide or small molecule inhibitors of the relevant
CC    receptor/ligand interactions. The polypeptides and nucleotide sequences
CC    encoding then have various industrial applications, including uses as
CC    pharmaceutical and diagnostic agents. AAA37145 to AAA37330 represent
CC    PCR primers and hybridisation probes used in the isolation of the PRO
CC    polypeptides from the present invention.
XX
SQ    Sequence 2401 BP; 491 A; 697 C; 690 G; 523 T; 0 other;

Query Match        6.4%;    Score 82.6;  DB 21;  Length 2401;
Best Local Similarity   52.1%;    Pred. No. 8.6e-16;
Matches  209;    Conservative    0;  Mismatches  189;    Indels    3;    Gaps    3;

Qy    394  tgtgacctttgtgccatagtgtcaaactcaggtcagatgttggcagaaggtgggaaat  453
                  ||| ||||  ||  | || |||| || ||||| | ||| || |||   |||| |
Db    394  tgccaccagtgtgtgattgtcagcagctccagcgcacctggcaccaagctggccct   453

Qy    454  gagatagatgatcctcctgcatttggagagatgaacaatgccccaccaaggttatgaa   513
                  |||||-|||-|| |    || |  ||||||| |||||| | || |
Db    454  gagatcgagcgggctgagtgtacaatccgatccgatgatgatgcaccaccactggctactca  513

Qy    514  gaagtgtcggccgccatgaccatgattccagttgtgtcccataccagcgttcctctttg  573
                  ||  |||| ||||| | ||||||| || ||||| |||| | || ||||||
Db    514  gctgatgtgggcaacaagaccacctaccgcgtcggtggccattccagtgttccgcgtg   573

Qy    574  ctaaaaaacctgattattttcaaggaagcgaatactactatttgtgttattgggga  633
                  || | | |||  | || ||||  |   || |   || ||| | |||||
Db    574  ctgaggaggcccaggagtttgtcaaccgacccctgaaccgtgttcatcttctgggggg  633

Qy    634  cctttccgcaatatgaggaaagatggcaatggcatcgttacacatgttgaaaaagaca  693
                  ||   | | | ||||| |  |-|| |||| ||   || || |
Db    634  ccccgagcaagatgcaga---agcccaggcagcctcgtgtgatccagccagcgagcg   690

Qy    694  gttggtatctatccgaatgcccaaatatactgaccacagagaagcgcatgagttactgt  753
```

```
Db    691  ggcctggtgttcccaacatggaagcatatgcggtcctctcccggccggcatgcggcaattt  750
                  |  ||  || ||  |||  || ||  ||  |||  ||||||||||||||||  |||
Qy    754  gatgagttttaagaaggaaactggaaggacagggggca  794
                  ||| ||  |||-| ||-|| | |||||||||||||  |
Db    751  gacgacctccggggtgagacgggcaaggacggggaggga  791
```

```
RESULT  21
AAS46027
ID    AAS46027 standard; cDNA; 2401 BP.
XX
AC    AAS46027;
XX
DT    18-DEC-2001  (first entry)
XX
DE    Human DNA encoding PRO polypeptide sequence #103.
XX
KW    PRO polypeptide; mammal; tumour; cancer; human; cattle; horse; sheep; ss;
KW    dog; cat; pig; goat; rabbit; tumour necrosis factor alpha; TNF-alpha;
KW    blood; chondrocyte cell; cell proliferation; cell differentiation; colon;
KW    adrenal; lung; breast; prostate; rectum; cervix; liver; genetic disorder;
KW    PCR primer.
XX
OS    Homo sapiens.
XX
PN    WO20016848-A2.
XX
PD    20-SEP-2001.
XX
PF    28-FEB-2001;  2001WO-US06520.
XX
PR    01-MAR-2000;  2000WO-US05601.
PR    02-MAR-2000;  2000WO-US05841.
PR    03-MAR-2000;  2000US-187202P.
PR    06-MAR-2000;  2000US-186968P.
PR    14-MAR-2000;  2000US-189320P.
PR    14-MAR-2000;  2000US-189328P.
PR    15-MAR-2000;  2000WO-US06884.
PR    21-MAR-2000;  2000US-190828P.
PR    21-MAR-2000;  2000US-191007P.
PR    21-MAR-2000;  2000US-191048P.
PR    21-MAR-2000;  2000US-191314P.
PR    28-MAR-2000;  2000US-192655P.
PR    29-MAR-2000;  2000US-193032P.
PR    29-MAR-2000;  2000US-193053P.
PR    30-MAR-2000;  2000WO-US08439.
PR    04-APR-2000;  2000US-194449P.
PR    04-APR-2000;  2000US-194647P.
PR    11-APR-2000;  2000US-195975P.
PR    11-APR-2000;  2000US-196000P.
PR    11-APR-2000;  2000US-196187P.
PR    11-APR-2000;  2000US-196690P.
PR    11-APR-2000;  2000US-196820P.
PR    18-APR-2000;  2000US-198121P.
PR    18-APR-2000;  2000US-198585P.
PR    25-APR-2000;  2000US-199397P.
PR    25-APR-2000;  2000US-199550P.
PR    25-APR-2000;  2000US-199654P.
PR    03-MAY-2000;  2000US-201516P.
PR    17-MAY-2000;  2000US-US13705.
PR    22-MAY-2000;  2000WO-US14042.
PR    30-MAY-2000;  2000WO-US14941.
PR    02-JUN-2000;  2000WO-US15264.
PR    05-JUN-2000;  2000US-209032P.
PR    28-JUL-2000;  2000WO-US20710.
PR    22-AUG-2000;  2000US-0644848.
PR    24-AUG-2000;  2000WO-US23328.
PR    08-NOV-2000;  2000WO-US30952.
PR    01-DEC-2000;  2000US-US32678.
PR    20-DEC-2000;  2000WO-US34956.
XX
PA    (GETH )  GENENTECH INC.
```

```
Db   433 gagatcgagcggcggctgagtgtacaatccgcatgatgatgcaccaccactggctactca 492

Qy   514 gaagatgtcgccgcatgaccatgattcgagttgtgtcccataccagcgttcctctttg 573
             | | | | | | | | | | |   | | | | | | |     | | | | | |   | |        | |
Db   493 gctgatcgtgggcaacaagaccacctaccgcgtcgtggcccattccagtgtgttccgcgtg 552

Qy   574 ctaaaaaacctgattattttttcaaggaagcggaatactactatttgtgttatttgggga 633
             | | |   | |   | | | |   | | | |   | |     | | | | | |   | | | | | |
Db   553 ctgaggaggcccagagagtttgtcaaccggaccccctgaaaccgtgttcatcttctggggg 612

Qy   634 cctttccgcaatatgaggaaagatgcaatgcatcgtttacaacatgttgaaaaagaca 693
             |   | | | | |   | | |   |   | | |   |   | |     | |     | |   | |  |
Db   613 ccccgagcaagatgcaga--agccccaggcagcctcgtgcgtgtgatccagcgagcg 669

Qy   694 gttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgt 753
             |   |   |   |   | |   | | |   | |     | | | | | | |     |  |    | |
Db   670 ggcctggtgtcccaacatggaagcatatgccgtctctcccggcgcacgcggcaattt 729

Qy   754 gatggagttttaaggaaggaaactgggaggacaggggca 794
             |   | | |   | |     | | | | | | |   | | | | | | | | | | |     | |
Db   730 gacgacctcttccgggtgagacgggcaaggacaggggaaa 770
```

RESULT 20
AAA37038
ID   AAA37038 standard; cDNA; 2401 BP.
XX
AC   AAA37038;
XX
DT   08-AUG-2000 (first entry)
XX
DE   Human PRO1359 (UNQ708) cDNA sequence SEQ ID NO:55.
XX
KW   Human; PRO polypeptide; membrane bound protein; receptor; diagnosis;
KW   transmembrane; secretion; immunoadhesion; pharmaceutical; screening;
KW   ss.
XX
OS   Homo sapiens.
XX
PN   WO200012708-A2.
XX
PD   09-MAR-2000.
XX
PF   01-SEP-1999;   99WO-US20111.
XX
PR   01-SEP-1998;   98US-0098716.
PR   01-SEP-1998;   98US-0098749.
PR   01-SEP-1998;   98US-0098750.
PR   01-SEP-1998;   98US-0098803.
PR   02-SEP-1998;   98US-0098821.
PR   02-SEP-1998;   98US-0098843.
PR   09-SEP-1998;   98US-0099536.
PR   09-SEP-1998;   98US-0099596.
PR   09-SEP-1998;   98US-0099598.
PR   09-SEP-1998;   98US-0099602.
PR   09-SEP-1998;   98US-0099642.
PR   10-SEP-1998;   98US-0099741.
PR   10-SEP-1998;   98US-0099754.
PR   10-SEP-1998;   98US-0099763.
PR   10-SEP-1998;   98US-0099792.
PR   10-SEP-1998;   98US-0099808.
PR   10-SEP-1998;   98US-0099812.
PR   10-SEP-1998;   98US-0099815.
PR   10-SEP-1998;   98US-0099816.
PR   15-SEP-1998;   98US-0100385.
PR   15-SEP-1998;   98US-0100388.
PR   15-SEP-1998;   98US-0100390.
PR   16-SEP-1998;   98US-0100584.
PR   16-SEP-1998;   98US-0100627.
PR   16-SEP-1998;   98US-0100661.
PR   16-SEP-1998;   98US-0100662.
PR   16-SEP-1998;   98US-0100664.
PR   17-SEP-1998;   98US-0100683.
PR   17-SEP-1998;   98US-0100684.
PR   17-SEP-1998;   98US-0100710.
PR   17-SEP-1998;   98US-0100711.
PR   17-SEP-1998;   98US-0100919.
PR   17-SEP-1998;   98US-0100930.
PR   18-SEP-1998;   98US-0100848.
PR   18-SEP-1998;   98US-0100849.
PR   18-SEP-1998;   98US-0101014.
PR   18-SEP-1998;   98US-0101068.
PR   18-SEP-1998;   98US-0101071.
PR   22-SEP-1998;   98US-0101179.
PR   23-SEP-1998;   98US-0101471.
PR   23-SEP-1998;   98US-0101472.
PR   23-SEP-1998;   98US-0101474.
PR   23-SEP-1998;   98US-0101475.
PR   23-SEP-1998;   98US-0101476.
PR   23-SEP-1998;   98US-0101477.
PR   23-SEP-1998;   98US-0101479.
PR   24-SEP-1998;   98US-0101738.
PR   24-SEP-1998;   98US-0101741.
PR   24-SEP-1998;   98US-0101743.
PR   24-SEP-1998;   98US-0101915.
PR   24-SEP-1998;   98US-0101916.
PR   29-SEP-1998;   98US-0102207.
PR   29-SEP-1998;   98US-0102240.
PR   29-SEP-1998;   98US-0102307.
PR   29-SEP-1998;   98US-0102330.
PR   29-SEP-1998;   98US-0102331.
PR   30-SEP-1998;   98US-0102484.
PR   30-SEP-1998;   98US-0102487.
PR   30-SEP-1998;   98US-0102570.
PR   30-SEP-1998;   98US-0102571.
PR   01-OCT-1998;   98US-0102684.
PR   01-OCT-1998;   98US-0102687.
PR   02-OCT-1998;   98US-0102965.
PR   06-OCT-1998;   98US-0103258.
PR   06-OCT-1998;   98US-0103449.
PR   07-OCT-1998;   98US-0103314.
PR   07-OCT-1998;   98US-0103315.
PR   07-OCT-1998;   98US-0103328.
PR   07-OCT-1998;   98US-0103395.
PR   07-OCT-1998;   98US-0103396.
PR   07-OCT-1998;   98US-0103401.
PR   08-OCT-1998;   98US-0103633.
PR   08-OCT-1998;   98US-0103678.
PR   08-OCT-1998;   98US-0103679.
PR   08-OCT-1998;   98US-0103711.
PR   14-OCT-1998;   98US-0104257.
PR   20-OCT-1998;   98US-0104987.
PR   20-OCT-1998;   98US-0105000.
PR   21-OCT-1998;   98US-0105002.
PR   22-OCT-1998;   98US-0105104.
PR   22-OCT-1998;   98US-0105169.
PR   26-OCT-1998;   98US-0105366.
PR   26-OCT-1998;   98US-0105693.
PR   27-OCT-1998;   98US-0105694.
PR   27-OCT-1998;   98US-0105807.
PR   27-OCT-1998;   98US-0105881.
PR   27-OCT-1998;   98US-0105882.
PR   28-OCT-1998;   98US-0106023.
PR   28-OCT-1998;   98US-0106029.
PR   28-OCT-1998;   98US-0106030.
PR   28-OCT-1998;   98US-0106032.
PR   28-OCT-1998;   98US-0106033.
PR   28-OCT-1998;   98US-0106178.
PR   29-OCT-1998;   98US-0106248.
PR   29-OCT-1998;   98US-0106384.
PR   29-OCT-1998;   98US-0108500.
PR   30-OCT-1998;   98US-0106464.
PR   03-NOV-1998;   98US-0106856.
PR   03-NOV-1998;   98US-0106902.
PR   03-NOV-1998;   98US-0106905.

XX
CC   The present invention describes primer sets for synthesising 5602
CC   full-length cDNAs defined in the specification. Where a primer set
CC   comprises: (a) an oligo-dT primer and an oligonucleotide complementary
CC   to the complementary strand of a polynucleotide which comprises one of
CC   the 5602 nucleotide sequences defined in the specification, where the
CC   oligonucleotide comprises at least 15 nucleotides; or (b) a combination
CC   of an oligonucleotide comprising a sequence complementary to the
CC   complementary strand of a polynucleotide which comprises a 5'-end
CC   sequence and an oligonucleotide comprising a sequence complementary to a
CC   polynucleotide which comprises a 3'-end sequence, where the
CC   oligonucleotide comprises at least 15 nucleotides and the combination of
CC   the 5'-end sequence/3'-end sequence is selected from those defined in
CC   the specification. The primer sets can be used in antisense therapy and
CC   in gene therapy. The primers are useful for synthesising polynucleotides,
CC   particularly full-length cDNAs. The primers are also useful for the
CC   detection and/or diagnosis of the abnormality of the proteins encoded by
CC   the full-length cDNAs. The primers allow obtaining of the full-length
CC   cDNAs easily without any specialised methods. AAH03166 to AAH18742 and
CC   AAH13633 to AAH18742 represent human cDNA sequences; AAB92446 to
CC   AAB95893 represent human amino acid sequences; and AAH13629 to AAH13632
CC   represent oligonucleotides, all of which are used in the exemplification
CC   of the present invention.
XX
SQ   Sequence 2350 BP; 440 A; 706 C; 706 G; 498 T; 0 other;

Query Match   6.4%;   Score 82.6; DB 22;   Length 2350;
Best Local Similarity 52.1%; Pred. No. 8.5e-16;
Matches 209; Conservative   0; Mismatches 189; Indels   3; Gaps   1;

Qy   394 tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat 453
           || ||| |||| ||||||| ||| ||| ||| ||||||||||| ||||||||| |||
Db   384 tgccaccagtgtgtgattgtcagcagctccagcaccctgctgggcacccagctgggccct 443

Qy   454 gagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaagttatgaa   513
           ||||| || |||| ||| ||||||||| |||||| || |||||||||||||| |||||
Db   444 gagatcgagcggctgagtgtacaatccgcatgaatgatgcaccccactggctactcca   503

Qy   514 gaagatcggccgcatgaccatgatcgagttgtgtccataccagcgttcctctttg 573
           | ||||| |||||| || |||| || | ||| |||| || | || || |||||
Db   504 gctgatgggcaacaagacacctaccgcgtcgtcgtggcccattccagtgtgttccggcgtg 563

Qy   574 ctaaaaacctgcttattttttcaaggaagcgaatactactatttgtgtttatttggga   633
           || | || | | ||| || ||| | ||||| ||| |||| ||||| |||||| |||||
Db   564 ctgagaggcccccaggagtttgtcaaccagaccccctgaaaccgttcatcttctcggggg 623

Qy   634 cctttccgaatgacgaggaaagatggcaatggcatcgttcacacatgttgaaaaagaca 693
           |||| || | | ||| | ||| | | ||| | ||| || ||||| | |||
Db   624 ccccgagcaagatgcaga--agccccagggcagcctcgtgctgtgatccagcagagcg 680

Qy   694 gtggtacctatccgaatgccaaatatacgtgaccacagagagcgcatgagttactgt 753
           | | ||| || ||| || |||| ||||| | | ||| || ||| | | ||| |||
Db   681 ggcctggtgttcccaacatgagcatatgccgtctctcccgggccgcatgcgcaattt 740

Qy   754 gatggagttttaagaaggaaaactggaaggaaggacaggggcca 794
           | ||| | || |||| |||||||||||||||||| | ||
Db   741 gacgacccttccggggtgagacgggtgagacgggcaaggacaggggagaa 781

RESULT 19
AAC76092
ID   AAC76092 standard; cDNA; 2362 BP.
XX
AC   AAC76092;
XX
DT   08-FEB-2001 (first entry)
XX
DE   Human ORFX ORF1647 polynucleotide sequence SEQ ID NO:3293.
XX
KW   Human; open reading frame; ORFX; detection; cytostatic; hepatotropic;
KW   vulnerary; antipsoriatic; antiparkinsonian; nootropic; neuroprotective;
KW   anticonvulsant; osteopathic; antiarthritic; immunosuppressant; cardiant;

KW   immunostimulant; thrombolytic; coagulant; vasotropic; antidiabetic;
KW   hypotensive; dermatological; immunosuppresive; antiinflammatory;
KW   antiviral; antibacterial; antifungal; antirheumatic; antithyroid;
KW   antianaemic; gene therapy; cancer; proliferative disorder; hypertension;
KW   neurodegenerative disorder; osteoarthritis; graft vs host disease; AIDS;
KW   cardiovascular disease; diabetes mellitus; hypothyroidism; SCID; AIDS;
KW   cholesterol ester storage; systemic lupus erythematosus; infection;
KW   severe combined immunodeficiency; malaria; autoimmune disorder; asthma;
KW   allergy; aplastic anaemia; nocturnal haemoglobinuria; burn; wound;
KW   bone damage; cartilage damage; antiinflammatory disease; coagulation;
KW   thrombosis; contraceptive; ss.
XX
OS   Homo sapiens.
XX
PN   WO20058473-A2.
XX
PD   05-OCT-2000.
XX
PF   31-MAR-2000; 2000WO-US08621.
XX
PR   31-MAR-1999;   99US-0127607.
PR   02-APR-1999;   99US-0127636.
PR   05-APR-1999;   99US-0127728.
PR   30-MAR-2000;   2000US-0540763.
XX
PA   (CURA-) CURAGEN CORP.
XX
PI   Shimkets RA, Leach M;
XX
DR   WPI; 2000-602362/57.
DR   P-PSDB; AAB41883.
XX
PT   Novel nucleic acids and peptides derived from open reading frame X,
PT   useful for treating e.g. cancers, proliferative disorders,
PT   neurodegenerative disorders and cardiovascular disease -
XX
PS   Claim 5; Page 2485-2487; 5507pp; English.
XX
CC   AAC74446 to AAC77606 encode the proteins given in AAB40237 to AAB43397,
CC   which represent the human ORFX open reading frames 1 to 3161. The ORFX
CC   sequences have activities such as: cytostatic; hepatotropic; vulnerary;
CC   antipsoriatic; antiparkinsonian; nootropic; neuroprotective;
CC   osteopathic; anticonvulsant; antiarthritic; immunosuppressant;
CC   immunostimulant; cardiant; thrombolytic; coagulant; vasotropic;
CC   antidiabetic; hypotensive; dermatological; immunosuppressive;
CC   antiinflammatory; antibacterial; antiviral; antifungal; antirheumatic;
CC   antithyroid; and antianaemic. The sequences can be used for determining
CC   the presence of or predisposition to, or preventing or treating
CC   pathological conditions associated with an ORFX-associated disorder. The
CC   nucleic acids can be used to express ORFX proteins in gene therapy
CC   vectors. The proteins and nucleic acids may be used to treat cancers,
CC   proliferative disorders, neurodegenerative disorders, osteoarthritis,
CC   graft vs host disease, cardiovascular disease, diabetes mellitus,
CC   hypertension, hypothyroidism, cholesterol ester storage, systemic lupus
CC   erythematosus, severe combined immunodeficiency (SCID), AIDS, viral,
CC   bacterial or fungal infection, malaria, autoimmune disorders, asthma,
CC   allergies, aplastic anaemia, burns, wounds, bone and cartilage damage,
CC   nocturnal haemoglobinuria, antiinflammatory disease; to enhance
CC   coagulation; to inhibit thrombosis; and as a contraceptive.
XX
SQ   Sequence 2362 BP; 475 A; 699 C; 685 G; 501 T; 2 other;

Query Match   6.4%;   Score 82.6; DB 21;   Length 2362;
Best Local Similarity 52.1%; Pred. No. 8.5e-16;
Matches 209; Conservative   0; Mismatches 189; Indels   3; Gaps   1;

Qy   394 tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat 453
           || ||| |||| ||||||| ||| ||| ||| ||||||||||| ||||||||| |||
Db   373 tgccaccagtgtgtgattgtcagcagctccagcaccctgctgggcacccagctgggccct 432

Qy   454 gagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaagttatgaa 513
           ||||| || |||| ||| ||||||||| |||||| || |||||||||||||| |||||
Db   454 gagatcgagcggctgagtgtacaatccgcatgaatgatgcaccccactggctactcca 513

```
Qy    340 cgaactcactatgatacataaatgtgagacaacaaagagccttgcaactgactgtgac 399
          || | ||| | |||||| || ||| || ||||| ||| |||| || ||  || ||||
Db     48 cggccactgacggatacccggagtggccgaccaagcccctgaaaaatgcactgcagg 107

Qy    400 ctttgtgccatagtcaaactcaggtcagatggttggccagaagtgggaaatgagata 459
          ||||| |  |||| ||| |||  |||  || |   ||| || || ||     |||
Db    108 gactgtgccctggtgaccagctcaggcatctgctgcagtcggcaaggctcccagatt 167

Qy    460 gatcgatcctctgcatttggagaatgaacaatgcccccaccaaggttatgaagaagat 519
          ||  | |||  | |||| |||||| || |||| ||| ||| || ||| ||| ||||
Db    168 gaccagacagtgtgtcatccgcatgacgacgcccccacacgcggctatgggcgtgac 227

Qy    520 gtcggccgcatgaccatgatccgagttgtgtccataccagcgttcctccttttgctaaaa 579
          | || |||| ||| ||| || || |||||| ||| |  |||||| ||||| |
Db    228 gtgggcaatcgcaccagcctgagggtcatcgcggggtcatccgcatccagcatcccctccgc 287

Qy    580 aacctgattattttttcaaggaagcgaatactactattttgtgttatttgggggacctttc 639
          |||| ||| | ||||| |||||| |||| ||  |||| || || ||| | ||||| |
Db    288 aaccgccatacgacctgctcaacgtgacgcaggcaccgtgttcatcctcctgggggcccac 347

Qy    640 cgcaatatgaggaaagatgcaatgcatcgttttacaactgttgaaaaagacagttggt 699
          ||| || |||| || ||| ||| ||||  ||||| ||||||| || |||||| |||
Db    348 agctacatgcggcgggacggacggcaaggggccaggtctacaacaacctgcatcctcctgagccag 407

Qy    700 atcatccgaatgccccaaatatacgtgaccacagagagcgcatgagttactgtgatgga 759
          ||| | |||| |  || ||| || || |||| ||| ||||| |||| |  |||||
Db    408 gtgctgccccgctgaaggccttcatgattactcgccacaagatgtcgcagtttgatgag 467

Qy    760 gttttaagaaggaaactgggaa 782
          ||  ||| || |||||  |||
Db    468 ctcttcaagcaggagactgggca 490
```

RESULT 17
AAI61038
ID   AAI61038 standard; cDNA; 1091 BP.
XX
AC   AAI61038;
XX
DT   22-OCT-2001 (first entry)
XX
DE   Human polynucleotide SEQ ID NO 5027.
XX
KW   Human; nootropic; immunosuppressant; cytostatic; gene therapy; cancer;
KW   peripheral nervous system; neuropathy; central nervous system; CNS;
KW   Alzheimer's; Parkinson's disease; Huntington's disease; haemostatic;
KW   amyotrophic lateral sclerosis; Shy-Drager Syndrome; chemotactic;
KW   chemokinetic; thrombolytic; drug screening; arthritis; inflammation;
KW   leukaemia; ss.
XX
OS   Homo sapiens.
XX
PN   WO200153312-A1.
XX
PD   26-JUL-2001.
XX
PF   26-DEC-2000; 2000WO-US34263.
XX
PR   21-JAN-2000; 2000US-0488725.
PR   25-APR-2000; 2000US-0552317.
PR   09-JUL-2000; 2000US-0598042.
PR   19-JUL-2000; 2000US-0620312.
PR   03-AUG-2000; 2000US-0653450.
PR   14-SEP-2000; 2000US-0662191.
PR   19-OCT-2000; 2000US-0693036.
PR   29-NOV-2000; 2000US-0727344.
XX
PA   (HYSE-) HYSEQ INC.
XX
PI   Tang YT, Liu C, Asundi V, Chen R, Ma Y, Qian XB, Ren F, Wang D;
PI   Wang J, Wang Z, Wehrman T, Xu C, Xue AJ, Yang Y, Zhang J;
PI   Zhao QA, Zhou P, Goodrich R, Drmanac RT;
XX
DR   WPI; 2001-442253/47.
DR   P-PSDB; AAM41882.
XX
PT   Novel nucleic acids and polypeptides, useful for treating disorders
PT   such as central nervous system injuries -
XX
PS   Claim 1; SEQ ID NO 5027; 10078pp; English.
XX
CC   The invention relates to human nucleic acids (AAI57798-AAI61369) and
CC   the encoded polypeptides (AAM38842-AAM42213) with nootropic,
CC   immunosuppressant and cytostatic activity. The polynucleotides are useful
CC   in gene therapy. A composition containing a polypeptide or polynucleotide
CC   of the invention may be used to treat diseases of the peripheral nervous
CC   system, such as peripheral nervous injuries, peripheral neuropathy and
CC   localised neuropathies and central nervous system diseases, such as
CC   Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic
CC   lateral sclerosis, and Shy-Drager Syndrome. Other uses include the
CC   utilisation of the activities such as: Immune system suppression,
CC   Activin/inhibin activity, chemotactic/chemokinetic activity, haemostatic
CC   and thrombolytic activity, cancer diagnosis and therapy, drug screening,
CC   assays for receptor activity, arthritis and inflammation, leukaemias and
CC   C.N.S disorders.
CC   Note: The sequence data for this patent did not form part of the printed
CC   specification.
XX
SQ   Sequence 1091 BP; 287 A; 303 C; 276 G; 225 T; 0 other;

Query Match   6.4%; Score 83; DB 22; Length 1091;
Best Local Similarity   49.2%; Pred. No. 3.8e-16;
Matches 218; Conservative 0; Mismatches 225; Indels 0; Gaps 0;

RESULT 18
AAH16695
ID   AAH16695 standard; cDNA; 2350 BP.
XX
AC   AAH16695;
XX
DT   26-JUN-2001 (first entry)
XX
DE   Human cDNA sequence SEQ ID NO:15855.
XX
KW   Human; primer; detection; diagnosis; antisense therapy; gene therapy; ss.
XX
OS   Homo sapiens.
XX
PN   EP1074617-A2.
XX
PD   07-FEB-2001.
XX
PF   28-JUL-2000; 2000EP-0116126.
XX
PR   29-JUL-1999; 99JP-0248036.
PR   27-AUG-1999; 99JP-0300253.
PR   11-JAN-2000; 2000JP-0118776.
PR   02-MAY-2000; 2000JP-0183767.
PR   09-JUN-2000; 2000JP-0241899.
XX
PA   (HELI-) HELIX RES INST.
XX
PI   Ota T, Isogai T, Nishikawa T, Hayashi K, Saito K, Yamamoto J;
PI   Ishii S, Sugiyama T, Wakamatsu A, Nagai K, Otsuki T;
XX
DR   WPI; 2001-318749/34.
XX
PT   Primer sets for synthesizing polynucleotides, particularly the 5602
PT   full-length cDNAs defined in the specification, and for the detection
PT   and/or diagnosis of the abnormality of the proteins encoded by the
PT   full-length cDNAs -
XX
PS   Claim 8; SEQ ID 15855; 2537pp + CD ROM; English.

PR 14-SEP-2000; 2000US-0232400.
PR 14-SEP-2000; 2000US-0232401.
PR 14-SEP-2000; 2000US-0233063.
PR 14-SEP-2000; 2000US-0233064.
PR 14-SEP-2000; 2000US-0233065.
PR 21-SEP-2000; 2000US-0234223.
PR 21-SEP-2000; 2000US-0234274.
PR 25-SEP-2000; 2000US-0234997.
PR 25-SEP-2000; 2000US-0234998.
PR 26-SEP-2000; 2000US-0235484.
PR 27-SEP-2000; 2000US-0235834.
PR 27-SEP-2000; 2000US-0235836.
PR 29-SEP-2000; 2000US-0236327.
PR 29-SEP-2000; 2000US-0236367.
PR 29-SEP-2000; 2000US-0236368.
PR 29-SEP-2000; 2000US-0236369.
PR 29-SEP-2000; 2000US-0236370.
PR 02-OCT-2000; 2000US-0236802.
PR 02-OCT-2000; 2000US-0237037.
PR 02-OCT-2000; 2000US-0237038.
PR 02-OCT-2000; 2000US-0237039.
PR 02-OCT-2000; 2000US-0237040.
PR 13-OCT-2000; 2000US-0239935.
PR 13-OCT-2000; 2000US-0239937.
PR 20-OCT-2000; 2000US-0240960.
PR 20-OCT-2000; 2000US-0241221.
PR 20-OCT-2000; 2000US-0241785.
PR 20-OCT-2000; 2000US-0241786.
PR 20-OCT-2000; 2000US-0241787.
PR 20-OCT-2000; 2000US-0241808.
PR 20-OCT-2000; 2000US-0241809.
PR 20-OCT-2000; 2000US-0241826.
PR 01-NOV-2000; 2000US-0244617.
PR 08-NOV-2000; 2000US-0246474.
PR 08-NOV-2000; 2000US-0246475.
PR 08-NOV-2000; 2000US-0246476.
PR 08-NOV-2000; 2000US-0246477.
PR 08-NOV-2000; 2000US-0246478.
PR 08-NOV-2000; 2000US-0246523.
PR 08-NOV-2000; 2000US-0246524.
PR 08-NOV-2000; 2000US-0246525.
PR 08-NOV-2000; 2000US-0246526.
PR 08-NOV-2000; 2000US-0246527.
PR 08-NOV-2000; 2000US-0246528.
PR 08-NOV-2000; 2000US-0246532.
PR 08-NOV-2000; 2000US-0246609.
PR 08-NOV-2000; 2000US-0246610.
PR 08-NOV-2000; 2000US-0246611.
PR 08-NOV-2000; 2000US-0246613.
PR 17-NOV-2000; 2000US-0249207.
PR 17-NOV-2000; 2000US-0249208.
PR 17-NOV-2000; 2000US-0249209.
PR 17-NOV-2000; 2000US-0249210.
PR 17-NOV-2000; 2000US-0249211.
PR 17-NOV-2000; 2000US-0249212.
PR 17-NOV-2000; 2000US-0249213.
PR 17-NOV-2000; 2000US-0249214.
PR 17-NOV-2000; 2000US-0249215.
PR 17-NOV-2000; 2000US-0249216.
PR 17-NOV-2000; 2000US-0249217.
PR 17-NOV-2000; 2000US-0249218.
PR 17-NOV-2000; 2000US-0249244.
PR 17-NOV-2000; 2000US-0249245.
PR 17-NOV-2000; 2000US-0249264.
PR 17-NOV-2000; 2000US-0249265.
PR 17-NOV-2000; 2000US-0249297.
PR 17-NOV-2000; 2000US-0249299.
PR 17-NOV-2000; 2000US-0249300.
PR 01-DEC-2000; 2000US-0250160.
PR 01-DEC-2000; 2000US-0250391.
PR 05-DEC-2000; 2000US-0251030.
PR 05-DEC-2000; 2000US-0251988.
PR 05-DEC-2000; 2000US-0256719.

PR 06-DEC-2000; 2000US-0251479.
PR 08-DEC-2000; 2000US-0251856.
PR 08-DEC-2000; 2000US-0251868.
PR 08-DEC-2000; 2000US-0251869.
PR 08-DEC-2000; 2000US-0251989.
PR 08-DEC-2000; 2000US-0251990.
PR 11-DEC-2000; 2000US-0254097.
PR 05-JAN-2001; 2001US-0259678.
XX
PA (HUMA-) HUMAN GENOME SCI INC.
XX
PI Rosen CA, Barash SC, Ruben SM;
XX
DR WPI; 2001-483426/52.
XX
PT Nucleic acids encoding human immune/hematopoietic antigen polypeptides,
PT useful for preventing, diagnosing and/or treating cancers and
PT metastasis -
XX
PS Disclosure; SEQ ID NO 32986; 3071pp + Sequence Listing; English.
XX
CC AAK54951 to AAK64702 encode the human immune/haematopoietic antigen (I)
CC amino acid sequences given in AAM82170 to AAM91921. (I) have cytostatic
CC activity, and can be used in gene therapy and vaccine production. (I)
CC proteins and polynucleotides may be used in the prevention, diagnosis and
CC treatment of diseases associated with inappropriate (I) expression. For
CC example, they may be used to treat disorders associated with decreased
CC expression by rectifying mutations or deletions in a patient's genome
CC that affect the activity of (I) by expressing inactive proteins or to
CC supplement the patients own production of (I). Additionally, (I)
CC polynucleotides may be used to produce the secreted (I), by inserting
CC the nucleic acids into a host cell and culturing the cell to express the
CC protein. (I) proteins and polynucleotides may be used to prevent,
CC diagnose and treat immune/haematopoietic-related diseases, especially
CC cancers and cancer metastases of haematopoietic-derived cells. AAK64703
CC to AAK87694 represent human immune/haematopoietic antigen genomic
CC sequences from the present invention. AAK54942 to AAK54950 and AAM82169
CC represent sequences used in the exemplification of the present invention.
XX
SQ Sequence 814 BP; 210 A; 207 C; 207 G; 190 T; 0 other;

Query Match   6.4%; Score 83.4; DB 22; Length 814;
Best Local Similarity   50.1%; Pred. No. 2.3e-16;
Matches 207; Conservative   0; Mismatches 206; Indels   0; Gaps   0;

Qy   377 agccttgcaactggactgtgacctttgtccatagtgtcaaactcaggtcagatggttg 436
              ||||| || || ||||||| ||||| | || |||| ||
Db   1 agccctgaaaatgcactgcagggactgtgccctggtgaccagctcaggcatcctgctgc 60

Qy   437 gccagaaggtgggaaatgagatagatcgatcctcctgcattggagaatgaacaatgccc 496
              | | || || ||| ||| | || |||| || || | | ||||| | ||||
Db   61 acagtcgcaaggctcccagattgaccagacagagtgtgtcatccgcatgaatgacgccc 120

Qy   497 ccaccaaaggttatgaagaagatgtcggccgcatgaccatgaccgagttgtgtcccata 556
              ||||| || ||| ||| ||| | || || || ||||| | || || | |||
Db   121 ccacacgcgctagggcgatgggcgtgacgtggcaatcgcaccagacgcctgagggtcatcgcgcatt 180

Qy   557 ccagcgttcctctttgctcaaaaacccctgattattttcaaggaagcgaatactacta 616
              ||||| | | || || | |||| | |||| ||
Db   181 ccagcatccagaggatcctccgcaacgccatgacctgagccaacgtgagccaggggcaccg 240

Qy   617 tttgtgttatttgggggacctttccgcaatatgaggaaagatgcaatgcatcgtttaca 676
              ||| | || || ||| | | || || || | ||| |||| ||
Db   241 tgttcatctctgggccccagcagctacgtgccgcgggacgcggccaggtctaca 300

Qy   677 acatgttgaaaagacagttggtatctatccgaatgcccaaatatacgtgaccacagaga 736
              ||| || || || || || | | | || || || ||| ||||| || ||
Db   301 acaacctgcatcctcgagccaggtgctgcgccgcgctgaaggccttcatgattactcgcc 360

Qy   737 agccacatgagagtactgtgatggagttttaagaagaaactgggaaggacagg 789
              ||| || | | | | ||||| ||| | | || |||||| |||| | ||||
Db   361 acaagatgctgcagtttgatgagctcttcaagcaggaggacttggcaaagacagg 413

PR   11-DEC-2000; 2000US-0254097.
PR   05-JAN-2001; 2001US-0259678.
XX
PA   (HUMA-) HUMAN GENOME SCI INC.
XX
PI   Rosen CA, Barash SC, Ruben SM;
XX
DR   WPI; 2001-541565/60.
XX
PT   Nucleic acids encoding 3224 human nervous system antigen polypeptides,
PT   useful for preventing, diagnosing and/or treating nervous system
PT   cancers and metastases -
XX
PS   Disclosure; SEQ ID NO 13687; 1701pp + Sequence Listing; English.
XX
CC   The invention relates to novel genes (ABA11004-ABA21534) and proteins
CC   (ABB14678-ABB18001) useful for preventing, treating or ameliorating
CC   medical conditions e.g. by protein or gene therapy. The genes are
CC   isolated from a range of human tissues disclosed in the specification.
CC   The nucleic acids, proteins, antibodies and (ant)agonists are useful
CC   in the diagnosis, treatment and prevention of: (a) cancer, e.g. breast
CC   and ovarian cancer and other cancers of the adrenal gland, bone, bone
CC   marrow, breast, gastrointestinal tract, liver, lung, or urogenital;
CC   (b) immune disorders e.g. Addison's disease, allergies, autoimmune
CC   haemolytic anaemia, autoimmune thyroiditis, diabetes mellitus, Crohn's
CC   disease, multiple sclerosis, rheumatoid arthritis and ulcerative
CC   colitis; (C) cardiovascular disorders such as myocardial ischaemias;
CC   (d) wound healing; (e) neurological diseases e.g. cerebral anoxia and
CC   epilepsy; and (f) infectious diseases such as viral, bacterial, fungal
CC   and parasitic infections.
CC   Note: The sequence data for this patent did not form part of the
CC   printed specification, but was obtained in electronic format directly
CC   from WIPO at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ   Sequence 814 BP; 210 A; 207 C; 207 G; 190 T; 0 other;

Query Match   6.4%; Score 83.4; DB 22; Length 814;
Best Local Similarity   50.1%; Pred. No. 2.3e-16;
Matches 207; Conservative   0; Mismatches 206; Indels   0; Gaps   0;

Qy   377 agccttgcaactggactgtgacctttgtgccatagtgtcaaactcaggtcagatggttg 436
              || ||| || ||||| |||| | ||| || | |||||| || | ||
Db   1 agcccctgaaaatgcactgcaggactgtgccctgtgaccagctcaggcatctgctgc 60

Qy   437 gccagaaggtgggaaatgagatagatcgatcctcctgcatttggagaatgaacaatgccc 496
               | | | |||| |||||||| | ||| || ||||| |||| ||||| | ||||
Db   61 acagtcggcaaggctcccagattgaccagacagagtgtcatccgcatgaatgacgccc 120

Qy   497 ccaccaaaggttatgaagaagatgtcggccgcatgaccatgattcgagttgtgtcccata 556
               |||| | || ||||| ||| || ||||| || |||| || |||| || |
Db   121 cccacacgcggctggggctgacgtggcaatcgcaccagcctgaggtcatcgcgcatt 180

Qy   557 ccagcgtccctctttgctaaaaacctgattattttttcaaggaaggcgaatactacta 616
              ||||| | | || |||| | ||| || | |||| ||||
Db   181 ccagcatccagaggatcctccgcaaccgcatgacctgccaaccgtccaacgtgcaccg 240

Qy   617 tttgtgttattggggacctttccgcaatatgagaggaaagtggcaatggcatcgtttaca 676
               | | || ||||| |||| || | || | |||| | |||| || |||| | ||
Db   241 tgttcatcttctggggccccaagcagcagctacatgcggcgggacggcaaggccaggctaca 300

Qy   677 acatgttgaaaagacagttggtatctcatccgaatgccaaatatacgtgaccacagaga 736
               || || | || || || || ||| | || |||| | | ||| || ||||||
Db   301 acaacctgcatctcctgagccaggtgctgccgcggcctgaaggcctcatgattactcgcc 360

Qy   737 agcgcatgagtactgtgatgagtttaagaaggaaaactgggaaacctgggaggacagg 789
               | | | ||| ||| ||| | | || | || |||| | || ||||||
Db   361 acaagatgctgcagtttgatgagctcttcagcaggagactggcaagacagg 413

RESULT 16
AAK78174
ID   AAK78174 standard; DNA; 814 BP.

XX
AC   AAK78174;
XX
DT   07-NOV-2001 (first entry)
XX
DE   Human immune/haematopoietic antigen genomic sequence SEQ ID NO:32986.
XX
KW   Human; immune; haematopoietic; immune/haematopoietic antigen; cancer;
KW   cytostatic; gene therapy; vaccine; metastasis; ds.
XX
OS   Homo sapiens.
XX
PN   WO200157182-A2.
XX
PD   09-AUG-2001.
XX
PF   17-JAN-2001; 2001WO-US01354.
XX
PR   31-JAN-2000; 2000US-0179065.
PR   04-FEB-2000; 2000US-0180628.
PR   24-FEB-2000; 2000US-0184664.
PR   02-MAR-2000; 2000US-0186350.
PR   16-MAR-2000; 2000US-0189874.
PR   17-MAR-2000; 2000US-0190076.
PR   18-APR-2000; 2000US-0198123.
PR   19-MAY-2000; 2000US-0205515.
PR   07-JUN-2000; 2000US-0209467.
PR   28-JUN-2000; 2000US-0214886.
PR   30-JUN-2000; 2000US-0215135.
PR   07-JUL-2000; 2000US-0216647.
PR   07-JUL-2000; 2000US-0216880.
PR   11-JUL-2000; 2000US-0217487.
PR   11-JUL-2000; 2000US-0217496.
PR   14-JUL-2000; 2000US-0218290.
PR   26-JUL-2000; 2000US-0220963.
PR   14-AUG-2000; 2000US-0220964.
PR   14-AUG-2000; 2000US-0224518.
PR   14-AUG-2000; 2000US-0224519.
PR   14-AUG-2000; 2000US-0225213.
PR   14-AUG-2000; 2000US-0225214.
PR   14-AUG-2000; 2000US-0225266.
PR   14-AUG-2000; 2000US-0225267.
PR   14-AUG-2000; 2000US-0225268.
PR   14-AUG-2000; 2000US-0225270.
PR   14-AUG-2000; 2000US-0225447.
PR   14-AUG-2000; 2000US-0225757.
PR   14-AUG-2000; 2000US-0225758.
PR   14-AUG-2000; 2000US-0225759.
PR   18-AUG-2000; 2000US-0226279.
PR   22-AUG-2000; 2000US-0226681.
PR   22-AUG-2000; 2000US-0226868.
PR   22-AUG-2000; 2000US-0227182.
PR   23-AUG-2000; 2000US-0227009.
PR   30-AUG-2000; 2000US-0228924.
PR   01-SEP-2000; 2000US-0229287.
PR   01-SEP-2000; 2000US-0229343.
PR   01-SEP-2000; 2000US-0229344.
PR   01-SEP-2000; 2000US-0229345.
PR   05-SEP-2000; 2000US-0229509.
PR   05-SEP-2000; 2000US-0229513.
PR   06-SEP-2000; 2000US-0230437.
PR   06-SEP-2000; 2000US-0230438.
PR   08-SEP-2000; 2000US-0231242.
PR   08-SEP-2000; 2000US-0231243.
PR   08-SEP-2000; 2000US-0231244.
PR   08-SEP-2000; 2000US-0231413.
PR   08-SEP-2000; 2000US-0231414.
PR   08-SEP-2000; 2000US-0232080.
PR   08-SEP-2000; 2000US-0232081.
PR   12-SEP-2000; 2000US-0231968.
PR   14-SEP-2000; 2000US-0232397.
PR   14-SEP-2000; 2000US-0232398.
PR   14-SEP-2000; 2000US-0232399.

KW   antiallergic; antidiabetic; antiulcer; anticonvulsant; antifungal;
KW   antiparasitic; cardiant; immune disorder; cardiovascular disorder;
KW   neurological disease; infection; nephrotropic; gene therapy; vaccine; ds.
XX
OS   Homo sapiens.
XX
PN   WO200159063-A2.
XX
PD   16-AUG-2001.
XX
PF   17-JAN-2001; 2001WO-US01334.
XX
PR   31-JAN-2000; 2000US-0179065.   PR   21-SEP-2000; 2000US-0234274.
PR   04-FEB-2000; 2000US-0180628.   PR   25-SEP-2000; 2000US-0234997.
PR   24-FEB-2000; 2000US-0184664.   PR   25-SEP-2000; 2000US-0234998.
PR   02-MAR-2000; 2000US-0186350.   PR   26-SEP-2000; 2000US-0235484.
PR   16-MAR-2000; 2000US-0189874.   PR   27-SEP-2000; 2000US-0235834.
PR   17-MAR-2000; 2000US-0190076.   PR   27-SEP-2000; 2000US-0235836.
PR   18-APR-2000; 2000US-0198123.   PR   29-SEP-2000; 2000US-0236327.
PR   19-MAY-2000; 2000US-0205515.   PR   29-SEP-2000; 2000US-0236367.
PR   07-JUN-2000; 2000US-0209467.   PR   29-SEP-2000; 2000US-0236368.
PR   28-JUN-2000; 2000US-0214886.   PR   29-SEP-2000; 2000US-0236369.
PR   30-JUN-2000; 2000US-0215135.   PR   29-SEP-2000; 2000US-0236370.
PR   07-JUL-2000; 2000US-0216647.   PR   02-OCT-2000; 2000US-0236802.
PR   07-JUL-2000; 2000US-0216880.   PR   02-OCT-2000; 2000US-0237037.
PR   11-JUL-2000; 2000US-0217487.   PR   02-OCT-2000; 2000US-0237038.
PR   11-JUL-2000; 2000US-0217496.   PR   02-OCT-2000; 2000US-0237039.
PR   14-JUL-2000; 2000US-0218290.   PR   02-OCT-2000; 2000US-0237040.
PR   26-JUL-2000; 2000US-0220963.   PR   13-OCT-2000; 2000US-0239935.
PR   14-AUG-2000; 2000US-0220964.   PR   13-OCT-2000; 2000US-0239937.
PR   14-AUG-2000; 2000US-0224518.   PR   20-OCT-2000; 2000US-0240960.
PR   14-AUG-2000; 2000US-0224519.   PR   20-OCT-2000; 2000US-0241785.
PR   14-AUG-2000; 2000US-0225213.   PR   20-OCT-2000; 2000US-0241786.
PR   14-AUG-2000; 2000US-0225214.   PR   20-OCT-2000; 2000US-0241787.
PR   14-AUG-2000; 2000US-0225266.   PR   20-OCT-2000; 2000US-0241808.
PR   14-AUG-2000; 2000US-0225267.   PR   20-OCT-2000; 2000US-0241809.
PR   14-AUG-2000; 2000US-0225268.   PR   20-OCT-2000; 2000US-0241826.
PR   14-AUG-2000; 2000US-0225270.   PR   20-OCT-2000; 2000US-0242221.
PR   14-AUG-2000; 2000US-0225447.   PR   01-NOV-2000; 2000US-0244617.
PR   14-AUG-2000; 2000US-0225757.   PR   08-NOV-2000; 2000US-0246474.
PR   14-AUG-2000; 2000US-0225758.   PR   08-NOV-2000; 2000US-0246475.
PR   14-AUG-2000; 2000US-0225759.   PR   08-NOV-2000; 2000US-0246476.
PR   18-AUG-2000; 2000US-0226279.   PR   08-NOV-2000; 2000US-0246477.
PR   22-AUG-2000; 2000US-0226681.   PR   08-NOV-2000; 2000US-0246478.
PR   22-AUG-2000; 2000US-0226868.   PR   08-NOV-2000; 2000US-0246523.
PR   22-AUG-2000; 2000US-0227182.   PR   08-NOV-2000; 2000US-0246524.
PR   23-AUG-2000; 2000US-0227009.   PR   08-NOV-2000; 2000US-0246525.
PR   30-AUG-2000; 2000US-0228924.   PR   08-NOV-2000; 2000US-0246526.
PR   01-SEP-2000; 2000US-0229287.   PR   08-NOV-2000; 2000US-0246527.
PR   01-SEP-2000; 2000US-0229343.   PR   08-NOV-2000; 2000US-0246528.
PR   01-SEP-2000; 2000US-0229344.   PR   08-NOV-2000; 2000US-0246532.
PR   01-SEP-2000; 2000US-0229345.   PR   08-NOV-2000; 2000US-0246609.
PR   05-SEP-2000; 2000US-0229509.   PR   08-NOV-2000; 2000US-0246610.
PR   05-SEP-2000; 2000US-0229513.   PR   08-NOV-2000; 2000US-0246611.
PR   06-SEP-2000; 2000US-0230437.   PR   08-NOV-2000; 2000US-0246613.
PR   06-SEP-2000; 2000US-0230438.   PR   17-NOV-2000; 2000US-0249207.
PR   08-SEP-2000; 2000US-0231242.   PR   17-NOV-2000; 2000US-0249208.
PR   08-SEP-2000; 2000US-0231243.   PR   17-NOV-2000; 2000US-0249209.
PR   08-SEP-2000; 2000US-0231244.   PR   17-NOV-2000; 2000US-0249210.
PR   08-SEP-2000; 2000US-0231413.   PR   17-NOV-2000; 2000US-0249211.
PR   08-SEP-2000; 2000US-0231414.   PR   17-NOV-2000; 2000US-0249212.
PR   08-SEP-2000; 2000US-0232080.   PR   17-NOV-2000; 2000US-0249213.
PR   08-SEP-2000; 2000US-0232081.   PR   17-NOV-2000; 2000US-0249214.
PR   12-SEP-2000; 2000US-0211968.   PR   17-NOV-2000; 2000US-0249215.
PR   14-SEP-2000; 2000US-0232397.   PR   17-NOV-2000; 2000US-0249216.
PR   14-SEP-2000; 2000US-0232398.   PR   17-NOV-2000; 2000US-0249217.
PR   14-SEP-2000; 2000US-0232399.   PR   17-NOV-2000; 2000US-0249218.
PR   14-SEP-2000; 2000US-0232400.   PR   17-NOV-2000; 2000US-0249244.
PR   14-SEP-2000; 2000US-0232401.   PR   17-NOV-2000; 2000US-0249245.
PR   14-SEP-2000; 2000US-0233063.   PR   17-NOV-2000; 2000US-0249264.
PR   14-SEP-2000; 2000US-0233064.   PR   17-NOV-2000; 2000US-0249265.
PR   14-SEP-2000; 2000US-0233065.   PR   17-NOV-2000; 2000US-0249297.
PR   21-SEP-2000; 2000US-0234223.   PR   17-NOV-2000; 2000US-0249299.
                                      PR   17-NOV-2000; 2000US-0249300.
                                      PR   01-DEC-2000; 2000US-0250391.
                                      PR   01-DEC-2000; 2000US-0251160.
                                      PR   05-DEC-2000; 2000US-0251030.
                                      PR   05-DEC-2000; 2000US-0251988.
                                      PR   06-DEC-2000; 2000US-0251479.
                                      PR   08-DEC-2000; 2000US-0256719.
                                      PR   08-DEC-2000; 2000US-0251856.
                                      PR   08-DEC-2000; 2000US-0251868.
                                      PR   08-DEC-2000; 2000US-0251869.
                                      PR   08-DEC-2000; 2000US-0251989.
                                      PR   08-DEC-2000; 2000US-0251990.

Qy 340 cgaactcactatggatacataaatgtgaagacacaagagccttgcaactggactgtgac 399
        || | | | ||||| | ||| || | ||| |||| | || |||| ||
Db   82 cggccactggactgatacctcggagtggcggccaccaagaccctgaaaatgcactgcagg 141

Qy 400 ctttggccatagtgtcaaactcagtcagtgtcagatggttggccagaaggtgggaaatgagata 459
        ||||| | ||||| | || ||| ||| || || | |||
Db 142 gactgtgccctggtgaccagtccaggcatctgctgcacagtcagccaaggctcccagatt 201

Qy 460 gatcgatcctctgcatttggagaatgaacaatgccccaccaaaggttatgaagaagat 519
        || | | | |||||| ||||||| |||||
Db 202 gaccagacagagtgtgtcatccgcatgaatacgccccacgcgcgctatgggcgtgac 261

Qy 520 gtcggccgcgatgattcgagttgtgtcccataccagcgttcctcttttgctaaa 579
        |||| | | || | || | |||
Db 262 gtgggcaatcgcaccagctgagggtcatcgcgcattccagcatccagaggatcctccgc 321

Qy 580 aaccctgattattttttcaaggaagcggaatactactatttgtgttattgtggggaccttc 639
        || | | | |||| || ||||||| ||| ||
Db 322 aaccgccatgaccgctcaacgtgaccagggcaccgtgttcatctttctgggggcccagc 381

Qy 640 cgcaatatgaggaaaagatgccaatgcgcatcgtttacaacaatgttgaaaagacagtggt 699
        || | | | || | || || | |||
Db 382 agctacactgcggcgacggcaaggccaagtctacaacaacctgcatctcctgagccag 441

Qy 700 atctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgtgatgga 759
        ||| | ||| | |||| || ||||
Db 442 gtgctgccccgctgaggccctccatgattactcgccacaagatgctgcgcagtttgatgag 501

Qy 760 gtttttaagaaggaaaactgggaaggacagg 789
        || ||| ||||| |||||| |||||
Db 502 ctcttcaagcaggagactggcaaagacagg 531

RESULT 14
AAD18037
ID AAD18037 standard; cDNA; 2056 BP.
XX
AC AAD18037;
XX
DT 10-DEC-2001 (first entry)
XX
DE Human sialyltransferase, 7ST6 Gal V cDNA.
XX
KW Human; sialyltransferase; GM3-synthase-specific immunogenic activity;
KW 7ST6 Gal V; ss.
XX
OS Homo sapiens.
XX
FH Key   Location/Qualifiers
FT CDS   181..1191
FT   /*tag= a
FT   /product= "Human 7ST6 Gal V protein"
XX
PN US6280989-B1.
XX
PD 28-AUG-2001.
XX
PR 17-JUN-1999; 99US-0334601.
PR 17-JUN-1999; 99US-0334601.
XX
PA (KAPI/) KAPITONOV D.
PA (YURK/) YU R K.
XX
PI Kapitonov D, Yu RK;
XX
DR WPI; 2001-579256/65.
DR P-PSDB; AAE10705.
XX
PT Isolated nucleic acid useful for coding a full-length mammalian GM3
PT synthase or its biologically active polypeptide fragment, useful for
PT detecting expression of sialyltransferase in whole organs, tissue or

PT cells -
XX
PS Example 1; Fig 6; 81pp; English.
XX
CC The present invention relates to an isolated nucleic acid comprising a
CC nucleotide sequence coding for a full-length mammalian GM3 synthase or
CC their biologically active polypeptide fragment. It is also useful as a
CC size marker in nucleic acid or protein electrophoresis or chromatography
CC and for detecting expression of sialyltransferase (ST) in whole organs,
CC tissue or cells. The nucleic acid probes can also be used to detect,
CC quantitate or isolate a mammalian sialyltransferase nucleic acid in a
CC test sample or to identify sialyltransferase homologues, as
CC oligonucleotide probe e.g. in polymerase chain reaction differential
CC display, in combination with cDNA libraries, expression libraries, etc.
CC The nucleic acid can be modified to make it resistant to cellular
CC enzymes, oxidation, reduction, nucleases, etc. Or to enhance its uptake
CC into cells. The present sequence is human sialyltransferase, 7ST6 Gal V
CC cDNA.
XX
SQ Sequence 2056 BP; 567 A; 527 C; 481 G; 481 T; 0 other;

Query Match   6.8%;   Score 88.4; DB 22;   Length 2056;
Best Local Similarity 49.8%;   Pred. No. 9.7e-18;
Matches 224;   Conservative 0;   Mismatches 226;   Indels 0;   Gaps 0;

Qy   340 cgaactcactatggatacataaatgtgaagacacaagagccttgcaactggactgtgac 399
         || | | | ||||| | ||| || || ||| || ||||| | || |||| ||
Db   403 cggccactggactgatacctcggagtggcggccaccaagacccgaaaatgcactgcagg 462

Qy   400 ctttgccatagtgtcaaactcagtcagtggccagaaggtgggaaatgagata 459
         ||||| | ||||| | || ||| ||| || || | |||
Db   463 gactgtgcccctggtgaccagtccaggctctgctgcacagtcagccaaggctcccagatt 522

Qy   460 gatcgatcctctgcatttggagaatgaacaatgccccaccaaaggttatgaagaagat 519
         || | | | |||||| ||||||| |||||
Db   523 gaccagacagagtgtgtcatccgcatgaatacgccccacacgcggctatgggcgtgac 582

Qy   520 gtcggccgcgatgattcgagttgtgtcccatacccagcgttcctctttttgctaaaa 579
         |||| | | || | || | |||
Db   583 gtgggccaatcgcaccagctgagggtcatcgcgcattccagcatccagaggatcctccgc 642

Qy   580 aacctgattattttttcaaggaagcgaatactactatttgtgttattgtggggggacctttc 639
         || | | | |||| || ||||||| ||| ||
Db   643 aaccgccatgaccgctcaacgtgaccagggcaccgtgttcatctttctgggggcccagc 702

Qy   640 cgcaatatgaggaaaagatgccaatgcgcatcgtttacaacaatgttgaaaagacagttggt 699
         || | | | || | || || | |||
Db   703 agctacactgcggcgacgggcaaggccaagtctacaacaacctgcatctcctgagccag 762

Qy   700 atctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgtgatgga 759
         ||| | ||| | |||| || ||||
Db   763 gtgctgccccgctgaggccctccatgattactcgccacaagatgctgcgcagtttgatgag 822

Qy   760 gtttttaagaaggaaaactgggaaggacagg 789
         || ||| ||||| |||||| |||||
Db   823 ctcttcaagcaggagactggcaaagacagg 852

RESULT 15
ABA21356
ID ABA21356 standard; DNA; 814 BP.
XX
AC ABA21356;
XX
DT 23-JAN-2002 (first entry)
XX
DE Human nervous system related polynucleotide SEQ ID NO 13687.
XX
KW Human; nootropic; neuroprotective; cytostatic; dermatological; virucide;
KW immunosuppressive; antiinflammatory; anti-HIV; antibacterial; vulnerary;
KW antiparkinsonian; antisickling; antianaemic; antiarthritic; cancer;
KW antirheumatic; hepatotropic; cerebroprotective; antiinflammatory;

PD 22-JUN-2000.
XX
PF 16-DEC-1999; 99WO-US29950.
XX
PR 17-DEC-1998; 98US-0112809.
PR 18-DEC-1998; 98US-0113006.
XX
PA (HUMA-) HUMAN GENOME SCI INC.
XX
PI Ruben SM, Ebner R, Rosen CA, Endress GA, Soppet DR, Ni J;
PI Duan DR, Moore PA, Shi Y, Lafleur DW, Olsen HS, Florence K;
XX
DR WPI; 2000-431566/37.
DR P-PSDB; AAB24441.
XX
PT Forty seven human nucleic acids encoding secreted proteins, useful in
PT the treatment, prevention and diagnosis of cancers, disorders of the
PT immune system, angiogenesis disorders, neurological diseases and
PT hyperproliferative disorders -
XX
PS Claim 1; Page 445-446; 562pp; English.
XX
CC The polynucleotide sequence given in AAA78381 to AAA78432 encode the
CC human secreted proteins given in AAB24437 to AAB24604. Human secreted
CC proteins have activities based on the tissues and cells the genes are
CC expressed in. Examples of activities include: cytostatic; antianaemic;
CC antidiabetic; antiinflammatory; ophthalmological; antirheumatic;
CC antiarthritic; antipsoriatic; antiangiogenic; cardiant; anti-HIV;
CC nootropic; neuroprotective; antimicrobial and antiparkinsonian.
CC Human secreted protein polynucleotides, polypeptides, antagonists and/or
CC agonists may be useful in treating, preventing, and/or diagnosing other
CC diseases, disorders, and/or conditions such as: (a) cancers; (b)
CC disorders of the immune system; (c) angiogenesis disorders; (d)
CC hyperproliferative disorders: (e) cardiovascular disorders; (f) diseases
CC associated with increase apoptosis; (g) neurological diseases; and
CC (h) infectious diseases. They are also used to promote wound healing.
CC AAA78372 to AAA78380 and AAB24436 represent sequences used in the
CC exemplification of the present invention.
XX
SQ Sequence 1735 BP; 348 A; 571 C; 491 G; 321 T; 4 other;

Query Match   7.6%; Score 98; DB 21; Length 1735;
Best Local Similarity 52.7%; Pred. No. 6.2e-21;
Matches 212; Conservative 0; Mismatches 190; Indels 0; Gaps 0;

Qy   393 ctgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaagggtgggaaa 452
          ||| ||| ||| | | | ||||| || || |||| ||| | ||| ||| | | ||||
Db   508 ctgccgcagctgtgccggtgtccggtccggccaaatgctggctcaggcctgggtgc 567

Qy   453 tgagatagatcgatcctcctgcatttggagaatgaacaatgcccccaccaaggttatga 512
          |||||| || || || || | | ||||| | |||| |||||||| | || |||
Db   568 tgagatcgacagtgcgagtgcgttccgcatgaaccaggcgccaccgtgggcttga 627

Qy   513 agagagatgtcggccgcgcatgaccatgattcgagttgtgtcccataccaggcgttcctctttt 572
          | |||||| |||| ||| ||| ||| | ||| | | ||||| ||| | | | |
Db   628 ggcggatgtgggccagcgagcagcaccctgcgtcgtgctctcacacaaagcgccgctgct 687

Qy   573 gctaaaaaccctgattattttttcaaggaagcggaatactactatttgtgttatttgggg 632
          | | | ||| | || |||| ||| ||| | ||| | | ||| | | ||| || ||||
Db   688 gctgcgcaactattcacactccagaaggcccgagacacgctcacatggtgtgggg 747

Qy   633 accttccgaatatgaggaaagatggcatggcatcgtttacacacatgttgaaaagac 692
          || | | | | | | | | || || ||| ||| | | | | | || | |
Db   748 ccagggcaggacacatgaccggggctcggcggccgcacctaccgcacgctgctgcagct 807

Qy   693 agttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactg 752
          | ||| | | || | || ||| | | | ||| | | || | || ||| |||||
Db   808 caccaggatgacccgcctgcagtgtacacccttcacggagcgcgatgatggcctactg 867

Qy   753 tgatggagtttttaagaaggaaaactgggaaagctggaggaaggacaggggggca 794
          | | | | || || | || | | | || | || | | ||| || || ||||
Db   868 cgaccagatcttccaggacggacagacgcggggcaagaacccgaggcga 909

RESULT 13
AAI59252
ID AAI59252 standard; cDNA; 1124 BP.
XX
AC AAI59252;
XX
DT 22-OCT-2001 (first entry)
XX
DE Human polynucleotide SEQ ID NO 1455.
XX
KW Human: nootropic; immunosuppressant; cytostatic; gene therapy; cancer;
KW peripheral nervous system; neuropathy; central nervous system; CNS;
KW Alzheimer's; Parkinson's disease; Huntington's disease; haemostatic;
KW amyotrophic lateral sclerosis; Shy-Drager Syndrome; chemotactic;
KW chemokinetic; thrombolytic; drug screening; arthritis; inflammation;
KW leukaemia; ss.
XX
OS Homo sapiens.
XX
PN WO200153312-A1.
XX
PD 26-JUL-2001.
XX
PF 26-DEC-2000; 2000WO-US34263.
XX
PR 21-JAN-2000; 2000US-0488725.
PR 25-APR-2000; 2000US-0552317.
PR 09-JUL-2000; 2000US-0598042.
PR 19-JUL-2000; 2000US-0620312.
PR 03-AUG-2000; 2000US-0653450.
PR 14-SEP-2000; 2000US-0662191.
PR 19-OCT-2000; 2000US-0693036.
PR 29-NOV-2000; 2000US-0727344.
XX
PA (HYSE-) HYSEQ INC.
XX
PI Tang YT, Liu C, Asundi V, Chen R, Ma Y, Qian XB, Ren F, Wang D;
PI Wang J, Wang Z, Wehrman T, Xu C, Xue AJ, Yang Y, Zhang J;
PI Zhao QA, Zhou P, Goodrich R, Drmanac RT;
XX
DR WPI; 2001-442253/47.
DR P-PSDB; AAM40096.
XX
PT Novel nucleic acids and polypeptides, useful for treating disorders
PT such as central nervous system injuries -
XX
PS Claim 1; SEQ ID NO 1455; 10078pp; English.
XX
CC The invention relates to human nucleic acids (AAI57798-AAI61369) and
CC the encoded polypeptides (AAM38642-AAM42213) with nootropic,
CC immunosuppressant and cytostatic activity. The polynucleotides are useful
CC in gene therapy. A composition containing a polypeptide or polynucleotide
CC of the invention may be used to treat diseases of the peripheral nervous
CC system, such as peripheral nervous injuries, peripheral neuropathy and
CC localised neuropathies and central nervous system diseases, such as
CC Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic
CC lateral sclerosis, and Shy-Drager Syndrome. Other uses include the
CC utilisation of the activities such as: Immune system suppression,
CC Activin/inhibin activity, chemotactic/chemokinetic activity, haemostatic
CC and thrombolytic activity, cancer diagnosis and therapy, drug screening,
CC assays for receptor activity, arthritis and inflammation, leukaemias and
CC C.N.S disorders.
CC Note: The sequence data for this patent did not form part of the printed
CC specification.
XX
SQ Sequence 1124 BP; 292 A; 313 C; 287 G; 232 T; 0 other;

Query Match   6.8%; Score 88.4; DB 22; Length 1124;
Best Local Similarity 49.8%; Pred. No. 6.5e-18;
Matches 224; Conservative 0; Mismatches 226; Indels 0; Gaps 0;

```
CC    invention have hydrophobic domains and can be used for the treatment of
CC    various immune deficiencies and disorders, such as severe combined
CC    immunodeficiency (SCID), multiple sclerosis, rheumatoid arthritis,
CC    autoimmune pulmonary inflammation, graft-versus-host disease and
CC    Guillain-Barre syndrome.The proteins may also be useful in the treatment
CC    of allergic reactions and conditions, such as asthma and in regulation of
CC    haematopoiesis or lymphoid cell deficiencies. The proteins may also have
CC    utility in compositions used for bone, cartilage, tendon and/or nerve
CC    tissue growth or regeneration as well as wound healing and in the
CC    treatment of burns.The proteins may be used in the treatment of
CC    periodontal disease and in other tooth repair processes.Other uses
CC    include treatment of thrombolytic and haemostatic conditions, treatment
CC    or prevention of tumours and inhibiting infection by bacteria, viruses,
CC    fungi and other parasites.
XX
SQ    Sequence 1687 BP; 285 A; 571 C; 504 G; 327 T; 0 other;
```

```
Query Match             7.6%;  Score 98;  DB 21;  Length 1687;
Best Local Similarity  52.7%;  Pred. No. 6e-21;
Matches  212;  Conservative    0;  Mismatches  190;  Indels    0;  Gaps    0;

Qy     393 ctgtgaccttgtgccatagtgtcaaactcagtcagatggttggccagaaggtgggaaa 452
           ||| ||||||| |||| || ||||| || | ||||  |||| | ||||||||||||||
Db     483 ctgccgcagctgtgccgtggtgtccagctccggccaaatgctggctcaggcctgggtgc 542

Qy     453 tgagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaaggttatga 512
           |||||| || | |||| ||  |||| ||| ||| ||  || | ||||| |||| ||||
Db     543 tgagatcgacagtgccgagtgcgtgttccgcatgaaccaggcgccaccgcgggctttga 602

Qy     513 agaagatgtcggcgcgcatgaccatgattcgagttgtgtcccataccagcgtcctcttt 572
           |||||  || ||||||| || ||  || ||  | | ||| | ||||||| || ||||||
Db     603 ggcggatgtgggccagcgcgcagcacccgtcgtgtctccacacaaagcgtgccgctgct 662

Qy     573 gctaaaaaccctgattattttttcaaggaagcgaatactactatttgtgttatttgggg 632
           || |   |  | ||||| ||||| ||||| |||| | |||||||| | | || ||||||
Db     663 gctgcgcaactattcacactacctccagaaggcccagaacgcgcctctccacatgtgggg 722

Qy     633 accttccgcaaatatgaggaaagatggcaatggcatcgtgttacaacatgttgaaaagac 692
           || | || | |||| ||||||||| |||| ||||| | |  || || || ||||||| ||
Db     723 ccaggccagccagcatgaccccggtgcctcggcggccgcacctaccgacgctgctgcagct 782

Qy     693 agttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactg 752
           || || | ||  || || ||||| |  |  | | ||||| ||||| ||||| ||||||||
Db     783 caccaggatgtaccccggcctgcaggtgtacacctttcacggacgcactg 842

Qy     753 tgatggagttttaagaaggaaactgggaaggacagggggca 794
           ||| | ||||||| || || || || |||||||||||||||
Db     843 cgaccagatcttccaggacgacgacgggcaagaaccggaggca 884
```

```
RESULT 12
AAA78385
ID    AAA78385 standard; cDNA; 1735 BP.
XX
AC    AAA78385;
XX
DT    20-NOV-2000  (first entry)
XX
DE    Human secreted protein gene 5 SEQ ID NO:15.
XX
KW    Human; secreted protein; cytostatic; antianaemic; antidiabetic;
KW    antiinflammatory; ophthalmological; antirheumatic; antiarthritic;
KW    antipsoriatic; antiangiogenic; cardiant; anti-HIV; nootropic;
KW    neuroprotective; antimicrobial; antiparkinsonian; cancer;
KW    immune system disorder; angiogenesis; hyperproliferative disorder;
KW    cardiovascular disorder; apoptosis; neurological disease;
KW    infectious disease; wound healing; chromosome 9; ss.
XX
OS    Homo sapiens.
XX
PN    WO200035937-A1.
XX
```

(Left column, rotated)

```
Best Local Similarity  52.7%;  Pred. No. 5.7e-21;
Matches  212;  Conservative    0;  Mismatches  190;  Indels    0;  Gaps    0;

Qy     393 ctgtgaccttgtgccatagtgtcaaactcagtcagatggttggccagaaggtgggaaa 452
           ||| ||||||| |||| || ||||| || | ||||  |||| | ||||||||||||||
Db     476 ctgccgcagctgtgccgtggtgtccagctccggccaaatgctggctcaggcctgggtgc 535

Qy     453 tgagatagatcgatcctcctgcatttggagaatgaacaatgcccccaccaaaggttatga 512
           |||||| || | |||| ||  |||| ||| ||| ||  || | ||||| |||| ||||
Db     536 tgagatcgacagtgccgagtgcgtgttccgcatgaaccaggcgccaccgcgggctttga 595

Qy     513 agaagatgtcggcgcgcatgaccatgattcgagttgtgtcccataccagcgtcctcttt 572
           |||||  || ||||||| || ||  || ||  | | ||| | ||||||| || ||||||
Db     596 ggcggatgtgggccagcgcgcagcacccgtcgtgtctccacacaaagcgtgccgctgct 655

Qy     573 gctaaaaaccctgattattttttcaaggaagcgaatactactatttgtgttatttgggg 632
           || |   |  | ||||| ||||| ||||| |||| | |||||||| | | || ||||||
Db     656 gctgcgcaactattcacactacctccagaaggcccagaacgcgcctctccacatgtgggg 715

Qy     633 accttccgcaaatatgaggaaagatggcaatggcatcgtgttacaacatgttgaaaagac 692
           || | || | |||| ||||||||| |||| ||||| | |  || || || ||||||| ||
Db     716 ccaggccagccagcatgaccccggtgcctcggcggccgcacctaccgacgctgctgcagct 775

Qy     693 agttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactg 752
           || || | ||  || || ||||| |  |  | | ||||| ||||| ||||| ||||||||
Db     752 caccaggatgtaccccggcctgcaggtgtacacctttcacggacgcactg 835

Qy     753 tgatggagttttaagaaggaaactgggaaggacagggggca 794
           ||| | ||||||| || || || || |||||||||||||||
Db     836 cgaccagatcttccaggacgacgacgggcaagaaccggaggca 877
```

```
RESULT 11
AAF28695
ID    AAF28695 standard; cDNA; 1687 BP.
XX
AC    AAF28695;
XX
DT    05-APR-2001  (first entry)
XX
DE    Human protein HP03380 coding sequence #2.
XX
KW    Human; hydrophobic domain; immune deficiency; autoimmune disorder;
KW    allergy; tissue growth; regeneration; wound healing; burn; tumour;
KW    periodontal disease; thrombolytic condition; haemostatic condition;
KW    infection; ss.
XX
OS    Homo sapiens.
XX
PN    WO200102563-A2.
XX
PD    11-JAN-2001.
XX
PF    16-JUN-2000; 2000WO-JP03943.
XX
PR    02-JUL-1999;  99JP-0188835.
XX
PA    (SAGA ) SAGAMI CHEM RES CENT.
PA    (PROT-) PROTEGENE INC.
XX
PI    Kato S, Kimura T;
XX
DR    WPI; 2001-071581/08.
DR    P-PSDB; AAB61614.
XX
PT    New human proteins with hydrophobic domains, useful for the treatment
PT    of immune disorders, tumors, allergic conditions, thrombosis and
PT    microbial infection -
XX
PS    Claim 4; Pages 140-143; 153pp; English.
XX
CC    The present invention relates to human proteins (AAB61608-AAB61617) and
CC    their coding sequences (AAF28679-AAF28698). The proteins of the present
```

```
Qy   393  ctgtgaccttgtgccatagtgtcaaactcaggtcagatggttggccgagaaggtgggaaa  452
          ||   |  || || |||| || ||||| | ||| |||| |||  || ||| || |||||
Db   476  ctgcgcagctgtgcgtgtctggtgtccagctccggccaaatgtgggctcaggcctgggtgc  535

Qy   453  tgagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaaggttatga  512
          |||||| ||   ||  |||| |  || || |||||| || || ||| ||| ||| || ||
Db   536  tgagatcgacagtgcgagtgcgttccgatgaccaggcgccaccgtgggcttga  595

Qy   513  agaagatgtcggccgcatgaccgatggagttgtgtccatacagcgttcctctttt  572
          |  | ||| ||   || | |||  || || || | |  ||||| | || ||| | ||
Db   596  ggcggatgtgggcaggcagcgcaccctgcgtgtcgtctcacacacaagcgtgccgctgct  655

Qy   573  gctaaaaaccctgattatttttcaggaggcgaatactactatttgtgttattgggg  632
          |||   ||| ||  || |||  | ||| | |||||  |  | ||||| | ||||||
Db   656  gctgcgcaactattcacactacttccgagaaggcccgagacacgctctacatggtgtggggg  715

Qy   633  acctttccgcaatatgaggaaagatggcaatggcagtttacaacatgttgaaaaagac  692
           |  || ||  ||| || ||| || || ||| ||| |||  ||||| ||| || |||
Db   716  ccagggcaggcacatgaccggtgctcggccgcacctaccggcacgctgctgcagct  775

Qy   693  agttgtatctatcgaatgccaaatatacgtgaccacagagaagcgcatgagtagtactg  752
          |  ||| || || ||  |||||| | |  | |||| || ||| | ||||| ||| |||
Db   776  caccaggatgtaccccgcctgcaggtgtacaccttcacggagcgcgatgatggcctactg  835

Qy   753  tgatggagtttttaagaaggaaactggaaggacagggggca  794
          ||   ||| || || ||||| |  | ||| ||| ||| ||||
Db   836  cgaccagatcttccagaggacggacgggcaggacgaaccgagagcca  877
```

```
Db   859  cgaccagatcttccaggacgagacggcaagaaccgaggca  900
             ||    | || || |||||||  ||| || ||| || || ||||
```

RESULT   9
AAA87726
ID   AAA87726 standard; cDNA; 1556 BP.
XX
AC   AAA87726;
XX
DT   28-NOV-2000 (first entry)
XX
DE   Human secreted protein encoding cDNA SEQ ID #25.
XX
KW   Human; secreted protein; forensic procedure; gene therapy;
KW   chromosome mapping; cancer; autoimmune disease; cardiovascular disorder;
KW   cystic fibrosis; hypothyroidism; immunological disorder; amyloidosis;
KW   brain disorder; skeletal muscle disorder; eye disorder; obesity;
KW   mitochondriocytopathy; diabetes; atherosclerosis; Alzheimer's disease;
KW   neurodegenerative disorder; graft rejection; dementia; hyperlipidaemia;
KW   septic shock; impotence; ss.
XX
OS   Homo sapiens.
XX
PN   WO200037491-A2.
XX
PD   29-JUN-2000.
XX
PF   20-DEC-1999;   99WO-IB02058.
XX
PR   22-DEC-1998;   98US-0113686.
PR   25-JUN-1999;   99US-0141032.
XX
PA   (GEST) GENSET.
XX
PI   Bougueleret L, Dumas J, Duclert A;
XX
DR   WPI; 2000-442637/38.
DR   P-PSDB; AAB25764.
XX
PT   Polynucleotides and polypeptides encoding proteins with signal
PT   peptides, useful in diagnostic, forensic, gene therapy and chromosome
PT   mapping procedures -
XX
PS   Claim 1; Page 161-162; 306pp; English.
XX
CC   This sequence represents human cDNA encoding a secreted protein. The
CC   invention relates to sequences AAA87725-A87774 which encode human
CC   secreted proteins AAB25763-B25812. Included in the invention are a
CC   Included in the invention are a host cell containing one of the cDNA
CC   sequences, and a purified antibody capable of binding to one of the
CC   secreted proteins. Also contained in the invention are methods for
CC   storing the sequence data on a computer system, and a method for
CC   identifying features of the cDNA sequences using a computer programme.
CC   The cDNAs are useful for expressing secreted proteins or fragments to
CC   obtain antibodies capable of specifically binding to the secreted
CC   proteins. The cDNAs may also be useful in diagnostic, forensic, gene
CC   therapy and chromosome mapping procedures and may be used to design
CC   expression vectors and secretion vectors. The proteins of the invention
CC   may be used to treat diseases including cancer, autoimmune diseases,
CC   cardiovascular disorders, cystic fibrosis, hypothyroidism, immunological
CC   disorders, amyloidosis, brain disorders, skeletal muscle disorders, eye
CC   disorders, obesity, mitochondriocytopathies, diabetes, atherosclerosis,
CC   neurodegenerative disorders, graft rejection, Alzheimer's disease,
CC   dementia, hyperlipidaemia, septic shock and impotence.
XX
SQ   Sequence 1556 BP; 287 A; 521 C; 460 G; 288 T; 0 other;

Query Match   7.6%; Score 98; DB 21; Length 1556;
Best Local Similarity   52.7%; Pred. No. 5.7e-21;
Matches 212; Conservative 0; Mismatches 190; Indels 0; Gaps 0;

RESULT 10
AAF64008
ID   AAF64008 standard; cDNA; 1556 BP.
XX
AC   AAF64008;
XX
DT   05-APR-2001 (first entry)
XX
DE   cDNA encoding human secreted protein #9.
XX
KW   Secreted protein; prevention; treatment; diagnosis; disease;
KW   infection; ds.
XX
OS   Homo sapiens.
XX
PN   WO200100806-A2.
XX
PD   04-JAN-2001.
XX
PF   21-JUN-2000; 2000WO-IB00951.
XX
PR   25-JUN-1999; 99US-0141032.
PR   21-DEC-1999; 99US-0469099.
XX
PA   (GEST) GENSET.
XX
PI   Dumas Milne Edwards J, Bougueleret L, Jobert S;
XX
DR   WPI; 2001-071487/08.
XX
PT   49 Secreted proteins and the nucleic acids encoding them, useful in
PT   gene therapy and for detecting similar sequences in samples -
XX
PS   Claim 1; Page 218-219; 307pp; English.
XX
CC   The present invention relates to 49 Secreted proteins and the cDNAs
CC   encoding them. The protein and nucleic acids may be used in the
CC   prevention, treatment and diagnosis of diseases associated with
CC   inappropriate protein expression.
XX
SQ   Sequence 1556 BP; 288 A; 520 C; 460 G; 288 T; 0 other;

Query Match   7.6%; Score 98; DB 22; Length 1556;

PS· Claim 3; Page 118; 153pp; English.
XX
CC   The present invention relates to human proteins (AAB61608-AAB61617) and
CC   their coding sequences (AAF28679-AAF28698). The proteins of the present
CC   invention have hydrophobic domains and can be used for the treatment of
CC   various immune deficiencies and disorders, such as severe combined
CC   immunodeficiency (SCID), multiple sclerosis, rheumatoid arthritis,
CC   autoimmune pulmonary inflammation, graft-versus-host disease and
CC   Guillain-Barre syndrome. The proteins may also be useful in the treatment
CC   of allergic reactions and conditions, such as asthma and in regulation of
CC   haematopolesis or lymphoid cell deficiencies. The proteins may also have
CC   utility in compositions used for bone, cartilage, tendon and/or nerve
CC   tissue growth or regeneration as well as wound healing and in the
CC   treatment of burns. The proteins may be used in the treatment of
CC   periodontal disease and in other tooth repair processes. Other uses
CC   include treatment of thrombolytic and haemostatic conditions, treatment
CC   or prevention of tumours and inhibiting infection by bacteria, viruses,
CC   fungi and other parasites.
XX
SQ   Sequence 906 BP; 157 A; 300 C; 279 G; 170 T; 0 other;

Query Match   7.6%;   Score 98;   DB 22;   Length 906;
Best Local Similarity   52.7%;   Pred. No. 4e-21;
Matches 212;   Conservative   0;   Mismatches 190;   Indels   0;   Gaps   0;

Qy   393 ctgtgacctttgtgccatagtcaaactcaggtcagatggttggccagaaggtgggaaa 452
          ||| ||| ||||| ||| | | ||||| ||||| | ||||| |||| ||
Db   216 ctgccgcagctgtccgtggtgtccagctccggccaaatgctcggctcaggctggtgtgc 275

Qy   453 tgagatagatcgatcctcctgcatttggagaatgaacaatgcccccaccaaagttatga 512
          ||||| |||| |||| ||| ||| | ||| ||| | | |||||| |||||
Db   276 tgagatcgacagtgccgagtgcgtgttccgcatgaaccaggcgcccaccgtgggcttga 335

Qy   513 agaagatgtcggccgcatgaccatgacgattcgagttgtgtcccataccagcgttcctcttt 572
          | ||||| ||||| |||| || |||| |||| || | || || |||| |||| || |
Db   336 ggcggatgtgggccagcgagcaccctgcgtgtcgtcgtctcacacaagcgtgccgcgct 395

Qy   573 gctaaaaaacccgattatttttcaaggaagcgaatactactatttgtgttattgggg 632
          ||| || ||||| |||| |||| ||||||| || | ||||| | |||| ||||
Db   396 gctcgcaactattcacactacttccagaaggcccgagacacgctctcacatggtgtgggg 455

Qy   633 accttccgcaaatgaggagaaagatggcaatggcatcgtttacaacatgtttgaaaaagac 692
          || ||||| ||| |||||| | | ||| | ||| || ||| ||| || | ||||||
Db   456 ccaggcaggcacatggaccgggtgctccggccgcgccacctaccaacagcgtgccggct 515

Qy   693 agttggtatctatccgaatgcccaaatatacgtgaccacagagaggcgcatgagttactg 752
          |||| | ||| ||| || | |||| ||| ||| ||| ||| |||| |||||
Db   516 caccaggataccccgcgcaggtgcacacttcacggagcgagcgcatgatggcctactg 575

Qy   753 tgatggagtttttaagaaggaaaactgggaggaacaggggggca 794
          | ||||| |||||||||||| | | |||| || ||| | ||
Db   576 cgaccagatcttccaggacgagacgggcaggacggcaggagca 617

RESULT   8
AAC65393
ID   AAC65393 standard; cDNA; 1416 BP.
XX
AC   AAC65393;
XX
DT   13-FEB-2001 (first entry)
XX
DE   Human carbohydrate-modifying enzyme cDNA Incyte ID NO: 983984CB1.
XX
KW   Human; carbohydrate-modifying enzyme; CME; antidiabetic;
KW   immunosuppressive; anti-HIV; antiinflammatory; antianaemic;
KW   antiasthmatic; antiarteriosclerotic; antithyroid; hepatotropic;
KW   nephrotropic; antigout; thyromimetic; neuroprotective; osteopathic;
KW   antiarthritic; antipsoriatic; uropathic; ophthalmological;
KW   dermatological; antiulcer; cytostatic; virucide; antibacterial;
KW   fungicide; protozoacide; tranquilliser; vulnerary; diabetes;
KW   autoimmune disorder; inflammatory disorder; infection; ss.

XX
OS   Homo sapiens.
XX
PN   WO200063351-A2.
XX
PD   26-OCT-2000.
XX
PF   20-APR-2000; 2000WO-US10882.
XX
PR   21-APR-1999; 99US-0130383.
XX
PA   (INCY-) INCYTE GENOMICS INC.
XX
PI   Lal P, Yue H, Tang YT, Hillman JL, Baughn MR, Yang J;
XX
PT   WPI; 2000-672729/65.
DR   P-PSDB; AAB28674.
XX
PT   Novel carbohydrate modifying enzyme polypeptides and polynucleotides
PT   for diagnosis, treatment and prevention of carbohydrate metabolism
PT   disorders, autoimmune/inflammatory disorders, and cancer -
XX
PS   Claim 4; Page 73; 75pp; English.
XX
CC   The present cDNA sequence encodes a human carbohydrate-modifying enzyme
CC   (CME). CME polynucleotides and polypeptides are useful for treating and
CC   diagnosing diseases associated with CME such as diabetes,
CC   autoimmune/inflammatory disorders such as AIDS, Addison's disease,
CC   adult respiratory distress syndrome, allergies, anaemia, asthma,
CC   atherosclerosis, autoimmune thyroiditis, bronchitis, cholecystitis,
CC   contact dermatitis, Crohn's disease, emphysema, erythroblastosis fetalis,
CC   glomerulonephritis, Good pasture's syndrome, gout, Grave's disease,
CC   Hashimoto's thyroiditis, multiple sclerosis, myasthenia gravis,
CC   osteoarthritis, osteoporosis, pancreatitis, polymyositis, psoriasis,
CC   Reiter's syndrome, arthritis, scleroderma, sjogren's syndrome, systemic
CC   lupus erythematosus, ulcerative colitis, uveitis, Werner syndrome,
CC   complications of cancer, haemodialysis, and extracorporeal circulation,
CC   viral, bacterial, fungal parasitic, protozoal, and helminthic infections,
CC   trauma, or cancer. CME, or its catalytic or immunogenic fragment, is
CC   useful for drug screening.
XX
SQ   Sequence 1416 BP; 246 A; 489 C; 416 G; 264 T; 1 other;

Query Match   7.6%;   Score 98;   DB 21;   Length 1416;
Best Local Similarity   52.7%;   Pred. No. 5.4e-21;
Matches 212;   Conservative   0;   Mismatches 190;   Indels   0;   Gaps   0;

Qy   393 ctgtgacctttgtgccatagtcaaactcaggtcagatggttggccagaaggtgggaaa 452
          ||| ||| |||| |||| | | ||||| ||||| | ||||| |||| ||
Db   499 ctgccgcagctgtgcctggtgtccagctccggccaaatgctcgggctcaggctggtgtgc 558

Qy   453 tgagatagatcgatcctcctgcatttggagaatgaacaatgcccccaccaaaggttatga 512
          ||||| |||| |||| ||| ||| | ||| ||| | | |||||| |||||
Db   559 tgagatcgacagtgccgagtgcgtgttccgcatgaaccaggcgcccaccgtgggcttga 618

Qy   513 agaagatgtcggccgcatgaccatgacgattcgagttgtgtcccataccagcgttcctcttt 572
          | ||||| ||||| |||| || |||| |||| || | || || |||| |||| || |
Db   619 ggcggatgtgggccagcgagcaccctgcgtgtcgtcgtctcacacaagcgtgccgcgct 678

Qy   573 gctaaaaaacccgattatttttcaaggaagcgaatactactatttgtgttattgggg 632
          ||| || ||||| |||| |||| ||||||| || | ||||| | |||| ||||
Db   679 gctcgcaactattcacactacttccagaaggcccgagacacgctctcacatggtgtgggg 738

Qy   633 accttccgcaaatgaggagaaagatggcaatggcatcgtttacaacatgtgaaaagac 692
          || ||||| ||| |||||| | | ||| | ||| || ||| ||| || | ||||
Db   739 ccaggcaggcacatggaccgggtgctccggccgcgccacctaccacagagagcgctgcagct 798

Qy   693 agttgtatctatccgaatgcccaaatatacgtgaccacagagaggcgcatgagttactg 752
          |||| | ||| ||| || | |||| ||| ||| ||| ||| |||| ||||
Db   799 caccaggatgtaccccggcctgcaggtgtacacctttcacggagcggcgcatgatggcctactg 858

Qy   753 tgatggagtttttaagaaggaaaactgggaggaacaggggggca 794

CC (AAL07544-AAL26789) and methods of assessing whether a patient is
CC afflicted with breast cancer by examining the correlation between the
CC expression of certain markers and the cancerous state of breast cells.
CC The polynucleotides and encoded polypeptides are potential markers for
CC detecting, diagnosing, monitoring, characterising treating and
CC potentially preventing breast cancer. The polynucleotides and encoded
CC polypeptides are also useful for isolating compounds with cytostatic
CC activity.
XX
SQ Sequence 683 BP; 194 A; 151 C; 127 G; 209 T; 2 other;

Query Match 19.9%; Score 258; DB 22; Length 683;
Best Local Similarity 98.1%; Pred. No. 1.1e-73;
Matches 261; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy  529 atgaccatgattcgagtttgtgtcccataccagcgttcctcctttgctaaaaaccctgat 588
            ||||||||||| |||||||||||||||||||||||||| ||||||||||||||| ||||
Db  683 ATGACCATGATTCGAGTTGTGTCCCATACCAGCGTTCCTCGTTTGCTAAAAAACCTTGAT 624

Qy  589 tattttttcaaggaagcgaatactactatttgtgttatttgggggaccttccgcaatatg 648
            ||||||||||||||||||||||||||||||| |||||||||||||| ||||||||||||
Db  623 TATTTTTTCAAGGAAGCGAATACTACTATTTATGTTATTTGGGGACCTTTCCGCAATATG 564

Qy  649 aggaaagatgtcaatggcatcgttcacacatgttgtatctatccg 708
            ||||||||| |||||||||||||| ||| |||||||        ||||||||
Db  563 AGGAAAGATGGCAATGGCATCGTTTACAACATGTTGAAAAAGACAGTTGGTATCTATCCG 504

Qy  709 aatgcccaaatatacgtgaccacagagaagcgcatgagtttggtatggaagttttaag 768
            |||||||||||||||||||||||||||||||||||||||| |  |||||||||||
Db  503 AATGCCCAAATATACGTGACCACAGAGAAGCGCATGAGTTACTGTGATGGAGTTTTTAAG 444

Qy  769 aaggaaactgggaaggacaggggggca 794
            |||||||||||||||||||| |
Db  443 AAGGAAACTGGGAAGGACCAGAGTCCA 418
```

RESULT 6
AAL11604/c
ID   AAL11604 standard; cDNA; 646 BP.
XX
AC   AAL11604;
XX
DT   07-DEC-2001 (first entry)
XX
DE   Human breast cancer expressed polynucleotide 4061.
XX
KW   Human; breast cancer; cell marker; cytostatic; ss.
XX
OS   Homo sapiens.
XX
PN   WO200151628-A2.
XX
PD   19-JUL-2001.
XX
PF   10-JAN-2001; 2001WO-US00798.
XX
PR   14-JAN-2000; 2000US-0176077.
PR   14-MAR-2000; 2000US-0189167.
PR   24-MAR-2000; 2000US-0192099.
PR   29-MAR-2000; 2000US-0193480.
PR   15-MAY-2000; 2000US-0205230.
PR   09-JUN-2000; 2000US-0211315.
PR   25-JUL-2000; 2000US-0220534.
XX
PA   (MILL-) MILLENNIUM PREDICTIVE MEDICINE INC.
XX
PI   Lillie J, Xu Y, Wang Y, Steinmann K;
XX
DR   WPI; 2001-451856/48.
XX
PT   New peptide useful as a marker for the diagnosis of breast cancer -

---

PS   Claim 1; Page 742; 3695pp; English.
XX
CC   The invention relates to human breast cancer expressed polynucleotides
CC   (AAL07544-AAL26789) and methods of assessing whether a patient is
CC   afflicted with breast cancer by examining the correlation between the
CC   expression of certain markers and the cancerous state of breast cells.
CC   The polynucleotides and encoded polypeptides are potential markers for
CC   detecting, diagnosing, monitoring, characterising treating and
CC   potentially preventing breast cancer. The polynucleotides and encoded
CC   polypeptides are also useful for isolating compounds with cytostatic
CC   activity.
XX
SQ   Sequence 646 BP; 177 A; 149 C; 122 G; 197 T; 1 other;

Query Match 13.7%; Score 177.2; DB 22; Length 646;
Best Local Similarity 97.1%; Pred. No. 3.3e-47;
Matches 201; Conservative 0; Mismatches 0; Indels 4; Gaps 2;

```
Qy  579 aaccctgattattttcaaggaagcgaatactactatttgtgttatttgggggacctttt 638
            |||| |||||||| |||||||||||||||||||||||||| |||||||||||||| |||
Db  646 AAACCNTGATTATTTTTTCAAGGAAGCGAATACTACTATTTATGTTATTTGGGACCTTT 587

Qy  639 ccgcaaatatgaggaaagatggcaatggcatcgttcacacatgttgaaaaagacagttgg 698
            |||||| ||||||||||||||||||||||||||||| ||| ||||||||||  ||||||||
Db  586 CCGCAATATGAGGAAAGATGGCAATGGCATCGTTTACAACATGTTGAAATTGACAGTTGG 527

Qy  699 tatctatccgaatgcccaaatatacg-tgaccacagagaagcgcatgagtttactgtgatg 757
            |||||||||||||||||||||||||| |||||||||||||||||||||||| |||||||||
Db  526 -ATCTATCCGAATGCCCAAATATACGTGACCACAGAGAAGCGCATGAGTTACTGTGATG 468

Qy  758 gagtttttaagaaggaaactgggaagg 784
            |||||||||||||||||||||||||||
Db  467 GAGTTTTTAAGAAGGAAACTGGGAAGG 441
```

RESULT 7
AAF28685
ID   AAF28685 standard; cDNA; 906 BP.
XX
AC   AAF28685;
XX
DT   05-APR-2001 (first entry)
XX
DE   Human protein HP03380 coding sequence #1.
XX
KW   Human; hydrophobic domain; immune deficiency; autoimmune disorder;
KW   allergy; tissue growth; regeneration; wound healing; burn; tumour;
KW   periodontal disease; thrombolytic condition; haemostatic condition;
KW   infection; ss.
XX
OS   Homo sapiens.
XX
PN   WO200102563-A2.
XX
PD   11-JAN-2001.
XX
PF   16-JUN-2000; 2000WO-JP03943.
XX
PR   02-JUL-1999; 99JP-0188835.
XX
PA   (SAGA) SAGAMI CHEM RES CENT.
PA   (PROT-) PROTEGENE INC.
XX
PI   Kato S, Kimura T;
XX
DR   WPI; 2001-071581/08.
DR   P-PSDB; AAB61614.
XX
PT   New human proteins with hydrophobic domains, useful for the treatment
PT   of immune disorders, tumors, allergic conditions, thrombosis and
PT   microbial infection -
XX

```
PR   17-NOV-2000;   2000US-0249244.
PR   17-NOV-2000;   2000US-0249245.
PR   17-NOV-2000;   2000US-0249264.
PR   17-NOV-2000;   2000US-0249265.
PR   17-NOV-2000;   2000US-0249297.
PR   17-NOV-2000;   2000US-0249299.
PR   17-NOV-2000;   2000US-0249300.
PR   01-DEC-2000;   2000US-0250160.
PR   01-DEC-2000;   2000US-0250391.
PR   05-DEC-2000;   2000US-0251030.
PR   05-DEC-2000;   2000US-0251988.
PR   05-DEC-2000;   2000US-0256719.
PR   06-DEC-2000;   2000US-0251479.
PR   08-DEC-2000;   2000US-0251856.
PR   08-DEC-2000;   2000US-0251868.
PR   08-DEC-2000;   2000US-0251869.
PR   08-DEC-2000;   2000US-0251989.
PR   08-DEC-2000;   2000US-0251990.
PR   11-DEC-2000;   2000US-0254097.
PR   05-JAN-2001;   2001US-0259678.
XX
PA   (HUMA-) HUMAN GENOME SCI INC.
XX
PI   Rosen CA,  Barash SC,  Ruben SM;
XX
DR   WPI; 2001-465566/50.
DR   P-PSDB; AAU23360.
XX
PT   Novel polypeptides and polynucleotides useful for diagnosing,
PT   preventing, treating neural, immune system, muscular, reproductive,
PT   pulmonary, cardiovascular, renal, proliferative disorders and cancerous
PT   diseases -
XX
PS   Claim 4; SEQ ID No 456; 1180pp; English.
XX
CC   The present invention relates to the isolation of novel human enzyme
CC   polypeptides (AAU22915-AAU23814), and the cDNA and genomic sequences
CC   encoding them. The enzyme polypeptides of the invention may comprise the
CC   functional classes of oxidoreductases, transferases, hydrolases, lyases,
CC   isomerases or ligases. The sequences of the invention are useful in the
CC   diagnosis, treatment, prevention and/or prognosis of a wide range of
CC   disorders including hyperproliferative disorders (e.g. cancer),
CC   immunodeficiency disorders (e.g. AIDS) autoimmune disorders
CC   (e.g. arthritis), neurological disorders (e.g. Alzheimer's disease),
CC   metabolic disorders (e.g. phenylketonuria), inflammatory disorders
CC   (e.g. asthma), cardiovascular disorders (e.g. atherosclerosis),
CC   blood-related disorders (e.g. haemophilia), reproductive disorders
CC   (e.g. infertility) and infectious disorders (e.g. Influenza). The
CC   polynucleotides of the invention can also be used in gene therapy.
CC   AAS40785-AAS41684 represent cDNA sequences encoding for the novel human
CC   enzyme polypeptides of the invention.
CC   Note: The sequence data for this patent did not form part of the printed
CC   specification, but was obtained in electronic format directly from WIPO
CC   at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ   Sequence 672 BP; 181 A; 162 C; 163 G; 159 T; 7 other;

Query Match             42.8%;  Score 554;  DB 22;  Length 672;
Best Local Similarity   97.0%;  Pred. No. 8.3e-171;
Matches   604;  Conservative    2;  Mismatches   13;  Indels     4;  Gaps    4;

Qy     75 ctgccgtggtaccagcctccagcctgccccagactgccccctgaccaggcgccccgc 134
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      2 ctgccgtggtaccagcctccagcctgccccagactgccccctgaccaggcgccccgc 61

Qy    135 tgtctcgttgcgaggaggcgcggcggagcgagcgccatggcctgcatcctgaagagaaagtctgt 194
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     62 tgtctcgttgcgaggaggcgcggcggagcgagcgccatggcctgcatcctgaagagaaagtctgt 121

Qy    195 gattgctgtgagcttcatagcagcgttccttttcctgctgtgtgctgtcttgtaaatga 254
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    122 gattgctgtgagcttcatagcagcgttccttttcctgctgtgtgctgtcttgtaaatga 181
```

```
Qy    255 agtgaattccattgctactaaactgcttggacaacctggtacaaagtggatacactt 314
          ||:|||||||||||||||||||||||||||||||||||||||:||||||||||||||
Db    182 agtkaattccattgctactaaactgcttggacaacctggtacaaagtggatacactt 241

Qy    315 ctcctacacatacaggcggccctcgaactcactactactggatacatacataaatgtgaagacaca 374
          |||||||||||||||||||:|||||||||||||||||||||||||||||||||||||||
Db    242 ctcctacacatacaggcggcgmccctcgaactcactactactggatacatacataaatgtgaagacaca 301

Qy    375 agagccttgcaactgactgtgactttgtgcaatagtgtcaaactcaggtcagatggt 434
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    302 agagccttgcaactgactgtgactttgtgccatagtgtcaaactcaggtcagatggt 361

Qy    435 tggccagaaggtgggaaatgagatagatcgatcctcctgcatttggagaatgaacaatgc 494
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    362 tggccagaaggtgggaaatgagatagatcgatcctcctgcatttggagaatgaacaatgc 421

Qy    495 cccaccaaaggttatagaagaagatgtcggccgcaatgaccatgaccatgagttgtgtccca 554
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    422 cccaccaaaggttatgaagaagatgtcggccgcaatgaccatgaccatgagttgtgtg-ccca 480

Qy    555 taccagcgttcctctttgctaaaaaccctgattatttttcaaggaagcgaatactac 614
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    481 taccagcggtccctctttgctaaaaaccctgaatatttttcaaggaagcgaatactac 540

Qy    615 tatttgttatttgggacctttccgcaatatgaggaaaagtgccaatggcaatgcatcgtgtta 674
          |||||||||:||||||||||||||||||||||||||||||||||||||||||:|||
Db    541 taattatg-taatgggacctttcccaaatacatgangaagaagg-aatggcatcg-tta 597

Qy    675 caacatgttgaaaaagacagttg 697
          ||:|||||||||||||||||
Db    598 ccacatggtgaaaaaaacagtgg 620
```

```
RESULT  5
AAL20502/c
ID   AAL20502 standard; cDNA; 683 BP.
XX
AC   AAL20502;
XX
DT   07-DEC-2001  (first entry)
XX
DE   Human breast cancer expressed polynucleotide 12959.
XX
KW   Human; breast cancer; cell marker; cytostatic; ss.
XX
OS   Homo sapiens.
XX
PN   WO20015011628-A2.
XX
PD   19-JUL-2001.
XX
PF   10-JAN-2001;  2001WO-US00798.
XX
PR   14-JAN-2000;  2000US-0176077.
PR   14-MAR-2000;  2000US-0189167.
PR   24-MAR-2000;  2000US-0192099.
PR   29-MAR-2000;  2000US-0193480.
PR   15-MAY-2000;  2000US-0205230.
PR   09-JUN-2000;  2000US-0211315.
PR   25-JUL-2000;  2000US-0220534.
XX
PA   (MILL-) MILLENNIUM PREDICTIVE MEDICINE INC.
XX
PI   Lillie J,  Xu Y,  Wang Y,  Steinmann K;
XX
DR   WPI; 2001-451856/48.
XX
PT   New peptide useful as a marker for the diagnosis of breast cancer  -
XX
PS   Claim 1; Page 2296; 3695pp; English.
XX
CC   The invention relates to human breast cancer expressed polynucleotides
```

```
Qy   785 acag 788
          |||
Db   662 acag 665


RESULT  4
AAS41230
ID   AAS41230 standard; cDNA; 672 BP.
XX
AC   AAS41230;
XX
DT   17-DEC-2001  (first entry)
XX
DE   cDNA encoding novel human enzyme polypeptide #446.
XX
KW   Human; oxidoreductase enzyme; transferase; hydrolase; lyase; isomerase;
KW   ligase; hyperproliferative disorder; immunodeficiency disorder;
KW   autoimmune disorder; neurological disorder; metabolic disorder;
KW   inflammatory disorder; cardiovascular disorder; reproductive disorder;
KW   blood-related disorder; infectious disorder; gene therapy; cytostatic;
KW   anti arthritic; nephrotropic; anticoagulant; ss.
XX
OS   Homo sapiens.
XX
PN   WO200155301-A2.
XX
PD   02-AUG-2001.
XX
PF   17-JAN-2001; 2001WO-US01239.
XX
PR   31-JAN-2000; 2000US-0179065.        PR   06-SEP-2000; 2000US-0230438.
PR   04-FEB-2000; 2000US-0180628.        PR   08-SEP-2000; 2000US-0231242.
PR   24-FEB-2000; 2000US-0184664.        PR   08-SEP-2000; 2000US-0231243.
PR   02-MAR-2000; 2000US-0186350.        PR   08-SEP-2000; 2000US-0231244.
PR   16-MAR-2000; 2000US-0189874.        PR   08-SEP-2000; 2000US-0231413.
PR   17-MAR-2000; 2000US-0190076.        PR   08-SEP-2000; 2000US-0231414.
PR   18-APR-2000; 2000US-0198123.        PR   08-SEP-2000; 2000US-0232080.
PR   19-MAY-2000; 2000US-0205515.        PR   08-SEP-2000; 2000US-0232081.
PR   07-JUN-2000; 2000US-0209467.        PR   12-SEP-2000; 2000US-0231968.
PR   28-JUN-2000; 2000US-0214886.        PR   14-SEP-2000; 2000US-0232397.
PR   30-JUN-2000; 2000US-0215135.        PR   14-SEP-2000; 2000US-0232398.
PR   07-JUL-2000; 2000US-0216647.        PR   14-SEP-2000; 2000US-0232399.
PR   07-JUL-2000; 2000US-0216880.        PR   14-SEP-2000; 2000US-0232400.
PR   11-JUL-2000; 2000US-0217487.        PR   14-SEP-2000; 2000US-0232401.
PR   11-JUL-2000; 2000US-0217496.        PR   14-SEP-2000; 2000US-0233063.
PR   14-JUL-2000; 2000US-0218290.        PR   14-SEP-2000; 2000US-0233064.
PR   26-JUL-2000; 2000US-0220963.        PR   14-SEP-2000; 2000US-0233065.
PR   26-JUL-2000; 2000US-0220964.        PR   21-SEP-2000; 2000US-0234223.
PR   14-AUG-2000; 2000US-0224518.        PR   21-SEP-2000; 2000US-0234274.
PR   14-AUG-2000; 2000US-0224519.        PR   25-SEP-2000; 2000US-0234997.
PR   14-AUG-2000; 2000US-0225213.        PR   25-SEP-2000; 2000US-0234998.
PR   14-AUG-2000; 2000US-0225214.        PR   26-SEP-2000; 2000US-0235484.
PR   14-AUG-2000; 2000US-0225266.        PR   27-SEP-2000; 2000US-0235834.
PR   14-AUG-2000; 2000US-0225267.        PR   27-SEP-2000; 2000US-0235836.
PR   14-AUG-2000; 2000US-0225268.        PR   29-SEP-2000; 2000US-0236327.
PR   14-AUG-2000; 2000US-0225270.        PR   29-SEP-2000; 2000US-0236367.
PR   14-AUG-2000; 2000US-0225447.        PR   29-SEP-2000; 2000US-0236368.
PR   14-AUG-2000; 2000US-0225757.        PR   29-SEP-2000; 2000US-0236369.
PR   14-AUG-2000; 2000US-0225758.        PR   29-SEP-2000; 2000US-0236370.
PR   14-AUG-2000; 2000US-0225759.        PR   02-OCT-2000; 2000US-0236802.
PR   18-AUG-2000; 2000US-0226279.        PR   02-OCT-2000; 2000US-0237037.
PR   22-AUG-2000; 2000US-0226681.        PR   02-OCT-2000; 2000US-0237038.
PR   22-AUG-2000; 2000US-0226868.        PR   02-OCT-2000; 2000US-0237039.
PR   23-AUG-2000; 2000US-0227182.        PR   02-OCT-2000; 2000US-0237040.
PR   23-AUG-2000; 2000US-0227009.        PR   13-OCT-2000; 2000US-0239935.
PR   30-AUG-2000; 2000US-0228924.        PR   13-OCT-2000; 2000US-0239937.
PR   01-SEP-2000; 2000US-0229287.        PR   20-OCT-2000; 2000US-0240960.
PR   01-SEP-2000; 2000US-0229343.        PR   20-OCT-2000; 2000US-0241221.
PR   01-SEP-2000; 2000US-0229344.        PR   20-OCT-2000; 2000US-0241785.
PR   01-SEP-2000; 2000US-0229345.        PR   20-OCT-2000; 2000US-0241786.
PR   05-SEP-2000; 2000US-0229509.        PR   20-OCT-2000; 2000US-0241787.
PR   05-SEP-2000; 2000US-0229513.        PR   20-OCT-2000; 2000US-0241808.
PR   06-SEP-2000; 2000US-0230437.        PR   20-OCT-2000; 2000US-0241809.
                                         PR   20-OCT-2000; 2000US-0241826.
                                         PR   01-NOV-2000; 2000US-0244617.
                                         PR   08-NOV-2000; 2000US-0246474.
                                         PR   08-NOV-2000; 2000US-0246475.
                                         PR   08-NOV-2000; 2000US-0246476.
                                         PR   08-NOV-2000; 2000US-0246477.
                                         PR   08-NOV-2000; 2000US-0246478.
                                         PR   08-NOV-2000; 2000US-0246523.
                                         PR   08-NOV-2000; 2000US-0246524.
                                         PR   08-NOV-2000; 2000US-0246525.
                                         PR   08-NOV-2000; 2000US-0246526.
                                         PR   08-NOV-2000; 2000US-0246527.
                                         PR   08-NOV-2000; 2000US-0246528.
                                         PR   08-NOV-2000; 2000US-0246532.
                                         PR   08-NOV-2000; 2000US-0246609.
                                         PR   08-NOV-2000; 2000US-0246610.
                                         PR   08-NOV-2000; 2000US-0246611.
                                         PR   08-NOV-2000; 2000US-0246613.
                                         PR   17-NOV-2000; 2000US-0249207.
                                         PR   17-NOV-2000; 2000US-0249208.
                                         PR   17-NOV-2000; 2000US-0249209.
                                         PR   17-NOV-2000; 2000US-0249210.
                                         PR   17-NOV-2000; 2000US-0249211.
                                         PR   17-NOV-2000; 2000US-0249212.
                                         PR   17-NOV-2000; 2000US-0249213.
                                         PR   17-NOV-2000; 2000US-0249214.
                                         PR   17-NOV-2000; 2000US-0249215.
                                         PR   17-NOV-2000; 2000US-0249216.
                                         PR   17-NOV-2000; 2000US-0249217.
                                         PR   17-NOV-2000; 2000US-0249218.
```

```
Qy   524  gcccatgaccagttcctttgtgtcccataccagcgttcctctttgctaaaaaacc  583
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   481  gccgatgaccatgatctcgagttcgtgtcccataccagcgttcccctttgctaaaaaacc  540

Qy   584  ctgattattttcaaggaagcggaatactactatttgtgttattatttgggggaccttccgca  643
          |||||||||||||||||||||||||||||||| |||||||||||||||||||
Db   541  ctgattattttcaaggaagcggaatactactatttatgtgttattatttgggggaccttccgca  600

Qy   644  atatgaggaaagatggcaatggcatcgttacaacatgttgaaaaagacagttggtatct  703
          ||||||| |||||||||||||||||||||||||||||||||||||||||||||
Db   601  atatgaggaaagatggcaatggcatcgttacaacatgttgaaaaagacagttggtatct  660

Qy   704  atccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgtgatggagttt  763
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   661  atccgatgcccaaatatacgtgaccacagagaagcgcatgagttactgtgatggagttt  720

Qy   764  ttaagaggaaactgggaaggacag  788
          |||||||||||||||||||||||
Db   721  ttaagaggaaactgggaaggacag  745
```

```
RESULT  3
AAC76478
ID    AAC76478  standard; cDNA; 696 BP.
XX
AC    AAC76478;
XX
DT    08-FEB-2001  (first entry)
XX
DE    Human ORFX ORF2033 polynucleotide sequence SEQ ID NO:4065.
XX
KW    Human; open reading frame; ORFX; detection; cytostatic; hepatotropic;
KW    vulnerary; antipsoriatic; antiparkinsonian; nootropic; neuroprotective;
KW    anticonvulsant; osteopathic; antiarthritic; immunosuppressant; cardiant;
KW    immunostimulant; thrombolytic; coagulant; vasotropic; antidiabetic;
KW    hypotensive; dermatological; immunosuppressive; antiinflammatory;
KW    antiviral; antibacterial; antifungal; antirheumatic; antithyroid;
KW    antianaemic; gene therapy; cancer; proliferative disorder; hypertension;
KW    neurodegenerative disorder; osteoarthritis; graft vs host disease;
KW    cardiovascular disease; diabetes mellitus; hypothyroidism; SCID; AIDS;
KW    cholesterol ester storage; systemic lupus erythematosus; infection;
KW    severe combined immunodeficiency; malaria; autoimmune disorder; asthma;
KW    allergy; aplastic anaemia; nocturnal haemoglobinuria; burn; wound;
KW    bone damage; cartilage damage; antiinflammatory disease; coagulation;
KW    thrombosis; contraceptive; ss.
XX
OS    Homo sapiens.
XX
PN    WO200058473-A2.
XX
PD    05-OCT-2000.
XX
PF    31-MAR-2000; 2000WO-US08621.
XX
PR    31-MAR-1999;  99US-0127607.
PR    02-APR-1999;  99US-0127636.
PR    05-APR-1999;  99US-0127728.
PR    30-MAR-2000;  2000US-0540763.
XX
PA    (CURA-) CURAGEN CORP.
XX
PI    Shinkets RA,  Leach M;
XX
DR    WPI; 2000-602362/57.
DR    P-PSDB; AAB42269.
XX
PT    Novel nucleic acids and peptides derived from open reading frame X,
PT    useful for treating e.g. cancers, proliferative disorders,
PT    neurodegenerative disorders and cardiovascular disease -
XX
PS    Claim 5; Page 3256; Page 5507pp; English.
XX
```

```
CC    AAC74446 to AAC77606 encode the proteins given in AAB41397,
CC    which represent the human ORFX open reading frames 1 to 3161. The ORFX
CC    sequences have activities such as: cytostatic; hepatotropic; vulnerary;
CC    antipsoriatic; antiparkinsonian; nootropic; neuroprotective;
CC    osteopathic; anticonvulsant; antiarthritic; immunosuppressant;
CC    immunostimulant; cardiant; thrombolytic; coagulant; vasotropic;
CC    antidiabetic; hypotensive; dermatological; immunosuppressive;
CC    antiinflammatory; antibacterial; antiviral; antifungal; antirheumatic;
CC    antithyroid; and antianaemic. The sequences can be used for determining
CC    the presence of or predisposition to, or preventing or treating
CC    pathological conditions associated with an ORFX-associated disorder. The
CC    nucleic acids can be used to express ORFX proteins in gene therapy
CC    vectors. The proteins and nucleic acids may be used to treat cancers,
CC    proliferative disorders, neurodegenerative disorders, osteoarthritis,
CC    graft vs host disease, cardiovascular disease, diabetes mellitus,
CC    hypertension, hypothyroidism, cholesterol ester storage, systemic lupus
CC    erythematosus, severe combined immunodeficiency (SCID), AIDS, viral,
CC    bacterial or fungal infection, malaria, autoimmune disorders, asthma,
CC    allergies, aplastic anaemia, burns, wounds, bone and cartilage damage,
CC    nocturnal haemoglobinuria, antiinflammatory disease; to enhance
CC    coagulation; to inhibit thrombosis; and as a contraceptive.
XX
SQ    Sequence 696 BP; 191 A; 148 C; 175 G; 179 T; 3 other;
```

```
Query Match             50.4%;  Score 652.4;  DB 21;  Length 696;
Best Local Similarity   98.8%;  Pred. No. 4.5e-203;
Matches  656;  Conservative  0;  Mismatches  8;  Indels  0;  Gaps  0;

Qy   125  gcgcgcccgctgccgtggtggcaggaggccggaggccgttcctgctgccatcctgaaga  184
          ||||| ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     2  gcgcgcccgctgccgtcggtggcaggaggccgggccggagccgcatccatcctgaaga  61

Qy   185  gaaagtctgtgattgctgtgtgagcctcatgacagcagcgttcctttcctgctggttgtcgtc  244
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    62  gaaagtctgtgattgctgtgtgagcctcatagcagcgttcctttcctgctggttgtcgtc  121

Qy   245  ttgtaaatgaagtgaattccattgctactaaactgcttggacaacctggtacaaagt  304
          |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   122  ttgtaaatgaagtgaattccattgctactaaactgcttggacaacctggtacaaagt  181

Qy   305  ggataccattctcctacacatacaggcgcccctcgaactcactatggatacataatg  364
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   182  ggataccattctcctacacatacaggcggcccctcgaactcactatggatacataatg  241

Qy   365  tgaagacacaagagccttgcaactgacctgcactgacctttgtgccatagtgtcaaactcag  424
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   242  tgaagacacaagagccttgcaactgacctgcactgacctttgtgccatagtgtcaaactcag  301

Qy   425  gtcagatggttggccagaagtgtggaaatgagagtagatagatcctcctgcatttggaaa  484
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   302  gtcagatggttggccagaagtgtggaaatgagatgagatgagaagatcgatcctcctgcatttggaaa  361

Qy   485  tgaacaatgccccaccaaagttatgaagaagatgtcggccgcatgaccatgattcgag  544
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   362  tgaacaatgccccccaccaaagttatgaagaagatgtcggccgcatgaccatgattcgag  421

Qy   545  ttgtgtcccataccagcgtcctctttgctaaaaacccctgattatttttcaaggaag  604
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   422  ttgtgtcccataccagcgtcctctttgctaaaaacccctgattatttttcaaggaag  481

Qy   605  cgaatactactatttgtgttattgggggaccttccgaatagagggaaagatggcaatg  664
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   482  cgaatactactatttatgtgttattgggggaccttccgaatagagggaaagatggcaatg  541

Qy   665  gcatcgttacaacatgttgaaaaagacagttggtatctatccgaatatacg  724
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   542  gcatcgtnacaacatgttgaaaaagacagttggtatctatccgaatatacg  601

Qy   725  tgaccacagagaagcgcatgagttactgtgatggagttttaagaggaaactgggaagg  784
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   602  tgaccacagagaagcgcatgagttactgtgatggagttttaagaggaaaacgggaagg  661
```

```
XX
PA   (INCY-) INCYTE GENOMICS INC.
XX
PI   Yang J,      Baughn MR,   Burford N,   Au-Young J,   Lu DAM,   Reddy R;
PI   Ring HZ,     Hillman JL,  Yue H,       Azimzai Y,    Yao MG,   Gandhi AR;
PI   Nguyen DB,   Tang YT,     Lal P,       Badman O;
XX
DR   WPI; 2001-425874/45.
DR   P-PSDB; AAE05186.
XX
PT   Drug metabolizing enzymes and encoding polynucleotides, useful for
PT   diagnosing, treating and/or preventing autoimmune, inflammatory, cell
PT   proliferative, developmental, endocrine, eye, metabolic, and
PT   gastrointestinal disorders -
XX
PS   Claim 5; Page 168; 133pp; English.
XX
CC   The present sequence is human drug metabolising enzyme (DME-17) cDNA.
CC   Human DME and its nucleic acid molecule are useful for the diagnosis,
CC   treatment and prevention of disorders associated with increased or
CC   decreased expression of DME. Examples of such disorders include,
CC   autoimmune/inflammatory disorder such as acquired immune deficiency
CC   syndrome (AIDS), rheumatoid arthritis, osteoporosis; cell proliferative
CC   disorder such as actinic keratosis, atherosclerosis; developmental
CC   disorder such as epilepsy, anaemia; endocrine disorder such as
CC   acromegaly, cretinism, thyrotoxicosis; pancreatic disorder such as
CC   diabetes mellitus; eye disorder such as conjunctivitis, glaucoma, iritis;
CC   metabolic disorder such as Addison's disease, obesity; gastrointestinal
CC   disorder such as anorexia, dysphagia and hepatic tumours including
CC   nodular hyperplasia, adenomas and carcinomas. DME DNA is useful for
CC   creating 'knockin' humanised animals (pigs) or transgenic animals (mice
CC   or rats) to model human disease. DME DNA is also in useful is gene
CC   therapy. DME and its immunogenic fragments are useful for screening
CC   libraries of compounds in several drug screening assays.
XX
SQ   Sequence 1122 BP; 338 A; 228 C; 261 G; 295 T; 0 other;

Query Match             57.4%;  Score 743.4;  DB 22;  Length 1122;
Best Local Similarity   99.9%;  Pred. No. 8.6e-233;
Matches  744;  Conservative  0;  Mismatches  1;  Indels  0;  Gaps  0;

Qy       44 tggatctgcggaatgtgggctggaggtcctgccgtggtaccagcctccagcctgcc 103
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db        1 tggatctgcggaatgtgggctggaggtcctgccgtggtaccagcctccagcctgcc 60

Qy      104 ccaggactgccctgccaccagcgcgcccgccggctggcggaggcggcggagcg 163
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db       61 ccaggactgccctgccaccagcgcgcccgccgtcggtggcaggaggcggcggagcg 120

Qy      164 ccatggcctgcatcctgaagagaaagtctgtgattgctgagcttcatagcagcggttcc 223
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      121 ccatggcctgcatcctgaagagaaagtctgtgattgctgagcttcatagcagcggttcc 180

Qy      224 ttttcctgctcgttgtgcgtcttgtaaatgaagtgaattcccattgctactaaactgct 283
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      181 ttttcctgctcgttgtgcgtcttgtaaatgaagtgaattcccattgctactaaactgct 240

Qy      284 ttggacaacctggtacaaagtggataccattcctcacacatacaggcggccccctcgaa 343
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      241 ttggacaacctggtacaaagtggatacccattcctcacacatacaggcggcccctcgaa 300

Qy      344 ctcactatggatacatataatgtgaagacacaagagccttgcaactggactgtgacctt 403
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      301 ctcactatggatacatataatgtgaagacacaagagccttgcaactggactgtgacctt 360

Qy      404 gtgccatagtgtcaaactcagtgtcagatggttggccagaggtgggaaatgagatagatc 463
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      361 gtgccatagtgtcaaactcagtgtcagatggttggccagaggtgggaaatgagatagatc 420

Qy      464 gatcctcctgcatttggagaatgaacaatgcccccaccaaaggttatgaagaagatgtcg 523
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      421 gatcctcctgcatttggagaatgaacaatgcccccaccaaaggttatgaagaagatgtcg 480
```
```
Db      301 ctcactatggatacatataatgtgaagacacaagagccttgcaactggactgtgacctt 360
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy      404 gtgccatagtgtcaaactcagtgtcagatggttggccagaggtgggaaatgagatagatc 463
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      361 gtgccatagtgtcaaactcagtgtcagatggttggccagaggtgggaaatgagatagatc 420

Qy      464 gatcctcgcatttggagaatgaacaatgcccccaccaaaggttatgaagaagatgtcg 523
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      421 gatcctcctgcatttggagaatgaacaatgcccccaccaaaggttatgaagaagatgtcg 480

Qy      524 gccgcatgaccatgattcgagttgtgtccataccagcgttcctctttttgctaaaaaac 583
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      481 gccgccatgaccatgattcgagttgtgtccataccagcgttcctctttttgctaaaaaac 540

Qy      584 ctgattattttcaaggaggcgaatactactatttgtgttatttgggacctttccgca 643
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      541 ctgattattttcaaggaggcgaatactactatttgtgttatttgggacctttccgca 600

Qy      644 atatgaggaaagatgcaatggcatcgttacaacatgtgaaaaagacagttggtatct 703
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      601 atatgaggaaagatgcaatggcatcgttcacaacatgtgaaaaagacagttggtatct 660

Qy      704 atccgaatgcccaaatatacgtgaccacagagagaagcgcatgaggtactgtgatggagtt 763
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      661 atccgaatgcccaaatatacgtgaccacagagagaagcgcatgaggtactgtgatggagtt 720

Qy      764 ttaagaaggaaactgggaaggacag 788
            |||||||||||||||||||||||||
Db      721 ttaagaaggaaactgggaaggacag 745
```

```
RESULT   2
AAD09952
ID   AAD09952 standard; cDNA; 1122 BP.
XX
AC   AAD09952;
XX
DT   12-SEP-2001  (first entry)
XX
DE   Human drug metabolising enzyme (DME-17) cDNA.
XX
KW   Human; drug metabolising enzyme; DME-17; immunosuppressive; gene therapy;
KW   cytostatic; autoimmune disorder; inflammatory disorder; atherosclerosis;
KW   osteoporosis; eye disorder; hepatic tumour; Addison's disease; cretinism;
KW   rheumatoid arthritis; acquired immune deficiency syndrome; AIDS; anaemia;
KW   developmental disorder; endocrine disorder; iritis; acromegaly; epilepsy;
KW   thyrotoxicosis; pancreatic disorder; diabetes mellitus; obesity; adenoma;
KW   gastrointestinal disorder; nodular hyperplasia; conjunctivitis; glaucoma;
KW   actinic keratosis; metabolic disorder; dysphagia; anorexia; carcinoma;
KW   cell proliferative disorder; ss.
XX
OS   Homo sapiens.
XX
FH   Key              Location/Qualifiers
FT   CDS              123..755
FT                    /*tag= a
FT                    /product= "Human drug metabolising enzyme (DME-17) cDNA."
FT   sig_peptide      123..212
FT                    /*tag= b
FT   mat_peptide      213..752
FT                    /*tag= c
FT                    /product= "Mature drug metabolising enzyme (DME-17)"
XX
PN   WO200151638-A2.
XX
PD   19-JUL-2001.
XX
PF   12-JAN-2001; 2001WO-US01174.
XX
PR   14-JAN-2000; 2000US-0176139.
PR   21-JAN-2000; 2000US-0177443.
PR   28-JAN-2000; 2000US-0178574.
```

```
c    83  33.6  2.6  1666  22  AAH64870   Human secreted pro
c    84  33.6  2.6  1673  22  AAK94405   Human full-length
c    85  33.6  2.6  1676  20  AAZ41242   Human normal ovari
     86  33.6  2.6  5979  22  AAS36664   Human cardiovascul
     87  33.6  2.6  5979  22  AAS36666   Human cardiovascul
     88  33.6  2.6  5979  22  AAK69815   Human immune/haema
     89  33.6  2.6  5979  22  AAK69817   Human immune/haema
c    90  33.4  2.6  812   22  AAH52077   Mycobacterium tube
c    91  33.4  2.6  567   22  AAH05521   Human cDNA clone (
     92  33.4  2.6  1797  24  AAD23855   Human protease PRT
c    93  33.4  2.6  1922  22  AAH15925   Human cDNA sequenc
c    94  33.4  2.6  2050  16  AAQ95325   Chicken GalNAc-alp
     95  33.4  2.6  2577  21  AAA57359   cDNA encoding a Ht
     96  33.4  2.6  5150  24  AAS61061   Human gene regulat
     97  33.2  2.6  1071  23  AAS75560   DNA encoding novel
     98  33.2  2.6  1187  23  AAS75560   DNA encoding novel
     99  33.2  2.6  1220  23  AAS87960   DNA encoding novel
    100  33.2  2.6  1556  22  AAD18034   Human sialyltransf
```

```
PR  25-APR-2000;  2000US-199654P.
PR  03-MAY-2000;  2000US-201516P.
PR  17-MAY-2000;  2000WO-US13705.
PR  22-MAY-2000;  2000WO-US14042.
PR  30-MAY-2000;  2000WO-US14941.
PR  02-JUN-2000;  2000WO-US15264.
PR  05-JUN-2000;  2000US-209832P.
PR  28-JUL-2000;  2000WO-US207710.
PR  22-AUG-2000;  2000US-0644848.
PR  24-AUG-2000;  2000US-US23328.
PR  08-NOV-2000;  2000WO-US30952.
PR  01-DEC-2000;  2000WO-US32678.
PR  20-DEC-2000;  2000WO-US34956.
XX
PA  (GETH ) GENENTECH INC.
XX
PI  Baker KP, Chen J, Desnoyers L, Goddard A, Godowski PJ, Gurney AL;
PI  Pan J, Smith V, Watanabe CK, Wood WI, Zhang Z;
XX
DR  WPI; 2001-602746/68.
DR  P-PSDB; AAU29291.
XX
PT  Novel nucleic acids encoding PRO polypeptides, used to diagnose the
PT  presence of tumours, such as prostate and breast tumours, in mammals and
PT  to screen for modulators of the compounds -
XX
PS  Claim 2; Fig 535; 774pp; English.
XX
CC  Sequences AAS45925-AAS46231 represent DNA molecules encoding and PCR
CC  primers for PRO polypeptides of the invention. The sequences of the
CC  invention can be used to detect the presence of a tumour in a mammal by
CC  comparing the level of expression of a PRO polypeptide in a test sample
CC  of cells from the animal and a control sample of normal cells, whereby a
CC  higher level of expression in the test sample indicates the presence of a
CC  tumour in the mammal. Mammals include dogs, cats, cattle, horses, sheep,
CC  pigs, goats and rabbits but are preferably human. The polypeptides can be
CC  used to stimulate tumour necrosis factor (TNF) alpha release from human
CC  blood, when contacted with it. A specific polypeptide can be used to
CC  stimulate the proliferation or differentiation of chondrocyte cells. The
CC  PRO proteins can be used to determine the presence of tumours and also
CC  susceptibility to tumour development, particularly adrenal, lung, colon,
CC  breast, prostate, rectal, cervical, or liver tumours, in mammalian
CC  subjects. The oligonucleotide probes specific for the PRO nucleic acids
CC  can be used for genetic analysis of individuals with genetic disorders.
XX
SQ  Sequence 1106 BP; 325 A; 226 C; 260 G; 295 T; 0 other;

Query Match             57.4%;  Score 743.4;  DB 22;  Length 1106;
Best Local Similarity   99.9%;  Pred. No. 8.5e-233;
Matches  744;  Conservative    0;  Mismatches    0;  Indels    1;  Gaps    0;

Qy   44  tggatctgcgggaatgtgggctggaggtcctgccgtggtaccagcctgccc  103
         |||||||||||||||||||||||||||||||||||||||||||||||||||
Db    1  tggatctgcgggaatgtgggctggaggtcctgccgtggtaccagcctgccc   60

Qy  104  ccaggactgccctgaccaggcgcgccgccgctcggtggcaggaggccggagacg  163
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61  ccaggactgccctgaccaggcgcgccgccgctcggtggcaggaggccggagacg  120

Qy  164  ccatggctgcatcctgaagagaaagctgtgattgctgtgagcttcatgcagcggttcc  223
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  121  ccatggctgcatcctgaagagaaagctgtgattgctgtgagcttcatgcagcggttcc  180

Qy  224  ttttcctgctcgttgtgcgtcttgtaaatgaagtgaatttcccattgctactaaactgct  283
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  181  ttttcctgctcgttgtgcgtcttgtaaatgaagtgaatttcccattgctactaaactgct  240

Qy  284  ttggacaacctgtacaaagtggatacacattcctcacacatacaggcgcgccccttcgaa  343
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  241  ttggacaacctgtacaaagtggatacacattcctcacacatacaggcgcgccccttcgaa  300

Qy  344  ctccactatggatacataaatgtgaagacacaagagccttgcaactggactgtgacctt  403
```

ALIGNMENTS

```
RESULT 1
AAS46192
ID  AAS46192 standard; cDNA; 1106 BP.
XX
AC  AAS46192;
XX
DT  18-DEC-2001  (first entry)
XX
DE  Human DNA encoding PRO polypeptide sequence #268.
XX
KW  PRO polypeptide; mammal; tumour; cancer; human; cattle; horse; sheep; ss;
KW  dog; cat; pig; goat; rabbit; tumour necrosis factor alpha; TNF-alpha;
KW  blood; chondrocyte cell; cell proliferation; cell differentiation; colon;
KW  adrenal; lung; breast; prostate; rectum; cervix; liver; genetic disorder;
KW  PCR primer.
XX
OS  Homo sapiens.
XX
PN  WO200168848-A2.
XX
PD  20-SEP-2001.
XX
PF  28-FEB-2001; 2001WO-US06520.
XX
PR  01-MAR-2000;  2000WO-US05601.
PR  02-MAR-2000;  2000WO-US05841.
PR  03-MAR-2000;  2000US-187202P.
PR  06-MAR-2000;  2000US-186968P.
PR  14-MAR-2000;  2000US-189320P.
PR  14-MAR-2000;  2000US-189328P.
PR  15-MAR-2000;  2000WO-US06884.
PR  21-MAR-2000;  2000WO-US06828P.
PR  21-MAR-2000;  2000US-191007P.
PR  21-MAR-2000;  2000US-191048P.
PR  21-MAR-2000;  2000US-191314P.
PR  28-MAR-2000;  2000US-192655P.
PR  29-MAR-2000;  2000US-193032P.
PR  29-MAR-2000;  2000US-193053P.
PR  30-MAR-2000;  2000WO-US08439.
PR  04-APR-2000;  2000US-194449P.
PR  04-APR-2000;  2000US-194647P.
PR  11-APR-2000;  2000US-195975P.
PR  11-APR-2000;  2000US-196000P.
PR  11-APR-2000;  2000US-196187P.
PR  11-APR-2000;  2000US-196690P.
PR  11-APR-2000;  2000US-196820P.
PR  18-APR-2000;  2000US-198121P.
PR  18-APR-2000;  2000US-198585P.
PR  25-APR-2000;  2000US-199397P.
PR  25-APR-2000;  2000US-199550P.
```

```
                    GenCore version 4.5
          Copyright (c) 1993 - 2000 Compugen Ltd.


OM nucleic - nucleic search, using sw model

Run on:    May 7, 2002, 16:00:50 ; Search time 203.36 Seconds
                                   (without alignments)
                    10924.898 Million cell updates/sec

Title:          US-09-714-936-218
Perfect score:  1294
Sequence:       1 ccggaattccgggtcgacg.........tttcttctccttttttg 1294

Scoring table:  IDENTITY_NUC
                Gapop 10.0 , Gapext 1.0

Searched:       1736436 seqs, 858457221 residues

Total number of hits satisfying chosen parameters:   3472872

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 100 summaries

Database : N_Geneseq_032802:*
     1:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1980.DAT:*
     2:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1981.DAT:*
     3:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1982.DAT:*
     4:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1983.DAT:*
     5:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1984.DAT:*
     6:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1985.DAT:*
     7:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1986.DAT:*
     8:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1987.DAT:*
     9:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1988.DAT:*
    10:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1989.DAT:*
    11:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1990.DAT:*
    12:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1991.DAT:*
    13:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1992.DAT:*
    14:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1993.DAT:*
    15:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1994.DAT:*
    16:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1995.DAT:*
    17:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1996.DAT:*
    18:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1997.DAT:*
    19:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1998.DAT:*
    20:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA1999.DAT:*
    21:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA2000.DAT:*
    22:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA2001A.DAT:*
    23:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA2001B.DAT:*
    24:  /SIDS1/gcgdata/hold-geneseq/geneseq-embl/NA2002.DAT:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.
```

SUMMARIES

Result NO.		Score	% Query Match	Length	DB	ID	Description
1		743.4	57.4	1106	22	AAS46192	Human DNA encoding
2		743.4	57.4	1122	22	AAD09952	Human drug metabol
3		652.4	50.4	696	21	AAC76478	Human ORFX ORF2033
4		554	42.8	672	22	AAS41230	cDNA encoding nove
5	c	258	19.9	683	22	AAL20502	Human breast cance
6	c	177.2	13.7	646	22	AAL11604	Human breast cance
7		98	7.6	906	22	AAF28685	Human protein HP03
8	c	98	7.6	1416	21	AAC65393	Human carbohydrate
9	c	98	7.6	1556	21	AAA87726	Human secreted pro
10		98	7.6	1556	22	AAF64008	cDNA encoding huma
11		98	7.6	1687	22	AAF28695	Human protein HP03
12		98	7.6	1735	21	AAA78385	Human secreted pro
13		88.4	6.8	1124	22	AAI59252	Human polynucleoti
14		88.4	6.8	2056	22	AAD18037	Human sialyltransf
15		83.4	6.4	814	22	AAK78174	Human nervous syst
16		.83	6.4	814	22	ABA21356	Human immune/haema
17		82.6	6.4	1091	22	AAK78174	Human polynucleoti
18		82.6	6.4	2350	22	AAI61038	Human CDNA sequenc
19		82.6	6.4	2362	21	AAH16695	Human ORFX ORF1647
20		82.6	6.4	2401	22	AAC76092	Human PRO1359 (UNQ
21		82.6	6.4	2401	22	AAA37038	Human DNA encoding
22		82.6	6.4	2401	22	AAS46027	DNA encoding prote
23		82.6	6.4	2409	22	AAF54240	Human secreted pro
24		82.6	6.4	2652	21	AAA39057	Human polynucleoti
25		82.6	6.4	2697	22	AAI60300	Human polynucleoti
26		81.8	6.3	21521	22	AAI58514	Human nervous syst
27		81.8	6.3	21521	22	ABA21357	Human immune/haema
28		62.2	4.8	626	22	AAK78175	Human CDNA clone (
29		50.6	3.9	2070	16	AAH08484	Human ST30 sialylt
30		49.8	3.8	1218	14	AAQ82873	Sialyltransferase
31		49.8	3.8	1218	16	AAQ47958	Porcine ST30 sialy
32		49	3.8	1464	23	AAQ82869	DNA encoding novel
33		47.6	3.7	218	22	AAS82187	Human nervous syst
34		46.2	3.6	1452	23	ABA14151	Drosophila melanog
35		37.6	2.9	14041	22	ABL08349	Internal control B
36		36.8	2.8	1002	22	AAH48024	Human alpha-2,3-N-
37		36.8	2.8	1919	14	AAF82336	Human alpha2-3 sia
38		36.6	2.8	1048	17	AAQ46811	Extracellularly re
39		36.6	2.8	1660	24	AAT39664	Sia alpha 2,3Gal B
40	c	36.6	2.8	4007	23	AAT39663	Mouse ischaemic co
41	c	36.4	2.8	3372	22	ABI99514	Drosophila melanog
42	c	36	2.8	4590	21	ABL08348	Human HCN2 cDNA.
43		36	2.8	1457	21	AAH48729	Yeast AOD9604-asso
44		35.6	2.8	2203	22	AAH24065	Human pancreatic c
45		35.6	2.8	2295	22	AAC91112	Nucleotide sequenc
46		35.6	2.8	2437	22	AAF89786	Human transferase
47		35.6	2.8	2519	22	AAH23830	Nucleotide sequenc
48		35.6	2.8	2520	21	AAF89785	Human colon cancer
49		35.6	2.8	2528	21	AAH35022	Human colon cancer
50		35.6	2.8	2528	21	AAH35035	Membrane-bound pro
51		35.6	2.8	2528	21	AAC58375	Human PRO848 nucle
52		35.6	2.8	2528	22	AAZ65079	Human cDNA sequenc
53		35.6	2.8	2644	22	AAS21474	Human PRO848 (UNQ5
54		35.6	2.8	114955	20	AAF44225	Nucleotide sequenc
55	c	35.4	2.7	331	13	AAF89784	Bovine TP (genomic
56	c	35.4	2.7	319608	21	AAX53491	Human chromosome 1
57		35.4	2.7	319608	22	AAQ27826	Human schizophreni
58		35.2	2.7	1491	16	AAH51601	Human colon cancer
59		34.8	2.7	1023	16	AAS09301	DNA encoding Rat P
60		34.8	2.7	2725	21	AAC98074	Rat Gal-beta-1,3Ga
61		34.4	2.7	663	21	AAQ94308	Human cDNA encodin
62	c	34.4	2.7	952	16	AAQ94306	Human prostate can
63		34.2	2.6	1023	22	AAS34151	DNA encoding Mouse
64		34.2	2.6	1189	22	AAF16244	Mouse Gal-beta-1,3
65		34.2	2.6	15044	22	AAQ94307	Human cardiovascul
66	c	34	2.6	15046	14	AAQ94305	Human cardiovascul
67	c	34	2.6	787	15	AAS36290	Human cDNA clone (
68		34	2.6	1158	22	AAS36291	Human STZ sialyltr
69		34	2.6	1306	24	AAH04151	Human cDNA sequenc
70		34	2.6	1766	21	AAQ82872	Human alpha-2,3 sia
71		34	2.6	6510	22	AAH17223	Human alpha-2,3-si
72		34	2.6	6510	20	AAQ46812	Tumour suppressor
73		34	2.6	1654	20	AAQ77736	Human immune syste
74		34	2.6	2070	20	AAS46647	Human gene regulat
75		34	2.6	714	21	ABL32394	Arabidopsis thalia
76		33.8	2.6	714	20	AAS61114	Human diagnostic a
77		33.8	2.6	1021		AAC47924	Human cDNA 5'-end
78	c	33.6	2.6	1400		AAS03026	Human cDNA clone r
79	c	33.6	2.6	1665		AAK90086	Human prostate tum
80	c	33.6	2.6			AAK93368	Porcine BAC-PIGF2-
81	c	33.6	2.6			AAZ52881	Secreted protein E
82	c	33.6	2.6			AAA65498	

Best Local Similarity 51.0%; Pred. No. 5.7;
Matches 74; Conservative 0; Mismatches 71; Indels 0; Gaps 0;

```
Qy   624 tatttgggacctttccgcaatatgaggaaagatggcaatggcatcgtttacaacatgtt 683
             |||  ||| ||| |||| |||||| ||||| | ||  || ||||| ||||||| |
Db  1802 TGTTAAGAGATCTGATGGCATTAGGAGGAAGAGTTTTAAAGGCAAGTTTTACAAAAGGAA 1743

Qy   684 gaaaaagacagttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcat 743
             ||| |||  ||| ||| ||| ||  | |||  || |||  ||  || |||
Db  1742 CTTCTAGAATCTTGAAATAGACCTGACTGAGGAAAACACATTGATGTCAGAATTCTTTGT 1683

Qy   744 gagttactgtgatggagttttaag 768
             |  || ||  ||||| |||||| ||
Db  1682 GGGATTGTTAATTGGTTTTGCAG 1658
```

Search completed: May 7, 2002, 17:54:25
Job time: 7045 sec

Query Match   2.4%;   Score 31.4; DB 4; Length 1867;
Best Local Similarity 51.0%; Pred. No. 5.7;
Matches 74; Conservative 0; Mismatches 71; Indels 0; Gaps 0;

```
Qy   624 tatttgggacctttccgcaatatgaggaaagatggcaatggcatcgtttacaacatgtt 683
             |||  ||| ||| |||| |||||| ||||| | ||  || ||||| ||||||| |
Db  1802 TGTTAAGAGATCTGATGGCATTAGGAGGAAGAGTTTTAAAGGCAAGTTTTACAAAAGGAA 1743

Qy   684 gaaaaagacagttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcat 743
             ||| |||  ||| ||| ||| ||  | |||  || |||  ||  || |||
Db  1742 CTTCTAGAATCTTGAAATAGACCTGACTGAGGAAAACACATTGATGTCAGAATTCTTTGT 1683

Qy   744 gagttactgtgatggagttttaag 768
             |  || ||  ||||| |||||| ||
Db  1682 GGGATTGTTAATTGGTTTTGCAG 1658
```

RESULT 45
PCT-US95-06683-1/c
; Sequence 1, Application PC/TUS9506683
GENERAL INFORMATION:
; APPLICANT: Goff, Stephen P.
; APPLICANT: Kalpana, Ganjam V.
; TITLE OF INVENTION: A cDNA Clone of the Human Ini-1 Gene Encoding
; TITLE OF INVENTION: a Protein That Binds to the HIV-1 Integrase;
; TITLE OF INVENTION: and Its Use in Antiviral Therapy
; NUMBER OF SEQUENCES: 4
; CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Cooper & Dunham LLP
;   STREET: 1185 Avenue of the Americas
;   CITY: New York
;   STATE: New York
;   COUNTRY: U.S.A.
;   ZIP: 10036
; COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.24
; CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: PCT/US95/06683
;   FILING DATE: 24-May-1995
;   CLASSIFICATION:
; PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: US 08/248,355
;   FILING DATE: 24-May-1994
;   CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
;   NAME: White Esq., John P.
;   REGISTRATION NUMBER: 28,678
;   REFERENCE/DOCKET NUMBER: 44301-A-PCT
; TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (212) 278-0400
;   TELEFAX: (212) 391-0525
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 1867 base pairs
;   TYPE: nucleic acid
;   STRANDEDNESS: single
;   TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; HYPOTHETICAL: N
; ANTI-SENSE: N
; FRAGMENT TYPE: N-terminal
; FEATURE:
;   NAME/KEY: CDS
;   LOCATION: 70..1225
; OTHER INFORMATION:
PCT-US95-06683-1

Query Match   2.4%;   Score 31.4; DB 5; Length 1867;

```
;   APPLICANT: VENTER, John C.
;   TITLE OF INVENTION: DNA SEQUENCES FOR STRAIN ANALYSIS IN MYCOBACTERIUM
;   TITLE OF INVENTION: TUBERCULOSIS
;   FILE REFERENCE: 24366-20007.00
;   CURRENT APPLICATION NUMBER: US/09/103,840A
;   CURRENT FILING DATE: 1998-06-24
;   NUMBER OF SEQ ID NOS: 2
;   SOFTWARE: Patentin Ver. 2.1
; SEQ ID NO 1
;   LENGTH: 4411529
;   TYPE: DNA
;   ORGANISM: Mycobacterium tuberculosis
;   OTHER INFORMATION: H37Rv
US-09-103-840A-1

Query Match               2.5%;   Score 31.8;   DB 4;   Length 4411529;
Best Local Similarity    57.0%;   Pred. NO. 54;
Matches    61;   Conservative   0;   Mismatches   46;   Indels   0;   Gaps   0;

Qy      52  cgggaatgtgggctggagaggtcctgccgtggtaccagcctccagctgccccccaggact 111
            || ||| | | || | ||| ||||||| |||| | ||| | ||||||||||| |||| ||
Db 4048471  cgagattcgtggacccagcgctggcacgcacctgcccgcagcggctcgaactcct 4048530

Qy     112  gccctgaccaggcgcgcccgctcggtgtgcgcaggagggccggcg 158
            ||| ||| || | ||| |||| ||| ||||| | |||| | |||||
Db 4048531  gcgcccgcgcagccactcccgcggttcgcaggtaggatcgtcggcg 4048577

RESULT 43
US-08-516-801-1/c
;   Sequence 1, Application US/08516801
;   Patent No. 5872213
;   GENERAL INFORMATION:
;       APPLICANT: Goff, Stephen P.
;       APPLICANT: Kalpana, Ganjam V.
;       TITLE OF INVENTION: A cDNA Clone of the Human Ini-1 Gene Encoding a
;       TITLE OF INVENTION: Protein That Binds to the HIV-1 Integrase; and Its Use in Anti
;       NUMBER OF SEQUENCES: 4
;   CORRESPONDENCE ADDRESS:
;       ADDRESSEE: Cooper & Dunham LLP
;       STREET: 1185 Avenue of the Americas
;       CITY: New York
;       STATE: New York
;       COUNTRY: U.S.A.
;       ZIP: 10036
;   COMPUTER READABLE FORM:
;       MEDIUM TYPE: Floppy disk
;       COMPUTER: IBM PC compatible
;       OPERATING SYSTEM: PC-DOS/MS-DOS
;       SOFTWARE: PatentIn Release #1.24
;   CURRENT APPLICATION DATA:
;       APPLICATION NUMBER: US/08/516,801
;       FILING DATE: 18-August-1995
;       CLASSIFICATION: 530
;   ATTORNEY/AGENT INFORMATION:
;       NAME: John P. White, Esq.
;       REGISTRATION NUMBER: 28,678
;       REFERENCE/DOCKET NUMBER:   44301-Z/JPW/AGL
;   TELECOMMUNICATION INFORMATION:
;       TELEPHONE: (212) 278-0400
;       TELEFAX: (212) 391-0526
; INFORMATION FOR SEQ ID NO: 1:
;   SEQUENCE CHARACTERISTICS:
;       LENGTH: 1867 base pairs
;       TYPE: nucleic acid
;       STRANDEDNESS: single
;       TOPOLOGY: linear
;   MOLECULE TYPE: DNA (genomic)
;   HYPOTHETICAL: N
;   ANTI-SENSE: N
;   FRAGMENT TYPE: N-terminal
;   FEATURE:
```

```
;   NAME/KEY:   CDS
;   LOCATION: 70..1225
;   OTHER INFORMATION:
US-08-516-801-1

Query Match               2.4%;   Score 31.4;   DB 2;   Length 1867;
Best Local Similarity    51.0%;   Pred. NO. 5.7;
Matches    74;   Conservative   0;   Mismatches   71;   Indels   0;   Gaps   0;

Qy     624  tatttgggggacctttccgcaatatgaggaaagtggcaatggcatcgtttacaacatgtt 683
            | ||| | |||  ||| || |||||| | ||||||  | |||||| ||||| |||| |||
Db 1802  TGTTAAGAGATCTGATGGCATTAGGAGGAAGAGTTTTAAAGGCAAGTTTTACAAAAGGAA 1743

Qy     684  gaaaagacagttggtatctatccgaatgcccaaatatacgtgaccacagagagcgcat 743
            ||| ||| | || | || ||| || ||||| || |||| || |||| | || ||||
Db 1742  CTTCTAGAAATCTTGAAATAGACCTGACTGAGGAAAACACATTGATGTCAGAATTCTTTGT 1683

Qy     744  gagttactgtgatggagttttaag 768
            |||||| | || | |||||||
Db 1682  GGGATTGTTTAATTTGGTTTTGCAG 1658

RESULT 44
US-08-248-355-1/c
;   Sequence 1, Application US/08248355
;   Patent No. 6222024
;   GENERAL INFORMATION:
;       APPLICANT: Goff, Stephen P.
;       APPLICANT: Kalpana, Ganjam V.
;       TITLE OF INVENTION: A cDNA Clone of the Human Ini-1 Gene Encoding
;       TITLE OF INVENTION: A Protein That Binds to the HIV-1 Integrase;
;       TITLE OF INVENTION: and Its Use in Antiviral Therapy
;       NUMBER OF SEQUENCES: 4
;   CORRESPONDENCE ADDRESS:
;       ADDRESSEE: Cooper & Dunham
;       STREET: 30 Rockefeller Plaza
;       CITY: New York
;       STATE: New York
;       COUNTRY: U.S.A.
;       ZIP: 10112
;   COMPUTER READABLE FORM:
;       MEDIUM TYPE: Floppy disk
;       COMPUTER: IBM PC compatible
;       OPERATING SYSTEM: PC-DOS/MS-DOS
;       SOFTWARE: PatentIn Release #1.24
;   CURRENT APPLICATION DATA:
;       APPLICATION NUMBER: US/08/248,355
;       FILING DATE: 24-May-1994
;       CLASSIFICATION: 514
;   ATTORNEY/AGENT INFORMATION:
;       NAME: White Esq., John P.
;       REGISTRATION NUMBER: 28,678
;       REFERENCE/DOCKET NUMBER: 44301
;   TELECOMMUNICATION INFORMATION:
;       TELEPHONE: (212) 977-9550
;       TELEFAX: (212) 664-0525
; INFORMATION FOR SEQ ID NO: 1:
;   SEQUENCE CHARACTERISTICS:
;       LENGTH: 1867 base pairs
;       TYPE: nucleic acid
;       STRANDEDNESS: single
;       TOPOLOGY: linear
;   MOLECULE TYPE: DNA (genomic)
;   HYPOTHETICAL: N
;   ANTI-SENSE: N
;   FRAGMENT TYPE: N-terminal
;   FEATURE:
;   NAME/KEY:   CDS
;   LOCATION: 70..1225
;   OTHER INFORMATION:
US-08-248-355-1
```

Matches   46; Conservative   25; Mismatches   70; Indels   0; Gaps   0;

```
Qy   1153 ctacctcacattgtttgtgttacacctacacaggaaaaaggaaaaaatgtcctttgattc 1212
          |:||:||::|:||:: .|:|||| .|: |||:|:::|||:|:|| .|||| | ||| |
Db    709 CDATYTGRTCYTTYTCNGTCCANGTYTCNACNGCNACNARNACNACNCKNGTRTTNARYT 650

Qy   1213 catgctgtagagatgttcatccaatttgaatgaacatgtagccaaggtagtgtcttccc 1272
          |::|||:||| |||||:||:|||| .|||||: || |||:||: |||| ||: ||:|| |
Db    649 GYTCYTTRTADATNSWRTCNACNARRTTNACNACNSWYTTNGCRAARTTRTTNGTRTGNG 590

Qy   1273 ccttctcctccctttttttt 1293
          | |:|||:||:||||||||:|
Db    589 CRTGNSWNSWNCKRTGYTTYT 569
```

RESULT 40
US-08-232-463-14/C
; Sequence 14, Application US/08232463
; Patent No. 5670367
; GENERAL INFORMATION:
; APPLICANT: DORNER, F.
; APPLICANT: SCHEIFLINGER, F.
; APPLICANT: FALKNER, F. G.
; TITLE OF INVENTION: RECOMBINANT FOWLPOX VIRUS
; NUMBER OF SEQUENCES: 52
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Foley & Lardner
; STREET: 1800 Diagonal Road, Suite 500
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-0299
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/232,463
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/07/935,313
; FILING DATE:
; APPLICATION NUMBER: EP 91 114 300.6
; FILING DATE: 26-AUG-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: BENT, Stephen A.
; REGISTRATION NUMBER: 29,768
; REFERENCE/DOCKET NUMBER: 30472/114 IMMU
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (703)836-9300
; TELEFAX: (703)683-4109
; TELEX: 899149
; INFORMATION FOR SEQ ID NO: 14:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 7218 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; IMMEDIATE SOURCE:
; CLONE: pT2gpt-F1s
US-08-232-463-14

Query Match   2.5%; Score 31.8; DB 1; Length 7218;
Best Local Similarity   3.1%; Pred. No. 11;
Matches   12; Conservative   206; Mismatches   173; Indels   0; Gaps   0;

```
Qy    414 gtcaaactcagtcagatggttggccagaaggtgggaaatgagatagatcgatcctcctg 473
          |  |||:|   ||: |||: |||| | |||||:|||:|   ||| :|| ::||| |||
Db   1460 GTTAAAGAGATAGAAGAATTTGGTACRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR 1401
```

```
Qy    474 catttggagaatgaacaatgccccaccaaaggttatgaagaagatgtcggccgccatgac 533
          :::::::::::|:||: ::|||:||::|:::|:|||:||:|:::::::::::::
Db   1400 RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR 1341

Qy    534 catgatccgagttgtgtcccataccagcgttcctctttgctaaaaaccctgattattt 593
          :::::::::::|:|::|::::|:|:|:||||::|:::::::::::::::::::::::::
Db   1340 RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR 1281

Qy    594 tttcaaggaagcgaatactactatttgttatttgggaccttccgcaatatgaggaa 653
          :::::::::::::::|:|:::|::|:::::::::::::::::::::::::::::::::
Db   1280 RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR 1221

Qy    654 agatggcatggcatcgtttacacacatgttgaaaaagacagttggtatcatccgaatgc 713
          :::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
Db   1220 RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR 1161

Qy    714 ccaaatatacgtgaccacagagaagcgcatgagttactgtgatggagttttaagaagga 773
          :::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
Db   1160 RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR 1101

Qy    774 aactggaaggacagggggcatgcaaggcga 804
          :::::::::::::::::::::::::::::::
Db   1100 RRRRRRRRRRRRRRRRRRRRRRRRRRRRR 1070
```

RESULT 41
US-09-103-840A-2
; Sequence 2, Application US/09103840A
; Patent No. 6294328
; GENERAL INFORMATION:
; APPLICANT: FLEISCHMAN, Robert D.
; APPLICANT: WHITE, Owen R.
; APPLICANT: FRASER, Claire M.
; APPLICANT: VENTER, John C.
; TITLE OF INVENTION: DNA SEQUENCES FOR STRAIN ANALYSIS IN MYCOBACTERIUM
; TITLE OF INVENTION: TUBERCULOSIS
; FILE REFERENCE: 24366-20007.00
; CURRENT APPLICATION NUMBER: US/09/103,840A
; CURRENT FILING DATE: 1998-06-24
; NUMBER OF SEQ ID NOS: 2
; SOFTWARE: Patentin Ver. 2.1
; SEQ ID NO 2
; LENGTH: 4403765
; TYPE: DNA
; ORGANISM: Mycobacterium tuberculosis
; FEATURE:
; OTHER INFORMATION: CDC 1551
; OTHER INFORMATION: "n" bases at various positions throughout the sequence
; OTHER INFORMATION: represent a, t, c or g
US-09-103-840A-2

Query Match   2.5%; Score 31.8; DB 4; Length 4403765;
Best Local Similarity   57.0%; Pred. No. 54;
Matches   61; Conservative   0; Mismatches   46; Indels   0; Gaps   0;

```
Qy     52 cgggaatgtggctggagagtcctgccggtgtaccagcctccagcctgccccaggact 111
          ||||||| |||||:|||||||| | || ||::| ||||:|:|||:| |:|||| ||
Db 4040539 cgagatttcgtggacccagcgctggccacgcacctgccgccgagcgtctgcgaactcct 4040598

Qy    112 gccctgaccaggcgcgccgcctgctgcggtggcaggagggccggcg 158
          || | | || :| :|:||||||::||:|:|| | |:||| |::||
Db 4040599 gcgcccgccgacactccgcggttcgcaggtaggatcgtcggcg 4040645
```

RESULT 42
US-09-103-840A-1
; Sequence 1, Application US/09103840A
; Patent No. 6294328
; GENERAL INFORMATION:
; APPLICANT: FLEISCHMAN, Robert D.
; APPLICANT: WHITE, Owen R.
; APPLICANT: FRASER, Claire M.

Db   105 TCATTTTAAATAGTTTAAAAACAATTGCAGCACATTCTAAGCATAAGAGAGAAAGTTATTGA 164

Qy   728 ccacagagaagcggcatgagttactgtgatggagtgtttaagaaggaaactgggaaggaca 787
                ||||| || || | ||| ||||| | | | |||| || | ||||
Db   165 CAACAGGTACCTTCCTAATCTCCCAAGACGTACTTACTCATTGTGAAGTATTAAAGTAA   224

Qy   788 ggggcatgcaggcgactgctgatttctacagacacttttaagcgattaccagtgctg   847
               ||| | | || ||||| || | |||| |||| ||| |||
Db   225 GAGGTAACTCAAGCAGCAGAATGCTGGCTATGAATGTAGATATTGAAGCTATTCATAAACACT 284

Qy   848 gcaagtggaact 859
                |||| |||||
Db   285 GGAAATAGAATT 296

RESULT 37
US-09-030-613-1/c
; Sequence 1, Application US/09030613
; Patent No. 6083706
; GENERAL INFORMATION:
; APPLICANT: Florkiewicz, Robert Z.
; APPLICANT: Baird, J. Andrew
; TITLE OF INVENTION: INHIBITORS OF LEADERLESS PROTEIN EXPORT
; NUMBER OF SEQUENCES: 36
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SEED and BERRY LLP
; STREET: 6300 Columbia Center, 701 Fifth Avenue
; CITY: Seattle
; STATE: Washington
; COUNTRY: USA
; ZIP: 98104
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/030,613
; FILING DATE: 25-FEB-1998
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: No. 6083706tenburg Ph.D., Carol
; REGISTRATION NUMBER: 39,317
; REFERENCE/DOCKET NUMBER: 760100.418C1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (206) 622-4900
; TELEFAX: (206) 682-6031
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1120 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
US-09-030-613-1

Query Match   2.5%; Score 32; DB 3; Length 1120;
Best Local Similarity   50.0%; Pred. No. 2.6;
Matches   80; Conservative   0; Mismatches   80; Indels   0; Gaps   0;

Qy   24 ccgtccgcggtcccctttatttggatctgcgggaatgtgggctgagaggtcctgccgtgg 83
               |||||||||||| || || | || |||| ||||| || || | ||| |||
Db   352 CCGGCCGGGATCCCCGAGCCGCTGGAGCCGCCGCCGCGTCCCCGGCGCCCGG 293

Qy   84 taccagcctccagctgccccaggactgccctgaccaggcgcgcccgctgctcggtg 143
               || ||||| |||| ||||| ||||| | || | ||| ||| | ||||| ||
Db   292 CCCCGGCCTCCGACCCGCTCCGGGCACGGCCCGGCCCCGGCCCCCCAGCCCTCCCGCC 233

Qy   144 gcaggagggccggcggagcgccatggcctgcatcctgaag 183
                ||| || | || || |||| || ||| | | |||
Db   232 CGGCAGCGCGCGGCGCGGCGCCCGCGGTCCCCCAGCCTCGAG 193

RESULT 38
US-09-451-905-1/c
; Sequence 1, Application US/09451905
; Patent No. 6306613
; GENERAL INFORMATION:
; APPLICANT: Robert Z. Florkiewicz
; APPLICANT: Andrew Baird
; APPLICANT: Dale E. Warnock
; TITLE OF INVENTION: MODULATORS OF LEADERLESS PROTEIN EXPORT
; TITLE OF INVENTION: AND METHODS FOR IDENTIFYING AND USING THE SAME
; FILE REFERENCE: 200124.402C4
; CURRENT APPLICATION NUMBER: US/09/451,905
; CURRENT FILING DATE: 1999-12-01
; NUMBER OF SEQ ID NOS: 48
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1
; LENGTH: 1120
; TYPE: DNA
; ORGANISM: Homo sapien
US-09-451-905-1

Query Match   2.5%; Score 32; DB 4; Length 1120;
Best Local Similarity   50.0%; Pred. No. 2.6;
Matches   80; Conservative   0; Mismatches   80; Indels   0; Gaps   0;

Qy   24 ccgtccgcggtcccctttatttggatctgcgggaatgtgggctgagaggtcctgccgtgg 83
               |||||||||||| || || | || |||| ||||| || || | ||| |||
Db   352 CCGGCCGGGATCCCCGAGCCGCTGGAGCCGCCGCCGCGTCCCCGGCGCCCGG 293

Qy   84 taccagcctccagctgccccaggactgccctgaccaggcgcgcccgctgctcggtg 143
               || ||||| |||| ||||| ||||| | || | ||| ||| | ||||| ||
Db   292 CCCCGGCCTCCGACCCGCTCCGGGCACGGCCCGGCCCCGGCCCCCCAGCCCTCCCGCC 233

Qy   144 gcaggagggccggcggagcgccatggcctgcatcctgaag 183
                ||| || | || || |||| || ||| | | |||
Db   232 CGGCAGCGCGCGGCGCGGCGCCCGCGGTCCCCCAGCCTCGAG 193

RESULT 39
US-09-351-414-3/c
; Sequence 3, Application US/09351414
; Patent No. 6265199
; GENERAL INFORMATION:
; APPLICANT: Sheppard, Paul O.
; APPLICANT: Baindur, Nand
; APPLICANT: Deisher, Theresa A.
; APPLICANT: Bishop, Paul D.
; TITLE OF INVENTION: DISINTEGRIN HOMOLOG
; FILE REFERENCE: 98-29
; CURRENT APPLICATION NUMBER: US/09/351,414
; CURRENT FILING DATE: 1999-07-09
; NUMBER OF SEQ ID NOS: 13
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 3
; LENGTH: 2088
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: zdint1 amino acid degenerate sequence
; FEATURE:
; NAME/KEY: variation
; LOCATION: (1)...(2088)
; OTHER INFORMATION: n is any nucleotide
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)...(2088)
; OTHER INFORMATION: n = A,T,C or G
US-09-351-414-3

Query Match   2.5%; Score 32; DB 4; Length 2088;
Best Local Similarity   32.6%; Pred. NO. 3.9;

```
;    FILING DATE:   22-JUL-1994
;  INFORMATION FOR SEQ ID NO:  95:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  2127
;      TYPE:  NUCLEIC ACID
;      STRANDEDNESS:  DOUBLE STRANDED
;      TOPOLOGY:  LINEAR
;    MOLECULE TYPE:
;      DESCRIPTION:  GENOMIC DNA AND OTHER DNA
PCT-US95-09338-95
```

```
Query Match             2.5%;   Score 32.2;  DB 5;  Length 2127;
Best Local Similarity   47.3%;  Pred. No. 3.4;
Matches   97; Conservative   0; Mismatches 108; Indels   0; Gaps   0;

Qy     569 tttgctaaaaaaccctgattatttttcaaggaagcgaatactactatttgtgttattt 628
               | |||||||| | |  |  ||||||||||||||| ||| |  |  |  |||
Db     563 TTAACCTAATAAAACACTAATATATAATTTCATGGAATCTAATACTTACCTCTTAGAAATAA 622

Qy     629 gggacctttccgcaatatgaggaaagatggcaatggcatcgttacaacatgttgaaaa 688
               | | |||                  |  ||||
Db     623 GAAAAGTGTTTCTAATAGACCCTCAATTTACATTAAATATTTCAATCAAATTTAAATA 682

Qy     689 agacagttggtatctatccgaatgcccaaataacgtgaccacagagaagcgcatgagtt 748
               | | |                    || || |||| ||  ||||
Db     683 ACAAATATCAATATGAGGTCAATAACAATATCAAATAATATGAAAAAGAGCAATACAT 742

Qy     749 actgtgatggagtttttaagaagga 773
               | | | |||    ||||||| ||
Db     743 AATATAAGGGACGATTTAAGTGCGA 767
```

```
RESULT 35
PCT-US95-09339-95
;  Sequence 95, Application PC/TUS9509339
;  GENERAL INFORMATION:
;    APPLICANT:
;    APPLICANT:
;    TITLE OF INVENTION:   UBIQUITIN-LYTIC PEPTIDE FUSION GENE
;    TITLE OF INVENTION:   CONSTRUCTS, PROTEIN PRODUCTS DERIVING THEREFROM, AND
;    TITLE OF INVENTION:   METHODS OF MAKING AND USING THE SAME
;    NUMBER OF SEQUENCES:  98
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  WORDPERFECT 5.1+
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  PCT/US95/09339
;      FILING DATE:  21-JUL-1994
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  08/279,472
;      FILING DATE:  22-JUL-1994
;  INFORMATION FOR SEQ ID NO:  95:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  2127
;      TYPE:  NUCLEIC ACID
;      STRANDEDNESS:  DOUBLE STRANDED
;      TOPOLOGY:  LINEAR
;    MOLECULE TYPE:
;      DESCRIPTION:  GENOMIC DNA AND OTHER DNA
PCT-US95-09339-95
```

```
Query Match             2.5%;   Score 32.2;  DB 5;  Length 2127;
Best Local Similarity   47.3%;  Pred. No. 3.4;
Matches   97; Conservative   0; Mismatches 108; Indels   0; Gaps   0;

Qy     569 tttgctaaaaaaccctgattatttttcaaggaagcgaatactactatttgtgttattt 628
               | |||||||| | |  |  ||||||||||||||| ||| |  |  |  |||
Db     563 TTAACCTAATAAAACACTAATATATAATTTCATGGAATCTAATACTTACCTCTTAGAAATAA 622
```

```
Qy     629 gggacctttccgcaatatgaggaaagatggcaatggcatcgttacaacatgttgaaaa 688
               | | |||                  |  ||||
Db     623 GAAAAGTGTTTCTAATAGACCCTCAATTTACATTAAATATTTCAATCAAATTTAAATA 682

Qy     689 agacagttggtatctatccgaatgcccaaataacgtgaccacagagaagcgcatgagtt 748
               | | |                    || || |||| ||  ||||
Db     683 ACAAATATCAATATGAGGTCAATAACAATATCAAATAATATGAAAAAGAGCAATACAT 742

Qy     749 actgtgatggagtttttaagaagga 773
               | | | |||    ||||||| ||
Db     743 AATATAAGGGACGATTTAAGTGCGA 767
```

```
RESULT 36
US-09-276-531-44
;  Sequence 44, Application US/09276531
;  Patent No. 6183968
;  GENERAL INFORMATION:
;    APPLICANT:   Bandman, Olga
;    APPLICANT:   Lal, Preeti
;    APPLICANT:   Hillman, Jennifer L.
;    APPLICANT:   Yue, Henry
;    APPLICANT:   Reddy, Roopa
;    APPLICANT:   Guegler, Karl J.
;    APPLICANT:   Baughn, Mariah R.
;    TITLE OF INVENTION:   COMPOSITION FOR THE DETECTION OF GENES ENCODING
;    TITLE OF INVENTION:   RECEPTORS AND PROTEINS ASSOCIATED WITH CELL PROLIFERATION
;    NUMBER OF SEQUENCES:  134
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  INCYTE PHARMACEUTICALS, INC.
;      STREET:  3174 PORTER DRIVE
;      CITY:  PALO ALTO
;      STATE:  CALIFORNIA
;      COUNTRY:  USA
;      ZIP:  94304
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  Word Perfect 6.1 for Windows/MS-DOS 6.2
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/09/276,531
;      FILING DATE:  Herewith
;    CLASSIFICATION:
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  60/079,677
;      FILING DATE:  March 27, 1998
;      CLASSIFICATION:
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  Lynn E. Murry, Ph.D.
;      REGISTRATION NUMBER:  42,918
;      REFERENCE/DOCKET NUMBER:  PA-0008 US
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (650) 855-0555
;      TELEFAX:  (650) 845-4166
;  INFORMATION FOR SEQ ID NO:  44:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  802 base pairs
;      TYPE:  nucleic acid
;      STRANDEDNESS:  single
;      TOPOLOGY:  linear
;    IMMEDIATE SOURCE:
;      LIBRARY:  KIDNTUT01
;      CLONE:  999663
US-09-276-531-44
```

```
Query Match             2.5%;   Score 32;  DB 4;  Length 802;
Best Local Similarity   47.9%;  Pred. No. 2;
Matches   92; Conservative   0; Mismatches 100; Indels   0; Gaps   0;

Qy     668 tcgtttacacatgttgaaaagacagttggtatctatccgaatgcccaaatatacgtga 727
               ||| |||  | |  ||  |  ||||||| |  |||| | || | || | |||
```

```
OPERATING SYSTEM: MACINTOSH
SOFTWARE: M.S. WORD 5.0
CURRENT APPLICATION DATA:
    APPLICATION NUMBER: US/08/801,028
    FILING DATE: 19-FEB-1997
PRIOR APPLICATION DATA:
    APPLICATION NUMBER: 08/279,472
    FILING DATE: JULY 22, 1994
    APPLICATION NUMBER: 08/225,476
    FILING DATE: 04-20-94
    APPLICATION NUMBER: 08/225,476
    FILING DATE: 04-08-94
    APPLICATION NUMBER: 08/039,620
    FILING DATE: 06-04-93
    APPLICATION NUMBER: 08/148,491
    FILING DATE: 11-08-93
    APPLICATION NUMBER: 08/148,889
    FILING DATE: 11-08-93
ATTORNEY/AGENT INFORMATION:
    NAME: WASSERMAN, FRAN S.
    REGISTRATION NUMBER: 34,273
    REFERENCE/DOCKET NUMBER: 4013-104
TELECOMMUNICATION INFORMATION:
    TELEPHONE: (919)990-9531
    TELEFAX: (919)990-9532
INFORMATION FOR SEQ ID NO: 95:
    SEQUENCE CHARACTERISTICS:
    LENGTH: 2127
    TYPE: NUCLEIC ACID
    STRANDEDNESS: DOUBLE STRANDED
    TOPOLOGY: LINEAR
MOLECULE TYPE:
    DESCRIPTION: GENOMIC DNA AND OTHER DNA
US-08-801-028-95
```

```
Query Match          2.5%;   Score 32.2; DB 3;  Length 2127;
Best Local Similarity 47.3%; Pred. No. 3.4;
Matches   97; Conservative  0; Mismatches 108; Indels 0; Gaps 0;

Qy  569 tttgctaaaaacccctgattattttcaaggagcgaatactactatttgtgttattt 628
        ||  |||||      ||| |||||||| ||||||  |||
Db  563 TTAACCTAATAAACACTAATAATTTCATGGAATCTAATACTTACCTCTTAGAAATAA 622
Qy  629 gggacctttccgcaatatgagagaaagatggcaatggcatcgtttacaacatgttgaaaa 688
        |||  ||     ||| ||||| ||||| ||||    ||| |||
Db  623 GAAAAAGTGTTTCTAATAGACCCTCAATTTACATTAAATATTTCAATCAAATTTAAATA 682
Qy  689 agacagttggtatctcatccgaatgcccaaatatacgtgaccacagagaagcgcatgagtt 748
        | | ||| |||  |||     |||||   |||||||  || ||||| ||| |||
Db  683 ACAAATATCAATATGAGGTCAATAACAATATCAAAATAATATGAAAAAAGAGCAATACAT 742
Qy  749 actgtgatggagtttttaagaagga 773
        || |||||| ||| |||||
Db  743 AATATAAGGGACGATTTAAGTGCGA 767
```

```
RESULT 33
US-09-340-154-95
; Sequence 95, Application US/09340154
; Patent No. 6084156
; GENERAL INFORMATION:
    APPLICANT: Jesse M. Jaynes
    TITLE OF INVENTION: UBIQUITIN-LYTIC PEPTIDE FUSION GENE
    TITLE OF INVENTION: CONSTRUCTS, PROTEIN PRODUCTS DERIVING THEREFROM, AND
    TITLE OF INVENTION: METHODS OF MAKING AND USING SAME
    NUMBER OF SEQUENCES: 98
    CORRESPONDENCE ADDRESS:
        ADDRESSEE: ROTHWELL, FIGG, ERNST & KURZ
        STREET: 555 Thirteenth Street N.W.
        CITY: Washington
        STATE: D. C.
        COUNTRY: USA
```

```
        ZIP: 20004
    COMPUTER READABLE FORM:
        MEDIUM TYPE: DISKETTE, 3.5 INCH, 1.4 MB STORAGE
        COMPUTER: IBM COMPATIBLE
        OPERATING SYSTEM: DOS
        SOFTWARE: WordPerfect 5.1+
    CURRENT APPLICATION DATA:
        APPLICATION NUMBER: US/09/340,154
        FILING DATE:
        CLASSIFICATION:
    PRIOR APPLICATION DATA:
        APPLICATION NUMBER: 08/505,486
        FILING DATE: 21-JUL-1995
        APPLICATION NUMBER: U.S. 08/279,472
        FILING DATE: 22-JUL-1994
    ATTORNEY/AGENT INFORMATION:
        NAME: WALKER, BARBARA W.
        REGISTRATION NUMBER: 35,400
        REFERENCE/DOCKET NUMBER: 2093-117A
    TELECOMMUNICATION INFORMATION:
        TELEPHONE: (202)783-6040
        TELEFAX: (202)783-6031
INFORMATION FOR SEQ ID NO: 95:
    SEQUENCE CHARACTERISTICS:
    LENGTH: 2127
    TYPE: NUCLEIC ACID
    STRANDEDNESS: DOUBLE STRANDED
    TOPOLOGY: LINEAR
MOLECULE TYPE:
    DESCRIPTION: GENOMIC DNA AND OTHER DNA
US-09-340-154-95
```

```
Query Match          2.5%;   Score 32.2; DB 3;  Length 2127;
Best Local Similarity 47.3%; Pred. No. 3.4;
Matches   97; Conservative  0; Mismatches 108; Indels 0; Gaps 0;

Qy  569 tttgctaaaaacccctgattattttcaaggagcgaatactactatttgtgttattt 628
        ||  |||||      ||| |||||||| ||||||  |||
Db  563 TTAACCTAATAAACACTAATAATTTCATGGAATCTAATACTTACCTCTTAGAAATAA 622
Qy  629 gggacctttccgcaatatgagagaaagatggcaatggcatcgtttacaacatgttgaaaa 688
        |||  ||     ||| ||||| ||||| ||||    ||| |||
Db  623 GAAAAAGTGTTTCTAATAGACCCTCAATTTACATTAAATATTTCAATCAAATTTAAATA 682
Qy  689 agacagttggtatctcatccgaatgcccaaatatacgtgaccacagagaagcgcatgagtt 748
        | | ||| |||  |||     |||||   |||||||  || ||||| ||| |||
Db  683 ACAAATATCAATATGAGGTCAATAACAATATCAAAATAATATGAAAAAAGAGCAATACAT 742
Qy  749 actgtgatggagtttttaagaagga 773
        || |||||| ||| |||||
Db  743 AATATAAGGGACGATTTAAGTGCGA 767
```

```
RESULT 34
PCT-US95-09338-95
; Sequence 95, Application PC/TUS9509338
; GENERAL INFORMATION:
    APPLICANT:
    TITLE OF INVENTION: UBIQUITIN-LYTIC PEPTIDE FUSION GENE
    TITLE OF INVENTION: CONSTRUCTS, PROTEIN PRODUCTS DERIVING THEREFROM, AND
    TITLE OF INVENTION: METHODS OF MAKING AND USING THE SAME
    NUMBER OF SEQUENCES: 98
    COMPUTER READABLE FORM:
        MEDIUM TYPE: FLOPPY disk
        COMPUTER: IBM PC compatible
        OPERATING SYSTEM: PC-DOS/MS-DOS
        SOFTWARE: WORDPERFECT 5.1+
    CURRENT APPLICATION DATA:
        APPLICATION NUMBER: PCT/US95/09338
        FILING DATE: 21-JUL-1994
    PRIOR APPLICATION DATA: 08/279,472
        APPLICATION NUMBER: 08/279,472
```

RESULT 30
PCT-US95-09339-96
; Sequence 96, Application PC/TUS9509339
; GENERAL INFORMATION:
; APPLICANT:
; APPLICANT:
; TITLE OF INVENTION: UBIQUITIN-LYTIC PEPTIDE FUSION GENE
; TITLE OF INVENTION: CONSTRUCTS, PROTEIN PRODUCTS DERIVING THEREFROM, AND
; TITLE OF INVENTION: METHODS OF MAKING AND USING THE SAME
; NUMBER OF SEQUENCES: 98
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WORDPERFECT 5.1+
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US95/09339
; FILING DATE: 21-JUL-1994
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/279,472
; FILING DATE: 22-JUL-1994
; INFORMATION FOR SEQ ID NO: 96:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 2022
; TYPE: NUCLEIC ACID
; STRANDEDNESS: DOUBLE STRANDED
; TOPOLOGY: LINEAR
; MOLECULE TYPE:
; DESCRIPTION: GENOMIC DNA
PCT-US95-09339-96

Query Match   2.5%;   Score 32.2;   DB 5;   Length 2022;
Best Local Similarity   47.3%;   Pred. No. 3.3;
Matches   97;   Conservative 0;   Mismatches 108;   Indels 0;   Gaps 0;

Qy 569 tttgctaaaaacctgattatttttcaaggaagcgaatactactattgtgttattt 628
Db 563 TTAACCTAATAAAACACTAATATAATTTCATGGAATCTAATACTTACCTCTTAGAAATAA 622

Qy 629 ggggacctttccgcaatatgaggaaagatggcaatggcatcgtttacacacatgttgaaa 688
Db 623 GAAAAGTGTTCTAATAGACCCTCAATTTACATTAAATATTTCAATCAAATTTAAATA 682

Qy 689 agacagttggtatctatccgaatgcccaaatatacgtgaccaccagagaagcgcatgagtt 748
Db 683 ACAAATATCAATATGAGGTCAATAACAATATCAAATAATATATGAAAAAGAGCAATACAT 742

Qy 749 actgtgatggagtttttaagaagga 773
Db 743 AATATAAGGACGATTTAAGTGCGA 767

RESULT 31
US-08-505-486-95
; Sequence 95, Application US/08505486
; Patent No. 5955573
; GENERAL INFORMATION:
; APPLICANT: Jesse M. Jaynes
; TITLE OF INVENTION: UBIQUITIN-LYTIC PEPTIDE FUSION GENE
; TITLE OF INVENTION: CONSTRUCTS, PROTEIN PRODUCTS DERIVING THEREFROM, AND
; TITLE OF INVENTION: METHODS OF MAKING AND USING SAME
; NUMBER OF SEQUENCES: 98
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: ROTHWELL, FIGG, ERNST & KURZ
; STREET: 555 Thirteenth Street N.W.
; CITY: Washington
; STATE: D.C.
; COUNTRY: USA
; ZIP: 20004
; COMPUTER READABLE FORM:
; MEDIUM TYPE: DISKETTE, 3.5 INCH, 1.4 MB STORAGE
; COMPUTER: IBM COMPATIBLE
; OPERATING SYSTEM: DOS
; SOFTWARE: WordPerfect 5.1+
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/505,486
; FILING DATE: 21-JUL-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: U.S. 08/279,472
; FILING DATE: 22-JUL-1994
; CLASSIFICATION: 536
; ATTORNEY/AGENT INFORMATION:
; NAME: WALKER, BARBARA W.
; REGISTRATION NUMBER: 35,400
; REFERENCE/DOCKET NUMBER: 2093-117A
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202)783-6040
; TELEFAX: (202)783-6031
; INFORMATION FOR SEQ ID NO: 95:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 2127
; TYPE: NUCLEIC ACID
; STRANDEDNESS: DOUBLE STRANDED
; TOPOLOGY: LINEAR
; MOLECULE TYPE:
; DESCRIPTION: GENOMIC DNA AND OTHER DNA
US-08-505-486-95

Query Match   2.5%;   Score 32.2;   DB 2;   Length 2127;
Best Local Similarity   47.3%;   Pred. No. 3.4;
Matches   97;   Conservative 0;   Mismatches 108;   Indels 0;   Gaps 0;

Qy 569 tttgctaaaaacctgattatttttcaaggaagcgaatactactattgtgttattt 628
Db 563 TTAACCTAATAAAACACTAATATAATTTCATGGAATCTAATACTTACCTCTTAGAAATAA 622

Qy 629 ggggacctttccgcaatatgaggaaagatggcaatggcatcgtttacacacatgttgaaa 688
Db 623 GAAAAGTGTTCTAATAGACCCTCAATTTACATTAAATATTTCAATCAAATTTAAATA 682

Qy 689 agacagttggtatctatccgaatgcccaaatatacgtgaccaccagagaagcgcatgagtt 748
Db 683 ACAAATATCAATATGAGGTCAATAACAATATCAAATAATATATGAAAAAGAGCAATACAT 742

Qy 749 actgtgatggagtttttaagaagga 773
Db 743 AATATAAGGACGATTTAAGTGCGA 767

RESULT 32
US-08-801-028-95
; Sequence 95, Application US/08801028
; Patent No. 6018102
; GENERAL INFORMATION:
; APPLICANT: JOAN GARBARINO
; APPLICANT: JESSE M. JAYNES
; APPLICANT: WILLIAM BELKNAP
; TITLE OF INVENTION: UBIQUITIN-LYTIC PEPTIDE FUSION GENE CONSTRUCTS, PROTEIN PRO
; NUMBER OF SEQUENCES: 98
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: STEVEN J. HULTQUIST
; ADDRESSEE: INTELLECTUAL PROPERTY/TECHNOLOGY LAW
; STREET: 200 PARK DRIVE, SUITE 210
; STREET: P.O. BOX 14329
; CITY: RESEARCH TRIANGLE PARK
; STATE: NORTH CAROLINA
; COUNTRY: USA
; ZIP: 27709
; COMPUTER READABLE FORM:
; MEDIUM TYPE: DISKETTE, 3.5 INCH, 1.4 MB STORAGE
; COMPUTER: APPLE MACINTOSH

;
MOLECULE TYPE:
  DESCRIPTION: GENOMIC DNA
;
US-08-801-028-96

Query Match   2.5%; Score 32.2; DB 3; Length 2022;
Best Local Similarity 47.3%; Pred. No. 3.3;
Matches 97; Conservative 0; Mismatches 108; Indels 0; Gaps 0;

```
Qy   569 tttgctaaaaacctgattattttcaaggagagcgaatactactatttgtgttattt 628
             || |||| ||| | ||| |||||| || ||||| |||| |
Db   563 TTAACCTAATAAACACTAATATAATTTCATGGAATCTAATACTTACCTCTTAGAAATAA 622

Qy   629 ggggaccttccgcaatatgaggaaagatggcatcgttacaacatgttgaaa 688
             ||| | | | | || |
Db   623 GAAAAAGTGTTTCTAATAGACCCTCAATTTACATTAAATATTTCAATCAAATTTAAATA 682

Qy   689 agacagttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagtt 748
             | | ||| | || |||  |||| ||| |
Db   683 ACAAATATCAATATGAGGTCAATAACAATATCAAAATAATATGAAAAAAGAGCAATACAT 742

Qy   749 actgtgatggagtttttaagaagga 773
             | | ||| ||| ||||||
Db   743 AATATAAGGGACGATTTAAGTGCGA 767
```

RESULT 28
US-09-340-154-96
; Sequence 96, Application US/09340154
; Patent No. 6084156
; GENERAL INFORMATION:
; APPLICANT: Jesse M. Jaynes
; TITLE OF INVENTION: UBIQUITIN-LYTIC PEPTIDE FUSION GENE
; TITLE OF INVENTION: CONSTRUCTS, PROTEIN PRODUCTS DERIVING THEREFROM, AND
; TITLE OF INVENTION: METHODS OF MAKING AND USING SAME
; NUMBER OF SEQUENCES: 98
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: ROTHWELL, FIGG, ERNST & KURZ
; STREET: 555 Thirteenth Street N.W.
; CITY: Washington
; STATE: D. C.
; COUNTRY: USA
; ZIP: 20004
; COMPUTER READABLE FORM:
; MEDIUM TYPE: DISKETTE, 3.5 INCH, 1.4 MB STORAGE
; COMPUTER: IBM COMPATIBLE
; OPERATING SYSTEM: DOS
; SOFTWARE: WordPerfect 5.1+
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/340,154
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/505,486
; FILING DATE: 21-JUL-1995
; APPLICATION NUMBER: U.S. 08/279,472
; FILING DATE: 22-JUL-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: WALKER, BARBARA W.
; REGISTRATION NUMBER: 35,400
; REFERENCE/DOCKET NUMBER: 2093-117A
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202)783-6040
; TELEFAX: (202)783-6031
; INFORMATION FOR SEQ ID NO: 96:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 2022
; TYPE: NUCLEIC ACID
; STRANDEDNESS: DOUBLE STRANDED
; TOPOLOGY: LINEAR
; MOLECULE TYPE:
; DESCRIPTION: GENOMIC DNA
US-09-340-154-96

Query Match   2.5%; Score 32.2; DB 3; Length 2022;
Best Local Similarity 47.3%; Pred. No. 3.3;
Matches 97; Conservative 0; Mismatches 108; Indels 0; Gaps 0;

```
Qy   569 tttgctaaaaacctgattattttcaaggagagcgaatactactatttgtgttattt 628
             || |||| ||| | ||| |||||| || ||||| |||| |
Db   563 TTAACCTAATAAACACTAATATAATTTCATGGAATCTAATACTTACCTCTTAGAAATAA 622

Qy   629 ggggaccttccgcaatatgaggaaagatggcatcgttacaacatgttgaaa 688
             ||| | | | | || |
Db   623 GAAAAAGTGTTTCTAATAGACCCTCAATTTACATTAAATATTTCAATCAAATTTAAATA 682

Qy   689 agacagttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagtt 748
             | | ||| | || |||  |||| ||| |
Db   683 ACAAATATCAATATGAGGTCAATAACAATATCAAAATAATATGAAAAAAGAGCAATACAT 742

Qy   749 actgtgatggagtttttaagaagga 773
             | | ||| ||| ||||||
Db   743 AATATAAGGGACGATTTAAGTGCGA 767
```

RESULT 29
PCT-US95-09338-96
; Sequence 96, Application PC/TUS9509338
; GENERAL INFORMATION:
; APPLICANT:
; TITLE OF INVENTION: UBIQUITIN-LYTIC PEPTIDE FUSION GENE
; TITLE OF INVENTION: CONSTRUCTS, PROTEIN PRODUCTS DERIVING THEREFROM, AND
; TITLE OF INVENTION: METHODS OF MAKING AND USING THE SAME
; NUMBER OF SEQUENCES: 98
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WORDPERFECT 5.1+
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US95/09338
; FILING DATE: 21-JUL-1994
; PRIOR APPLICATION DATA: 08/279,472
; APPLICATION NUMBER: 08/279,472
; FILING DATE: 22-JUL-1994
; INFORMATION FOR SEQ ID NO: 96:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 2022
; TYPE: NUCLEIC ACID
; STRANDEDNESS: DOUBLE STRANDED
; TOPOLOGY: LINEAR
; MOLECULE TYPE:
; DESCRIPTION: GENOMIC DNA
PCT-US95-09338-96

Query Match   2.5%; Score 32.2; DB 5; Length 2022;
Best Local Similarity 47.3%; Pred. No. 3.3;
Matches 97; Conservative 0; Mismatches 108; Indels 0; Gaps 0;

```
Qy   569 tttgctaaaaacctgattattttcaaggagagcgaatactactatttgtgttattt 628
             || |||| ||| | ||| |||||| || ||||| |||| |
Db   563 TTAACCTAATAAACACTAATATAATTTCATGGAATCTAATACTTACCTCTTAGAAATAA 622

Qy   629 ggggaccttccgcaatatgaggaaagatggcatcgttacaacatgttgaaa 688
             ||| | | | | || |
Db   623 GAAAAAGTGTTTCTAATAGACCCTCAATTTACATTAAATATTTCAATCAAATTTAAATA 682

Qy   689 agacagttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagtt 748
             | | ||| | || |||  |||| ||| |
Db   683 ACAAATATCAATATGAGGTCAATAACAATATCAAAATAATATGAAAAAAGAGCAATACAT 742

Qy   749 actgtgatggagtttttaagaagga 773
             | | ||| ||| ||||||
Db   743 AATATAAGGGACGATTTAAGTGCGA 767
```

US-09-439-313-107

Query Match   2.5%; Score 32.2; DB 4; Length 1621;
Best Local Similarity 48.1%; Pred. No. 2.8;
Matches 91; Conservative 0; Mismatches 98; Indels 0; Gaps 0;

```
Qy 1026 gttcttattctgagggagcaggggtctgtgtgaattgcaccacaggggagcaatcccc 1085
          ||||| |||| |||||||| |||||  |||  ||||||| |||||||| ||||
Db  746 GTCCTTTGATCAGCAGCTCGTGAGAACTGGGGTTCTATTGCTCCAACAGCCATGAATTCCC 687

Qy 1086 tgccctgatacaggcaacctgagtgctgctagtccttctgctcagaacttagtgtgact 1145
          | ||| |||||||| ||| || |||| ||||||||||||
Db  686 CATCTGCTGTCTGCCTGTAAGTCGTATAGAAAGGTGCTCCAACATCCAACATGTTCTGTCCTC 627

Qy 1146 atgtggcctacctcacattgttgttacacctacacagagaaaaagtgtcctt 1205
          ||| ||| ||| ||||| |||||||| |||||||
Db  626 GAGGTCGTTCCCACAGACTCGATTTCTGAGTTTTCCACAGAAAGAACTTAAATATGCTG 567

Qy 1206 ttgattcca 1214
          || |||||
Db  566 TTCCTTCCA 558
```

RESULT 26
US-08-505-486-96
; Sequence 96, Application US/08505486
; Patent No. 595573
; GENERAL INFORMATION:
; APPLICANT: Jesse M. Jaynes
; TITLE OF INVENTION: UBIQUITIN-LYTIC PEPTIDE FUSION GENE
; TITLE OF INVENTION: CONSTRUCTS, PROTEIN PRODUCTS DERIVING THEREFROM, AND
; TITLE OF INVENTION: METHODS OF MAKING AND USING SAME
; NUMBER OF SEQUENCES: 98
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: ROTHWELL, FIGG, ERNST & KURZ
; STREET: 555 Thirteenth Street N.W.
; CITY: Washington
; STATE: D. C.
; COUNTRY: USA
; ZIP: 20004
; COMPUTER READABLE FORM:
; MEDIUM TYPE: DISKETTE, 3.5 INCH, 1.4 MB STORAGE
; COMPUTER: IBM COMPATIBLE
; OPERATING SYSTEM: DOS
; SOFTWARE: WordPerfect 5.1+
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/505,486
; FILING DATE: 21-JUL-1995
; CLASSIFICATION: 536
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: U.S. 08/279,472
; FILING DATE: 22-JUL-1994
; CLASSIFICATION: 536
; ATTORNEY/AGENT INFORMATION:
; NAME: WALKER, BARBARA W.
; REGISTRATION NUMBER: 35,400
; REFERENCE/DOCKET NUMBER: 2093-117A
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202)783-6040
; TELEFAX: (202)783-6031
; INFORMATION FOR SEQ ID NO: 96:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 2022
; TYPE: NUCLEIC ACID
; STRANDEDNESS: DOUBLE STRANDED
; TOPOLOGY: LINEAR
; MOLECULE TYPE: GENOMIC DNA
; DESCRIPTION: GENOMIC DNA
US-08-505-486-96

Query Match   2.5%; Score 32.2; DB 2; Length 2022;

Best Local Similarity 47.3%; Pred. No. 3.3;
Matches 97; Conservative 0; Mismatches 108; Indels 0; Gaps 0;

```
Qy 569 tttgctaaaaaccctgattattttcaaggaagcggatactactattgtgttattt 628
         || ||| ||| |||| ||  |||  |||||| ||||
Db 563 TTAACCTAATAAAACTAATATAATTTCATGGAATCTAATACTTACCTCTTAGAAATAA 622

Qy 629 ggggacctttccgcaatatgaggaaagatggcaatggcatcgtttacaacatgtgaaaa 688
         ||| ||| ||| ||| |||||||| |||||||
Db 623 GAAAAAGTGTTCTAATAGACCCCTCAATTTACATTACATTTTCAATCAAATTTAAATA 682

Qy 689 agacagttggtatctatccgatgcccaaatatacgtgaccacagagaagcgcatgagtt 748
         | | ||| |||| |||||||||
Db 683 ACAAATATCAATATGAGGTCAATAACAATATCAAAATAATATGAAAAAAGAGCAATACAT 742

Qy 749 actgtgatggagttttaagaaga 773
         ||| ||||||
Db 743 AATATAAGGGACGATTTAAGTGCGA 767
```

RESULT 27
US-08-801-028-96
; Sequence 96, Application US/08801028
; Patent No. 6018102
; GENERAL INFORMATION:
; APPLICANT: JOAN GARBARINO
; APPLICANT: JESSE M. JAYNES
; APPLICANT: WILLIAM BELKNAP
; TITLE OF INVENTION: UBIQUITIN-LYTIC PEPTIDE FUSION GENE CONSTRUCTS, PROTEIN PRO
; NUMBER OF SEQUENCES: 98
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: STEVEN J. HULTQUIST
; ADDRESSEE: INTELLECTUAL PROPERTY/TECHNOLOGY LAW
; STREET: 200 PARK DRIVE, SUITE 210
; STREET: P.O. BOX 14329
; CITY: RESEARCH TRIANGLE PARK
; STATE: NORTH CAROLINA
; COUNTRY: USA
; ZIP: 27709
; COMPUTER READABLE FORM:
; MEDIUM TYPE: DISKETTE, 3.5 INCH, 1.4 MB STORAGE
; COMPUTER: APPLE MACINTOSH
; OPERATING SYSTEM: MACINTOSH
; SOFTWARE: M.S. WORD 5.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/801,028
; FILING DATE: 19-FEB-1997
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/279,472
; FILING DATE: JULY 22, 1994
; APPLICATION NUMBER: 08/225,476
; FILING DATE: 04-20-94
; APPLICATION NUMBER: 08/225,476
; FILING DATE: 04-08-94
; APPLICATION NUMBER: 08/039,620
; FILING DATE: 06-04-93
; APPLICATION NUMBER: 08/148,491
; FILING DATE: 11-08-93
; APPLICATION NUMBER: 08/148,889
; FILING DATE: 11-08-93
; ATTORNEY/AGENT INFORMATION:
; NAME: WASSERMAN, FRAN S.
; REGISTRATION NUMBER: 34,273
; REFERENCE/DOCKET NUMBER: 4013-104
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (919)990-9531
; TELEFAX: (919)990-9532
; INFORMATION FOR SEQ ID NO: 96:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 2022
; TYPE: NUCLEIC ACID
; STRANDEDNESS: DOUBLE STRANDED
; TOPOLOGY: LINEAR

STREET: 6300 Columbia Center, 701 Fifth Avenue
CITY: Seattle
STATE: WA
COUNTRY: USA
ZIP: 98104
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/020,956
FILING DATE: 09-FEB-1998
CLASSIFICATION:
ATTORNEY/AGENT INFORMATION:
NAME: Maki, David J.
REGISTRATION NUMBER: 31,392
REFERENCE/DOCKET NUMBER: 210121.427C2
TELECOMMUNICATION INFORMATION:
TELEPHONE: (206) 622-4900
TELEFAX: (206) 682-6031
INFORMATION FOR SEQ ID NO: 107:
SEQUENCE CHARACTERISTICS:
LENGTH: 1621 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: cDNA
ORIGINAL SOURCE:
ORGANISM: Homo sapiens
US-09-020-956-107

Query Match 2.5%; Score 32.2; DB 4; Length 1621;
Best Local Similarity 48.1%; Pred. No. 2.8;
Matches 91; Conservative 0; Mismatches 98; Indels 0; Gaps 0;

```
Qy 1026 gttcttatttctgagggagcaggtctgtgtgaattgcacacacaggggagcaatcccc 1085
         || ||| ||| ||    ||||| ||||| |   |||||||||
Db  746 GTCCTTTGATCAGCAGCTCGTAGAACTGGGGTTCTATTGCTCCAACAGCCATGAATTCCC 687

Qy 1086 tgccctgatacaggcaacctgagtcttcctctctgctcagaacttagtgtgact 1145
         ||     |  ||       |||    |||| |||   ||
Db  686 CATCTGCTGCTCCTGTAAGTCGTATAGAAGGTGCTCCACCATCCAACATGTTCGTCCTC 627

Qy 1146 atgtggcctacctcacattgtttgtgttacacctacacaggaaaaaggaaaaatgtcctt 1205
         |||  ||| ||| ||  |||||  ||  || |||||||   ||||| |
Db  626 GAGGTGCTTCCACAGACTCGATTTCGAGTTTTCCACAGAAAAAGAACTTAAATATGCTG 567

Qy 1206 ttgattcca 1214
         ||  |||||
Db  566 TTCCTTCCA 558
```

RESULT 24
US-09-030-607-107/c
; Sequence 107, Application US/09030607
; Patent No. 6262245
GENERAL INFORMATION:
APPLICANT: Xu, Jiangchun
APPLICANT: Dillon, Davin C.
TITLE OF INVENTION: COMPOUNDS FOR IMMUNOTHERAPY OF PROSTATE CANCER AND METHODS FO
NUMBER OF SEQUENCES: 224
CORRESPONDENCE ADDRESS:
ADDRESSEE: SEED and BERRY LLP
STREET: 6300 Columbia Center, 701 Fifth Avenue
CITY: Seattle
STATE: WA
COUNTRY: USA
ZIP: 98104
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/030,607
FILING DATE: 25-FEB-1998
CLASSIFICATION:
ATTORNEY/AGENT INFORMATION:
NAME: Maki, David J.
REGISTRATION NUMBER: 31,392
REFERENCE/DOCKET NUMBER: 210121.427C3
TELECOMMUNICATION INFORMATION:
TELEPHONE: (206) 622-4900
TELEFAX: (206) 682-6031
INFORMATION FOR SEQ ID NO: 107:
SEQUENCE CHARACTERISTICS:
LENGTH: 1621 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: cDNA
ORIGINAL SOURCE:
ORGANISM: Homo sapiens
US-09-030-607-107

Query Match 2.5%; Score 32.2; DB 4; Length 1621;
Best Local Similarity 48.1%; Pred. No. 2.8;
Matches 91; Conservative 0; Mismatches 98; Indels 0; Gaps 0;

```
Qy 1026 gttcttatttctgagggagcaggtctgtgtgaattgcacacacaggggagcaatcccc 1085
         || ||| ||| ||    ||||| ||||| |   |||||||||
Db  746 GTCCTTTGATCAGCAGCTCGTAGAACTGGGGTTCTATTGCTCCAACAGCCATGAATTCCC 687

Qy 1086 tgccctgatacaggcaacctgagtcttcctctctgctcagaacttagtgtgact 1145
         ||     |  ||       |||    |||| |||   ||
Db  686 CATCTGCTGCTCCTGTAAGTCGTATAGAAGGTGCTCCACCATCCAACATGTTCGTCCTC 627

Qy 1146 atgtggcctacctcacattgtttgtgttacacctacacaggaaaaaggaaaaatgtcctt 1205
         |||  ||| ||| ||  |||||  ||  || |||||||   ||||| |
Db  626 GAGGTGCTTCCACAGACTCGATTTCGAGTTTTCCACAGAAAAAGAACTTAAATATGCTG 567

Qy 1206 ttgattcca 1214
         ||  |||||
Db  566 TTCCTTCCA 558
```

RESULT 25
US-09-439-313-107/c
; Sequence 107, Application US/09439313
; Patent No. 6329505
GENERAL INFORMATION:
APPLICANT: Xu, Jiangchun
APPLICANT: Dillon, Davin C.
APPLICANT: Mitcham, Jennifer L.
APPLICANT: Harlocker, Susan Louise
APPLICANT: Jiang, Yuqui
APPLICANT: Reed, Steven G.
APPLICANT: Kalos, Michael
APPLICANT: Fanger, Gary
APPLICANT: Retter, Mark
APPLICANT: Solk, John
APPLICANT: Day, Craig
TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THERAPY AND
TITLE OF INVENTION: DIAGNOSIS OF PROSTATE CANCER
FILE REFERENCE: 210121.427C9
CURRENT APPLICATION NUMBER: US/09/439,313
CURRENT FILING DATE: 1999-11-12
NUMBER OF SEQ ID NOS: 575
SOFTWARE: FastSEQ for Windows Version 3.0
SEQ ID NO 107
LENGTH: 1621
TYPE: DNA
ORGANISM: Homo sapien

```
Db   2080  ctgtaaaaagtgtgtggtggttggtaatgggagagtttgaagaataagacattaggaga  2139

Qy    453  tgagatagatcgatcctccctgcattggagaatgaacaatgcccaccaaggttatga  512
           ||||| || | |     ||     |||||||| |||| | ||  ||
Db   2140  aaaaatcgactcctatgtgtgtaataactaagaatgaataatggtcctgtttaggacatga  2199

Qy    513  agagagtgtcgcgccatgaccatgattcgagttgtgt  550
           |||||| ||  ||| | | ||| | |||  |||| |
Db   2200  agaagaagttgggagaaggacaacctccgacttttt  2237
```

RESULT 21
US-07-342D-9
; Sequence 9, Application US/07757342D
; Patent No. 6218509
; GENERAL INFORMATION:
;   APPLICANT: IGARASHI, Masao
;   MINEGISHI, Takashi
;   NAKAMURA, Kazuto
;   TITLE OF INVENTION: PROTEIN, DNA AND USE THEREOF
;   NUMBER OF SEQUENCES: 10
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: DAVID G. CONLIN; DIKE, BRONSTEIN, ROBERTS &
;   CUSHMAN
;   STREET: 130 Water Street
;   CITY: Boston
;   STATE: Massachusetts
;   COUNTRY: US
;   ZIP: 02109
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: Patentin Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/07/757,342D
;   FILING DATE: 10-Sep-1991
;   CLASSIFICATION: <Unknown>
;   ATTORNEY/AGENT INFORMATION:
;   NAME: BUCKLEY, Linda M.
;   REGISTRATION NUMBER: 31003
;   REFERENCE/DOCKET NUMBER: 41226
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (617)523-3400
;   TELEFAX: (617)523-6440
;   TELEX: 200291 STRE UR
; INFORMATION FOR SEQ ID NO: 9:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 2022 base pairs
;   TYPE: nucleic acid
;   STRANDEDNESS: double
;   TOPOLOGY: linear
;   MOLECULE TYPE: cDNA to mRNA
;   FEATURE:
;   NAME/KEY: CDS
;   LOCATION: 1..2022
;   SEQUENCE DESCRIPTION: SEQ ID NO: 9:
US-07-757-342D-9

Query Match   2.6%; Score 33; DB 4; Length 2022;
Best Local Similarity 57.1%; Pred. No. 1.8;
  Matches   60; Conservative   0; Mismatches 45; Indels   0; Gaps   0;

Qy   1187 aaaaaggaaaaatgtcctttgattccatgctgttgagagatgttcatccaatttgaatga 1246
           | ||| |||| || || ||| |||||| ||| || |||||| ||| |||||| ||||
Db   784 ACAAAAGAACAGAATTTTCACATTCCATTTCGAAAACTTTTCCAAACAATGTGAAAGC 843

Qy   1247 acatgtagccaaggtagtgtcttcccccttcctctttttt 1291
           ||| || || || | ||| || | || | ||||| | ||
Db   844 ACAGTAAGGAAAGTGAGTAACAAAACACTTTATTCTTCCATGCTT 888
```

RESULT 22
US-07-757-342D-1
; Sequence 1, Application US/07757342D
; Patent No. 6218509
; GENERAL INFORMATION:
;     APPLICANT: IGARASHI, Masao
;                MINEGISHI, Takashi
;                NAKAMURA, Kazuto
;     TITLE OF INVENTION: PROTEIN, DNA AND USE THEREOF
;     NUMBER OF SEQUENCES: 10
;     CORRESPONDENCE ADDRESS:
;         ADDRESSEE: DAVID G. CONLIN; DIKE, BRONSTEIN, ROBERTS &
;                    CUSHMAN
;         STREET: 130 Water Street
;         CITY: Boston
;         STATE: Massachusetts
;         COUNTRY: US
;         ZIP: 02109
;     COMPUTER READABLE FORM:
;         MEDIUM TYPE: Floppy disk
;         COMPUTER: IBM PC compatible
;         OPERATING SYSTEM: PC-DOS/MS-DOS
;         SOFTWARE: Patentin Release #1.0, Version #1.25
;     CURRENT APPLICATION DATA:
;         APPLICATION NUMBER: US/07/757,342D
;         FILING DATE: 10-Sep-1991
;         CLASSIFICATION: <Unknown>
;     ATTORNEY/AGENT INFORMATION:
;         NAME: BUCKLEY, Linda M.
;         REGISTRATION NUMBER: 31003
;         REFERENCE/DOCKET NUMBER: 41226
;     TELECOMMUNICATION INFORMATION:
;         TELEPHONE: (617)523-3400
;         TELEFAX: (617)523-6440
;         TELEX: 200291 STRE UR
; INFORMATION FOR SEQ ID NO: 1:
;     SEQUENCE CHARACTERISTICS:
;         LENGTH: 2987 base pairs
;         TYPE: nucleic acid
;         STRANDEDNESS: double
;         TOPOLOGY: linear
;     MOLECULE TYPE: cDNA to mRNA
;     FEATURE:
;         NAME/KEY: CDS
;         LOCATION: 1..2097
;     SEQUENCE DESCRIPTION: SEQ ID NO: 1:
US-07-757-342D-1

Query Match             2.6%;  Score 33;  DB 4;  Length 2987;
Best Local Similarity  57.1%;  Pred. No. 2.3;
  Matches   60;  Conservative   0;  Mismatches  45;  Indels   0;  Gaps   0;

Qy   1187  aaaaaggaaaaatgtcctttgattccatgctgttgagagatgttcatccaatttgaatga  1246
           | ||| |||| ||  || |||  |||||| ||| || |||||| ||| |||||| ||||
Db    859  ACAAAAGAACAGAATTTTCACATTCCATTTCGAAAACTTTTCCAAACAATGTGAAAGC  918

Qy   1247  acatgtagccaaggtagtgtcttcccccttcctctttttt  1291
           ||| || ||  || | ||| || | ||  |  ||||| | ||
Db    919  ACAGTAAGGAAAGTGAGTAACAAAACACTTTATTCTTCCATGCTT  963
```

RESULT 23
US-09-020-956-107/c
; Sequence 107, Application US/09020956
; Patent No. 6261562
; GENERAL INFORMATION:
;   APPLICANT: Xu, Jiangchun
;   Dillin, Davin C.
;   TITLE OF INVENTION: COMPOUNDS FOR IMMUNOTHERAPY OF PROSTATE CANCER AND METHODS
;   NUMBER OF SEQUENCES: 178
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: SEED and BERRY LLP

; Patent No. 5670367
; GENERAL INFORMATION:
; APPLICANT: DORNER, F.
; APPLICANT: SCHEIFLINGER, F.
; APPLICANT: FALKNER, F. G.
; TITLE OF INVENTION: RECOMBINANT FOWLPOX VIRUS
; NUMBER OF SEQUENCES: 52
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Foley & Lardner
; STREET: 1800 Diagonal Road, Suite 500
; CITY: Alexandria
; STATE: VA
; COUNTRY: USA
; ZIP: 22313-0299
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC Compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/232,463
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/07/935,313
; FILING DATE:
; APPLICATION NUMBER: EP 91 114 300.6
; FILING DATE: 26-AUG-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: BENT, Stephen A.
; REGISTRATION NUMBER: 29,768
; REFERENCE/DOCKET NUMBER: 30472/114 IMMU
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (703)836-9300
; TELEFAX: (703)683-4109
; TELEX: 899149
; INFORMATION FOR SEQ ID NO: 14:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 7218 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; IMMEDIATE SOURCE:
; CLONE: pTZgpt-F1s
US-08-232-463-14

Query Match   2.6%;   Score 33.4;   DB 1;   Length 7218;
Best Local Similarity   3.5%; Pred. NO. 3.1; Indels   0; Gaps   0;
Matches   13; Conservative 196; Mismatches 162;

Qy   923 gctgacaggccaggatcattgcatctctgctcctccacgtaacaaatcctcattg   982
          ||·||·|·|·:::·:·:::··::::::YYYYYYYYYYYYY·::·::·:·
Db 1042 GCTGCAGGTCGAGGGAGCCTTGCGATYYYYYYYYYYYYYYYYYYYYYYYYYYYY 1101

Qy   983 ttgattggcatatggcagcaagcatcccacacaccagagtggtgtcttattctgaggg 1042
          ::·::··:·:::YYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYY
Db 1102 YYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYY 1161

Qy 1043 agcaggtctgtgtgaattgcacacagggagcaatccctgccctgatacaggcaa 1102
          ··:::·:::YYYYYYYYYYYYYYYYYYYYYYYYYYYYY·::·::·:·
Db 1162 YYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYY 1221

Qy 1103 cctgagtgctagttcctctctgctcagaacttagtgtgactatgtggcctacctcaca 1162
          ::·::::YYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYY
Db 1222 YYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYY 1281

Qy 1163 ttgtttgttgttacaactacacaggagaaaaggaaaaatgtcctttgattccatgcttgta 1222
          ::·::::·::·:·YYYYYYYYYY·:::·:·:··:·::·:
Db 1282 YYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYY 1341

Qy 1223 gagatgttcatcatccaattgaatgaacatgtagcaggtagtgtctcttccccttctct 1282
          :·::··::·::·:::··::::::::::··::::

Db 1342 YYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYY 1401

Qy 1283 cctttttttt 1293
          ::·::·:·:::

Db 1402 YYYYYYYYY 1412

RESULT 19
US-09-334-601-7
; Sequence 7, Application US/09334601
; Patent No. 6280989
; GENERAL INFORMATION:
; APPLICANT: Kapitonov, Dmitri
; APPLICANT: Yu, Robert
; TITLE OF INVENTION: NOVEL SIALYLTRANSFERASES
; FILE REFERENCE: VCUIP-6
; CURRENT APPLICATION NUMBER: US/09/334,601
; CURRENT FILING DATE: 1999-06-17
; NUMBER OF SEQ ID NOS: 94
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 7
; LENGTH: 1556
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: CDS
; LOCATION: (144)..(1295)
US-09-334-601-7

Query Match   2.6%;   Score 33.2;   DB 4;   Length 1556;
Best Local Similarity   50.6%; Pred. NO. 1.3; Indels   0; Gaps   0;
Matches   80; Conservative 0; Mismatches 78;

Qy   393 ctgtgacctttgtgccatagtgtcaaactcagtcagatgttggccagaaggtgggaaa 452
          ||||·|· ||·||| ||| ||·||| || ·|| |·||·||| ||
Db   644 ctgtaaaagtgtgtggttggttggtaatggaggagtttgaagaataagacattaggaga 703

Qy   453 tgagatagatcgatcctcctgcattggagaatgaacaatgccccaccaaggttatga 512
          |·||| ||·|·||·|| |·||·||· |||| || ||·|||·|| |||
Db   704 aaaaatcgactcctatgatgtaataataagaatgaataatgtcctgtttttaggacatga 763

Qy   513 agaagatgtcggccgcatgaccatgattcgagttgtgt 550
          |||||·|| |·|·| | ·|| |·|·||| |||| |||| |
Db   764 agaagaagtgggagggaggacaacctccgacttttt 801

RESULT 20
US-09-334-601-11
; Sequence 11, Application US/09334601
; Patent No. 6280989
; GENERAL INFORMATION:
; APPLICANT: Kapitonov, Dmitri
; APPLICANT: Yu, Robert
; TITLE OF INVENTION: NOVEL SIALYLTRANSFERASES
; FILE REFERENCE: VCUIP-6
; CURRENT APPLICATION NUMBER: US/09/334,601
; CURRENT FILING DATE: 1999-06-17
; NUMBER OF SEQ ID NOS: 94
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 11
; LENGTH: 2992
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-334-601-11

Query Match   2.6%;   Score 33.2;   DB 4;   Length 2992;
Best Local Similarity   50.6%; Pred. NO. 2; Indels   0; Gaps   0;
Matches   80; Conservative 0; Mismatches 78;

Qy   393 ctgtgacctttgtgccatagtgtcaaactcagtcagatgttggccagaaggtgggaaa 452
          ||||·|· ||·||| ||| ||·||| || ·|| |·||·||| ||

Qy   53 gggaatgtgggctggagaggtcctgccgctggtaccagcctccagcctgccccaggactg 112
          ||| || ||| || |||| ||||| | |||| ||| |||| || | ||| | || |
Db   181 GGGCCTCTCGGAAGAAGAGGGCCTGGCCCTGCACCTGGATGGTGCCCTGCCTCCGCTGCTCCA 122

Qy   113 ccctgaccaggcgcgccgcgtctcgtggcagaggcgccggcggagcgccatggcct 172
          || | | |||| || | |||||| || | |||||| | ||||| || | ||| ||
Db   121 CGCTTGCTGCCATGCCTGCTCGTCGTGTGCTGGCAGAGGCCTGGGGAGCTGCCTGGACT 62

RESULT 16
US-08-666-367B-3
; Sequence 3, Application US/08666367B
; Patent No. 5854042
; GENERAL INFORMATION:
;   APPLICANT: Shuichi TSUJI et al.
;   TITLE OF INVENTION: NOVEL SUGAR-CHAIN SYNTHETASE AND PROCESS FOR
;   TITLE OF INVENTION: PRODUCING THE SAME
;   NUMBER OF SEQUENCES: 8
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Wenderoth, Lind & Ponack
;   STREET: 805 Fifteenth Street, N.W., #700
;   CITY: Washington
;   STATE: D.C.
;   COUNTRY: U.S.A.
;   ZIP: 20005
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Diskette, 3.5 inch, 1.44 mb
;   COMPUTER: IBM Compatible
;   OPERATING SYSTEM: MS-DOS
;   SOFTWARE: Wordperfect 5.1
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/666,367B
;   FILING DATE: August 19, 1996
;   CLASSIFICATION: 435
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER:
;   FILING DATE:
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Warren M. Cheek, Jr.
;   REGISTRATION NUMBER: 33,367
;   REFERENCE/DOCKET NUMBER:
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: 202-371-8850
;   TELEFAX:
;   TELEX:
; INFORMATION FOR SEQ ID NO: 3:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 1666
;   TYPE: nucleic acid
;   STRANDEDNESS: double
;   TOPOLOGY: linear
;   MOLECULE TYPE: cDNA to mRNA
;   ORIGINAL SOURCE:
;   ORGANISM: G. gallus (chicken)
;   FEATURE:
;   OTHER INFORMATION: CDS   1-1212
US-08-666-367B-3

Query Match   2.6%;   Score 33.4;   DB 2;   Length 1666;
Best Local Similarity   51.0%;   Pred. No. 1.2;
Matches   79;   Conservative   0;   Mismatches   76;   Indels   0;   Gaps   0;

Qy   377 agccttgcaactgactgtgaccttgtgccatagtgtcaaactcaggtcagatggttg 436
          || | |||| |||||||| ||||| | || || |||| ||| || |||| ||| ||
Db   515 ACCTCTTCCCCGGGGGCTGCATCCGCTGTGCCGTGGTGCCGTGGGGGAATCCTCAACG 574

Qy   437 gccagaaggtgggaaatgagatagatcgatcctcctgcatttggaagtgaacaatgccc 496
          || ||||||| ||||||| |||| ||| | ||||| ||| | ||||||| |||| |
Db   575 GCTCACGGCAGGGGCCGGGCCATCGACGCACATGATTTGGTCTTCAGGCTGAACGGGGCCA 634

Qy   497 ccaccaaggttatgaagaagatgtcggccgcatg 531
          ||||||||| || |||||| ||| || ||||||
Db   635 GCTCACGGCAGGGGCCGGGCCATCGACGCACATGATTTGGTCTTCAGGCTGAACGGGGCCA

Db   635 TCACCAAAGGCTTTGAGGAGGATGTTGGGAGCAAG 669

RESULT 17
US-09-143-438-3
; Sequence 3, Application US/0914343B
; Patent No. 6218161
; GENERAL INFORMATION:
;   APPLICANT: Shuichi TSUJI et al.
;   TITLE OF INVENTION: NOVEL SUGAR-CHAIN SYNTHETASE AND PROCESS FOR
;   TITLE OF INVENTION: PRODUCING THE SAME
;   NUMBER OF SEQUENCES: 8
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Wenderoth, Lind & Ponack, L.L.P.
;   STREET: 2033 K Street, N.W., #800
;   CITY: Washington
;   STATE: D.C.
;   COUNTRY: U.S.A.
;   ZIP: 20006
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Diskette, 3.5 inch, 1.44 mb
;   COMPUTER: IBM Compatible
;   OPERATING SYSTEM: MS-DOS
;   SOFTWARE: Wordperfect 5.1
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/09/143,438
;   FILING DATE: August 28, 1998
;   CLASSIFICATION:
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: 08/666,367
;   FILING DATE: August 19, 1996
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Warren M. Cheek, Jr.
;   REGISTRATION NUMBER: 33,367
;   REFERENCE/DOCKET NUMBER:
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: 202-721-8200
;   TELEFAX: 202-721-8250
;   TELEX:
; INFORMATION FOR SEQ ID NO: 3:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 1666
;   TYPE: nucleic acid
;   STRANDEDNESS: double
;   TOPOLOGY: linear
;   MOLECULE TYPE: cDNA to mRNA
;   ORIGINAL SOURCE:
;   ORGANISM: G. gallus (chicken)
;   FEATURE:
;   OTHER INFORMATION: CDS   1-1212
US-09-143-438-3

Query Match   2.6%;   Score 33.4;   DB 4;   Length 1666;
Best Local Similarity   51.0%;   Pred. No. 1.2;
Matches   79;   Conservative   0;   Mismatches   76;   Indels   0;   Gaps   0;

Qy   377 agccttgcaactgactgtgaccttgtgccatagtgtcaaactcaggtcagatggttg 436
          || | |||| |||||||| ||||| | || || |||| ||| || |||| ||| ||
Db   515 ACCTCTTCCCCGGGGGCTGCATCCGCTGTGCCGTGGTGCCGTGGGGGAATCCTCAACG 574

Qy   437 gccagaaggtgggaaatgagatagatcgatcctcctgcatttggaagtgaacaatgccc 496
          || ||||||| ||||||| |||| ||| | ||||| ||| | ||||||| |||| |
Db   575 GCTCACGGCAGGGGCCGGGCCATCGACGCACATGATTTGGTCTTCAGGCTGAACGGGGCCA 634

Qy   497 ccaccaaggttatgaagaagatgtcggccgcatg 531
          ||||||||| || |||||| ||| || ||||||
Db   635 TCACCAAAGGCTTTGAGGAGGATGTTGGGAGCAAG 669

RESULT 18
US-08-232-463-14
; Sequence 14, Application US/08232463

Left column:

```
;      ORGANISM: human
;      CELL LINE: WM266-4 cell
;      CELL TYPE: melanoma
US-07-991-587A-6

Query Match                    2.6%;    Score 34;  DB 1;  Length 1766;
Best Local Similarity   50.6%;  Pred. No. 0.76;
Matches    82;  Conservative    0;  Mismatches   80;  Indels    0;  Gaps    0;

Qy   394  tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat 453
          || ||  |||| |||  |||        |   |     || |||  ||| |||||||||
Db   499  TGCCGCGCTGTGTGGTCGTGGGGAACGGGCACCGGCTGCGGAACAGCTCACTGGGAGAT 558

Qy   454  gagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaggttatgaa   513
          |||||||| |||||  ||||||| ||||||||||
Db   559  GCCATCAACAAGTACGATGTGGTCATCAGATTGAACAATGCCCCAGTGGCTGGCTATGAG   618

Qy   514  gaagatgtcggccgcatgaccatgatccgagttgtgtcccat  555
          || ||| ||  || |||||| |||   | |||| |  |
Db   619  GGTGACGTGGGCTCCAAGACCACCATGGCGTCTCTTCTACCCT  660
```

RESULT 14
US-08-309-985-6
; Sequence 6, Application US/08309985
; Patent NO. 5494790
; GENERAL INFORMATION:
; APPLICANT: Sasaki, Katsutoshi
; APPLICANT: Watanabe, Etsuyo
; APPLICANT: Nishi, Tatsunari
; APPLICANT: Sekine, Susumu
; APPLICANT: Hanai, NO. 5494790uo
; APPLICANT: Hasegawa, Mamoru
; TITLE OF INVENTION: '2 3 Sialyltransferase
; NUMBER OF SEQUENCES: 7
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fitzpatrick, Cella, Harper & Scinto
; STREET: 277 Park Avenue
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10172
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.5 inch, 1.44mb
; COMPUTER: IBM PC
; OPERATING SYSTEM: Dos 3.3
; SOFTWARE: WordPerfect 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/309,985
; FILING DATE: 20-SEP-1994
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/991,587
; FILING DATE: 16-12-1992
; APPLICATION NUMBER: JP-333661/1991
; FILING DATE: 17-12-1991
; APPLICATION NUMBER: JP-091044/1992
; FILING DATE: 10-04-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Lawrence S. Perry
; REGISTRATION NUMBER: 31,865
; REFERENCE/DOCKET NUMBER: 1580.2
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-758-2400
; TELEFAX: 212-758-2982
; TELEX: 236262
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1766
; TYPE: nucleic acid
; STRANDEDNESS: double
; TOPOLOGY: linear

Right column:

```
;   MOLECULE TYPE: cDNA to mRNA
;   ORIGINAL SOURCE:
;       ORGANISM: human
;       CELL LINE: WM266-4 cell
;       CELL TYPE: melanoma
US-08-309-985-6

Query Match                    2.6%;    Score 34;  DB 1;  Length 1766;
Best Local Similarity   50.6%;  Pred. No. 0.76;
Matches    82;  Conservative    0;  Mismatches   80;  Indels    0;  Gaps    0;

Qy   394  tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat 453
          || ||  |||| |||  |||        |   |     || |||  ||| |||||||||
Db   499  TGCCGCGCTGTGTGGTCGTGGGGAACGGGCACCGGCTGCGGAACAGCTCACTGGGAGAT 558

Qy   454  gagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaggttatgaa   513
          |||||||| |||||  ||||||| ||||||||||
Db   559  GCCATCAACAAGTACGATGTGGTCATCAGATTGAACAATGCCCCAGTGGCTGGCTATGAG   618

Qy   514  gaagatgtcggccgcatgaccatgatccgagttgtgtcccat  555
          || ||| ||  || |||||| |||   | |||| |  |
Db   619  GGTGACGTGGGCTCCAAGACCACCATGGCGTCTCTTCTACCCT  660
```

RESULT 15
US-09-247-155-72/c
; Sequence 72, Application US/09247155A
; Patent No. 6312922
; GENERAL INFORMATION:
; APPLICANT: Dumas Milne Edwards, Jean-Baptiste
; APPLICANT: Duclert, Aymeric
; APPLICANT: Bougueleret, Lydie
; TITLE OF INVENTION: Complementary DNAs
; FILE REFERENCE: GENSET.021A
; CURRENT APPLICATION NUMBER: US/09/247,155A
; CURRENT FILING DATE: 1999-02-09
; EARLIER APPLICATION NUMBER: 60/074,121
; EARLIER FILING DATE: 1998-02-09
; EARLIER APPLICATION NUMBER: 60/081,563
; EARLIER FILING DATE: 1998-04-13
; EARLIER APPLICATION NUMBER: 60/096,116
; EARLIER FILING DATE: 1998-08-10
; EARLIER APPLICATION NUMBER: 60/099,273
; EARLIER FILING DATE: 1998-10-04
; NUMBER OF SEQ ID NOS: 182
; SOFTWARE: Patent.pm
SEQ ID NO 72
; LENGTH: 1665
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: CDS
; LOCATION: 109..738
; FEATURE:
; NAME/KEY: sig_peptide
; LOCATION: 109..405
; OTHER INFORMATION: Von Heijne matrix
; OTHER INFORMATION: score 4.5
; OTHER INFORMATION: seq LAPGSFLAAVVDA/LE
; FEATURE:
; NAME/KEY: polyA_signal
; LOCATION: 1633..1638
; FEATURE:
; NAME/KEY: polyA_site
; LOCATION: 1650..1665
US-09-247-155-72

Query Match   2.6%;   Score 33.6; DB 4; Length 1665;
Best Local Similarity   55.0%; Pred. No. 1;
Matches   66; Conservative   0; Mismatches   54; Indels   0; Gaps   0;

```
;   SEQUENCE CHARACTERISTICS:
;     LENGTH: 1158 base pairs
;     TYPE: nucleic acid
;     STRANDEDNESS: single
;     TOPOLOGY: linear
;   MOLECULE TYPE: cDNA
;   HYPOTHETICAL: NO
US-08-446-875-11

Query Match          2.6%;    Score 34;  DB 2;  Length 1158;
Best Local Similarity  50.6%;  Pred. No. 0.57;
Matches   82;  Conservative  0;  Mismatches  80;  Indels  0;  Gaps  0;

Qy  394  tgtgacctttgccatagtcaaactcagtcagtggttggccagaaggtgggaaat 453
         ||  |||  |||  || |  ||||  ||  |||||   ||| ||
Db  505  TGCCGCCGCTGTGTGGTCGTGGGAACGGCACCGGCTGCGGAACAGCTCACTGGGAGAT 564

Qy  454  gagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaaggttatgaa 513
         | ||| ||||  ||| |||  |||||||||
Db  565  GCCATCAACAAGTACGATCGGTCATCATCATCAGATTGAACAATGCCCCAGTGGCTGGCTGGCTATGAG 624

Qy  514  gaagatgtcggccgcatgaccatgatccgagtgtgtcccat 555
         |  ||||| ||||  ||  ||||  |  || ||
Db  625  GGTGACGTGGGCTCCAAGACCACCATGCGTCTCTTCTACCCT 666


RESULT 12
US-08-102-385G-11
; Sequence 11, Application US/08102385G
; Patent No. 5962294
; GENERAL INFORMATION:
;   APPLICANT: Paulson, James C.
;   APPLICANT: Wen, Xiaohong
;   APPLICANT: Livingston, Brian Duane
;   APPLICANT: Gillespie, William
;   APPLICANT: Kelm, Sorge
;   APPLICANT: Burlingame, Alma L.
;   APPLICANT: Medzihradszky, Katalin
;   TITLE OF INVENTION:  Compositions and Methods for the
;   TITLE OF INVENTION:  Identification and Synthesis of Sialyltransferases
;   NUMBER OF SEQUENCES:  36
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Oppenheimer Wolff & Donnelly LLP
;     STREET: 2029 Century Park East, 38th Floor
;     CITY: Los Angeles
;     STATE: CA
;     COUNTRY: USA
;     ZIP: 90067
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: Floppy disk
;     COMPUTER: IBM PC compatible
;     OPERATING SYSTEM: PC-DOS/MS-DOS
;     SOFTWARE: Patentin Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/08/102,385G
;     FILING DATE: 04-AUG-1993
;     CLASSIFICATION: 435
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: US 07/925369
;     FILING DATE: 04-AUG-1992
;   ATTORNEY/AGENT INFORMATION:
;     NAME: Oldenkamp, David J.
;     REGISTRATION NUMBER: 29,421
;     REFERENCE/DOCKET NUMBER: 97-062
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE: (310)788-5000
;     TELEFAX: (310) 277-1297
; INFORMATION FOR SEQ ID NO: 11:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH: 1158 base pairs
;     TYPE: nucleic acid
;     STRANDEDNESS: single
```

```
;     TOPOLOGY: linear
;   MOLECULE TYPE: cDNA
;   HYPOTHETICAL: NO
; US-08-102-385G-11

Query Match          2.6%;    Score 34;  DB 2;  Length 1158;
Best Local Similarity  50.6%;  Pred. No. 0.57;
Matches   82;  Conservative  0;  Mismatches  80;  Indels  0;  Gaps  0;

Qy  394  tgtgacctttgccatagtcaaactcagtcagtggttggccagaaggtgggaaat 453
         ||  |||  |||  || |  ||||  ||  |||||   ||| ||
Db  505  TGCCGCCGCTGTGTGGTCGTGGGAACGGCACCGGCTGCGGAACAGCTCACTGGGAGAT 564

Qy  454  gagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaaggttatgaa 513
         | ||| ||||  ||| |||  |||||||||
Db  565  GCCATCAACAAGTACGATCGGTCATCATCATCAGATTGAACAATGCCCCAGTGGCTGGCTGGCTATGAG 624

Qy  514  gaagatgtcggccgcatgaccatgatccgagtgtgtcccat 555
         |  ||||| ||||  ||  ||||  |  || ||
Db  625  GGTGACGTGGGCTCCAAGACCACCATGCGTCTCTTCTACCCT 666


RESULT 13
US-07-991-587A-6
; Sequence 6, Application US/07991587A
; Patent No. 5384249
; GENERAL INFORMATION:
;   APPLICANT: Sasaki, Katsutoshi
;   APPLICANT: Watanabe, Etsuyo
;   APPLICANT: Nishi, Tatsunari
;   APPLICANT: Sekine, Susumu
;   APPLICANT: Hanai, No. 5384249uo
;   APPLICANT: Hasegawa, Mamoru
;   TITLE OF INVENTION:  \2  3 Sialyltransferase
;   NUMBER OF SEQUENCES:  7
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Fitzpatrick, Cella, Harper & Scinto
;     STREET: 277 Park Avenue
;     CITY: New York
;     STATE: New York
;     COUNTRY: USA
;     ZIP: 10172
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE: Diskette, 3.5 inch, 1.44mb
;     COMPUTER: IBM PC
;     OPERATING SYSTEM: Dos 3.3
;     SOFTWARE: WordPerfect 5.1
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER: US/07/991,587A
;     FILING DATE: 19930526
;     CLASSIFICATION: 435
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER: JP-333661/1991
;     APPLICATION NUMBER: JP-091044/1992
;     FILING DATE: 17-12-1991
;     FILING DATE: 10-04-1992
;   ATTORNEY/AGENT INFORMATION:
;     NAME: Lawrence S. Perry
;     REGISTRATION NUMBER: 31,865
;     REFERENCE/DOCKET NUMBER: 1580.2
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE: 212-758-2400
;     TELEFAX: 212-758-2982
;     TELEX: 236262
; INFORMATION FOR SEQ ID NO: 6:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH: 1766
;     TYPE: NUCLEIC ACID
;     STRANDEDNESS: double
;     TOPOLOGY: linear
;   MOLECULE TYPE: cDNA to mRNA
;   ORIGINAL SOURCE:
```

```
;   SOFTWARE:  Word Perfect 5.1+ (ASCII)
; CURRENT APPLICATION DATA:
;   APPLICATION NUMBER:  US/08/626,994A
;   FILING DATE:  April 3, 1996
;   CLASSIFICATION:  435
; PRIOR APPLICATION DATA:
;   APPLICATION NUMBER:  JP 77469/1995
;   FILING DATE:  April 3, 1995
; ATTORNEY/AGENT INFORMATION:
;   NAME:  Arnold Turk
;   REGISTRATION NUMBER:  33,094
;   REFERENCE/DOCKET NUMBER:  P14595
; TELECOMMUNICATION INFORMATION:
;   TELEPHONE:  (703) 716-1191
;   TELEFAX:  (703) 716-1180
; INFORMATION FOR SEQ ID NO: 2:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH:  1660 bases
;     TYPE:  nucleic acid
;     STRANDEDNESS:  not relevant
;     TOPOLOGY:  linear
US-08-626-994A-2

Query Match        2.8%;   Score 36.6;  DB 1;  Length 1660;
Best Local Similarity  52.3%;  Pred. No. 0.1;
Matches  81;  Conservative  0;  Mismatches  74;  Indels  0;  Gaps  0;

Qy  381  tttgcaactggactgtgacctttgtgccatagtgtcaaactcaggtcagatggttggcca  440
         | |||  |||||| ||| || ||||||||  |  ||  |||||  || || |||  ||| ||
Db  536  TATGAATAAGCGTTATAATGTTTGTGCTGGTGTGGTTGGAAACAGTGGAATCTTGACAGGGAG  595

Qy  441  gaaggtgggaaatgagatagatcgatcctcctcgcatttggagaatgaacaatgcccccac  500
         ||  || ||||  |||||| |||  || || | ||| ||| || || |
Db  596  TCAGTGTGGACAAGAAATAGATAAATCAGATTTTGTTTCTCGATGCAATTTTGCCCCGAC  655

Qy  501  caaaggttatgaagaagatgtcggccgcatgacca  535
         || ||| ||||  |||  |||| |||||
Db  656  AGAGGCTTTCCACAAAGATGTTGGAAGGAAAACCA  690

RESULT 10
US-08-957-742-2
; Sequence 2, Application US/08957742
; Patent No. 6017743
; GENERAL INFORMATION:
;   APPLICANT:  Shuichi TSUJI et al.
;   TITLE OF INVENTION:  Sia'2,3Gala 1,4GlcNAc '2,8-
;   TITLE OF INVENTION:  SIALYLTRANSFERASE
;   NUMBER OF SEQUENCES:  4
; CORRESPONDENCE ADDRESS:
;   ADDRESSEE:  Greenblum & Bernstein, P.L.C.
;   STREET:  1941 Roland Clarke Place
;   CITY:  Reston
;   STATE:  Virginia
;   COUNTRY:  U.S.A.
;   ZIP:  20191
; COMPUTER READABLE FORM:
;   MEDIUM TYPE:  1.44 diskette
;   COMPUTER:  IBM PC compatible
;   OPERATING SYSTEM:  MS-DOS
;   SOFTWARE:  Word Perfect 5.1+ (ASCII)
; CURRENT APPLICATION DATA:
;   APPLICATION NUMBER:  US/08/957,742
;   FILING DATE:
;   CLASSIFICATION:  435
; PRIOR APPLICATION DATA:
;   APPLICATION NUMBER:  08/626,994
;   FILING DATE:  April 3, 1996
;   APPLICATION NUMBER:  JP 77469/1995
;   FILING DATE:  April 3, 1995
; ATTORNEY/AGENT INFORMATION:
;   NAME:  Arnold Turk
```

```
;     REGISTRATION NUMBER:  33,094
;     REFERENCE/DOCKET NUMBER:  P14595
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE:  (703) 716-1191
;     TELEFAX:  (703) 716-1180
; INFORMATION FOR SEQ ID NO: 2:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH:  1660 bases
;     TYPE:  nucleic acid
;     STRANDEDNESS:  not relevant
;     TOPOLOGY:  linear
US-08-957-742-2

Query Match        2.8%;   Score 36.6;  DB 3;  Length 1660;
Best Local Similarity  52.3%;  Pred. No. 0.1;
Matches  81;  Conservative  0;  Mismatches  74;  Indels  0;  Gaps  0;

Qy  381  tttgcaactggactgtgacctttgtgccatagtgtcaaactcaggtcagatggttggcca  440
         | |||  |||||| ||| || ||||||||  |  ||  |||||  || || |||  ||| ||
Db  536  TATGAATAAGCGTTATAATGTTTGTGCTGGTGTGGTTGGAAACAGTGGAATCTTGACAGGGAG  595

Qy  441  gaaggtgggaaatgagatagatcgatcctcctcgcatttggagaatgaacaatgcccccac  500
         ||  || ||||  |||||| |||  || || | ||| ||| || || |
Db  596  TCAGTGTGGACAAGAAATAGATAAATCAGATTTTGTTTCTCGATGCAATTTTGCCCCGAC  655

Qy  501  caaaggttatgaagaagatgtcggccgcatgacca  535
         || ||| ||||  |||  |||| |||||
Db  656  AGAGGCTTTCCACAAAGATGTTGGAAGGAAAACCA  690

RESULT 11
US-08-446-875-11
; Sequence 11, Application US/08446875
; Patent No. 5858751
; GENERAL INFORMATION:
;   APPLICANT:  Paulson, James C.
;   APPLICANT:  Wen, Xiaohong
;   APPLICANT:  Livingston, Brian Duane
;   APPLICANT:  Gillespie, William
;   APPLICANT:  Kelm, Sorge
;   APPLICANT:  Burlingame, Alma L.
;   APPLICANT:  Medzihradszky, Katalin
;   TITLE OF INVENTION:  Compositions and Methods for the
;   TITLE OF INVENTION:  Identification and Synthesis of Sialyltransferases
;   NUMBER OF SEQUENCES:  16
; CORRESPONDENCE ADDRESS:
;   ADDRESSEE:  Poms, Smith, Lande & Rose
;   STREET:  2029 Century Park East, Suite 3800
;   CITY:  Los Angeles
;   STATE:  CA
;   COUNTRY:  USA
;   ZIP:  90067
; COMPUTER READABLE FORM:
;   MEDIUM TYPE:  Floppy disk
;   COMPUTER:  IBM PC compatible
;   OPERATING SYSTEM:  PC-DOS/MS-DOS
;   SOFTWARE:  PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
;   APPLICATION NUMBER:  US/08/446,875
;   FILING DATE:  July 12, 1995
;   CLASSIFICATION:  435
; PRIOR APPLICATION DATA:
;   APPLICATION NUMBER:  08/102,385
;   FILING DATE:  August 4, 1993
; ATTORNEY/AGENT INFORMATION:
;   NAME:  Oldenkamp, David J.
;   REGISTRATION NUMBER:  29,421
;   REFERENCE/DOCKET NUMBER:  111-197
; TELECOMMUNICATION INFORMATION:
;   TELEPHONE:  (310) 788-5000
;   TELEFAX:  (310) 277-1297
; INFORMATION FOR SEQ ID NO: 11:
```

RESULT 7
US-08-626-994A-4
; Sequence 4, Application US/08626994A
; Patent No. 5798244
; GENERAL INFORMATION:
;   APPLICANT: Shuichi TSUJI et al.
;   TITLE OF INVENTION: Sia`2,3Gala 1,4GlcNAc `2,8-
;   TITLE OF INVENTION: SIALYLTRANSFERASE
;   NUMBER OF SEQUENCES: 4
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Greenblum & Bernstein, P.L.C.
;   STREET: 1941 Roland Clarke Place
;   CITY: Reston
;   STATE: Virginia
;   COUNTRY: U.S.A.
;   ZIP: 20191
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: 1.44 diskette
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: MS-DOS
;   SOFTWARE: Word Perfect 5.1+ (ASCII)
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/626,994A
;   FILING DATE: April 3, 1996
;   CLASSIFICATION: 435
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: JP 77469/1995
;   FILING DATE: April 3, 1995
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Arnold Turk
;   REGISTRATION NUMBER: 33,094
;   REFERENCE/DOCKET NUMBER: P14595
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (703) 716-1191
;   TELEFAX: (703) 716-1180
; INFORMATION FOR SEQ ID NO: 4:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 1048 bases
;   TYPE: nucleic acid
;   STRANDEDNESS: not relevant
;   TOPOLOGY: linear
US-08-626-994A-4

Query Match   2.8%;   Score 36.6;   DB 1;   Length 1048;
Best Local Similarity   52.3%;   Pred. NO. 0.075;
Matches   81;   Conservative   0;   Mismatches   74;   Indels   0;   Gaps   0;

Qy   381 tttgcaactggactgtgacctttgtgccatagtgtcaaactcaggtcagatggttggcca 440
           | |||||||| ||||||| | |||| | |||| ||| |||| ||
Db   352 TATGAATAAGCGTTATAATGTTTGTGCTGCTGGTTGGAAACAGTGGAATCTTGACAGGGAG 411

Qy   441 gaaggtgggaaatgagatagatcgatcctccctgcatttggagaatgaacaatgcccccac 500
           || ||||| | |||||| ||| || ||||| || | ||| | |||||
Db   412 TCAGTGTGGACAAGAAGAAATAGATAAAATCAGATTTGTTTCTCGATGCAATTTTGCCCGAC 471

Qy   501 caaaggttatgaagaagatgtcggccgcatgacca 535
           | |||||||| || | | ||| |||||
Db   472 AGAGGCTTTCCACAAAGATGTTGGAAGGAAAACCA 506

RESULT 8
US-08-957-742-4
; Sequence 4, Application US/08957742
; Patent No. 6017743
; GENERAL INFORMATION:
;   APPLICANT: Shuichi TSUJI et al.
;   TITLE OF INVENTION: Sia`2,3Gala 1,4GlcNAc `2,8-
;   TITLE OF INVENTION: SIALYLTRANSFERASE
;   NUMBER OF SEQUENCES: 4
;   CORRESPONDENCE ADDRESS:

;   ADDRESSEE: Greenblum & Bernstein, P.L.C.
;   STREET: 1941 Roland Clarke Place
;   CITY: Reston
;   STATE: Virginia
;   COUNTRY: U.S.A.
;   ZIP: 20191
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: 1.44 diskette
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: MS-DOS
;   SOFTWARE: Word Perfect 5.1+ (ASCII)
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/957,742
;   FILING DATE:
;   CLASSIFICATION: 435
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: 08/626,994
;   FILING DATE: April 3, 1996
;   APPLICATION NUMBER: JP 77469/1995
;   FILING DATE: April 3, 1995
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Arnold Turk
;   REGISTRATION NUMBER: 33,094
;   REFERENCE/DOCKET NUMBER: P14595
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (703) 716-1191
;   TELEFAX: (703) 716-1180
; INFORMATION FOR SEQ ID NO: 4:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 1048 bases
;   TYPE: nucleic acid
;   STRANDEDNESS: not relevant
;   TOPOLOGY: linear
US-08-957-742-4

Query Match   2.8%;   Score 36.6;   DB 3;   Length 1048;
Best Local Similarity   52.3%;   Pred. NO. 0.075;
Matches   81;   Conservative   0;   Mismatches   74;   Indels   0;   Gaps   0;

Qy   381 tttgcaactggactgtgacctttgtgccatagtgtcaaactcaggtcagatggttggcca 440
           | |||||||| ||||||| | |||| | |||| ||| |||| ||
Db   352 TATGAATAAGCGTTATAATGTTTGTGCTGCTGGTTGGAAACAGTGGAATCTTGACAGGGAG 411

Qy   441 gaaggtgggaaatgagatagatcgatcctccctgcatttggagaatgaacaatgcccccac 500
           || ||||| | |||||| ||| || ||||| || | ||| | |||||
Db   412 TCAGTGTGGACAAGAAGAAATAGATAAAATCAGATTTGTTTCTCGATGCAATTTTGCCCGAC 471

Qy   501 caaaggttatgaagaagatgtcggccgcatgacca 535
           | |||||||| || | | ||| |||||
Db   472 AGAGGCTTTCCACAAAGATGTTGGAAGGAAAACCA 506

RESULT 9
US-08-626-994A-2
; Sequence 2, Application US/08626994A
; Patent No. 5798244
; GENERAL INFORMATION:
;   APPLICANT: Shuichi TSUJI et al.
;   TITLE OF INVENTION: Sia`2,3Gala 1,4GlcNAc `2,8-
;   TITLE OF INVENTION: SIALYLTRANSFERASE
;   NUMBER OF SEQUENCES: 4
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Greenblum & Bernstein, P.L.C.
;   STREET: 1941 Roland Clarke Place
;   CITY: Reston
;   STATE: Virginia
;   COUNTRY: U.S.A.
;   ZIP: 20191
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: 1.44 diskette
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: MS-DOS

RESULT 5
US-07-991-587A-1
; Sequence 1, Application US/07991587A
; Patent No. 5384249
; GENERAL INFORMATION:
;   APPLICANT: Sasaki, Katsutoshi
;   APPLICANT: Watanabe, Etsuyo
;   APPLICANT: Nishi, Tatsunari
;   APPLICANT: Sekine, Susumu
;   APPLICANT: Hanai, No. 5384249uo
;   APPLICANT: Hasegawa, Mamoru
;   TITLE OF INVENTION: '2   3 Sialyltransferase
;   NUMBER OF SEQUENCES: 7
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Fitzpatrick, Cella, Harper & Scinto
;   STREET: 277 Park Avenue
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10172
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Diskette, 3.5 inch, 1.44mb
;   COMPUTER: IBM PC
;   OPERATING SYSTEM: Dos 3.3
;   SOFTWARE: WordPerfect 5.1
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/07/991,587A
;   FILING DATE: 19930526
;   CLASSIFICATION: 435
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: JP-333661/1991
;   APPLICATION NUMBER: JP-091044/1992
;   FILING DATE: 17-12-1991
;   FILING DATE: 10-04-1992
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Lawrence S. Perry
;   REGISTRATION NUMBER: 31,865
;   REFERENCE/DOCKET NUMBER: 1580.2
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: 212-758-2400
;   TELEFAX: 212-758-2982
;   TELEX: 236262
;   INFORMATION FOR SEQ ID NO: 1:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 1919
;   TYPE: NUCLEIC ACID
;   STRANDEDNESS: double
;   TOPOLOGY: linear
;   MOLECULE TYPE: cDNA to mRNA
;   ORIGINAL SOURCE:
;   ORGANISM: human
;   CELL LINE: TYH cell
;   CELL TYPE: histiocytoma cell
US-07-991-587A-1

Query Match   2.8%;   Score 36.8;   DB 1;   Length 1919;
Best Local Similarity 51.2%;   Pred. No. 0.096;   Indels 0;   Gaps   0;
Matches 86; Conservative   0; Mismatches 82; Indels   0; Gaps   0;

Qy 388 ctggactgtgacctttgtcgccatagtgtcaaactcaggtggttggccagaaggtg 447
        |||||| || |||| | | |||| ||||| |||| ||| ||
Db 471 CTGGAGTGTGCGTCGCGTGTGTTGTGGTGGGAAATGGGCACCGGTTGCGGAACAGCTCGCTG 530

Qy 448 ggaaatgagatagatcgatcctcctgcatttgagagatgaacaatgcccccaccaaaggt 507
        || || || ||| || || |||||||||||||||||||| ||
Db 531 GGCGGTGTCATCAACAACTACGACGTGGTCATCAGATTGAACAATGCTCCTGTGGCTGGC 590

Qy 508 tatgaagaagatgtcggccgcatgaccatgattcgagttgtgtcccat 555
        || |||| |||| || || |||||||| |||| ||||| ||
Db 591 TACGAGGGGAGATGTGGGCTCCAAGACCACCATACGTCTCTTCTATCCT 638

RESULT 6
US-08-309-985-1
; Sequence 1, Application US/08309985
; Patent No. 5494790
; GENERAL INFORMATION:
;   APPLICANT: Sasaki, Katsutoshi
;   APPLICANT: Watanabe, Etsuyo
;   APPLICANT: Nishi, Tatsunari
;   APPLICANT: Sekine, Susumu
;   APPLICANT: Hanai, No. 5494790uo
;   APPLICANT: Hasegawa, Mamoru
;   TITLE OF INVENTION: '2   3 Sialyltransferase
;   NUMBER OF SEQUENCES: 7
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: Fitzpatrick, Cella, Harper & Scinto
;   STREET: 277 Park Avenue
;   CITY: New York
;   STATE: New York
;   COUNTRY: USA
;   ZIP: 10172
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Diskette, 3.5 inch, 1.44mb
;   COMPUTER: IBM PC
;   OPERATING SYSTEM: Dos 3.3
;   SOFTWARE: WordPerfect 5.1
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/309,985
;   FILING DATE: 20-SEP-1994
;   CLASSIFICATION: 435
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: 07/991,587
;   FILING DATE: 16-12-1992
;   APPLICATION NUMBER: JP-333661/1991
;   APPLICATION NUMBER: JP-091044/1992
;   FILING DATE: 17-12-1991
;   FILING DATE: 10-04-1992
;   ATTORNEY/AGENT INFORMATION:
;   NAME: Lawrence S. Perry
;   REGISTRATION NUMBER: 31.865
;   REFERENCE/DOCKET NUMBER: 1580.2
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: 212-758-2400
;   TELEFAX: 212-758-2400
;   TELEX: 236262
;   INFORMATION FOR SEQ ID NO: 1:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 1919
;   TYPE: nucleic acid
;   STRANDEDNESS: double
;   TOPOLOGY: linear
;   MOLECULE TYPE: cDNA to mRNA
;   ORIGINAL SOURCE:
;   ORGANISM: human
;   CELL LINE: TYH cell
;   CELL TYPE: histiocytoma cell
US-08-309-985-1

Query Match   2.8%;   Score 36.8;   DB 1;   Length 1919;
Best Local Similarity 51.2%;   Pred. No. 0.096;   Indels 0;   Gaps   0;
Matches 86; Conservative   0; Mismatches 82; Indels   0; Gaps   0;

Qy 388 ctggactgtgacctttgtgccatagtgtcaaactcaggtcaaactcaggtggttggccagaaggtg 447
        |||||| || ||| | | |||| | | ||||
Db 471 CTGGAGTGTCGTCGCGTGTGTTGTGGTGGGAAATGGGCACCGGTTGCGGAACAGCTCGCTG 530

Qy 448 ggaaatgagatagatcgatcctcctgcatttgagagaatgaacaatgccccaccaaaggt 507
        || || || ||| || || |||||||||||||||||||| ||
Db 531 GGCGGTGTCATCAACAAGTACGACGTGGTCATCAGATTGAACAATGCTCCTGTGGCTGGC 590

Qy 508 tatgaagaagatgtcggccgcatgaccatgattcgagttgtgtcccat 555
        || |||| |||| || || |||||||| |||| ||||| ||
Db 591 TACGAGGGGAGATGTGGGCTCCAAGACCACCATACGTCTCTTCTATCCT 638

APPLICANT: Gillespie, William
APPLICANT: Kelm, Sorge
APPLICANT: Burlingame, Alma L.
APPLICANT: Medzihradszky, Katalin
TITLE OF INVENTION: Compositions and Methods for the
TITLE OF INVENTION: Identification and Synthesis of Sialyltransferases
NUMBER OF SEQUENCES: 16
CORRESPONDENCE ADDRESS:
ADDRESSEE: Poms, Smith, Lande & Rose
STREET: 2029 Century Park East, Suite 3800
CITY: Los Angeles
STATE: CA
COUNTRY: USA
ZIP: 90067
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/446,875
FILING DATE: July 12, 1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/102,385
FILING DATE: August 4, 1993
ATTORNEY/AGENT INFORMATION:
NAME: Oldenkamp, David J.
REGISTRATION NUMBER: 29,421
REFERENCE/DOCKET NUMBER: 111-197
TELECOMMUNICATION INFORMATION:
TELEPHONE: (310)788-5000
TELEFAX: (310) 277-1297
INFORMATION FOR SEQ ID NO: 1:
SEQUENCE CHARACTERISTICS:
LENGTH: 1218 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: cDNA
HYPOTHETICAL: NO
ORIGINAL SOURCE:
ORGANISM: porcine
TISSUE TYPE: liver, submaxillary glands
FEATURE:
NAME/KEY: CDS
LOCATION: 91..1119
OTHER INFORMATION: /product= "porcine Gal Beta 1,3
OTHER INFORMATION: GalNAc alpha 2,3 sialyltransferase"
US-08-446-875-1

Query Match   3.8%;   Score 49.8; DB 2; Length 1218;
Best Local Similarity 55.5%;   Pred. No. 3.6e-06;
Matches 96; Conservative   0; Mismatches 77; Indels   0; Gaps   0;

Qy 393 ctgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaa 452
         ||| ||| |||| || |||| ||| ||||| |||||| || || ||| || ||
Db 513 CTGCCGGCGGTCGCGCCGTCGTGGGCAACTCGGGCAACCTGAAGGAGTCCTACTATGGGCC 572

Qy 453 tgagatagatcgatcctctgcatttggagaatgaacaatgcccccaccaaaggttatga 512
         | |||||| | |||| | | || ||||||| || ||| |||||||||||| ||
Db 573 TCAGATAGACAGCCACGACTTCGTGCTGAGGATGAACAAGGCCCCCACGGAGGGGTTTGA 632

Qy 513 agaagatgtcggccgcatgaccatgatcgagttgtgtccataccagcgttc 565
         | ||||| | ||||| ||| ||| || ||| || || ||||| ||||| |
Db 633 GGCCGACGTCGGGAGCAAGAACCACCACCATTTCGTGTACCCCGAGAGCTTCC 685

RESULT 4
US-08-102-385G-1
; Sequence 1, Application US/08102385G
; Patent No. 5962294

GENERAL INFORMATION:
APPLICANT: Paulson, James C.
APPLICANT: Wen, Xiaohong
APPLICANT: Livingston, Brian Duane
APPLICANT: Gillespie, William
APPLICANT: Kelm, Sorge
APPLICANT: Burlingame, Alma L.
APPLICANT: Medzihradszky, Katalin
TITLE OF INVENTION: Compositions and Methods for the
TITLE OF INVENTION: Identification and Synthesis of Sialyltransferases
NUMBER OF SEQUENCES: 36
CORRESPONDENCE ADDRESS:
ADDRESSEE: Oppenheimer Wolff & Donnelly LLP
STREET: 2029 Century Park East, 38th Floor
CITY: Los Angeles
STATE: CA
COUNTRY: USA
ZIP: 90067
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/102,385G
FILING DATE: 04-AUG-1993
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/925369
FILING DATE: 04-AUG-1992
ATTORNEY/AGENT INFORMATION:
NAME: Oldenkamp, David J.
REGISTRATION NUMBER: 29,421
REFERENCE/DOCKET NUMBER: 97-062
TELECOMMUNICATION INFORMATION:
TELEPHONE: (310)788-5000
TELEFAX: (310) 277-1297
INFORMATION FOR SEQ ID NO: 1:
SEQUENCE CHARACTERISTICS:
LENGTH: 1218 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: cDNA
HYPOTHETICAL: NO
ORIGINAL SOURCE:
ORGANISM: porcine
TISSUE TYPE: liver, submaxillary glands
FEATURE:
NAME/KEY: CDS
LOCATION: 91..1119
OTHER INFORMATION: /product= "porcine Gal Beta 1,3
OTHER INFORMATION: GalNAc alpha 2,3 sialyltransferase"
US-08-102-385G-1

Query Match   3.8%;   Score 49.8; DB 2; Length 1218;
Best Local Similarity 55.5%;   Pred. No. 3.6e-06;
Matches 96; Conservative   0; Mismatches 77; Indels   0; Gaps   0;

Qy 393 ctgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaa 452
         ||| ||| |||| || |||| ||| ||||| |||||| || || ||| || ||
Db 513 CTGCCGGCGGTCGCGCCGTCGTGGGCAACTCGGGCAACCTGAAGGAGTCCTACTATGGGCC 572

Qy 453 tgagatagatcgatcctctgcatttggagaatgaacaatgcccccaccaaaggttatga 512
         | |||||| | |||| | | || ||||||| || ||| |||||||||||| ||
Db 573 TCAGATAGACAGCCACGACTTCGTGCTGAGGATGAACAAGGCCCCCACGGAGGGGTTTGA 632

Qy 513 agaagatgtcggccgcatgaccatgatcgagttgtgtccataccagcgttc 565
         | ||||| | ||||| ||| ||| || ||| || || ||||| ||||| |
Db 633 GGCCGACGTCGGGAGCAAGAACCACCACCATTTCGTGTACCCCGAGAGCTTCC 685

ALIGNMENTS

RESULT 1
US-09-334-601-12
; Sequence 12, Application US/09334601
; Patent No. 6280989
; GENERAL INFORMATION:
; APPLICANT: Kapitonov, Dmitri
; APPLICANT: Yu, Robert
; TITLE OF INVENTION: NOVEL SIALYLTRANSFERASES
; FILE REFERENCE: VCUIP-6
; CURRENT APPLICATION NUMBER: US/09/334,601
; CURRENT FILING DATE: 1999-06-17
; NUMBER OF SEQ ID NOS: 94
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 12
; LENGTH: 2056
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: CDS
; LOCATION: (181)..(1188)
US-09-334-601-12

Query Match   6.8%; Score 88.4; DB 4; Length 2056;
Best Local Similarity 49.8%; Pred. No. 9.5e-19;
Matches 224; Conservative 0; Mismatches 226; Indels 0; Gaps 0;

Qy   340 cgaactcactatgtgatacataaatgtgaagacacagagccttgcaactggactgtgac 399
          || |- |- || |||| || | |||||| || || | |||| | || | || |||
Db   403 cggccactggacggatacctcggatggcgaccacaagcccctgaaaatgcactgcagg 462

Qy   400 ctttgtgccatagtgtcaaactcagtcagatggttggccagaaggtgggaaatgagata 459
          | |||||| || || | |||||| | ||| || || ||| |||| | ||| ||||
Db   463 gactgtgccctggtgaccagctcaggcatctgctcaggggccaaggctcccagatt 522

Qy   460 gatcgatcctcctgcatttggagaatgaacaatgcccccacaaaggttatgaagaagat 519
          | || | || || ||||| || ||| || | || || ||||| | |||| |||
Db   523 gaccagacagagtgtgtcatccgacatgaatgacgcccccacacgcggctatgggcgtgac 582

Qy   520 gtcggccgcatgaccatgattcgagttgtgtcccatacaccagcgttcctctttgctaaaa 579
          || ||| ||| | |||| |||| || || | |||| |- || || ||
Db   583 gtgggcaatcgcaccagcctgagggtcatcgcgcatcccagcatcccagcaggatcctccgc 642

Qy   580 aacctgattattttcaaggaagcgaatactactatttgtgttatttgtgggggaccttc 639
          |||| || | ||| | ||| |||| ||| || || || || || | ||| ||
Db   643 aaccgcatcgacacctgctcaacgtgagcaaggcaccgtgttcatcctctggggcccagc 702

Qy   640 cgcaatatgagaaagatgacaatgcatcgtttacaacatgtgaaaaagacagttggt 699
          || ||| | | ||| || | ||| || ||| || | ||||| |||||| |
Db   703 agtacacatgcgggcggacggcaaggcgcaaggtctacaacaacctgcatctcctgagccag 762

Qy   700 atctatcgatgccaaatatacgtgaccacagagaagcgcatgagttactgtgatgga 759
          || | | || | || | | | ||||| || | | || | || |||
Db   763 gtgctgcccggctgaaggcctgcacagatgattactcgccacagatgctgcagtttgatgag 822

Qy   760 gtttttaaggaagaaactggaaggacagg 789
          || |||| | |||| ||| |||||||
Db   823 ctcttcaagcaggaggactgcaaagacagg 852

RESULT 2
US-08-446-875-15
; Sequence 15, Application US/08446875
; Patent No. 5858751
; GENERAL INFORMATION:
; APPLICANT: Paulson, James C.
; APPLICANT: Wen, Xiaohong
; APPLICANT: Livingston, Brian Duane

; APPLICANT: Gillespie, William
; APPLICANT: Kelm, Sorge
; APPLICANT: Burlingame, Alma L.
; APPLICANT: Medzihradszky, Katalin
; TITLE OF INVENTION: Compositions and Methods for the
; TITLE OF INVENTION: Identification and Synthesis of Sialyltransferases
; NUMBER OF SEQUENCES: 16
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Poms, Smith, Lande & Rose
; STREET: 2029 Century Park East, Suite 3800
; CITY: Los Angeles
; STATE: CA
; COUNTRY: USA
; ZIP: 90067
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/446,875
; FILING DATE: July 12, 1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/102,385
; FILING DATE: August 4, 1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Oldenkamp, David J.
; REGISTRATION NUMBER: 29,421
; REFERENCE/DOCKET NUMBER: 111-197
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (310) 788-5000
; TELEFAX: (310) 277-1297
; INFORMATION FOR SEQ ID NO: 15:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1020 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: cDNA
; HYPOTHETICAL: NO
US-08-446-875-15

Query Match   3.9%; Score 50.6; DB 2; Length 1020;
Best Local Similarity 53.9%; Pred. No. 1.8e-06;
Matches 104; Conservative 0; Mismatches 89; Indels 0; Gaps 0;

Qy   389 tggactgtgacctttgtgccatagtgtcaaactcagtcagatggttggccagaaggtgg 448
          |||||| ||| ||| || | || | ||||| || | || || || |||||| ||
Db   410 TGGGCTGCCGGCCGTCGGCCGTGTGTGGGCAACCTGGGCAACCTGAGGGAGTCTTCTTATG 469

Qy   449 gaaatgagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaaggtt 508
          || ||| ||| | || | || || ||||||| || ||| |||| ||| ||||
Db   470 GGCCTGAGATAGACAGTCAGACACTTTGTCCTCAGGATGACGGATGAACAAGGCGCCACGGCGCCACGGCAGGGT 529

Qy   509 atgaagaagatgtcggccgcatgaccatgattcgagttgtgtccatacaccagcgttcctc 568
          | | |||| |||| ||| ||| || |||| | || || || | | |||| || |
Db   530 TTGAAGCTGATGTTGGGGACCAAGACCACCACCATCTGGTGTACCCTGAGAGCTTCCGG 589

Qy   569 tttgctaaaaa 581
          || || | ||
Db   590 AGCTGCCACATAA 602

RESULT 3
US-08-446-875-1
; Sequence 1, Application US/08446875
; Patent No. 5858751
; GENERAL INFORMATION:
; APPLICANT: Paulson, James C.
; APPLICANT: Wen, Xiaohong
; APPLICANT: Livingston, Brian Duane

OM nucleic - nucleic search, using sw model

```
             GenCore version 4.5
   Copyright (c) 1993 - 2000 Compugen Ltd.
```

Run on: May 7, 2002, 15:57:00 ; Search time 51.37 Seconds
                        (without alignments)
                        6187.459 Million cell updates/sec

Title: US-09-714-936-218
Perfect score: 1294
Sequence: 1 ccggaattccgggtcgacg.........tttcttcctttttttg 1294

Scoring table: IDENTITY_NUC
                Gapop 10.0 , Gapext 1.0
Searched: 383533 seqs, 122816752 residues

Total number of hits satisfying chosen parameters: 767066

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 100 summaries

Database :   Issued_Patents_NA:*
        1: /cgn2_6/ptodata/2/ina/5A_COMB.seq:*
        2: /cgn2_6/ptodata/2/ina/5B_COMB.seq:*
        3: /cgn2_6/ptodata/2/ina/6A_COMB.seq:*
        4: /cgn2_6/ptodata/2/ina/6B_COMB.seq:*
        5: /cgn2_6/ptodata/2/ina/PCTUS_COMB.seq:*
        6: /cgn2_6/ptodata/2/ina/backfiles1.seq:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

c	Result No.	Score	% Query Match	Length	DB	ID	Description
	1	88.4	6.8	2056	4	US-09-334-601-12	Sequence 12, Appl
	2	50.6	3.9	1020	2	US-08-446-875-15	Sequence 15, Appl
	3	49.8	3.8	1218	2	US-08-446-875-1	Sequence 1, Appli
	4	49.8	3.8	1218	2	US-08-102-385G-1	Sequence 1, Appli
	5	36.8	2.8	1919	1	US-07-991-587A-1	Sequence 1, Appli
	6	36.8	2.8	1919	1	US-08-309-985-1	Sequence 1, Appli
	7	36.6	2.8	1048	3	US-08-626-994A-4	Sequence 4, Appli
	8	36.6	2.8	1048	3	US-08-957-742-4	Sequence 4, Appli
	9	36.6	2.8	1660	3	US-08-626-994A-2	Sequence 2, Appli
	10	36.6	2.8	1660	3	US-08-957-742-2	Sequence 2, Appli
	11	34	2.6	1158	2	US-08-446-875-11	Sequence 11, Appli
	12	34	2.6	1158	2	US-08-102-385G-11	Sequence 11, Appli
	13	34	2.6	1766	1	US-07-991-587A-6	Sequence 6, Appli
	14	34	2.6	1766	1	US-08-309-985-6	Sequence 6, Appli
c	15	33.6	2.6	1665	4	US-09-247-155-72	Sequence 72, Appl
	16	33.4	2.6	1666	4	US-08-666-367B-3	Sequence 3, Appli
	17	33.4	2.6	1666	4	US-09-143-438-3	Sequence 3, Appli
	18	33.4	2.6	7218	2	US-08-232-463-14	Sequence 14, Appl
	19	33.2	2.6	1556	2	US-09-334-601-7	Sequence 7, Appli
	20	33.2	2.6	2992	2	US-09-334-601-11	Sequence 11, Appl
	21	33	2.6	2022	4	US-07-757-342D-9	Sequence 9, Appli
	22	33	2.6	2987	4	US-07-757-342D-1	Sequence 1, Appli
c	23	32.2	2.5	1621	4	US-09-020-956-107	Sequence 107, App
c	24	32.2	2.5	1621	4	US-09-030-607-107	Sequence 107, App
c	25	32.2	2.5	1621	4	US-09-439-313-107	Sequence 107, App
	26	32.2	2.5	2022	2	US-08-505-486-96	Sequence 96, Appl
	27	32.2	2.5	2022	3	US-08-801-028-96	Sequence 96, Appl
	28	32.2	2.5	2022	3	US-09-340-154-96	Sequence 96, Appl
c	29	32.2	2.5	2022	5	PCT-US95-09338-96	Sequence 96, Appl
c	30	32.2	2.5	2022	2	PCT-US95-09339-96	Sequence 95, Appl
c	31	32.2	2.5	2127	3	US-08-505-486-95	Sequence 95, Appl
c	32	32.2	2.5	2127	3	US-08-801-028-95	Sequence 95, Appl
	33	32.2	2.5	2127	5	US-09-340-154-95	Sequence 95, Appl
	34	32.2	2.5	2127	5	PCT-US95-09338-95	Sequence 95, Appl
	35	32.2	2.5	2127	5	PCT-US95-09339-95	Sequence 44, Appl
	36	32	2.5	802	3	US-09-276-531-44	Sequence 1, Appl
	37	32	2.5	1120	4	US-09-030-613-1	Sequence 1, Appl
	38	32	2.5	1120	4	US-09-451-905-1	Sequence 3, Appl
	39	32	2.5	2088	3	US-09-351-414-3	Sequence 14, Appl
	40	31.8	2.5	7218	1	US-08-232-463-14	Sequence 2, Appli
c	41	31.8	2.5	4403765	4	US-09-103-840A-2	Sequence 1, Appli
c	42	31.8	2.5	4411529	4	US-09-103-840A-1	Sequence 1, Appli
c	43	31.4	2.4	1867	2	US-08-516-801-1	Sequence 1, Appli
	44	31.4	2.4	1867	2	US-08-248-355-1	Sequence 1, Appli
	45	31.4	2.4	1867	5	PCT-US95-06683-1	Sequence 1, Appli
c	46	31.4	2.4	2888	4	US-08-765-907A-1	Sequence 7, Appli
	47	31.2	2.4	1128	2	US-08-446-875-7	Sequence 4, Appli
	48	31.2	2.4	1128	4	US-08-102-385G-7	Sequence 1, Appli
	49	31.2	2.4	5125	1	US-08-094-948A-4	Sequence 4, Appli
	50	31.2	2.4	5125	5	PCT-US96-09319-4	Sequence 1, Appli
	51	31	2.4	7653	3	US-08-394-189B-1	Sequence 1, Appli
	52	31	2.4	7653	3	US-08-258-287B1	Sequence 18, Appl
c	53	31	2.4	7653	5	US-08-368-704C-1	Sequence 1, Appli
	54	31	2.4	7653	5	PCT-US93-05701-18	Sequence 5, Appli
	55	31	2.4	7653	5	PCT-US93-05705-1	Sequence 14, Appl
c	56	30.8	2.4	4097	3	US-09-123-708-5	Sequence 5, Appli
c	57	30.8	2.4	4097	3	US-09-123-624-5	Sequence 14, Appl
c	58	30.4	2.3	1523	4	US-09-215-252-14	Sequence 2, Appli
	59	30.4	2.3	2718	4	US-09-360-186-4	Sequence 3, Appli
	60	30.4	2.3	3099	4	US-09-360-186-2	Sequence 16, Appl
c	61	30.4	2.3	11785	2	US-08-416-603-3	Sequence 16, Appl
	62	30.4	2.3	31491	5	US-09-360-186-1	Sequence 1, Appl
	63	30.2	2.3	1075	4	US-09-116-115-16	Sequence 1, Appli
	64	30.2	2.3	1075	4	US-09-541-762-16	Sequence 1, Appli
	65	30.2	2.3	1303	1	US-08-700-981-1	Sequence 1, Appli
	66	30.2	2.3	1303	3	US-08-914-981-1	Sequence 57, Appl
	67	30.2	2.3	1303	3	US-09-116-115-1	Sequence 57, Appl
	68	30.2	2.3	2680	2	US-09-541-762-1	Sequence 57, Appl
c	69	30.2	2.3	4695	2	US-09-063-035-1	Sequence 1, Appli
c	70	30.2	2.3	4695	2	US-08-231-193A-57	Sequence 1, Appli
c	71	30.2	2.3	4695	4	US-08-486-273A-57	Sequence 2, Appli
c	72	30.2	2.3	4695	4	US-08-940-086A-57	Sequence 14, Appl
c	73	30.2	2.3	15872	4	US-08-940-035A-57	Sequence 50, Appl
	74	30.2	2.3	43280	4	US-09-105-537-1	Sequence 65, Appl
	75	30.2	2.3	3761	4	US-08-804-227C-1	Sequence 7, Appli
	76	30	2.3	3848	4	US-08-890-865A-2	Sequence 6, Appli
	77	30	2.3	5668	4	US-09-112-096-28	Sequence 7, Appli
	78	30	2.3	1364	1	US-09-112-096-14	Sequence 28, Appl
	79	29.8	2.3	1364	5	US-08-306-691B-50	Sequence 2, Appli
	80	29.8	2.3	2681	5	PCT-US93-06251-65	Sequence 201, Appl
	81	29.8	2.3	2923	1	US-08-928-213B-7	Sequence 202, App
	82	29.8	2.3	2923	2	US-08-377-292-6	Sequence 205, App
	83	29.8	2.3	2923	4	US-07-989-847-7	Sequence 206, App
	84	29.6	2.3	168	3	US-08-469-411-7	Sequence 5, Appli
	85	29.6	2.3	2274	3	US-08-997-924A-1	Sequence 4, Appli
	86	29.6	2.3	2274	5	PCT-US94-01712-28	Sequence 3, Appli
c	87	29.6	2.3	4403765	4	US-09-103-840A-2	Sequence 24, Appl
c	88	29.4	2.3	291	4	US-08-931-858E-201	Sequence 1, Appli
	89	29.4	2.3	291	4	US-08-931-858E-202	Sequence 20, App
c	90	29.4	2.3	471	4	US-08-931-858E-205	Sequence 21, Appl
	91	29.4	2.3	471	4	US-08-931-858E-206	Sequence 21, Appl
c	92	29.4	2.3	654	4	US-09-098-789-5	Sequence 5, Appli
c	93	29.4	2.3	1685	4	US-09-098-789-4	Sequence 4, Appli
	94	29.4	2.3	2763	4	US-09-489-868A-3	Sequence 3, Appli
	95	29.4	2.3	2857	4	US-08-981-392-4	Sequence 4, Appli
c	96	29.4	2.3	2899	4	US-08-981-392-24	Sequence 24, Appl
c	97	29.4	2.3	43280	4	US-08-804-227C-1	Sequence 1, Appli
c	98	29.4	2.3	246240	2	US-08-724-394A-20	Sequence 20, Appl
	99	29.4	2.3	246240	2	US-08-724-394A-21	Sequence 21, Appl

Search completed: May 7, 2002, 16:26:14
Job time: 5635 sec

```
Db   289 CCCCGAGCAAGATGCAGAA 308
             ||   |||| ||| |||
```

```
RESULT 45
BG962345
LOCUS       BG962345              581 bp    mRNA         linear   EST 12-JUN-2001
DEFINITION  602827152F1 NCI_CGAP_Co24 Mus musculus cDNA clone IMAGE:4982052 5',
            mRNA sequence.
ACCESSION   BG962345
VERSION     BG962345.1  GI:14349982
KEYWORDS    EST.
SOURCE      house mouse.
ORGANISM    Mus musculus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1  (bases 1 to 581)
AUTHORS     NIH-MGC http://mgc.nci.nih.gov/.
TITLE       National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL     Unpublished (1999)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Jeffrey E. Green, M.D.
            cDNA Library Preparation: Life Technologies, Inc.
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLAM10984  row: g  column: 13
            High quality sequence start: 7
            High quality sequence stop: 581.
FEATURES             Location/Qualifiers
     source          1..581
                     /organism="Mus musculus"
                     /strain="FVB/N"
                     /db_xref="taxon:10090"
                     /clone="IMAGE:4982052"
                     /clone_lib="NCI_CGAP_Co24"
                     /lab_host="DH10B (T1 phage-resistant)"
                     /note="Organ: colon; Vector: pCMV-SPORT6; Site_1: NotI;
                     Site_2: SalI; Cloned unidirectionally. Primer: Oligo dT.
                     Average insert size 1.6 kb. Constructed by Life
                     Technologies. Note: this is a NCI_CGAP Library."
BASE COUNT      120 a    193 c    147 g    121 t
ORIGIN
```

```
Query Match          6.0%;  Score 77.6;  DB 10;  Length 581;
Best Local Similarity   56.2%;  Pred. No. 1.9e-11;
Matches  146;  Conservative    0;  Mismatches  114;  Indels    0;  Gaps    0;

Qy   394 tgtgacctttgtgccatagtgtcaaactcagtcagatggttggccagaaggtgggaaat 453
             ||| || |||||| || || |  || |||| | |  ||||| |  || ||||  |||| ||||
Db   315 TGCAACCAGTGTGTGATCATCACCAGCTCCAGCCACCTGCTGGCACCAAACTGGCCCT 374

Qy   454 gagatagatcgatcctcctgcatttggagaatgaacaatgcccccaccaaggttatgaa 513
             ||||| || ||| || |||| | || || |||||| |||| ||||| ||||| || ||
Db   375 GAGATTGAGCGGGCTGACTGCACCATCCGCATGAACCATGCTCCCACCTCTGGCTACTCG 434

Qy   514 gaagatgtcggccgcatgacccatgagttgtgtcccataccagcgttcctcctttg 573
             | || |||| || ||| || ||| ||  || ||| |||| ||||| |||| ||| ||||
Db   435 GCTGACCTCGGAAACAAAACCACCTTTCGCGTAGTGGCCCATTCCAGTGTATTCCGTGTG 494

Qy   574 ctaaaaaccctgattattttcaaggaagcgaatactacatttgtgttattgggga 633
             ||  || || | || |||| | |||| || || ||| || |  | |||| ||||||
Db   495 CTGCGGAAGCCCCAGGAATTTGTCAACCGGACCCCTGAGACCGTGTTCATCTTCTGGGGA 554

Qy   634 cctttccgcaatatgaggaa 653
             ||| ||| ||| ||| |||
Db   555 CCCCCAAACAAGATGCAGAA 574
```

```
Qy   514  gaagatgtcggccgcatgaccatgatcgagttgtgtcccataccagcgttcctctttg  573
          | ||||| ||| |||| || | |||   |||  ||||||||||||||| || ||  ||
Db   185  GCTGATGTGGGCAACAAGACCACCTACCGCGTCGTGGCCCATTCCAGTGTGTTCCGCGTG  244

Qy   574  ctaaaaaccctgattatttttcaaggaagcggaatactactattgtgttatttgggga   633
          ||  |   | ||| |||||||  ||||  || ||  |  | | || |  |||  | |||||
Db   245  CTGAGGAGGCCCCAGGAGTTTGTCAACCGGACCCCTGAAACCGTGTTCATCTTCTGGGGG  304

Qy   634  ccttccgcaatatgaggaa  653
          ||   |||  |||  |||
Db   305  CCCCCGAGCAGATGCAGAA  324

RESULT 43
BG962736
LOCUS       BG962736                554 bp    mRNA    linear    EST 12-JUN-2001
DEFINITION  602830255F1 NCI_CGAP_Co24 Mus musculus cDNA clone IMAGE:4984908 5',
            mRNA sequence.
ACCESSION   BG962736
VERSION     BG962736.1  GI:14350373
KEYWORDS    EST.
SOURCE      house mouse.
ORGANISM    Mus musculus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1  (bases 1 to 554)
AUTHORS     NIH-MGC http://mgc.nci.nih.gov/.
TITLE       National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL     Unpublished (1999)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Jeffrey E. Green, M.D.
            cDNA Library Preparation: Life Technologies, Inc.
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLAM10991 row: n  column: 13
            High quality sequence stop: 554.
FEATURES             Location/Qualifiers
     source          1..554
                     /organism="Mus musculus"
                     /strain="FVB/N"
                     /db_xref="taxon:10090"
                     /clone="IMAGE:4984908"
                     /clone_lib="NCI_CGAP_Co24"
                     /lab_host="DH10B (T1 phage-resistant)"
                     /note="Organ: colon; Vector: pCMV-SPORT6; Site_1: NotI;
                     Site_2: SalI; Cloned unidirectionally. Primer: Oligo dT.
                     Average insert size 1.6 kb. Constructed by Life
                     Technologies. Note: this is a NCI_CGAP Library."
BASE COUNT   115 a    184 c    140 g    115 t
ORIGIN

Query Match       6.0%;  Score 77.6;  DB 10;  Length 554;
Best Local Similarity  56.2%;  Pred. No. 1.9e-11;
Matches 146;  Conservative  0;  Mismatches 114;  Indels  0;  Gaps  0;

Qy   394  tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat  453
          || ||| ||| || ||| || |  ||| ||||||| ||||| ||| || ||| |||||||
Db   289  TGCAACCAGTGTGTGATCATCACCAGCTCCAGCCACCTTCCAGTGTGTTCCGCGGCACCG  348

Qy   454  gagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaaggttatgaa   513
          ||||| | || |   |     |||   |  ||| ||| ||| ||| ||||| | ||||||
Db   349  GAGATTGAGCGGGCTGAGTGCGTCAACAAGACCACCATCCTCCACCTCTGGCTACTCG   408

Qy   514  gaagatgtcggccgcatgaccatgatcgagttgtgtcccataccagcgttcctctttg  573
          | |||| || ||| || || | |||  |||  |||||||||||||| || ||  ||
Db   409  GCTGACGTCGGAAACAAACCACCTTTCGCGTAGTGGCCCATTCCAGTGTATTCCGTGTG  468
```

Qy   574 ctaaaaaccctgattatttttcaaggaagcgaatactactattgtgttatttgggga   633
          || | | |||| ||||||| |||| || || | | | || | ||| | |||||
Db   469 CTGCGGAAGCCCCAGGAATTGTCAACCGGACCCCTGAGACGTGTTCATCTTCTCGGGGA   528

Qy   634 ccttccgcaatatgaggaa   653
          || ||| ||| |||
Db   529 CCCCCAAACAAGATGCAGAA 548

```
RESULT 44
AL157554
LOCUS       AL157554                560 bp    mRNA    linear    EST 24-FEB-2000
DEFINITION  DKFZp761E0716_r1 761 (synonym: hamy2) Homo sapiens cDNA clone
            DKFZp761E0716 5', mRNA sequence.
ACCESSION   AL157554
VERSION     AL157554.1  GI:7057955
KEYWORDS    EST.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 560)
AUTHORS     Ansorge,W., Wirkner,U., Mewes,W., Weil,B. and Wiemann,S.
TITLE       EST (Ansorge,W., Wirkner,U., Mewes,H.W., Weil,B. and Wiemann,S.)
JOURNAL     Unpublished (1999)
COMMENT     Contact: Ansorge W
            MIPS
            Am Klopferspitz 18a D-82152 Martinsried, Germany
            This is the 5' sequence of the clone insert
            Clone from S. Wiemann, Molecular Genome Analysis, German Cancer
            Research Center (DKFZ); Email s.wiemann@dkfz-heidelberg.de;
            sequenced by EMBL (European Molecular Biology Laboratories,
            Heidelberg/Germany) within the cDNA sequencing consortium of the
            German Genome Project.
            No s1 sequence available.
            This clone (DKFZp761E0716) is available at the RZPD in Berlin.
            Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
            Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de.
FEATURES             Location/Qualifiers
     source          1..560
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="DKFZp761E0716"
                     /clone_lib="761 (synonym: hamy2)"
                     /tissue_type="amygdala"
                     /dev_stage="adult"
                     /lab_host="DH10B"
                     /note="Vector: pSport1; Site_1: NotI; Site_2: SalI"
BASE COUNT   106 a    179 c    162 g    113 t
ORIGIN

Query Match       6.0%;  Score 77.6;  DB 9;  Length 560;
Best Local Similarity  56.2%;  Pred. No. 1.9e-11;
Matches 146;  Conservative  0;  Mismatches 114;  Indels  0;  Gaps  0;

Qy   394  tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat  453
          || ||| ||| || ||| || |  ||| ||||||| ||||| ||| || ||| |||||||
Db   49   TGCCACCAGTGTGTGATTGTCAGCAGCTTCAGCCACCTTCCAGTGTGTTCCGCGGCACCG  108

Qy   454  gagatagatcgatcctcctgcatttggagaatgaacaatgcccccaccaaaggttatgaa  513
          ||||| | || |   |     ||| || ||| ||| | ||| || ||| || || ||||||
Db   109  GAGATGCAGCGGGCTGAGTGTGAGTGTACAATCCGCATGAATGCACCCACCACTGGCTACTCA  168

Qy   514  gaagatgtcggccgcatgaccatgatcgagttgtgtccccataccagcgttcctctttg  573
          | |||| || ||| || | |||| |||   |||||||||||||| || ||  ||
Db   169  GCTGATGTGGGCAACAAGACCACCTACCGCGTCGTGGCCCATTCCAGTGTGTTCATCTTCTGGGGG  228

Qy   574  ctaaaaaccctgattatttttcaaggaagcggaatactactattgtgttatttgggga   633
          ||  |   | |||| |||||||  ||||  || ||  |  | | || |  |||  | |||||
Db   229  CTGAGGAGGCCCCAGGAGTTTGTCAACCGGACCCCTGAAACCGTGTTCATCTTCTCGGGGG  288

Qy   634  ccttccgcaatatgaggaa  653
```

```
LOCUS       AW298310               273 bp    mRNA    linear   EST 16-JAN-2000
DEFINITION  UI-H-BW0-ajk-h-01-0-UI.s1 NCI_CGAP_Sub6 Homo sapiens cDNA clone
            IMAGE:2732376 3', mRNA sequence.
ACCESSION   AW298310
VERSION     AW298310.1  GI:6705033
KEYWORDS    EST.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 273)
AUTHORS     NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
TITLE       National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
JOURNAL     Unpublished (1997)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Oligo-dT track not found, Not I site shown in beginning of sequence
            is likely internal to the message. cDNA Library Preparation: M.B.
            Soares Lab Clone distribution: NCI-CGAP clone distribution
            information can be found through the I.M.A.G.E. Consortium/LLNL at:
            www-bio.llnl.gov/bbrp/image/image.html
            Seq primer: M13 Forward
            POLYA=No.
FEATURES             Location/Qualifiers
     source          1..273
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:2732376"
                     /clone_lib="NCI_CGAP_Sub6"
                     /lab_host="DH10B (Life Technologies)"
                     /note="Vector: pT7T3D-Pac (Pharmacia) with a modified
                     polylinker; Site_1: Not I; Site_2: Eco RI; NCI_CGAP_Sub6
                     is a mixture of four normalized libraries: NCI_CGAP_Brn50,
                     NCI_CGAP_Lu1l, NCI_CGAP_Ov18, GBC1 . The NCI_CGAP_Sub6
                     library had 7 million recombinants. A single-stranded DNA
                     preparation of BW was used as a tracer in a subtractive
                     hybridization with a driver comprising: the IMAGE pool
                     (NCI_CGAP_Kid3 pool 1 LLAM 3334-3337, 3682-3683,
                     3798-3803 (IMAGE CloneIDs 1323376-1323911,
                     1456008-1456775,1500552-1502855); NCI_CGAP_Kid5 pool 1
                     LLAM 3338-3342,3722-3725,3776-3778 (IMAGE CloneIDs
                     1323912-1325831, 1471368-1472903, 1492104-1493255);
                     NCI_CGAP_Lu5 pool 1 LLAM 3575-3582, 3851-3854 (IMAGE
                     CloneIDs 1414920-1417991, 1520904-1522439); NCI_CGAP_GC4
                     pool 1 LLAM 3164-3167, 3716-3720, 3733-3735, (IMAGE
                     CloneIDs 1257096-1258631,1469064-1470983, 1475592-1476743
                     ); NCI_CGAP_Pr22 pool 1 LLAM 2457-2459, 2758-2759,
                     3062-3068 (IMAGE CloneIDs 985608-986759, 1101192-1101959,
                     1217928-1220615); NCI_CGAP_Co10 pool 1 LLAM 2644-2653,
                     2871-2872 (IMAGE CloneIDs 1057416-1061255,1144584-1145351
                     ). (50% of the driver population), plus a pool of 3,840
                     arrayed clones from  NCI_CGAP_Sub1 (IMAGE CloneIDs
                     2708610-2710535) and NCI_CGAP_Sub2 (IMAGE CloneIDs
                     2710536-2712455)     (20% of the driver population), plus a
                     pool of 11,136 clones from NCI_CGAP_Sub3 (IMAGE CloneIDs
                     2712456-2723591) (30% of the driver population).
                     Subtraction was performed as previously described [Bonaldo
                     , Lennon & Soares (1996): Normalization and Subtraction:
                     Two Approaches To Facilitate Gene Discovery. Genome
                     Research 6, 791-806.
BASE COUNT          48 a          85 g          45 t          93 c
                     TAG_SEQ=None found"
ORIGIN

Query Match             6.0%;  Score 77.6; DB 9; Length 273;
Best Local Similarity  56.9%;  Pred. No. 1.4e-11;
Matches 140;   Conservative  0;   Mismatches 106;   Indels  0;   Gaps  0;

Qy  403 tgtgccatagtgtcaaactcaggtcagatggttggccagaaggtggaaatgagatagat 462
        ||||||| |||| || ||| || ||| ||| ||| || || |||||| ||  |||| ||
```

```
Db      266 TGTGCCGTGGTGTCCAGCTCCGGCCAAATGTGGCTGGCTGCTCAGGCCCTGGCTGAGATCGAC 207
            |||||| || | |||| ||| || || |||| |  |||| || |  ||| ||| || ||| |
Qy      463 cgatcctcctgcatttggacaatgccccaccaaaggttatgaagaaagatgtc 522
            ||  || ||| || |||| |  |||| || || ||||  |  || ||| ||||
Db      206 AGTGCCGAGTCGTGTTCCGATGAACCAGGCGCCCCGTGGCCTTTGAGGCGGATGTG 147
            || ||| || |||| |||| || ||| || || ||| |  |||| |  | || |||
Qy      523 ggccgcatgaccgattcgagttgtgtccatacacagcgttcctctttgctaaaaac 582
            |||  | || || |||| ||| |  ||| ||| ||| || | ||  ||| || |||
Db      146 GGCCAGCGAGCCACCNTGCGTGTCGTCTCACACACAGCGTGCCGCTGCTGCTGCGCAAC 87
            |||| ||| ||| ||  |  || || || ||| ||| || |  || | ||| ||| |||
Qy      583 cctgattatttttcaaggaagcgaatactactatttgtgttattgggacctttccgc 642
            ||| ||| |||  ||||| ||  ||||| | ||  ||||| || | ||  |||| ||
Db       86 TATTCACACTACTTCCAGAAGGCCCGAGACACGCTNTACACATGGTGTGGGGCCAGGCAGG 27
            ||| ||| ||| || |||| || || || || ||  ||||| |||| || ||| |||| ||
Qy      643 aatatg 648
            ||  ||
Db       26 CACATG 21

RESULT 42
BI260659
LOCUS       BI260659               330 bp    mRNA    linear   EST 17-JUL-2001
DEFINITION  602968162F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:5107743 5',
            mRNA sequence.
ACCESSION   BI260659
VERSION     BI260659.1  GI:14819158
KEYWORDS    EST.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 330)
AUTHORS     NIH-MGC http://mgc.nci.nih.gov/.
TITLE       National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL     Unpublished (1999)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: ATCC
            cDNA Library Preparation: Life Technologies, Inc.
            cDNA Library Arrayed by: Incyte Genomics, Inc.
            DNA Sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLAM11260  row: 1  column: 16
            High quality sequence stop: 330.
FEATURES             Location/Qualifiers
     source          1..330
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:5107743"
                     /clone_lib="NIH_MGC_12"
                     /tissue_type="cervical carcinoma cell line"
                     /lab_host="DH10B"
                     /note="Organ: cervix; Vector: pCMV-SPORT6; Site_1: NotI;
                     Site_2: SalI; Cloned unidirectionally. Primer: Oligo dT.
                     Average insert size 1.4 kb. Library prepared by Life
                     Technologies."
BASE COUNT          71 a         106 c          91 g          62 t
ORIGIN

Query Match             6.0%;  Score 77.6; DB 10; Length 330;
Best Local Similarity  56.2%;  Pred. No. 1.6e-11;
Matches 146;   Conservative  0;   Mismatches 114;   Indels  0;   Gaps  0;

Qy  394 tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat 453
        ||||| ||||| |||| || ||| || ||| ||| ||| || || ||||| || |||||
Db   65 TGCCACCAGTGTGTGATTGTCAGCAGCTTCAGCCTCGCCCACCTGCTGGGCCACCAGCTGGGCCCT 124
        || ||  ||| | || ||||| ||| ||  ||| || ||  ||| ||| ||| ||| ||||| ||
Qy  454 gagatagatcgatcctcctgcatttgggaagaatgaacaatgccccaccaaaggttatgaa 513
        || ||| ||| || |||| ||| ||||| || ||| |  ||| || |  |||| ||| |||
Db  125 GAGATCAGCAGCGGCTGAGTGTACAATCCGCATGAATGATGCACCCACCACCTGGCTACTCA 184
        || || ||| |  | ||| ||| ||  |  ||| || ||||  || ||| ||| |||| ||
```

```
              and subsequently enriched for full-length by cap-trapper. cDNA went
              through one round of subtraction to Rot = 20.0. Second strand cDNA
              was prepared with the primer adapter of sequence[5'
              GAGAGAGAGGAGCGGCGCCAATTAATTCTCGAGTTAATTAAATTAATCCCCCCCCC 3'], cDNA
              was cleaved with XhoI and SstI. Cloning sites, 5' end: XhoI; 3'
              end: SstI. Host: SOLR.
REFERENCE   1 (bases 1 to 878)
AUTHORS     NIH-MGC http://mgc.nci.nih.gov/.
TITLE       National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL     Unpublished (1999)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Louis M. Staudt, M.D., Ph.D.
            cDNA Library Preparation: Ling Hong/Rubin Laboratory
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLCM1619 row: c column: 23
            High quality sequence stop: 817.
FEATURES             Location/Qualifiers
     source          1..878
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:4763470"
                     /clone_lib="NIH_MGC_48"
                     /tissue_type="primary B-cells from tonsils (cell line)"
                     /lab_host="DH10B (phage-resistant)"
                     /note="Organ: B-cells; Vector: pOTB7; Site_1: XhoI;
                     Site_2: EcoRI; cDNA made by oligo-dT priming.
                     Directionally cloned into EcoRI/XhoI sites using the
                     following 5' adaptor: GGCACGAG(G). Size-selected >500bp
                     for average insert size 1.8kb. Library constructed by Ling
                     Hong in the laboratory of Gerald M. Rubin (University of
                     California, Berkeley) using ZAP-cDNA synthesis kit
                     (Stratagene) and Superscript II RT (Life Technologies).
                     Note: this is a NIH_MGC Library."
BASE COUNT    148 a   303 c   268 g   159 t
ORIGIN

Query Match             6.0%;  Score 78;  DB 10;  Length 878;
Best Local Similarity  49.3%;  Pred. No. 1.7e-11;
Matches    204;  Conservative  0;  Mismatches  210;  Indels    0;  Gaps    0:

Qy       393 ctgtgacctttgtgcatagtgtcaaactcaggtcagatggttggccagaaggtgggaaa 452
             ||| ||||| ||   |  |  ||| |||| ||| ||||| ||| ||  ||||| |||
Db       399 CTGCCCGAGCTGTGCCGTGGTCTCACGAGTGGTCTCGGCCCAAATGCTGGGCTCAGGCTGC 458

Qy       453 tgagatagatcgatctcctgcatttggagaatgacaatgccccaccaaaggttatga 512
             | |  || ||| ||| |||  |  | ||||| |  |  | ||  || || ||||||||
Db       459 TGAGATCGACAGTGCCAGTGCGTGTTCCGATGACCAGGCGCCACCGTGCGGCTTTGA 518

Qy       513 agagagtcgccgcatgaccatgatcgagttgtgtccataccagcgttcctccttt 572
             |  |  ||| |  || |  || |||  |||  | |  ||| | || |  || |||
Db       519 GGCGGATGTGGGCCAGGCAGCCAGCACCTGCGTGCGTCTCACACAACAAGCGTGCCGCTGCT 578

Qy       573 gctaaaaaccctgattatttttcaaggaagcgaatacactactatttgtgttattgggg 632
             | ||||| |  |||  |  || |||| | ||  ||||  ||   | | || ||  ||||
Db       579 GCTGCGCAACTATTCACACTACTTCCAGAAGCCCGAGACACGCTTCACATGGTGTGGGG 638

Qy       633 accttccgcaatatggggaaagatggcaatggcatcgtttacaacatgttgaaaaagac 692
             || |  || ||||  ||||||| | ||  |||||  || |  || ||||| || ||||
Db       639 CCAGGCAGCCACATGGACCGGGTGCTCGCCGCGCCACTACCGCCGCTCGCCAGCTCA 698

Qy       693 agttgtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagtactg 752
             | ||  ||  || |   ||  ||| |   | ||  |  | ||||  | ||| |||||
Db       699 CCAGGATGTACCCCGCCTGCAGGTGTACACCTTCAACGACGCCCATGATGGCCTACTGC 758

Qy       753 tgatggagtttttaagaggaaactgggaaactgggaacaggggggcatgcaaggcgact 806
             | ||||| ||| |||||  | |||| | |||  |  ||||| | ||||| ||||| ||
Db       759 GACCAGATCTTCCAGGACGAAACGGGCAAGAACCGGAGGCAGTCAGGGCTCCT 812

RESULT 41
AW298310/c
```

```
              and subsequently enriched for full-length by cap-trapper. cDNA went
              through one round of subtraction to Rot = 20.0. Second strand cDNA
              was prepared with the primer adapter of sequence[5'
              GAGAGAGAGGAGCGGCGCCAATTAATTCTCGAGTTAATTAAATTAATCCCCCCCCC 3'], cDNA
              was cleaved with XhoI and SstI. Cloning sites, 5' end: XhoI; 3'
              end: SstI. Host: SOLR.
FEATURES             Location/Qualifiers
     source          1..1628
                     /organism="Mus musculus"
                     /strain="C57BL/6J"
                     /db_xref="MGD:MGI:1901231"
                     /db_xref="taxon:10090"
                     /clone="1810025A05"
                     /sex="male"
                     /tissue_type="pancreas"
                     /clone_lib="RIKEN full-length enriched mouse cDNA library"
                     /dev_stage="10 day old"
     gene            1..1628
                     /gene="Siat7d"
     misc_feature    1..1628
                     /gene="Siat7d"
                     /note="data source:MGD, source key:MGI:1341894,
                     evidence:ISS
                     sialyltransferase 7 ((alpha-N-acetylneuraminyl
                     2,3-betagalactosyl-1,3)-N-acetyl galactosaminide
                     alpha-2,6-sialyltransferase) D"
BASE COUNT    312 a   511 c   445 g   360 t
ORIGIN

Query Match             6.0%;  Score 78.2;  DB 11;  Length 1628;
Best Local Similarity  51.1%;  Pred. No. 1.8e-11;
Matches    208;  Conservative  0;  Mismatches  198;  Indels    1;  Gaps    1;

Qy       394 tgtgacctttgtgcatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat 453
             ||| ||  |||  || ||| || ||  ||||| ||| ||||||| || ||||| |||
Db       439 TGCCACAGCTGTGCCGGTGTCCTGCCAGTCTCGGCCCAGATGCTGGGTTCACGCCTGGGTGCC 498

Qy       454 gagatagatcgatctcctgcatttggagaagtcaacaatgaacaatgccccaccaaaggttatgaa 513
             || | || ||| ||| |||  |   |||| |  |  | || ||| || ||  ||| || |||||
Db       499 CAGATCGATGGCGCAGAGTGCGTGCTCACGAGTGGCATGACAGAACCAGGCACCCACCGTGGCTTTGAG 558

Qy       514 gaagatcggcggcgcatgaccatgatcgagttgtgtccataccagcgttcctctttg 573
             |||||||| |   || |||| ||| | || |||||| ||| | || |  || || |||
Db       559 GAGGACGTGGGCC-AGGCCACACTGCGGCGTGATCTCTCACACAAGTGTGCCATTGCTT 617

Qy       574 ctaaaaaccctgattatttttcaaggaagcgaatactactatttgttattgttgtggga 633
             || ||| |  |||  |  ||  ||| | ||  ||||  |||   | | || ||  ||||
Db       618 CTGCGCAACTACTCACACTATTTCCAGCATGCCCGAGACACGCTTCACGTGGTGTGGGGG 677

Qy       634 ccttccgcaatatgaggaagaatgccaatggccatcgttacacaacatgttgaaaaagaca 693
             || |  || ||||| ||| | | ||  |||  ||  || |  || ||||| || ||||||
Db       678 CAGGGCAGGCACATGGACCGGGTGCTCTCGGGCGGCGGGGCACCACCGTGAACGTTGCTGCAGCTC 737

Qy       694 gttggtatctatccgaatgcccaaaatatacgtgaccacagagaagcgcatgagttactgt 753
             ||| || |  || |   ||  ||||| |   | ||  | | ||| | | ||| |||||||
Db       738 ACCAGAATGTATCCAGGCCTGCAGTGTACACCTTCACTGACGAACCGGACAACAATCAGG 797

Qy       754 gatggagtttttaagaggaaaactgggaaactggggacaggggggcatgcaag 800
             ||||| |||| |||||| | ||| |||  |  | |  ||||| | |||||||
Db       798 GACCAGATCTTCCAGATGAGACAGGCAAGAGCAAGAACCGGAGCAGCAATCAGG 844

RESULT 40
BG684077
LOCUS       BG684077                 878 bp    mRNA    linear    EST 01-MAY-2001
DEFINITION  602635590F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4763470 5',
            mRNA sequence.
ACCESSION   BG684077
VERSION     BG684077.1  GI:13915474
KEYWORDS    EST.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini; Hominidae; Homo.
```

```
                    Email: est@watson.wustl.edu
                    Insert Size: 2269
                    High quality sequence stops: 299 Source: IMAGE Consortium, LLNL
                    This Clone is available royalty-free through LLNL ; contact the
                    IMAGE Consortium (info@image.llnl.gov) for further information.
                    Insert Length: 2269    Std Error: 0.00
                    Seq primer: M13RP1
                    High quality sequence stop: 299.
FEATURES            Location/Qualifiers
     source         1..391
                    /organism="Homo sapiens"
                    /db_xref="GDB:586764"
                    /db_xref="taxon:9606"
                    /clone="IMAGE:166075"
                    /clone_lib="Soares adult brain N2b4HB55Y"
                    /sex="Male"
                    /dev_stage="55-year old"
                    /lab_host="DH10B (ampicillin resistant)"
                    /note="Organ: brain; Vector: pT7T3D (Pharmacia) with a
                    modified polylinker; Site_1: Not I; Site_2: Eco RI; 1st
                    strand cDNA was primed with a Not I - oligo(dT) primer [5'
                    TGTTACCAATCTGAAGTGGGAGGCGGCGCGCTTTTTTTTTTTTTTTTT 3'],
                    double-stranded cDNA was size selected, ligated to Eco RI
                    adapters (Pharmacia), digested with Not I and cloned into
                    the Not I and Eco RI sites of a modified pT7T3 vector
                    (Pharmacia). Library went through one round of
                    normalization to a Cot = 53. Library constructed by Bento
                    Soares and M.Fatima Bonaldo. The adult brain RNA was
                    provided by Dr. Donald H. Gilden. Tissue was acquired
                    17-18 hours after death which occurred in consequence of a
                    ruptured aortic aneurysm. RNA was prepared from a pool of
                    tissues representing the following areas of the brain:
                    frontal, parietal, temporal and occipital cortex from the
                    left and right hemispheres, subcortical white matter,
                    basal ganglia, thalamus, cerebellum, midbrain, pons and
                    medulla."
BASE COUNT       74 a      123 c     112 g     79 t      3 others
ORIGIN

Query Match      6.0%;    Score 78.2;    DB 10;    Length 391;
Best Local Similarity   56.2%;    Pred. No. 1.1e-11;
Matches   146;   Conservative   0;   Mismatches   114;   Indels   0;   Gaps   0;

Qy    394  tgtgacccttgtccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat  453
           || ||| |||| ||||| ||| ||| || ||| ||||||| ||||| ||| |||
Db     38  TGCCACCAGTGTGTGATNGTCAGCAGCTCCAGCCACCTTGCTGGGCACCAAGCTGGGCCCT  97

Qy    454  gagatagatcgatccctcctgcattggagaatgaacaatgccccaccaaaggttatgaa  513
           || ||| | | || ||| |   |  |    | ||  | | |||
Db     98  GAGATCGAGCGGGCTGAGTGTACAAATCCGCATGAATGATGCACCCACCACTGGCCACTCA  157

Qy    514  gaagatgtcggccgcatgaccatgatcgagttgtgtccataccagcgttcctctttg  573
            | |||| ||| || |||| ||  ||| ||| || |||| |||| ||| || ||||
Db    158  GCTGATGTGGGCAACAAGACCACCTACCGCGTCGTGGCCCATTCCAGTGTGTTCCGCGTG  217

Qy    574  ctaaaaaacctgattatttttcaaggaagcgaatactacatttgttatttgggga  633
            || | || | | |||| |||||          |||||| |||| ||||||| |||
Db    218  CTGAGGAGGCCCCAGGAGTTGTCAACCGGACCCCTGAAACCGTGTTCATCTTCTGGGGG  277

Qy    634  cctttccgcaatatgaggaa  653
           || |||||| | | ||
Db    278  CCCCCGAGCAAGATGCAGAA  297
```

```
RESULT 39
AK007601
LOCUS       AK007601                1628 bp    mRNA    linear    HTC 19-JAN-2002
DEFINITION  Mus musculus 10 day old male pancreas cDNA, RIKEN full-length
            enriched library, clone:1810025A05:sialyltransferase 7
            ((alpha-N-acetylneuraminyl 2,3-betagalactosyl 2,3)-N-acetyl
            galactosaminide alpha-2,6-sialyltransferase) D, full insert
            sequence.
ACCESSION   AK007601
VERSION     AK007601.1  GI:12841244
KEYWORDS    HTC; CAP trapper.
SOURCE      Mus musculus (strain:C57BL/6J) 10 day old male pancreas cDNA to
            mRNA, clone_lib:RIKEN full-length enriched mouse cDNA library
            clone:1810025A05.
  ORGANISM  Mus musculus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1  (sites)
  AUTHORS   Carninci,P. and Hayashizaki,Y.
  TITLE     High-efficiency full-length cDNA cloning
  JOURNAL   Meth. Enzymol. 303, 19-44 (1999)
  MEDLINE   99279253
   PUBMED   10349636
REFERENCE   2  (sites)
  AUTHORS   Carninci,P., Shibata,Y., Hayatsu,N., Sugahara,Y., Shibata,K.,
            Itoh,M., Konno,H., Okazaki,Y., Muramatsu,M. and Hayashizaki,Y.
  TITLE     Normalization and subtraction of cap-trapper-selected cDNAs to
            prepare full-length cDNA libraries for rapid discovery of new genes
  JOURNAL   Genome Res. 10 (10), 1617-1630 (2000)
  MEDLINE   20499374
   PUBMED   11042159
REFERENCE   3  (sites)
  AUTHORS   Shibata,K., Itoh,M., Aizawa,K., Nagaoka,S., Sasaki,N., Carninci,P.,
            Konno,H., Akiyama,J., Nishi,K., Kitsunai,T., Tashiro,H., Itoh,M.,
            Sumi,N., Ishii,Y., Nakamura,S., Hazama,M., Nishine,T., Harada,A.,
            Yamamoto,R., Matsumoto,H., Sakaguchi,S., Ikegami,T., Kashiwagi,K.,
            Fujiwake,S., Inoue,K., Togawa,Y., Izawa,M., Ohara,E., Watahiki,M.,
            Yoneda,Y., Ishikawa,T., Ozawa,K., Tanaka,T., Matsuura,S., Kawai,J.,
            Okazaki,Y., Muramatsu,M., Inoue,Y., Kira,A. and Hayashizaki,Y.
  TITLE     RIKEN integrated sequence analysis (RISA) system--384-format
            sequencing pipeline with 384 multicapillary sequencer
  JOURNAL   Genome Res. 10 (11), 1757-1771 (2000)
  MEDLINE   20530913
   PUBMED   11076861
REFERENCE   4  (sites)
  AUTHORS   The RIKEN Genome Exploration Research Group Phase II Team and the
            FANTOM Consortium.
  TITLE     Functional annotation of a full-length mouse cDNA collection
  JOURNAL   Nature 409, 685-690 (2001)
REFERENCE   5  (bases 1 to 1628)
  AUTHORS   Adachi,J., Aizawa,K., Akahira,S., Akimura,T., Aono,H., Arai,A.,
            Arakawa,T., Baldarelli,R., Bono,H., Brownstein,M., Bult,C.,
            Carninci,P., Fukuda,S., Fukunishi,Y., Furuno,M., Hanagaki,T.,
            Hara,A., Hayatsu,N., Hill,D., Hiramoto,K., Hiraoka,T., Hori,F.,
            Hume,D., Imotani,K., Ishii,Y., Itoh,M., Izawa,M., Kasukawa,T.,
            Kato,H., Kawai,J., Kojima,Y., Konno,H., Kouda,M., Koya,S.,
            Kurihara,C., Matsuyama,T., Miyazaki,A., Nishi,K., Nomura,S.,
            Numazaki,R., Ohno,M., Okazaki,Y., Okido,T., Owa,C., Quackenbush,J.,
            Saito,H., Saito,R., Sakai,C., Sakai,K., Sano,H., Sasaki,D.,
            Schriml,L., Shibata,K., Shibata,Y., Shinagawa,A., Shiraki,T.,
            Sogabe,Y., Suzuki,H., Tagami,M., Tagawa,A., Takahashi,F.,
            Tanaka,T., Tejima,Y., Toya,T., Yamamura,T., Yamanaka,I.,
            Yasunishi,A., Yoshida,K., Yoshino,M., Muramatsu,M. and
            Hayashizaki,Y.
  TITLE     Direct Submission
  JOURNAL   Submitted (10-JUL-2000) Yoshihide Hayashizaki, The Institute of
            Physical and Chemical Research (RIKEN), Laboratory for Genome
            Exploration Research Group, RIKEN Genomic Sciences Center (GSC),
            RIKEN Yokohama Institute; 1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama,
            Kanagawa 230-0045, Japan (E-mail:genome-res@gsc.riken.go.jp,
            URL:http://genome.gsc.riken.go.jp/, Tel:81-45-503-9222,
            Fax:81-45-503-9216)
COMMENT     Please visit our web site (http://genome.gsc.riken.go.jp/) for
            further details.
            cDNA library was prepared and sequenced in Mouse Genome
            Encyclopedia Project of Genome Exploration Research Group in Riken
            Genomic Sciences Center and Genome Science Laboratory in RIKEN.
            Division of Experimental Animal Research in Riken contributed to
            prepare mouse tissues. First strand cDNA was primed with a primer
            [5' GAGAGAGAAGGATCCAAGAGCTCTTTTTTTTTTTTTTTTTVN 3'], cDNA was
            prepared by using trehalose thermo-activated reverse transcriptase
```

DNA Sequencing by: Incyte Genomics, Inc.
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: LLAM10821 row: 1 column: 07
High quality sequence stop: 757.

```
FEATURES             Location/Qualifiers
     source          1..757
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:4914582"
                     /clone_lib="NCI_CGAP_Brn67"
                     /tissue_type="anaplastic oligodendroglioma with 1p/19q
                     loss"
                     /lab_host="DH10B (T1 phage-resistant)"
                     /note"Organ: brain; Vector: pCMV-SPORT6; Site_1: NotI;
                     Site_2: SalI; Cloned unidirectionally. Primer: Oligo dT.
                     Average insert size 2.3 kb. Constructed by Life
                     Technologies. Note: this is a NCI_CGAP Library."
BASE COUNT        117 a    274 c    234 g    132 t
ORIGIN
```

```
Query Match                   6.1%;    Score 78.4;  DB 10;  Length 757;
Best Local Similarity        56.6%;    Pred No. 1.2e-11;
Matches  145;  Conservative    0; Mismatches  111;  Indels    0;  Gaps    0;

Qy    393 ctgtgacctttgtgccatagtgtcaaactcaggtcagatggttggcagaaggtgggaaa 452
          |||  |  ||||||| |||||  ||||  |||| |||||||  ||||| |  ||||| ||||
Db    491 CTGCCGCAGCTGTGCCGTGGTCCAGCTCCGGCCAAATGCTGGGCTCAGGCCGGGTGC 550

Qy    453 tgagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaagttatga 512
          ||| ||| || |||   |||||| ||||||||| |||||||| |||| ||||| |||||
Db    551 TGAGATCGACAGTGCCGAGTGCGTGTTCCGCATGAAGCCAGGCGCCACCGTGGGCTTTGA 610

Qy    513 agaagatgtcggccgcatgaccatgatccgagtgttgtccatacagccgttcctcttt 572
          ||| ||||||||||| ||||||||| |||| | ||||||| |||||| |||||||||||
Db    611 GGGGGATGTGGGCGCCAGCGAGCACCTGCGTCTTCACACAGCCACAAGCGTGCCGCTGCT 670

Qy    573 gctaaaaaccctgattattttcaaggaaggaatactatatttgtgttattgggg 632
          |||| | |||||  |||||||  ||||||||  |||| | || |||||  ||||||
Db    671 GCTGCGCAACTATTCACACTACTTCCAGAAGGCCCGAGACAGCGCTCTACATGGTGTGGGG 730

Qy    633 acctttccgcaatatg 648
          |||||| | ||||||
Db    731 CCCAGGCAGGCACATG 746
```

```
RESULT  38
R87442
LOCUS       R87442                391 bp    mRNA        linear  EST 16-AUG-1995
DEFINITION  ym89b10.r1 Soares adult brain N2b4HB55Y Homo sapiens cDNA clone
            IMAGE:166075 5' similar to SP:S36824 S36824 BETA-GALACTOSIDE
            ALPHA-2,3-SIALYLTRANSFERASE ;, mRNA sequence.
ACCESSION   R87442
VERSION     R87442.1  GI:946255
KEYWORDS    EST.
SOURCE      human.
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 391)
  AUTHORS   Hillier,L., Clark,N., Dubuque,T., Elliston,K., Hawkins,M., Holman
            ,M., Hultman,M., Kucaba,T., Le,M., Lennon,G., Marra,M., Parsons,J.,
            Rifkin,L., Rohlfing,T., Soares,M., Tan,F., Trevaskis,E., Waterston
            ,R., Williamson,A., Wohldmann,P. and Wilson,R.
  TITLE     The WashU-Merck EST Project
  JOURNAL   Unpublished (1995)
COMMENT     Contact: Wilson RK
            Washington University School of Medicine
            4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
            Tel: 314 286 1800
            Fax: 314 286 1810
```

/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:4853722"
/clone_lib="NIH_MGC_48"
/tissue_Type="primary B-cells from tonsils (cell line)"
/lab_host="DH10B (phage-resistant)"
/note="Organ: B-cells; Vector: pOTB7; Site_1: XhoI;
Site_2: EcoRI; cDNA made by oligo-dT priming.
Directionally cloned into EcoRI/XhoI sites using the
following 5' adaptor: GGCACGAG(G). Size-selected >500bp
for average insert size 1.8kb. Library constructed by Ling
Hong in the laboratory of Gerald M. Rubin (University of
California, Berkeley) using ZAP-cDNA synthesis kit
(Stratagene) and Superscript II RT (Life Technologies).
Note: this is a NIH_MGC Library."

```
BASE COUNT        129 a    275 c    237 g    141 t
ORIGIN

Query Match                   6.1%;    Score 79.2;  DB 10;  Length 782;
Best Local Similarity        52.1%;    Pred. No. 7.2e-12;
Matches  200;  Conservative    0; Mismatches  183;  Indels    1;  Gaps    1;

Qy    393 ctgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaa 452
          |||  |  ||||||| |||||  ||||  |||| |||||||  ||||| |  ||||| |||
Db    399 CTGCCGCAGCTGTGCCGTGGTCCAGCTCCGGCCAAATGCTGGGCTCAGGCCGGGTGC 458

Qy    453 tgagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaagttatga 512
          ||| ||| || |||   |||||| ||||||||| |||||||| |||| ||||| |||||
Db    459 TGAGATCGACAGTGCCGAGTGCGTGTTCCGCATGAAGCCAGGCGCCACCGTGGGCTTGA 518

Qy    513 agaagatgtcggccgcatgaccatgatccgagtgttgtccatacagccgttcctcttt 572
          ||| ||||||||||| ||||||||| |||| | ||||||| |||||| |||||||||||
Db    519 GGCGGATGTGGGCGCCAGCGAGCACCTGCGTCTTCACACTACTTCCAGAAGGCCCGAGAC 578

Qy    573 gctaaaaaccctgattattttcaaggaaggaatactactatttgtgttattgggg 632
          |||| | |||||  |||||||  ||||||||  |||| | || |||||  ||||||
Db    579 GCTGCGCAACTATTCACACTACTTCCAGAAGGCCCGAGACAGCGCTCTACATGGTGTGGGG 638

Qy    633 acctttccgaatatgagagaaaatgggcatgaccaacatatacgtgacaacagtggtactg 692
          |||||| |  || |||| || ||| |||| ||  | ||| | |  || |||| |||||||||
Db    639 -CCAGGCAGGCACATGGACCGGGTGCTGCTCGGCGGGCCCACCTACCGCACGCGCTGCGAGCT 697

Qy    693 agtggtatctatccgaatgcccaaatatacgtgaccaacagaagcgcatggactg 752
          |  || || || |||| ||||| |||||| |||| ||| |||||||| |||||| |
Db    698 CACCAGGATGTACCCCGGCCTGCGGTGTACCACCCTTCACGGACGGCCCATGATGGCCTACTG 757

Qy    753 tgatggagttttaagaaggaaac 776
          |   || |||||||| ||||||
Db    758 CGACCAGATCTTCCAGGACGAGAC 781
```

```
RESULT  37
BG818714
LOCUS       BG818714              757 bp    mRNA        linear  EST 22-MAY-2001
DEFINITION  602779030F2 NCI_CGAP_Brn67 Homo sapiens cDNA clone IMAGE:4914582
            5', mRNA sequence.
ACCESSION   BG818714
VERSION     BG818714.1  GI:14166301
KEYWORDS    EST.
SOURCE      human.
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 757)
  AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
  TITLE     National Institutes of Health, Mammalian Gene Collection (MGC)
  JOURNAL   Unpublished (1999)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: David N. Louis, M.D.
            cDNA Library Preparation: Life Technologies, Inc.
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
```

```
Qy  375 agagcctttgcaactggactgtgacctttgtgccatagtgtcaaactcagtcagatggt 434
        | ||| |     | |||||  || |  |||| |||| ||  | || |  |||||||
Db  476 ACAGCTCCTGAAAATGCACTGCAGGGACTGTGCCCTGGTGACCAGCTCAGGGCATCTGCT 417

Qy  435 tggccagaaggtgggaaatgagatagatgatcctcctgcatttggaaatgaacaatgc 494
        |||    |||||          || | |  |   |  |  | |||||| |||||||
Db  416 GCACAGTCGGCAAGCGTCCCAGATTGACCAGACAGAGTGTGTCATCCGCCATGAATGACGC 357

Qy  495 ccccaccaaaggttatgaagaaagatgtcggccgcgcatgaccatgatcgagttgtgtccca 554
        ||||||     ||   |  ||||| |||||
Db  356 CCCCACACGCGGCTATGGCGTGACGTGGCCAATCGCACCAGCCTGAGGGTCATCGCGCA 297

Qy  555 taccagcgttcctcctttgtcaaaaaacccgattattttttcaaggaagcgaatactac 614
        | |||   ||| |     || |||
Db  296 TTCCAGCATCCAGAGGACATCCTCGAACCGACCATGACCTGCTCAACGTGACGCAGGGCAC 237

Qy  615 tatttgtgtattggggaccctttccgaatatgaggaaagatgcaatggtgcatcgttta 674
        || || ||| ||||||          ||
Db  236 CGTGTTCATCTTCTGGGGCCCCAGCAGTCTACATGCGGGACGGCAAGGCCAGTCTA 177

Qy  675 caacatgttgaaaaagacagtgttgttatctatcgatgcccaaatatacgtgaccacaga 734
        |||   | |       ||     |  |  ||
Db  176 CAACAAACCTGCATCTCCTGAGCCAGTGCTGCCCCGGTTGAAGGCCTTCATGATTACTCG 117

Qy  735 gaagcgcatgagttactgtgatggagttttaagaaggaaactgggaaggacagg 789
        ||      | |  ||||||| |   |||||||
Db  116 CCACAAAATGCTGCAGTTTGATGAGCTCTTCAAGCAGGAGACTGGCAAAGACAGG 62
```

RESULT 36
BG755591
```
LOCUS       BG755591     782 bp    mRNA    linear    EST 15-MAY-2001
DEFINITION  602717427F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4853722 5',
            mRNA sequence.
ACCESSION   BG755591
VERSION     BG755591.1  GI:14067244
KEYWORDS    EST.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 782)
AUTHORS     NIH-MGC http://mgc.nci.nih.gov/.
            National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL     Unpublished (1999)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Louis M. Staudt, M.D., Ph.D.
            cDNA Library Preparation: Ling Hong/Rubin Laboratory
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLCM1700 row: d  column: 11
            High quality sequence stop: 780.
FEATURES             Location/Qualifiers
     source          1..782
```

```
/note="Organ: breast; Vector: puc18; Site_1: SmaI; Site_2:
SmaI; A mini-library was made by cloning products derived
from ORESTES PCR (U.S. Letters Patent application No. 196
,716 - Ludwig Institute for Cancer Research) profiles
into the pUC 18 vector. Reverse transcription of tissue
mRNA and cDNA amplification were performed under low
stringency conditions."

BASE COUNT    112 a    156 c    164 g    138 t
ORIGIN

Query Match         6.2%;  Score 80.6;  DB 9;  Length 570;
Best Local Similarity  49.6%;  Pred. No. 2.5e-12;
Matches  206;  Conservative  0;  Mismatches  209;  Indels  0;  Gaps  0;
```

```
Qy  394 tgtgaccttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat 453
        ||  ||| |||| ||  | || |  |||||||
Db  321 TGCCACCAGTGTGTGATTGTCAGCAGTTCCAGCCACCTGGCTGGGCACCAAGCTGGGCCCT 380

Qy  454 gagatagatcgatcctcctgcatttggaggatgaacaatgcccccaccaaggttatgaa 513
        |||||||| || |  |   |  |  |||||||| |||||||
Db  381 GAGATCGAGCGGGCTGAGTGTACAATCCGCATGAATGATGAGTGCACCCACCACTGGCTACTCA 440

Qy  514 gaagatgtcggccgcgcatgaccatgatcgagttgtgtcccataccagcgttcctcctttg 573
        ||||| |||||
Db  441 GCTGATGTGGCGCAACAAGACCACCTACCCGTCGTGGCCCCATTCCAGTGTGTTCCGCGTG 500

Qy  574 ctaaaaaacccgattattttttcaaggaagcgaatactatatttgtgtattgggga 633
        || |||
Db  501 CTGAGGAGGCCCCAGGAGTTTGTCAACCGGACCCCTGAAACCGTGTTCATCTTCTGGGGG 560

Qy  634 cctttccgaatatgaggaaagatggcaatggcatcgtttacaacatgttgaaaaagaca 693
        ||
Db  561 CCCCCCGAGCGAAGATGCAGA--AGCCCCCAGGGCAGCCTCGTGCGTGTGATCCAGCGAGCG 617

Qy  694 gttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgt 753
        ||||||
Db  618 GGCCTGGTGTTCCCAACATGGAAGCATATGCCGTCTCTCCGGGCGCATGCGGCAATTT 677

Qy  754 gatgagtttttaagaaggaaactgggaaggacaggg 790
        ||||
Db  678 GACGACCTTCTTCCGGGGGTGAGACGGGCAAGGACAGGG 714
```

RESULT 35
BE083080/c
```
LOCUS       BE083080     570 bp    mRNA    linear    EST 12-JUN-2000
DEFINITION  RC2-BT0642-270300-019-f06 BT0642 Homo sapiens cDNA, mRNA sequence.
ACCESSION   BE083080
VERSION     BE083080.1  GI:8473388
KEYWORDS    EST.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 570)
AUTHORS     Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R.,
            Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F.,
            Goldman,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H.,
            Brunstein,A., deOliveira,P.S., Bucher,P., Jongeneel,C.V., O'Hare,
            M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and
            Simpson,A.J.
TITLE       Shotgun sequencing of the human transcriptome with ORF expressed
            sequence tags
JOURNAL     Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
MEDLINE     20202663
COMMENT     Contact: Simpson A.J.G.
            Laboratory of Cancer Genetics
            Ludwig Institute for Cancer Research
            Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
            Brazil
            Tel: +55-11-2704922
            Fax: +55-11-2707001
            Email: asimpson@ludwig.org.br
            This sequence was derived from the FAPESP/LICR Human Cancer Genome
            Project. This entry can be seen in the following URL
            (http://www.ludwig.org.br/scripts/gethtml2.pl?t1=&t2=RC2-BT0642-270
            300-019-f06&t3=2000-03-27&t4=1)
            Seq primer: puc 18 forward
            High quality sequence start: 39
            High quality sequence stop: 564.
FEATURES             Location/Qualifiers
     source          1..570
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone_lib="BT0642"
                     /dev_stage="Adult"
```

Qy   574 ctaaaaaccctgattattttccaggaaggcggaatactactattgtgttattgggga 633
          ||| || |||||| || |||| ||||| ||| | | ||| |||| |||||||
Db   215 CTGAGGAGGCCCCAGGAGTTTGTCAACCGGACCCCTGAAACCGTGTTCATCTTCTGGGGG 274

Qy   634 ccttccgcaatgaaggaagatggcaatggcatcgtttacaaacatgttgaaaaagaca 693
          |||| || ||| || ||| || ||| |||| || || || |||| |||||||
Db   275 CCCCCAGCAAGATGCAGA---AGCCCCAGGGCAGCCTCGTCGTGTGATCCAGCGAGCG 331

Qy   694 gttggtatctatccgaatgcccaaatatacgtgaccacagagaagcatgagttactgt 753
          |||| ||| ||| | || || ||| || ||| | || |||| |||| ||
Db   332 GGCCTGCTGTGTCCCACACATGAAGCATATGCCGTTCTCTCCCGGCCGCATGCGGCAATTT 391

Qy   754 gatggagtttttaaggaggaaactgggaaggacagggggca 794
          | || ||||| || || || ||| |||| |||||||
Db   392 GACGACCTCTTCCGGGGTGAGACGCGGCAAGGACAGGGAGAA 432

Query Match   6.4%;   Score 82.4; DB 10;   Length 797;
Best Local Similarity 52.0%;   Pred. No. 8.3e-13;
Matches 209;   Mismatches 191;   Conservative 0; Indels 2; Gaps 1;

Qy   393 ctgtgaccttgtccatagtgtcaaactcaggtcagatggttggcagaaggtgggaaa 452
          |||||||| |||| ||| || || | || | || ||| ||| ||||| ||||
Db   230 CTGCCGAGCAGCTGCGTGGCGTGGTCCCAGCTCCGGCCAAATGCTGGGCTCAGGCCTGGGTGC 289

Qy   453 tgagatagatcgatcctcctgcgatttggagaatgaacaatgccccaccaaaggttatga 512
          ||||| || | | |||| ||| || | |||| ||||||| || | |||| ||| ||

Db   290 TGAGATCGACAGTGCCGAGTGCGTGTTCCGCATGAACCAGGCGCCCACCGTGGCGTTTGA 349
          |||||| || | | || | | ||||||||| ||||| || | |||| ||| ||||
Qy   513 agaagtgtcggcgcatgaccatgatt cagttgtgccatacaccagcgttcctccttt 572
          ||| || || || ||| ||||||| || |||||| ||||| |||| ||||||||
Db   350 GGCGGATGTGGGCCAGGCAGCACCTGCGTGTCGTCTCACACACAAGGTGCCGCTGCT 409
          |||| | || ||| |||||||| ||||| | | ||| |||| || ||| ||
Qy   573 gctaaaaaacctgattatttttcaaggaagcgaatactactattgtgttatttgggg 632
          ||| |||||||| ||| || ||| || || ||| ||| || ||| | |||||
Db   410 GCTGCGCAACTATTCACACTACTTCCAGAAGCCCGAGACACGCCTCTACATGGTGTGGGG 469
          ||| | ||| || |||| || || || || ||||| |||||| || ||||||
Qy   633 acctttccgcaatatgaggaaagatggcaatggcatcgtttacaacatgttgaaaaagac 692
          ||||| |||||| || ||| ||||| || || || || ||| || | |||||||
Db   470 CCAGGCAGGCACATGGA--CCGGGTGCTCGGGCCAAATATACGTGACCACAGAGAAGCATG 527
          |||| ||||| |||| ||||||| | ||| || | | ||| ||| | ||||| |
Qy   693 agttgtatctatccgaatgccaaatatacgtgaccacagagaagccatgagttactg 752
          ||| | ||| | |||||| ||||||||||| |||| ||| |||| | ||| ||||
Db   528 CACCAGGATGTACCCCGGCCTCAGGTGTACACCTTCACGGAGCGCAGGCAAGGACAGGGCA 587
          || || | | || || | || || |||| |||| || | |||| ||| ||||||
Qy   753 tgatggagtttttaaggaggaaaactgggaaggacagggggca 794
          ||||| |||||| ||||||| | |||| |||| |||||||
Db   588 CGACCAGATCTTCCAGGACGAGACGCGGCAAGAACCGGAGGCA 629

Query Match   6.3%;   Score 81.8; DB 10;   Length 881;
Best Local Similarity 52.1%;   Pred. No. 1.3e-12;
Matches 207;   Mismatches 187;   Conservative 0; Indels 3; Gaps 1;

```
RESULT 31
BI907296
LOCUS       BI907296                 948 bp    mRNA    linear   EST 16-OCT-2001
DEFINITION  603063890F1 NIH_MGC_118 Homo sapiens cDNA clone IMAGE:5212774 5',
            mRNA sequence.
ACCESSION   BI907296
VERSION     BI907296.1  GI:16170124
KEYWORDS    EST.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 948)
AUTHORS     NIH-MGC http://mgc.nci.nih.gov/.
TITLE       National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL     Unpublished (1999)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Life Technologies, Inc.
            cDNA Library Preparation: Life Technologies, Inc.
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLAM11534  row: d  column: 23
            High quality sequence stop: 750.
FEATURES             Location/Qualifiers
     source          1..948
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:5212774"
                     /clone_lib="NIH_MGC_118"
                     /tissue_type="leukocyte"
                     /lab_host="DH10B"
                     /note="Vector: pCMV-SPORT6; Site_1: NotI; Site_2: EcoRV
                     (destroyed); RNA source leukocytes from anonymous pool of
                     non-activated adult donors. Library is oligo-dT primed
                     and directionally cloned (EcoRV site is destroyed upon
                     cloning). Average insert size 1.7 kb, insert size range
                     1.2-3.3 kb. Library is normalized and enriched for
                     full-length clones and was constructed by C. Gruber
                     (Invitrogen). Research Genetics tracking code 027. Note:
                     this is a NIH_MGC Library."
BASE COUNT      215 a    297 c    275 g    161 t
ORIGIN
```

```
Query Match           6.4%;    Score 82.6; DB 10;  Length 948;
Best Local Similarity 52.1%;   Pred. No. 7.7e-13;
Matches  209; Conservative   0; Mismatches 189;  Indels   3;  Gaps   1;

Qy   394 tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat 453
         |||||||| ||  ||||| ||  |||| ||||||  |||| ||||||||  |||||||| ||
Db    85 TGCCACCAGTGTGTGATTGTCAGCAGTTCAGCAGTCCAGGTCACCAGCTGGCTGGGCCCT 144

Qy   454 gagatagatcgatcctcctgcatttggaagtgaacaatgaccaccaaaggttatgaa 513
         |||||||||| ||| | |||  ||||||||| ||||| ||||||||| |||| |||
Db   145 GAGATCGAGCGGCTGAGTGTACAATCCGCATGAATGCACCCACCACTGGCTACTCA 204

Qy   514 gaagatgtcggccgcatgaccatcgttcagagttgtgtcccataccagcgttcctctttg 573
         || |||| ||  |||  || |||| ||||||| || |||||| ||||||||| ||||
Db   205 GCTGATGTGGGCAACAAGACCACCTACCGCGTGTCGTGGCCATTCCAGTGTGTTCCGCGTG 264

Qy   574 ctaaaaaccctgattattttcaaggaagcgaatactactatttgttattgtggga 633
         |||| |  |||  ||| |||  ||||| ||| |||| ||| |||||||  ||| ||
Db   265 CTGAGGAGGCCCCAGGAGTTTGTCAACCGGACCCCTGAAACCGTGTTCATCTTCTGGGGG 324

Qy   634 cctttccgacaatatgaggaaagatggccaatgcatcgttcacaacatgttgaaaaaagaca 693
         ||    |||  |  |||||  |||||   |  |||| |  |||| ||||  ||||||||||
Db   325 CCCCCAGCGCAAGATGCAGA---AGCCCCAGGGCAGCCTCGTGCGTGTGAATCCAGCGAGCG 381
```

```
RESULT 32
BG421837
LOCUS       BG421837                1143 bp    mRNA    linear   EST 14-MAR-2001
DEFINITION  602450868F1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:4589249 5',
            mRNA sequence.
ACCESSION   BG421837
VERSION     BG421837.1  GI:13328343
KEYWORDS    EST.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 1143)
AUTHORS     NIH-MGC http://mgc.nci.nih.gov/.
TITLE       National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL     Unpublished (1999)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: DCTD/DTP
            cDNA Library Preparation: Ling Hong/Rubin Laboratory
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLCM1322  row: h  column: 18
            High quality sequence stop: 689.
FEATURES             Location/Qualifiers
     source          1..1143
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:9606"
                     /clone_lib="NIH_MGC_14"
                     /tissue_type="renal cell adenocarcinoma"
                     /lab_host="DH10B (phage-resistant)"
                     /note="Organ: kidney; Vector: pOTB7; Site_1: XhoI; Site_2:
                     EcoRI; cDNA made by oligo-dT priming. Directionally
                     cloned into EcoRI/XhoI sites using the following 5'
                     adaptor: GGCACGAG(G). Size-selected >500bp for average
                     insert size 1.8kb. Library constructed by Ling Hong in
                     the laboratory of Gerald M. Rubin (University of
                     California, Berkeley) using ZAP-cDNA synthesis kit
                     (Stratagene) and Superscript II RT (Life Technologies)."
BASE COUNT      270 a    386 c    316 g    171 t
ORIGIN
```

```
Query Match           6.4%;    Score 82.6; DB 10;  Length 1143;
Best Local Similarity 52.1%;   Pred. No. 8.3e-13;
Matches  209; Conservative   0; Mismatches 189;  Indels   3;  Gaps   1;

Qy   394 tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaat 453
         |||||||| ||  ||||| ||  |||| ||||||  |||| ||||||||  |||||||| ||
Db    35 TGCCACCAGTGTGTGATTGTCAGCAGTTCAGCAGTCCAGGTCACCAGCTGGCTGGGCCCT 94

Qy   454 gagatagatcgatcctcctgcatttggaagtgaacaatgaccaccaaaggttatgaa 513
         |||||||||| ||| | |||  ||||||||| ||||| ||||||||| |||| |||
Db    95 GAGATCGAGCGGCTGAGTGTACAATCCGCATGAATGCACCCACCACTGGCTACTCA 154

Qy   514 gaagatgtcggccgcatgaccatcgttcagagttgtgtcccataccagcgttcctctttg 573
         || |||| ||  |||  || |||| ||||||| || |||||| ||||||||| ||||
Db   155 GCTGATGTGGGCAACAAGACCACCTACCGCGTGTCGTGGCCATTCCAGTGTGTTCCGCGTG 214
```

```
Qy   694 gttggtatctcatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgt 753
         || ||| |||| ||| ||||  |||  |  ||  ||  ||  ||||| ||| ||||  ||
Db   382 GGCCTGGTGTTCCCACATGAAGCATATGCCGTGTCTCCCGGCCCCATGCGGCAATT 441

Qy   754 gatggagtttaagaaggaaactggaagacaggggca 794
         || || |||| | ||||  |  |||| ||||  ||  ||
Db   442 GACGACCTCTTCGGGGTGAGACGGGCAAGGACAGGAGAA 482
```

REFERENCE   1 (bases 1 to 935)
AUTHORS   Li,W.B., Gruber,C., Jessee,J. and Polayes,D.
TITLE   Full-length cDNA libraries and normalization
JOURNAL   Unpublished (2001)
COMMENT   Contact: Genoscope
              Genoscope - Centre National de Sequencage
              BP 191 91006 EVRY cedex - France
              Email: seqref@genoscope.cns.fr, Web : www.genoscope.cns.fr.
FEATURES   Location/Qualifiers
     source   1..935
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="CS0DC015YB20"
                     /clone_lib="LTI_NFL003_NBC3"
                     /sex="male"
                     /tissue_type="neuroblastoma cells"
                     /lab_host="DH10B"
                     /note="Organ: brain; Vector: pCMVSPORT 6; 1st strand cDNA
                     was primed with a NotI-oligo(dT) primer. Five prime end
                     enriched, double-stranded cDNA was digested with Not I and
                     cloned into the Not I and Eco RV sites of the pCMVSPORT 6
                     vector. Library was normalized. Contact: Feng Liang Life
                     Technologies, a division of Invitrogen 9800 Medical Center
                     Drive Rockville, Maryland 20850, USA Fax : (1) 301 610
                     8371 Email : fliang@lifetech.com URL :
                     http://fulllength.invitrogen.com"
BASE COUNT   199 a   295 c   250 g   179 t   12 others
ORIGIN

Query Match   6.4%;   Score 83;   DB 9;   Length 935;
Best Local Similarity   51.6%;   Pred. No. 5.9e-13;
Matches 207;   Conservative   3;   Mismatches 188;   Indels   3;   Gaps   1;

Qy   394 tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaggtgggaaat 453
           ||||| |||||||| ||| |||||||||||||||||||||||||||||||| || |||||
Db   259 TGCCACCAGTGTGTGATTGTYAGCAGCTCCAGCCACCTGCTGGGCACCAAGCTGGGCCCT 318

Qy   454 gagatagatcgatcctcctgcatttggaggaatgaacaatgcccccaccaaggttatgaa 513
           |||||||||||| || || || |||||||||||||||| ||||| |||||||||||||
Db   319 GAGATYGAGCGGGCTGAGTGTWCAATCCGCATGAATGCACCCACCCACTGGCTACTYA   378

Qy   514 gaagatgtcggcgcgcatgaccacatgattcgagttgtgtcccataccagcgttcctctttg 573
           ||||||||||||||||||| |||||||||| || ||||||||||||||| || ||||||
Db   379 GCTGATGTGGCAACAAGACCACCTACCCGGTCGYTGGCCCATTCCAGTGTGTTCCGCGTG 438

Qy   574 ctaaaaaacctgattatttttcaaggaagcgaatactactatttgtgttatttgggga 633
           ||||| |||||| ||||||||||||||||| ||| ||||||||||||||||||||||||
Db   439 CTGAGGAGGCCCCAGGAGTTTGTYAACCGGACCCCTGAAACCGTGTTCATCTTCTGGGGG 498

Qy   634 cctttccgcaatatgaggaaagatggcaatggcatcgtttacaacatgttgaaaaagaca 693
           || |||| |||| |||||||||| || || ||| || |||||||||||||||||
Db   499 CCCCCGAGCAAGATGCAGA--AGCCCCAGGCAGCCGTCCTGCGTGTGATCYAGCYAGCGCG 555

Qy   694 gttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgt 753
           |||||| |||| |||| ||||||||||| ||||| || | || ||||| |||||
Db   556 GGCCTGGTGTTCCCCAACATGGAARCATATGCCGTTCTCCCGGCGCATGCGGCAATTT 615

Qy   754 gatggagttttaagaaggaaactgggaaggacaggggca 794
           || ||||||||||||||||||||||||||||||||| ||
Db   616 GAAAAAMTCTTCCGGGTGAGACGGGCAAGGACAGGGAGA 656

RESULT 30
BG700245
LOCUS   BG700245   602679723F1 NIH_MGC_95 Homo sapiens cDNA clone IMAGE:4812484 5',
DEFINITION 602679723F1 NIH_MGC_95 Homo sapiens cDNA clone IMAGE:4812484 5',
            714 bp   mRNA   linear   EST 07-MAY-2001
            mRNA sequence.
ACCESSION   BG700245
VERSION   BG700245.1 GI:13969387

KEYWORDS   EST.
SOURCE   human.
ORGANISM   Homo sapiens
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 714)
AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
TITLE   National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL   Unpublished (1999)
COMMENT   Contact: Robert Strausberg, Ph.D.
              Email: cgapbs-r@mail.nih.gov
              Tissue Procurement: Miklos Palkovits, M.D., Ph.D.
              cDNA Library Preparation: Michael J. Brownstein (NHGRI), Shiraki
              Toshiyuki and Piero Carninci (RIKEN)
              cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
              DNA Sequencing by: Incyte Genomics, Inc.
              Clone distribution: MGC clone distribution information can be
              found through the I.M.A.G.E. Consortium/LLNL at:
              http://image.llnl.gov
              Plate: LLAM10704 row: n column: 05
              High quality sequence stop: 714.
FEATURES   Location/Qualifiers
     source   1..714
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:4812484"
                     /clone_lib="NIH_MGC_95"
                     /tissue_type="hippocampus"
                     /lab_host="DH10B"
                     /note="Organ: brain; Vector: pBluescriptR (modified
                     pBluescript KS+); Site_1: BamHI; Site_2: SalI-XhoI (gtcgag
                     ); Oligo-dT primed using primer 5'-TTTTTTTTTTTTTTVN-3',
                     size-selected for average insert size 2.5 kb and
                     normalized to ROT 5. This is a primary library enriched
                     for full-length clones and constructed using the
                     Cap-trapper method (Carninci, in preparation). Library
                     constructed by M. Brownstein (NIMH/NHGRI, National
                     Institutes of Health).. Note: this is a NIH_MGC Library."
BASE COUNT   147 a   227 c   217 g   123 t
ORIGIN

Query Match   6.4%;   Score 82.6;   DB 10;   Length 714;
Best Local Similarity   52.1%;   Pred. No. 7e-13;
Matches 209;   Conservative   0;   Mismatches 189;   Indels   3;   Gaps   1;

Qy   394 tgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaggtgggaaat 453
           ||||| |||||||| ||| |||||||||||||||||||||||||||||||| || |||||
Db   275 TGCCACCAGTGTGTGATTGTCAGCAGCTCCAGCCACCTGCTGGGCACCAAGCTGGGCACT 334

Qy   454 gagatagatcgatcctcctgcatttggaagtgaacaatgcccccaccaaggttatgaa 513
           ||||||||||| || || || ||||| ||||||| ||||| |||||||||||||||
Db   335 GAGATCGAGCGGGCTGAGTGTACAATCCACATGAATGCACCCACCCACTGGCTACTCA 394

Qy   514 gaagatgtcggcgcgccatgaccatgattcgagttgtgtcccataccagcgttcctctttg 573
           ||||||||||||||| ||| ||| |||||| || ||||||||||||||| || |||||
Db   395 GCTGATGTGGGCAACAAGACCACCACCTACCCGGTCGTTGGCCCATTCCAGTGTGTTCCGCGTG 454

Qy   574 ctaaaaaacctgattattttttcaaggaagaagaatactactatttgtgttatttggga 633
           ||||| |||| ||||||||||||||||||||||||||||||||||||||||||||||||
Db   455 CTGAGGAGGCCCCAGGAGTTTGTCAACCGGACCCCTGAAACCGTGTTCATCTTCTGGGGG 514

Qy   634 cctttccgcaatatgaggaaagatggcatcgtttacaacatgttgaaaaagaca 693
           || |||| |||| |||||||||| || || || |||||||||||||||
Db   515 CCCCCGAGCAAGATGCAGA---AGCCCCAGGCAGCCGTCCTGCGTGTGATCGATCCAGCGCG 571

Qy   694 gttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgt 753
           |||||| |||| |||| ||||||||||| ||||| || | || ||||| |||||
Db   572 GGCCTGGTGTTCCCCAACATGGAAGCATATGCCGTTCTCCCGGCGCATGCGGCAATTT 631

Qy   754 gatggagttttaagaaggaaactgggaaggacaggggca 794
           || ||||||||||||||||||||||||||||||||| ||
Db   632 GACGACCTCTTCCGGGTGAGACGGGCAAGGACAGGGAGAA 672

```
FEATURES         Email: segref@genoscope.cns.fr, Web : www.genoscope.cns.fr.
    source       Location/Qualifiers
                 1..848
                 /organism="Homo sapiens"
                 /db_xref="taxon:9606"
                 /clone="CS0DC015YL15"
                 /clone_lib="LTI_NFL003_NBC3"
                 /sex="male"
                 /tissue_type="neuroblastoma cells"
                 /lab_host="DH10B"
                 /note="Organ: brain; Vector: pCMVSPORT 6; 1st strand cDNA
                 was primed with a NotI-oligo(dT) primer. Five prime end
                 enriched, double-stranded cDNA was digested with Not I and
                 cloned into the Not I and Eco RV sites of the pCMVSPORT 6
                 vector. Library was normalized. Library was constructed
                 by Life Technologies. Contact : Feng Liang Life
                 Technologies, a division of Invitrogen 9800 Medical Center
                 Drive Rockville, Maryland 20850, USA Fax : (1) 301 610
                 8371 Email : fliang@lifetech.com URL :
                 http://fulllength.invitrogen.com"
BASE COUNT   179 a      267 c      235 g      160 t      7 others
ORIGIN

Query Match           6.5%;     Score 83.8;  DB 9;   Length 848;
Best Local Similarity  51.4%;   Pred. No. 3.3e-13;
Matches  206;  Conservative  5;  Mismatches  187;  Indels  3;  Gaps  1;

Qy  394 tgtgaccttgtgccatagtgtcaaactcaggtcagatgttggccagaaggtgggaaat 453
        |||| || ||| ||| || || || |||| ||| || ||| |||||||| |||
Db  343 TGCCACCAGTGTGTGATTGTCAGAGCTCCAGCCACCTGCTGGGCACCAGCTGGGCCCT 402

Qy  454 gagatagatcgatctcctgcatttggagagtgaacaatgcccccaccaaagttatgaa 513
        ||||| || || | |||| ||||  || |||| |||| || ||||||||| ||
Db  403 GAGATCGAGCGGCGGCTGAGTGTACAATCCGCATGAATGAGTCGACCCACCACTGGCTACTCA 462

Qy  514 gaagatgtcggcgcgcatgaccatgatgagttgtgtcccataccagcgtcctctttg 573
        |||| || || || |||| |||||  || |||| | |||| ||||| ||||
Db  463 GCTCATGTGGCAACAARACCACCTACCGTCGTGGCCCATTCCAGTGTGTTCCGCGTG 522

Qy  574 ctaaaaaccctgattattttcaaggaagcgaatactactatttgtgttattgggga 633
        || |  ||| || |||| ||||  || |||| |  ||| |||| ||| ||
Db  523 CTGAGGAGGCCCCAGGAGTTGTCAACCGACCCCTGAAACCGTGTTCATCTTCTGGGGG 582

Qy  634 cctttccgaatatgagggaaagatggcaatggcatcgtttacaacatgttgaaaagaca 693
        ||  ||||| ||| || ||| |||  ||| || |  ||| |  ||| ||:
Db  583 CCCCCGAGCAAGATGCAGA---AGCCCCAGGGCAGCCTGCTGGTGATCCAGMGAGCG 639

Qy  694 gttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgt 753
        || ||| || ||| || || || |||| ||||| ||||| || || || ||||
Db  640 GGCCTGGTGCTGTCCCCAACATGGAAGCATATGCCGTCTCTCCGGCCGCATGCGGCCAATTT 699

Qy  754 gatggagttttaagaaggaaaactgggaaggacaggggca 794
        ||| |||| || || | | ||| |  ||||| ||||||
Db  700 GACGACCTCTTCCCGGGGTGARACGGGCAARGACARGGAGAA 740

RESULT 28
BI196731
LOCUS       BI196731    691 bp  mRNA   linear  EST 10-JUL-2001
DEFINITION  602755358F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4890950 5',
            mRNA sequence.
ACCESSION   BI196731
VERSION     BI196731.1  GI:14651751
KEYWORDS    EST.
SOURCE      human.
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 691)
AUTHORS     NIH-MGC http://mgc.ncl.nih.gov/.
TITLE       National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL     Unpublished (1999)
```

```
COMMENT          Contact: Robert Strausberg, Ph.D.
                 Email: cgapbs-r@mail.nih.gov
                 Tissue Procurement: ATCC
                 cDNA Library Preparation: Ling Hong/Rubin Laboratory
                 cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
                 DNA Sequencing by: Incyte Genomics, Inc.
                 Clone distribution: MGC clone distribution information can be
                 found through the I.M.A.G.E. Consortium/LLNL at: image.llnl.gov
                 Plate: LLCM1769  row: c  column: 15
                 High quality sequence stop: 685.
FEATURES         Location/Qualifiers
    source       1..691
                 /organism="Homo sapiens"
                 /db_xref="taxon:9606"
                 /clone="IMAGE:4890950"
                 /clone_lib="NIH_MGC_19"
                 /tissue_type="neuroblastoma"
                 /lab_host="DH10B (phage-resistant)"
                 /note="Organ: brain; Vector: pOTB7; Site_1: XhoI; Site_2:
                 EcoRI; cDNA made by oligo-dT priming. Directionally
                 cloned into EcoRI/XhoI sites using the following 5'
                 adaptor: GGCACGAG(G). Library constructed by Ling Hong
                 in the laboratory of Gerald M. Rubin (University of
                 California, Berkeley) using ZAP-cDNA synthesis kit
                 (Stratagene) and Superscript II RT (Life Technologies).
                 Note:this is a NIH_MGC Library."
BASE COUNT   133 a      226 c      210 g      122 t
ORIGIN

Query Match           6.4%;     Score 83.2;  DB 10;  Length 691;
Best Local Similarity  52.3%;   Pred. No. 4.6e-13;
Matches  208;  Conservative  0;  Mismatches  188;  Indels  2;  Gaps  1;

Qy  393 ctgtgacctttgtgccatagtgtcaaactcaggtcagatggttggcagaaggtgggaaa 452
        ||| ||| || ||| || || || |||| ||| |  || ||| |||||||| |||
Db  126 CTGCCGCAGCTGTGCCGTGGTGTCCAGCTCCGGCTCAAATGCTGGGCTCAGGCGCTGGGTGC 185

Qy  453 tgagatagatcgatctcctgcatttggagagtgaacaatgcccccaccaaagttatga 512
        | ||| || |||| | |||| ||||  || |||| || |||  ||||| ||||
Db  186 TGAGATCGACAGTGCCGAGTGCGTGTTCCCATGGAACCATGAGTCCCACCGCCACCACCAAAGGTTGA 245

Qy  513 agaagatgtcggcgcgatgaccatgatgagttgtgtcccataccagcgttcctctttt 572
        || |||| || || || |||| |||||  || |||| | |||| ||||| |||
Db  246 GGCGGATGTGGCCAGCGACGCAGCACCCTGCGTCGTGTCGTCTCCACACAAGGCGTCGCCGCTGCT 305

Qy  573 gctaaaaaccctgattattttcaaggaggcggaatactactatttgtgttattgggg 632
        || |  ||| |||| |||| ||||  || || | |||| |||| ||| ||||
Db  306 GCTGCGCAACTATTCACACTACTTCCAGAAGCCCCGGAGACACGCCTCTACATGTGTGGGG 365

Qy  633 acctttccgcaatatgaggaaagatggcaatggcatcgttcacaacatgttgaaaagac 692
        || | |||| || ||| || ||| |||  ||| || |  ||| |  ||| ||
Db  366 CCAGGGCAGCCACATGGACCGGGTGCTGGCGGCCCACCTACCGGCCACGCTGCTGCGAGCT 425

Qy  693 agttggtatctatcc--gaatgcccaaatatacgtgaccacagagaagcgcatgagttac 750
        || | ||| || ||   || || || |||| ||||| ||||| || |  || ||||
Db  426 CACCAGGATGTACCCCGGCGCCCTGCAAGGTGTACACCTTCACGGAGCGCATGATGGCCTAC 485

Qy  751 tgtgatggagttttaagaaggaaaactgggaaggacag 788
        ||| |||| |||| || || | ||| |  ||||| |
Db  486 TGCGACCAGATCTTCCAGGACGAACGGCCCAAGAACCG 523

RESULT 29
AL526079
LOCUS       AL526079    935 bp  mRNA  linear  EST 13-FEB-2001
DEFINITION  AL526079 LTI_NFL003_NBC3 Homo sapiens cDNA clone CS0DC015YB20 5'
            prime, mRNA sequence.
ACCESSION   AL526079
VERSION     AL526079.1  GI:12789572
KEYWORDS    EST.
SOURCE      human.
  ORGANISM  Homo sapiens
```

```
FEATURES             Location/Qualifiers
     source          1..756
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="MAGE:4842505"
                     /clone_lib="NIH_MGC_43"
                     /tissue_type="normal pigmented retinal epithelium"
                     /lab_host="DH10B (phage-resistant)"
                     /note="Organ: eye; Vector: pOTB7; Site_1: XhoI; Site_2:
                     EcoRI; cDNA made by oligo-dT priming. Directionally
                     cloned into EcoRI/XhoI sites using the following 5'
                     adaptor: GGCACGAG(G). Library constructed by Ling Hong
                     in the laboratory of Gerald M. Rubin (University of
                     California, Berkeley) using ZAP-cDNA synthesis kit
                     (Stratagene) and Superscript II RT (Life Technologies).
                     Note: this is a NIH_MGC Library. |"

High quality sequence stop: 742.

BASE COUNT    133 a    208 c    208 g    117 t
ORIGIN

Query Match         6.6%;    Score 84.8;  DB 10;  Length 666;
Best Local Similarity  52.5%;  Pred. No. 1.5e-13;
Matches 208;  Conservative  0;  Mismatches 187;  Indels 1;  Gaps 1;

Qy    393 ctgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaa 452
          ||| | |||||| || |||||| |  ||| ||||| |||| |||||||| |||
Db     36 CTGCCGCAGCTGTGCCGTGGTCCCAGTCCCGCCAAATGCTGGGCTCAGGCCTGGGTGC 95

Qy    453 tgagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaaggttatga 512
          ||||  || ||||| |  || || | ||||||| || |  ||| |||||||| ||
Db     96 TGAGATCGACAGTGCCAGTGCGTGTTCCGCATGAACCAGCGCACCAGGCGCTTGA 155

Qy    513 agaagatgtcggccgcatgaccatgatcgttgtgtccataccagcggttcctcctttt 572
          ||||||| ||| | |||  ||| ||| | | | | | || || |||| |||||
Db    156 GGCGGATGTGGGCCAGCGACCACCCTGCGTGTCGTCTCACACAAGCGTGCCGCTGCT 215

Qy    573 gctaaaaaccctgattattttcaaggaagcgaatactactatttgtgttattgggg 632
          || |  |  ||| | || ||| ||||| ||| || |  |||| |  | ||
Db    216 GCTGCGCAACTATTCACACTACTTCCAGAAGGCCCGAGACACGCTCTACATGGTGTGGGG 275

Qy    633 acctttccgcaatatgaggaaagatggcaatgcatcgtttacaaacatgttgaaaaagac 692
          ||  | | |||| || ||||  |   ||| || | | ||||| |  ||| ||||
Db    276 -CCAGGCAGGCACATGGACCGGGTCGCTGGCCGGCCGCCACCTACCGCACGCGTGCTGCAGCT 334

Qy    693 agttggtatctatccgaatgcccaaatatacgtgaccacagaagcgcatgagttactg 752
          || | ||||| | | | |||||  |  || || |  ||  | |||| ||||||
Db    335 CACCAGGATGTACCCCGGCCTGCGAGGTGTACAACCTTCACGGAGCGCCATGATGGCCTACTG 394

Qy    753 tgatggagttttaagaaggaaactgggaaggacag 788
          ||| | ||| |  ||||||| |||| ||||| |||
Db    395 CGACCAGATCTTCCAGGACGAGACGCGGCAAGAACCG 430

RESULT 26
BG748345
LOCUS       BG748345          756 bp    mRNA     linear    EST 15-MAY-2001
DEFINITION  602705901F1 NIH_MGC_43 Homo sapiens cDNA clone IMAGE:4842505 5',
            mRNA sequence.
ACCESSION   BG748345
VERSION     BG748345.1    GI:14058998
KEYWORDS    EST.
SOURCE      human.
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 756)
  AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
  TITLE     National Institutes of Health, Mammalian Gene Collection (MGC)
  JOURNAL   Unpublished (1999)
  COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: ATCC
            cDNA Library Preparation: Ling Hong/Rubin Laboratory
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLCM1677  row: a    column: 02
```

```
FEATURES             Location/Qualifiers
     source          1..756
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="MAGE:4842505"
                     /clone_lib="NIH_MGC_43"
                     /tissue_type="normal pigmented retinal epithelium"
                     /lab_host="DH10B (phage-resistant)"
                     /note="Organ: eye; Vector: pOTB7; Site_1: XhoI; Site_2:
                     EcoRI; cDNA made by oligo-dT priming. Directionally
                     cloned into EcoRI/XhoI sites using the following 5'
                     adaptor: GGCACGAG(G). Library constructed by Ling Hong
                     in the laboratory of Gerald M. Rubin (University of
                     California, Berkeley) using ZAP-cDNA synthesis kit
                     (Stratagene) and Superscript II RT (Life Technologies).
                     Note: this is a NIH_MGC Library. |"

BASE COUNT    140 a    234 c    236 g    146 t
ORIGIN

Query Match         6.6%;    Score 84.8;  DB 10;  Length 756;
Best Local Similarity  52.5%;  Pred. No. 1.6e-13;
Matches 208;  Conservative  0;  Mismatches 187;  Indels 1;  Gaps 1;

Qy    393 ctgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaa 452
          ||| | |||||| || |||||| |  ||| ||||| |||| |||||||| |||
Db     36 CTGCCGCAGCTGTGCCGTGGTCCCAGTCCCGCCAAATGCTGGGCTCAGGCCTGGGTGC 95

Qy    453 tgagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaaggttatga 512
          ||||  || ||||| |  || || | ||||||| || |  ||| |||||||| ||
Db     96 TGAGATCGACAGTGCCAGTGCGTGTTCCGCATGAACCAGCGCACCAGGCGCTTTGA 155

Qy    513 agaagatgtcggccgcatgaccatgatcgttgtgtccataccagcggttcctcctttt 572
          ||||||| ||| | |||  ||| ||| | | | | | || || |||| |||||
Db    156 GGCGGATGTGGGCCAGCGACCACCCTGCGTGTCGTCTCACACAAGCGTGCCGCTGCT 215

Qy    573 gctaaaaaccctgattattttcaaggaagcgaatactactatttgtgttattgggg 632
          || |  |  ||| | || ||| ||||| ||| || |  |||| |  | ||
Db    216 GCTGCGCAACTATTCACACTACTTCCAGAAGGCCCGAGACACGCTCTACATGGTGTGGGG 275

Qy    633 acctttccgcaatatgaggaaagatggcaatgcatcgtttacaaacatgttgaaaaagac 692
          ||  | | |||| || ||||  |   ||| || | | ||||| |  ||| ||||
Db    276 -CCAGGCAGGCACATGGACCGGGTCGCTGGCCGGCCGCCACCTACCGCACGCGTGCTGCAGCT 334

Qy    573 gtaaaaccctgattattttcaaggaagcgaatactactatttgtgttattgggg 632
          || |  |  ||| | || ||| ||||| ||| || |  |||| |  | ||
Db    216 GCTGCGCAACTATTCACACTACTTCCAGAAGGCCCGAGACACGCTCTACATGGTGTGGGG 275

Qy    633 acctttccgcaatatgaggaaagatggcaatgcatcgtttacaaacatgttgaaaaagac 692
          ||  | | |||| || ||||  |   ||| || | | ||||| |  ||| ||||
Db    276 -CCAGGCAGGCACATGGACCGGGTCGCTGGCCGGCCGCCACCTACCGCACGCGTGCTGCAGCT 334

Qy    693 agttggtatctatccgaatgcccaaatatacgtgaccacagaagcgcatgagttactg 752
          || | ||||| | | | |||||  |  || || |  ||  | |||| ||||||
Db    335 CACCAGGATGTACCCCGGCCTGCGAGGTGTACAACCTTCACGGAGCGCCATGATGGCCTACTG 394

Qy    753 tgatggagttttaagaaggaaactgggaaggacag 788
          ||| | ||| |  ||||||| |||| ||||| |||
Db    395 CGACCAGATCTTCCAGGACGAGACGCGGCAAGAACCG 430

RESULT 27
AL526145
LOCUS       AL526145          848 bp    mRNA     linear    EST 13-FEB-2001
DEFINITION  AL526145 LTI_NFL003_NBC3 Homo sapiens cDNA clone CS0DC015Y15 5
            prime, mRNA sequence.
ACCESSION   AL526145
VERSION     AL526145.1    GI:12789638
KEYWORDS    EST.
SOURCE      human.
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 848)
  AUTHORS   Li,W.B., Gruber,C., Jessee,J. and Polayes,D.
  TITLE     Full-length cDNA libraries and normalization
  JOURNAL   Unpublished (2001)
  COMMENT   Contact: Genoscope
            Genoscope - Centre National de Sequencage
            BP 191 91006 EVRY cedex - France
```

Hong in the laboratory of Gerald M. Rubin (University of
California, Berkeley) using ZAP-cDNA synthesis kit
(Stratagene) and Superscript II RT (Life Technologies).
Note: this is a NIH_MGC Library."

BASE COUNT   135 a   279 c   248 g   140 t
ORIGIN

Query Match   6.6%;   Score 85.6; DB 10; Length 802;
Best Local Similarity 52.5%; Pred. No. 9.5e-14;
Matches 210; Conservative 0; Mismatches 189; Indels 1; Gaps 1;

Qy   393 ctgtgaccttgtgccatagtgtcaaactcaggtcagatggttgccagaaggtgggaaa 452
         ||| ||||||||||-||-|-||||||-||||||-||-||| ||-|||-|| ||||
Db   401 CTGCCGCAGCTGTGCCGTGCGTGTCCAGCTCCGGCCAAATGCTGGGCTCAGCCTGGGTGC 460

Qy   453 tgagatagatcgatcctcctgcatttggagaatgaacaatgcccccaccaaaggttatga 512
         |||||||-||-|-||| ||||||||| ||||||||-||||| || |||||||| || ||
Db   461 TGAGATCGACAGTGCCGAGTGCGTGTTCCGCATGAAACCAGGCGCCCACCGTGGGCTTGGA 520

Qy   513 agaagatgtcggccgcatgaccatgattcagttgtgtcccataccagcgttcctcttt 572
         |-|||||||| |||| || || ||-||-|||||||||||||||-||||-||-|| |-|
Db   521 GGGGGATGGTGGGCCAGCAGCAGCACCCTGGTGTCGTCTCACACACAAGCGTGCCGTGCT 580

Qy   573 gctaaaaaccctgattattttcaaggaagcgaatactactatttgtgttattgggg 632
         ||--|-||-|||||||-|||||||||||||||||| ||-|||||||||-|-|||||
Db   581 GCTCGCAACTATTCACACTACTTCCAGAGGCCCGAGACACGCTCTACATGGTGTGGGG 640

Qy   633 acctttcgcaatatgaggaaagatggcaatggcatcgtttacaacatgttgaaaaagac 692
         || |-||||-||-|||||||||||||-||||-| |||-|-|||||-||||| ||||||
Db   641 -CCAGGCAGGCACATGGACCGGGTGCTCGGCGCGCCACCTACCGCCACGCTGCTCGCAGCT 699

Qy   693 agttgtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactg 752
         |||||-|| |-||||||-|| | ||||||||-|||||||| |||-|||||-|| |||||
Db   700 CACCAGGATGTACCCCGGCCTGCAGGTGTACACCTTCACGGAGCCGCCATGATGGCCTACTG 759

Qy   753 tgatggagttttaagaaggaaactgggaaggacagggg 792
         |-|-||-||||||-||||-|| |||| |-||||||||-
Db   760 CGACCAGATCTTCCAGGACGGGACGACGCGGCAAGAACCGGGAG 799

RESULT 24
BE754438
LOCUS   BE754438   517 bp   mRNA   linear   EST 25-APR-2001
DEFINITION 207946 MARC 2BOV Bos taurus cDNA 5', mRNA sequence.
ACCESSION   BE754438
VERSION   BE754438.1 GI:10168430
KEYWORDS   EST.
SOURCE   cow.
  ORGANISM Bos taurus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
            Bovidae; Bovinae; Bos.
REFERENCE   1 (bases 1 to 517)
  AUTHORS   Smith,T.P.L., Grosse,W.M., Freking,B.A., Roberts,A.J., Stone,R.T.,
            Casas,E., Wray,J.E., White,J., Cho,J., Fahrenkrug,S.C., Bennett
            ,G.L., Heaton,M.P., Laegreid,W.W., Rohrer,G.A., Chitko-McKown,C.G.,
            Pertea,G., Holt,I., Karamycheva,S., Liang,F., Quackenbush,J. and
            Keele,J.W.
  TITLE   Sequence evaluation of four pooled-tissue normalized bovine cDNA
            libraries and construction of a gene index for cattle
  JOURNAL   Genome Res. 11 (4), 626-630 (2001)
  MEDLINE   21180013
  COMMENT   Contact: Smith TPL
            USDA, ARS, US Meat Animal Research Center
            PO Box 166, Clay Center, NE 68933-0166, USA
            Tel: 402 762 4366
            Fax: 402 762 4390
            Email: smith@email.marc.usda.gov
            Single pass sequencing. Bases called and alt_trimmed with phred
            v0.980904.e. Vector identified by cross_match with the -minscore 18
            and -minmatch 12 options.
            PCR Primers

FORWARD: AGGAAACAGCTATGACCAT
BACKWARD: GTTTTCCAGTCACGACG
Plate: 54 row: J column: 12
Seq primer: ATTTAGGTGACACTATAG.
FEATURES   Location/Qualifiers
     source   1..517
                     /organism="Bos taurus"
                     /db_xref="taxon:9913"
                     /clone_lib="MARC 2BOV"
                     /tissue_type="pooled"
                     /lab_host="DH10B"
                     /note="Vector: pCMV SPORT6; Site_1: XbaI; Site_2: XhoI;
                     Library made from pooled tissue from testis, thymus,
                     semitendonosus muscle, longissimus muscle, pancreas,
                     adrenal, and endometrium."
BASE COUNT   75 a   175 c   161 g   106 t
ORIGIN

Query Match   6.6%;   Score 84.8; DB 10; Length 517;
Best Local Similarity 60.3%; Pred. No. 1.4e-13;
Matches 140; Conservative 0; Mismatches 92; Indels 0; Gaps 0;

Qy   403 tgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaatgagatagat 462
         ||-|||||||||-||||||-||||||||||-||-|| |||||||||-|| ||||-|||
Db   226 TGCGCCGTGGTGTCCAGCTCCGGCCAGATGCTGGGCTCGGGCCTGGGCGCCGAGATTGAC 285

Qy   463 cgatcctcctgcatttggagaatgaacaatgcccccaccaaaggttatgaagaagatgtc 522
         ||-|-|||-|| ||||||||||||||||||-|||||-||||||| |||||-||||||||
Db   286 AGCGTGAGTGCGTACTGCCGCATGAACCAGGCGCCCACCGTGGGCTTCGGAGGCAGACCTG 345

Qy   523 ggccgcatgaccatgattcagttgtgtcccataccagcgtcctctttctgctaaaaaac 582
         ||||-|-|| || ||-||-|||||-|||| |||||||||-||-|-|||-|||||-|||
Db   346 GGCCAGCGAGCACCCTGGTGTCGTCATCTCCCACACAGCGTGCCTCGTTGCTGCGAAAC 405

Qy   583 ctgattattttcaaggaagcgaatactactatttgtgttattgggac 634
         ||-||||||||-|| |-|||||-||||||||||||||| ||||-||-
Db   406 TATTCCACTATTCCAGCAGGCCCCGGACACACTCTATGTGGTGTGGGGCC 457

RESULT 25
BG748773
LOCUS   BG748773   666 bp   mRNA   linear   EST 15-MAY-2001
DEFINITION 602706108F1 NIH_MGC_43 Homo sapiens cDNA clone IMAGE:4842864 5',
            mRNA sequence.
ACCESSION   BG748773
VERSION   BG748773.1 GI:14059426
KEYWORDS   EST.
SOURCE   human.
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 666)
  AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
  TITLE   National Institutes of Health, Mammalian Gene Collection (MGC)
  JOURNAL   Unpublished (1999)
  COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: ATCC
            cDNA Library Preparation: Ling Hong/Rubin Laboratory
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLCM1677 row: P column: 01
            High quality sequence stop: 664.
FEATURES   Location/Qualifiers
     source   1..666
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:4842864"
                     /clone_lib="NIH_MGC_43"

Matches 118; Conservative 0; Mismatches 52; Indels 0; Gaps 0;

```
Qy    160 agcgccatggccctgacctcctcgaagagaaagtctgtattgctgtgagctcatagcagcg 219
          ||  |||||| ||||||||  |||||| ||| |||||| ||||||||||||
Db     53 AGGCGCCATGGGCTGCATCCTCAAGAGGAAGCCCGTGCTTGTGTGAGATTCATAGCCCTG 112

Qy    220 ttcctttcctgctggttgtgcgtcttgtaaatgaagtgaattcccattgctactaaac 279
          ||  |||  |||| ||||  |||||||  | ||||||  || ||
Db    113 TGCATCTTGTTGCTAACCATGCGCCTTGTCAATGATGGAACTTCCCTTTGTCCTGAAG 172

Qy    280 tgcttggacaacctggtacaaagtggataccattcctccacatacag 329
          ||  |||||  |||| |||| ||||  |||||| |||||||||
Db    173 TGGATTGGACAGCCTAAGCCTAAGATCAAATCGATCCCTATGGCCAAGTCTTCCAG 222
```

RESULT 22

BI181476

LOCUS   BI181476   675 bp   mRNA   linear   EST 10-JUL-2001
DEFINITION UNL-P-FN-al-a-01-0-UNL.s1 UNL-P-FN Sus scrofa cDNA clone
            UNL-P-FN-al-a-01-0-UNL 3', mRNA sequence.
ACCESSION   BI181476
VERSION   BI181476.1 GI:14655885
KEYWORDS   EST.
SOURCE   pig.
ORGANISM   Sus scrofa
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
REFERENCE   1 (bases 1 to 675)
AUTHORS   Caetano,A.R., Johnson,R.K. and Pomp,D.
TITLE   Generation and sequence characterization of a normalized cDNA
            library from swine ovarian follicles
JOURNAL   Unpublished (2001)
COMMENT   Contact: Pomp, D
            Department of Animal Science
            University of Nebraska, Lincoln
            Lincoln, NE 68583-0908, USA
            Tel: 402 472 6416
            Fax: 402 472 6362
            Email: dpomp@unl.edu
            Oligo-dT track not found, Not I site shown in beginning of sequence
            is likely internal to the message.
            Seq primer: M13 -29
            POLYA=NO.
FEATURES   Location/Qualifiers
     source 1..675
            /organism="Sus scrofa"
            /strain="University of Nebraska, Lincoln Swine Selection
            Lines"
            /db_xref="taxon:9823"
            /clone="UNL-P-FN-al-a-01-0-UNL"
            /clone_lib="UNL-P-FN"
            /dev_stage="ADULT"
            /lab_host="DH10B (Life Technologies)"
            /note="Vector: pTT3D-Pac (Pharmacia) with a modified
            polylinker; Site_1: Not I; Site_2: Eco RI; The UNL-P-FN
            library is a normalized library representing porcine
            ovarian follicles, ranging between 2.0 to 10.0 mm in
            diameter, collected during 7 days of the follicular phase
            of the pig estrous cycle. This library was derived from
            the library UNL-P-F2. The tag is a string of 5-6
            nucleotides present between the Not I site and the
            oligo-dT track. The library was constructed as described
            by Bonaldo, Lennon and Soares, Genome Research 6: 791-806
            ,1996.
            TAG_SEQ=None found"

BASE COUNT   149 a   212 c   188 g   120 t   6 others
ORIGIN

Query Match   6.7%; Score 86.4; DB 10; Length 675;
Best Local Similarity 49.3%; Pred. No. 5.2e-14;
Matches 222; Conservative 0; Mismatches 228; Indels 0; Gaps 0;

```
Qy    340 cgaactcactatggatacataaatgtgaagaccaagagacctttgcaactggactgtgac 399
          ||  |  |||||||| ||  ||||  ||||| ||||||| || || |||||
Db      2 CGGCGCTGGAGGGATACCTTGGCGTGGCGGACCACAAGCCCCTGAAAATGCACTGCAGG 61

Qy    400 ctttgtgccatagtgcaaactcaggtcagatggttggccagaagtggggaaatgagata 459
          |||||| |||  ||| |  || |||||  ||||| |||||| ||||||
Db     62 GACTGTGCCCTGGTGACGAGCTCAGGGCATCTGCTGCGCGAGCCACCAAGGCCCCAGATT 121

Qy    460 gatcgatcctccatcgcattggagaatgaacatgccccaccaaaggttatgaagaagat 519
          || |  ||| ||| |||||||| ||  |||| ||||| |||||||
Db    122 GACAAGACGGAGTGTCATCCGCATGANCGATGCCCCGACGCGGGGCTACGGGCGAGAC 181

Qy    520 gtcggccgccatgatcgagttcgagttggtgtccccatacagcgttcctcctttgtcaaaa 579
          || ||| | |||||||| ||  ||||| | |||||||| ||||||
Db    182 GTGGGCAACCGCACCAGCCTGAGGGTCATCGGCATTCCAGCATCCAGCAGCCGCATCCTGCGC 241

Qy    580 aaccctgattatttttcaaggaagcgaatactacatcttgtgttattgggggacctttc 639
          |||||||||| | ||||| || ||  |  |||| | |||| |||||||
Db    242 AACCGCCACGACCTGCTCAACGTCCAACGTCACGAGGCACCGTGTTCATCTTCGGGGCCCCAGC 301

Qy    640 cgcaatatgaggaaagatgtgcaatggcatcgtcttacaacatgtgaaaagacagttggt 699
          |||||||| |  ||| |||| ||||||||| |||||| | ||||||
Db    302 AGCTACATCGGCGCGACGCGCAAGGGCCAGTCTACAACAACCTGCACGTCCTCAGCCAG 361

Qy    700 atctatccgaatgccaaatatacgtgaccacagaagagcgcatggagtgactactggtgatgga 759
          || |  ||| | || ||| ||||| |||| ||||||
Db    362 GTGCTGCCCCGGCTGAAGGCCTTCATGATCACGCGCCACAAGATGCTGCGCAGTTTGATGAG 421

Qy    760 gttttaagaggaaactgggaaggacagg 789
          ||| | ||||||||| ||||||||
Db    422 CTCTTCAAGCGCGAGACCGGCAAAGACAGG 451
```

RESULT 23

BG755870

LOCUS   BG755870   802 bp   mRNA   linear   EST 15-MAY-2001
DEFINITION 602716333F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4856337 5',
            mRNA sequence.
ACCESSION   BG755870
VERSION   BG755870.1 GI:14066523
KEYWORDS   EST.
SOURCE   human.
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo. .
REFERENCE   1 (bases 1 to 802)
AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
TITLE   National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL   Unpublished (1999)
COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Louis M. Staudt, M.D., Ph.D.
            cDNA Library Preparation: Ling Hong/Rubin Laboratory
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLCM1707 row: a   column: 10
            High quality sequence stop: 795.
FEATURES   Location/Qualifiers
     source 1..802
            /organism="Homo sapiens"
            /db_xref="taxon:9606"
            /clone="IMAGE:4856337"
            /clone_lib="NIH_MGC_48"
            /tissue_type="primary B-cells from tonsils (cell line)"
            /lab_host="DH10B (phage-resistant)"
            /note="Organ: B-cells; Vector: pOTB7; Site_1: XhoI;
            Site_2: EcoRI; cDNA made by oligo-dT priming;
            Directionally cloned into EcoRI/XhoI sites using the
            following 5' adaptor: GGCACGAG(G). Size-selected >500bp
            for average insert size 1.8kb. Library constructed by Ling

REFERENCE
AUTHORS   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
           1 (bases 1 to 222)
           Aizawa,K., Akahira,S., Akimura,T., Arai,A., Arakawa,T., Carninci,P.
           , Hanagaki,T., Hayatsu,N., Hirozane,T., Hirozane,T., Hodoyama,Y.,
           Imotani,K., Ishii,Y., Itoh,M., Izawa,M., Kawai,J., Kojima,Y., Konno
           ,H., Kusakabe,M., Matsuyama,T., Miyazaki,A., Nakamura,M., Nishi,K.,
           Nomura,K., Numazaki,R., Okazaki,Y., Okido,T., Owa,C., Sakai,C.,
           Sakai,K., Sasaki,D., Sato,K., Shibata,K., Shibata,Y., Shinagawa,A.,
           Shiraki,T., Sogabe,Y., Suzuki,H., Tagawa,A., Takahashi,F., Tanaka
           ,T., Toya,T., Watahiki,A., Yamamura,T., Yasunishi,A., Yoshida,K.,
           Yoshiki,A., Muramatsu,M. and Hayashizaki,Y.
TITLE   RIKEN Mouse ESTs (Aizawa,K. et al. 2000)
JOURNAL   Unpublished (2000)
COMMENT   Contact: Yoshihide Hayashizaki
           Laboratory for Genome Exploration Research Group, RIKEN Genomic
           Sciences Center(GSC), Yokohama Institute
           The Institute of Physical and Chemical Research (RIKEN)
           1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama, Kanagawa 230-0045, Japan
           Tel: 81-45-503-9222
           Fax: 81-45-503-9216
           Email: genome-res@gsc.riken.go.jp,
           URL:http://genome.gsc.riken.go.jp/
           Carninci,P., Nishiyama,Y., Westover,A., Itoh,M., Nagaoka,S., Sasaki
           ,N., Okazaki,Y., Muramatsu,M. and Hayashizaki,Y.
           Thermostabilization and thermoactivation of thermolabile enzymes by
           trehalose and its application for the synthesis of full length
           cDNA. Proc. Natl. Acad. Sci. U.S.A. 95 (2), 520-524 (1998)
           Itoh,M., Kitsunai,T., Akiyama,J., Shibata,K., Izawa,M., Kawai,J.,
           Tomaru,Y., Carninci,P., Shibata,Y., Ozawa,Y., Muramatsu,M., Okazaki
           ,Y. and Hayashizaki,Y.
           Automated filtration-based high-throughput plasmid preparation
           system. Genome Res. 9 (5), 463-470 (1999)
           Carninci,P. and Hayashizaki,Y.
           High-efficiency full-length cDNA cloning. Methods Enzymol. 303,
           19-44 (1999)
           Please visit our web site (http://genome.rtc.riken.go.jp) for
           further details.
FEATURES   Location/Qualifiers
source   1..222
           /organism="Mus musculus"
           /strain="C57BL/6J"
           /db_xref="taxon:10090"
           /clone="C030005N10"
           /clone_lib="RIKEN full-length enriched, adult male corpus
           striatum"
           /sex="male"
           /tissue_type="corpus striatum"
           /dev_stage="adult"
           /lab_host="DH10B"
           /note="Site_1: SalI; Site_2: BamHI; cDNA library was
           prepared and sequenced in Mouse Genome Encyclopedia
           Project of Genome Exploration Research Group in Riken
           Genomic Sciences Center and Genome Science Laboratory in
           RIKEN. Division of Experimental Animal Research in Riken
           contributed to prepare mouse tissues. 1st strand cDNA was
           primed with a primer [5'
           GAGAGAGAAGAGATCCAAGAGCTCTCTTTTTTTTTTTTTTTTTVN 3'], cDNA was
           prepared by using trehalose thermo-activated reverse
           transcriptase and subsequently enriched for full-length by
           cap-trapper. cDNA went through one round of normalization
           to Rot = 10.0 and subtraction to Rot = 185.0. Second
           strand cDNA was prepared with the primer adapter of
           sequence [5' GAGAGAGAGATTCGAGTTAAATTAAATTAATCCCCCCCCCCCC
           3']. cDNA was cloned into the XhoI and BamHI sites.
           Vector: a modified pBluescript KS(+) after bulk excision
           from Lambda FLC I. Cloning sites, 5' end: SalI; 3' end:
           BamHI"
BASE COUNT   46 a   54 c   68 g   54 t
ORIGIN

Query Match   6.7%;   Score 86.8; DB 9; Length 222;
Best Local Similarity 69.4%;   Pred. NO. 2.7e-14;

---

cDNA Library Preparation: Ling Hong/Rubin Laboratory
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Incyte Genomics, Inc.
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: LLCM1801 row: 1 column: 23
High quality sequence start: 2
High quality sequence stop: 718.
FEATURES   Location/Qualifiers
source   1..746
           /organism="Homo sapiens"
           /db_xref="taxon:9606"
           /clone="IMAGE:4903390"
           /tissue_type="rhabdomyosarcoma"
           /lab_host="DH10B (phage-resistant)"
           /note="Organ: muscle; Vector: pOTB7; Site_1: EcoRI;
           Site_2: XhoI; cDNA made by oligo-dT priming.
           Directionally cloned into EcoRI/XhoI sites using the
           following 5' adaptor: GGCAGCAG(G). Size-selected >500bp
           for average insert size 1.8kb   Library constructed by
           Ling Hong in the laboratory of Gerald M. Rubin (University
           of California, Berkeley) using ZAP-cDNA synthesis kit
           (Stratagene) and Superscript II RT (Life Technologies)."
BASE COUNT   123 a   250 c   234 g   139 t
ORIGIN

Query Match   6.7%;   Score 87; DB 10; Length 746;
Best Local Similarity 52.6%;   Pred. No. 3.6e-14;
Matches   212; Conservative 0; Mismatches 190; Indels 1; Gaps 1;

Qy   393 ctgtgacctttgtccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaa 452
               ||| | ||| | ||| ||| ||| |||| || || ||
Db   233 CTGCCGCAGCTGTGCGTGGGTCCAGCTCCGCCAAATGCTGGGCTCAGGCCTGGGTGC 292

Qy   453 tgagatagatcgatcctcctgcatttgagagatgaacaatgcccccaccaaaggttatga 512
               |||||| || | |||| | ||||| || | |||||| ||| | |||||||| |||
Db   293 TGAGATCGACAGTCCCGAGTGCGTGTTCCGCATGAACCAGGCCGCCACCGTGGGCTTTGA 352

Qy   513 agaagatgtcggccgcatgaccatgattcgagttgtgtcccataccagcgttcctccttt 572
               | |||| |||| | ||| || | |||| | | ||| | ||||| |||||
Db   353 GGCCGATGGTGGGCGCCAGCGACCAGCACCTGGGTGCTCCTCACCACACAAGCGTCCGCTGCT 412

Qy   573 gctaaaaaccctgattatttttcaaggaagcgaatactactatttgtgttatttgggg 632
               || | ||| || || | ||||| || || | | || | |||| |||||
Db   413 GCTCGCGAACTATTCACACTACTTCCAGAAGCCCCAGAACACGCTCTACATGGTGTGGGG 472

Qy   633 accttccgcaatatgaggagaaagatggcaatggcatcgtttacaacatgttgaaaaagac 692
               | | | |||| | |||| | | | | || | || ||| | |||
Db   473 CCAGGGCAGGCACATGGACCGGGTGCTCGGCGGCCGCCACCTACCGCACGCTGCTGCAGCT 532

Qy   693 agttggtatctatccgaatgccaaatatac-gtgaccacagagaagcgcatgagttact 751
               || || | || | | || | |||| || | | ||| ||| ||
Db   533 CACCAGGATGTACCCCGCCGGCTCAGGTGTCAGGTGTACACCTTACACGGAGCGCCATGATGGCCTACT 592

Qy   752 gtgatggagttttaagaaggaaactgggaggaaggaccaggggggca 794
               | ||| | ||| | || | || |||||| | |||||||||||
Db   593 GCGACCAGGATCTTCCAGGACGACGAGACGGGCAAGAACCGGAGCA 635

RESULT 21
BB595317
LOCUS   BB595317   222 bp   mRNA   linear   EST 30-NOV-2000
DEFINITION BB595317 RIKEN full-length enriched, adult male corpus striatum Mus
           musculus cDNA clone C030005N10 5', mRNA sequence.
ACCESSION BB595317
VERSION   BB595317.1 GI:11491919
KEYWORDS   EST.
SOURCE   house mouse.
ORGANISM   Mus musculus
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

```
          T 3'); double-stranded cDNA was ligated to Eco RI
          adaptors (Pharmacia), digested with Not I and cloned into
          the Not I and Eco RI sites of the modified pT7T3 vector.
          RNA provided by Dr. Minoru Ko, Wayne State Univ. Library
          constructed and normalized by Bento Soares and M.Fatima
          Bonaldo."
BASE.COUNT  136 a    191 c    171 g    84 t
ORIGIN

Query Match        7.1%;    Score 92;  DB 9;  Length 582;
Best Local Similarity  50.5%;  Pred. No. 1.1e-15;
Matches  224;  Conservative  0;  Mismatches 220;  Indels  0;  Gaps  0;

Qy    346  cactatggatacataaatgtgaagacacagagagccttgcaactggactgtgacctttgt  405
           | | | |||||| | ||  | | |||  ||| ||| |||| | |||||| |||
Db    139  CTCGAAGGATACCTCGGTGTAGCAGACCACAAGCCCCTGAAAATGCATTGCAAGGATTGC  198

Qy    406  gccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaatgagatagatcga  465
           |||| |  |||| | || ||||  ||| | ||  ||||| |||||
Db    199  GCCCTGGTGACCCAGCTCAGGGCATCTGCGCGTAGTCACCAGGGCCCCCACATCGACCAG  258

Qy    466  tcctcctgcatttggagaatgaacaatgccccaccaccaaggttatgaagaagatgtcggc  525
           |||  | ||||||| ||||| |||| ||| |||||||||||  ||||||||  |||||
Db    259  ACAGAGTGTGTTATCCCGATGAATGANGCCCCCCGGAGGCTATGGGCTTGACGTGGGC  318

Qy    526  cgcatgaccatgattcgagttgtgtcccatacacgcgttcctcctttgctaaaaaccct  585
           | || | |||| ||||  |||||| | || | |||||||||  |  ||  |||||
Db    319  AACCGCACGAGCCTGCGGGTCATCGCACATTCCAGCATCCAGAGGATCCTCCGCAACCGC  378

Qy    586  gattatttttcaaggagaggcgaatactactatttgtgttatttgggacctttccgcaat  645
           ||  | |  |||| ||| || || ||| | ||||||||  |||| | || ||||
Db    379  CATGACCGTCAATGTGACCCAGGGCACCGTGTCATCTTCTGGGGCCCAGCAGCTAC  438

Qy    646  atgaggaaagatggcaatggcatcgttacacatgttgaaaaagacagttggtatctat  705
           || | ||| ||||| | ||||| | | |||||||| ||| ||| |||| ||||||
Db    439  ATGCGCCGGATGGCAAGGGCCAGGCGTACACAACAACCTACAGCTTCCTTAGCCAAGTGCTG  498

Qy    706  ccgaatgcccaaatatacgtgaccacagagaagcgcatgagtactgtgtgatggagttttt  765
           |||   |  ||  ||||| | |||| |  || |  ||| ||||| |  ||  ||| ||
Db    499  CCTCGGCTGAAGGCTCTCATGATCACGCGCCACCAGGATGCTCGAGTTCGATGAGCTCTTC  558

Qy    766  aagaaggaaactgggaaggacagg  789
           ||  |||| ||||| ||||
Db    559  AAGCAGGAGACTGCAAAGACAAG  582

RESULT 19
BG329643
LOCUS       BG329643              925 bp    mRNA      linear   EST 27-FEB-2001
DEFINITION  602429252F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:4558909 5',
            mRNA sequence.
ACCESSION   BG329643
VERSION     BG329643.1  GI:13136081
KEYWORDS    EST.
SOURCE      human.
 ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 925)
AUTHORS     NIH-MGC http://mgc.nci.nih.gov/.
TITLE       National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL     Unpublished (1999)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: ATCC
            cDNA Library Preparation: Ling Hong/Rubin Laboratory
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at: image.llnl.gov
            Plate: LLCM1265 row: h column: 14
            High quality sequence start: 2
```

```
High quality sequence stop: 756.
FEATURES        Location/Qualifiers
    source       1..925
                 /organism="Homo sapiens"
                 /db_xref="taxon:9606"
                 /clone_lib="IMAGE:4558909"
                 /clone="IMAGE:4558909"
                 /clone_lib="NIH_MGC_16"
                 /tissue_type="retinoblastoma"
                 /lab_host="DH10B (phage-resistant)"
                 /note="Organ: eye; Vector: pOTB7; Site_1: XhoI; Site_2:
                 EcoRI; cDNA made by oligo-dT priming. Directionally
                 cloned into EcoRI/XhoI sites using the following 5'
                 adaptor: GGCACAG(G). Library constructed by Ling Hong
                 in the laboratory of Gerald M. Rubin (University of
                 California, Berkeley) using ZAP-cDNA synthesis kit
                 (Stratagene) and Superscript II RT (Life Technologies).
                 Note: this is a NIH_MGC Library."
BASE COUNT   166 a    295 c    296 g    168 t
ORIGIN

Query Match        6.9%;    Score 89.2;  DB 10;  Length 925;
Best Local Similarity  53.0%;  Pred. No. 8.8e-15;
Matches  213;  Conservative  0;  Mismatches 188;  Indels  1;  Gaps  1;

Qy    393  ctgtgacctttgtgcatagtgtcaaactcaggtcagatggttggccagaaggtgggaaa  452
           ||   |||||| | |||  | ||  |||| | |||  || |   | ||| ||||||
Db    141  CTGCCGCAGCTGTGCCGTGGTGTCCAGCTCCGGCAAATGCTGGGCTCAGGCCTGGGTGC  200

Qy    453  tgagatagatcgatcctcctgcatttggagaatgaacaatgcccccaccaaaggttatga  512
           |  |||  |||||| | ||  ||| ||||| ||  ||  |||| |||  |||||| ||
Db    201  TGAGATCGACAGTGCCGAGTGCGTGTTCCGCATGACCAGGCCACCGCCGGTGGCTTTGA  260

Qy    513  agaagatgtcggccgccatgaccatgattcgagttgtgtccataccagcggttcctctttt  572
           | ||||| |||  | ||||| | |||| | |   |||| | || | | | ||||||||
Db    261  GGCGGATGTGGGCCAGCGACCAGCACCCCGGTGTCGTCTCACCACAAGCGGTGCCGCTGCT  320

Qy    573  gctaaaaaccctgattatttttcaaggaagcgaatactactatttgtgttatttgggg  632
           |  | |||  ||||  | |||| ||| ||||  |||| | ||| |  ||| ||  ||||
Db    321  GCTGCGCAACTATTCACACTACTTCCAGAAGGCCCGAGACACGGCCGCCGCGGTGTGGGG  380

Qy    633  accttccgcaaatatgaggaaagatgcaatggcatcgtttacaacatgttgaaaaagac  692
           | | ||  |  | | ||| ||  | ||| | ||| ||||  |  | ||| || ||||||
Db    381  -CCAGGCAGGCACATGGACCCGGGTGCTCGGCGCGCTACCGCCGCCACCTGAGCTGCAGCT  439

Qy    693  agttggtatctcatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactg  752
           || || |   ||  | ||| | |  ||||| | | |||| |  || |  ||| | ||||
Db    440  CACCAGGATGTACCCCGGCCTGCAGGTGTACACCTTCACGGAGCGCGCCATGATGGCCTACTG  499

Qy    753  tgatggagtttttaagaaggaaactgggaaggacagggggca  794
           |||| ||  |||  ||||| ||| || || ||||||| |||
Db    500  CGACCAGATCTTCCAGGACGAGAGACGGGCAAGAACCGGAGGCA  541

RESULT 20
BG826070
LOCUS       BG826070              746 bp    mRNA      linear   EST 22-MAY-2001
DEFINITION  6027504931F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4903390 5',
            mRNA sequence.
ACCESSION   BG826070
VERSION     BG826070.1  GI:14173657
KEYWORDS    EST.
SOURCE      human.
 ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 746)
AUTHORS     NIH-MGC http://mgc.nci.nih.gov/.
TITLE       National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL     Unpublished (1999)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: ATCC
```

```
Qy   573 gctaaaaccctgatattttttcaaggaagcgaatactactattgtgtattgggg 632
             ||| |||||||||||||||||||||||||||  ||| |||||||||
Db   216 GCTGCGCAACTATTCACACTACTTCCAGAAGGCCCGAGACACGCTTCTACATGGTGTGGGG 275

Qy   633 acctttccgcaatatgaggaaagatggcaatggcatcgtttacacacatgttgaaaaagac 692
             ||  ||| |||||||||||||||| ||||| ||||| ||||| | |||||||||||||||
Db   276 CCAGGGCAGGCACATGGCACCGGGTGCTCCGGCGGCCACTACCGCACGCTGCTCGCAGCT 335

Qy   693 agttgtatctatccgaatgccaaatatacgtgaccacagagaagcgcatgagttactg 752
             ||||| ||| ||||||||  |||  ||| |||  ||||  ||||| |||  |||||
Db   336 CACCAGGATGTACCCCGGCTGTGCCAGTGTACCACCTTCACGGAGCCGAGGCGCCATGAGGCCTACTG 395

Qy   753 tgatggagttttaaggaagaaactgggaaggacag 788
             ||| |||||||  ||||| ||||| ||| |||||
Db   396 CGACCAGATCTTCCAGGACGACGAGACGGGCAAGAACCG 431
```

RESULT 17
AV605640

LOCUS   AV605640   558 bp   mRNA   linear   EST   28-NOV-2001
DEFINITION   AV605640 Bos taurus kidney fetus Bos taurus cDNA clone E1KI029H12
             5', mRNA sequence.
ACCESSION   AV605640
VERSION   AV605640.1 GI:9736013
KEYWORDS   EST.
SOURCE   cow.
ORGANISM   Bos taurus
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
             Bovidae; Bovinae; Bos.
REFERENCE   1 (bases 1 to 558)
  AUTHORS   Takasuga,A., Hirotsune,S., Itoh,R., Jitohzono,A., Suzuki,H., Aso,H.
             and Sugimoto,Y.
  TITLE   Establishment of a high throughput EST sequencing system using
             poly(A) tail-removed cDNA libraries and determination of 36,000
             bovine ESTs
  JOURNAL   Nucleic Acids Res. 29 (22), E108 (2001)
  MEDLINE   21570554
COMMENT   Contact: Yoshikazu Sugimoto
             Animal Genetics Division
             Shirakawa Institute of Animal Genetics
             Odakura, Nishigo, Nishi-shirakawa, Fukushima 961-8061, Japan
             Tel: 81-248-25-5641
             Fax: 81-248-25-5725
             Email: kazusugi@cocoa.ocn.ne.jp
             Single pass sequencing.
             This clone was obtained from a polyA-deleted cDNA library.
FEATURES   Location/Qualifiers
     source 1..558
             /organism="Bos taurus"
             /db_xref="taxon:9913"
             /clone="E1KI029H12"
             /clone_lib="Bos taurus kidney fetus"
             /tissue_type="kidney"
             /dev_stage="fetus"
             /lab_host="DH10B"
             /note="Vector: pZL1; Site_1: SalI; Site_2: NotI; Poly A
             was deleted from a NotI site"
BASE COUNT   112 a   175 c   167 g   104 t
ORIGIN

Query Match   7.2%; Score 93; DB 9; Length 558;
Best Local Similarity   53.9%; Pred. No. 5.6e-16;
Matches 214;   Conservative   0; Mismatches 180; Indels   3; Gaps   1;

```
Qy   394 tgtgaccttgtgccatagtgtcaaactcaggtcaagatggttggccagaaggtgggaaat 453
             |||  | ||| ||||  | ||| |||||||||||||||||||||||||||| ||| |||
Db    20 TGCGGCCAGTGTGTGATTGTCACCCAGCTCCAGCCACCAGGGCACCAAGCTGGGTCCT 79

Qy   454 gagatagatcgatcctccgcatttggagaatgaacaatgcccccaccaaaggttatgaa 513
             ||||| || || || ||||| ||  ||| |  ||| | || |   || ||||||||||
```

```
Db    80 GAGATCGAACGGCCGAGTGCACAATCCGCATGAACGACGCACCCACTACGGCGCTACTCG 139

Qy   514 gaagatgtggccgcatgaccatgaccatgaccatgaccatgaccatgaccatgaccatgtg 573
             ||| |||||||  | ||| |||||||| | | |||||||||||||  |||| ||||| |
Db   140 GCCGATGTGGCAACAAGACCACCTTCCGCGTGGTGGCCCATTCCAGCGTATTCCATGTG 199

Qy   574 ctaaaaaccctgattattttttcaaggaagcgaatactactattgtgttattggga 633
             || | ||||||| ||||||| || ||||||||||||||| ||||||| ||||| |||
Db   200 CTGCGGAGGCCTCAGGAGTTTGTCAACCGGACCCCTGAAACTGTGTTCATCTTCTGGGGC 259

Qy   634 cctttccgcaatatgaggaaagatggcaatggcatcgtttacaacatgttgaaaaagaca 693
             || ||||| |||| |||  ||||| ||||||||||||  |||  |||| |||| ||| |
Db   260 CC---CCCAAACAAGATGCAGAAGCCCCAGGGAAGCCCCGCGTGCGTCGCCGTCATCCAGCGGCA 316

Qy   694 gttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgt 753
             ||| || || ||  ||   ||| ||||| ||||||| | |||| | || || |||| |||
Db   317 GGCCTGGTGTTCCCACATGGAGCCTATGCCATCTCCCTCAGCCGCATGCGCCATGCGCCAGTTT 376

Qy   754 gatggagttttaaggaagaaactgggaaggacaggg 790
             || |||| |||| ||| ||||| ||| ||||||||
Db   377 GACGACCTCTTCCGGAGTGAGACAGACAGGCAAGGACAGG 413
```

RESULT 18
AA462934

LOCUS   AA462934   582 bp   mRNA   linear   EST   10-JUN-1997
DEFINITION   vf92a10.r1 Soares_mammary_gland_NbMMG Mus musculus cDNA clone
             IMAGE:851226 5' similar to TR:G1280387 G1280387 ALPHA
             2,6-SIALYLTRANSFERASE. ;, mRNA sequence.
ACCESSION   AA462934
VERSION   AA462934.1 GI:2187825
KEYWORDS   EST.
SOURCE   house mouse.
ORGANISM   Mus musculus
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1 (bases 1 to 582)
  AUTHORS   Marra,M., Hillier,L., Allen,M., Bowles,M., Dietrich,N., Dubuque,T.,
             Geisel,S., Kucaba,T., Lacy,M., Le,M., Martin,J., Morris,M.,
             Schellenberg,K., Steptoe,M., Tan,F., Underwood,K., Moore,B.,
             Theising,B., Wylie,T., Lennon,G., Soares,B., Wilson,R. and
             Waterston,R.
  TITLE   The WashU-HHMI Mouse EST Project
  JOURNAL   Unpublished (1996)
COMMENT   Contact: Marra M/Mouse EST Project
             WashU-HHMI Mouse EST Project
             Washington University School of MedicineP
             4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
             Tel: 314 286 1800
             Fax: 314 286 1810
             Email: mouseest@watson.wustl.edu
             This clone is available royalty-free through LLNL ; contact the
             IMAGE Consortium (info@image.llnl.gov) for further information.
             MGI:503378
             Possible reversed clone: similarity on wrong strand
             Seq primer: -28m13 rev2 ET from Amersham
             High quality sequence stop: 425.
FEATURES   Location/Qualifiers
     source 1..582
             /organism="Mus musculus"
             /strain="C57BL/6J"
             /db_xref="taxon:10090"
             /clone="IMAGE:851226"
             /clone_lib="Soares_mammary_gland_NbMMG"
             /sex="male"
             /tissue_type="mammary gland"
             /dev_stage="4 weeks"
             /lab_host="DH10B"
             /note="Organ: mammary gland; Vector: pT7T3D-Pac (Pharmacia
) with a modified polylinker; Site_1: Not I; Site_2: Eco
             RI; 1st strand cDNA was primed with a Not I - oligo(dT)
             primer (5'-
             TGTTACCAATCTGAAGTGGCGACGCGGCGCCGCGAATGGTTTTTTTTTTTTTTTTTTT
```

```
Db   456  CGACCAGATCTTCCAGGACGACGAGACGGGCAAGAACCGGAGGCA 497
              ||  ||    || |||| ||  || |||| ||| || ||  ||||

RESULT 15
BG827942
LOCUS       BG827942              879 bp    mRNA    linear   EST 22-MAY-2001
DEFINITION  602752130F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4904959 5',
            mRNA sequence.
ACCESSION   BG827942
VERSION     BG827942.1  GI:14175529
KEYWORDS    EST.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia: Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 879)
AUTHORS     NIH-MGC http://mgc.nci.nih.gov/.
TITLE       National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL     Unpublished (1999)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: ATCC
            cDNA Library Preparation: Ling Hong/Rubin Laboratory
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLCM1805 row: k column: 08
            High quality sequence stop: 721.
FEATURES             Location/Qualifiers
     source          1..879
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:4904959"
                     /clone_lib="NIH_MGC_17"
                     /tissue_type="rhabdomyosarcoma"
                     /lab_host="DH10B (phage-resistant)"
                     /note="Organ: muscle: Vector: pOTB7; Site_1: EcoRI;
                     Site_2: XhoI; cDNA made by oligo-dT priming.
                     Directionally cloned into EcoRI/XhoI sites using the
                     following 5' adaptor: GGCACGAG(G). Size-selected >500bp
                     for average insert size 1.8kb. Library constructed by
                     Ling Hong in the laboratory of Gerald M. Rubin (University
                     of California, Berkeley) using ZAP-cDNA synthesis kit
                     (Stratagene) and Superscript II RT (Life Technologies)."
BASE COUNT    156 a    285 c    270 g    168 t
ORIGIN

Query Match      7.6%;   Score 98;   DB 10;   Length 879;
Best Local Similarity   52.7%;   Pred. No. 2.2e-17;
Matches  212;   Conservative   0; Mismatches 190; Indels   0; Gaps   0;

Qy   393  ctgtgacccttgtgcatagtgtcaaactcaggtcagatggttggccagaggtgggaaa 452
              |||    ||||||| | | ||| |  | |  || ||| || |
Db   232  CTGCCGCAGCTGTGCCGTGGTCTCCGGTGTCCCGGCCAAATGCTGGCTCAGGCCTGGGTGC 291

Qy   453  tgagatagatcgatcctcctgcatttggagaatgaacaatgcccccaccaaaggttatga 512
           |||||| |  | ||| | |  ||| | |||| ||  |  ||  | |
Db   292  TGAGATCGACAGTGCCAGTGCGTCCGAGTGTCCAGCTCCGGCCATGTCGGGCTCAGGTGC 351

Qy   513  agaagatgtcggccgcatgaccatgattcagttgtgtccataccagcgttcctcctttt 572
           |||| | |  |  |    ||   ||   || ||| |  | | | |||   |  | || |
Db   352  GGCGGATGTGGGCCAGCACGCAGCACCACCGCCAGCACCGTGCCGCTGCT 411

Qy   573  gctaaaaaccctgattattttcaaggaagcgaatacactacattgtgttatttgggg 632
           |  ||  | | ||| | | ||| | | |  || || |  || ||| ||| |||
Db   412  GCTGCGCAACTATTCACACTACTTCCAGAGAGGCCCGAGACACGCTCTACATGGTGTGGGG 471

Qy   633  acctctccgcaatatgaggaagatggcaatgcatcgtttacacaacatgttgaaaaagac 692
           |   | || |    |    |      ||  || |  |  |   |   ||  ||   |  || ||
```

```
Db   472  CCAGGGCAGGCACATGGACCGGCGGTGCTCGGCGGCGCCACCTACCGCACGCTGCTGCAGCT 531
              ||    || ||          || |   |    |   |||| |||  |||| ||| ||||

Qy   693  agttggtatctatccgaatgccccaaatatacgtgaccacagagaagcgcatgagttactg 752
              ||  ||  |       ||   ||| |||    |||     ||  |||||||
Db   532  CACCAGGATGTACCCCGGCCTGCAGGTGTACACCTTCACGGAGCGCATGATGGCCTACTG 591

Qy   753  tgatggagttttaagaaggaaactgggaaggaacaggggca 794
           ||    ||   ||  | ||  || |||| || ||| ||||
Db   592  CGACCAGATCTTCCAGGACGACGAGACGGGCAAGAACCGGAGGCA 633

RESULT 16
BG750867
LOCUS       BG750867              616 bp    mRNA    linear   EST 15-MAY-2001
DEFINITION  602707396F1 NIH_MGC_43 Homo sapiens cDNA clone IMAGE:4844038 5',
            mRNA sequence.
ACCESSION   BG750867
VERSION     BG750867.1  GI:14061520
KEYWORDS    EST.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 616)
AUTHORS     NIH-MGC http://mgc.nci.nih.gov/.
TITLE       National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL     Unpublished (1999)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: ATCC
            cDNA Library Preparation: Ling Hong/Rubin Laboratory
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: LLCM1680  row: p  column: 23
            High quality sequence stop: 614.
FEATURES             Location/Qualifiers
     source          1..616
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:4844038"
                     /clone_lib="NIH_MGC_43"
                     /tissue_type="normal pigmented retinal epithelium"
                     /lab_host="DH10B (phage-resistant)"
                     /note="Organ: eye; Vector: pOTB7; Site_1: XhoI; Site_2:
                     EcoRI; cDNA made by oligo-dT priming. Directionally
                     cloned into EcoRI/XhoI sites using the following 5'
                     adaptor: GGCACGAG(G). Library constructed by Ling Hong
                     in the laboratory of Gerald M. Rubin (University of
                     California, Berkeley) using ZAP-cDNA synthesis kit
                     (Stratagene) and Superscript II RT (Life Technologies).
                     Note: this is a NIH_MGC Library.|"
BASE COUNT    120 a    195 c    194 g    107 t
ORIGIN

Query Match      7.2%;   Score 93.6;   DB 10;   Length 616;
Best Local Similarity   52.3%;   Pred. No. 3.9e-16;
Matches 207;   Conservative   0; Mismatches 189; Indels   0; Gaps   0;

Qy   393  ctgtgacccttgtgccatagtgtcaaactcaggtcagatggttggccagaggtgggaaa 452
              |||    | |||||  | | ||| |  | |  || ||| || |
Db   36   CTGCCGCAGCTGTGCCGTGGTCTCCGGCTCCGGCCAAATGCTGGGCTCAGGCCTGGGTGC 95

Qy   453  tgagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaaggttatga 512
           |||||| |  | ||| | |  ||| | |||| ||  |  ||  | |  ||
Db   96   TGAGATCGACAGTGCCAGTGCGTGTTCCGAGTGTCCGAGTGTCCAGCTCCGGCCATGTCGGGCTCAGGTGC 155

Qy   513  agaagatgtcggccgcatgaccatgattcagttgtgtccataccagcgttcctcctttt 572
           |||| | |  |  |    ||   ||   || ||| |  | | | |||   |  | || |
Db   156  GGCGGATGTGGGCCAGCACGCAGCACCACCGCCAGCACCGTGCCGCTGCT 215
```

REFERENCE
AUTHORS   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
TITLE   NIH-MGC http://mgc.nci.nih.gov/.
JOURNAL   National Institutes of Health, Mammalian Gene Collection (MGC)
             Unpublished (1999)
COMMENT   Contact: Robert Strausberg, Ph.D.
             Email: cgapbs-r@mail.nih.gov
             Tissue Procurement: ATCC/DCTD/DTP
             cDNA Library Preparation: Ling Hong/Rubin Laboratory
             cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
             DNA Sequencing by: Incyte Genomics, Inc.
             Clone distribution: MGC clone distribution information can be
             found through the I.M.A.G.E. Consortium/LLNL at:
             http://image.llnl.gov
             Plate: LLCM1761 row: f column: 11
             High quality sequence stop: 735.

FEATURES   Location/Qualifiers
     source   1..743
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:4877194"
                     /clone_lib="NIH_MGC_49"
                     /tissue_type="melanotic melanoma, high MDR (cell line)"
                     /lab_host="DH10B (phage-resistant)"
                     /note="Organ: skin; Vector: pOTB7; Site_1: XhoI; Site_2:
                     EcoRI; cDNA made by oligo-dT priming. Directionally cloned
                     into EcoRI/XhoI sites using the following 5' adaptor:
                     GGCACGAG(G). Size-selected >500bp for average insert size
                     1.8kb. Library constructed by Ling Hong in the laboratory
                     of Gerald M. Rubin (University of California, Berkeley)
                     using ZAP-cDNA synthesis kit (Stratagene) and Superscript
                     II RT (Life Technologies). Note: this is a NIH_MGC
                     Library."

BASE COUNT   129 a   244 c   231 g   139 t
ORIGIN

Query Match   7.7%;   Score 99.6;   DB 10;   Length 743;
Best Local Similarity   53.0%;   Pred. No. 7.1e-18;
Matches   213;   Conservative   0;   Mismatches 189;   Indels   0;   Gaps   0;

Qy   393 ctgtgaccctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaa 452
           ||| ||||| |||||| |||||||| || ||| ||| || |||||| | |||||||
Db   174 CTGCCGCAGCTGTGCCGTGGTGTCCAGCTCCGGCCAAATGCTGGGCTCAGGCCTGGGTGC 233

Qy   453 tgagatagatcgatcctcctgcatttggaagatgaacaatgccccaccaaaggttatga 512
           |||| | || ||||| ||| |||||||||| | | |||||||||| ||||||
Db   234 TGAGATCGACAGTGCCGAGTGCGTTCCCGTGTCTCCACACAGACACGCTGCCGCTGCT 293

Qy   513 agagagtcggccgcatgaccatgatggccatgttacacacatgttgaaaaagac 572
           ||||| ||| |||| ||| | |||||||||| || | | |||||||||||
Db   294 GGCGGATGTGGGCCAGCAGCCACCTGCGTGTCGTCTCCACACAGCGTGCCGCTT 353

Qy   573 gctaaaaaccctgattattttcaaggaggcgaatactactatttgtgttattgggg 632
           ||| | |||||||| |||||||| | | | | | |||| ||||||
Db   354 GCTCGCAACTATTCACACTACTTCCAGAAGGCCCGAGAACCAGGGCGCCTCGTGTGGGG 413

Qy   633 acctttccgcaatatgaggaaagatggcatcgttacacacatgttgaaaaagac 692
           || |||||| ||||||||| || | |||| | | ||| ||| || |||||||||
Db   414 CCAGGGCAGGCACATGGACCCGGTGCTCGGCGGCCCACCTACCGCGCGAGGCA 473

Qy   693 agttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactg 752
           || ||||||||||| ||||| || ||| ||| | |||||||||||||| | ||||||
Db   474 CACCAGGATGTACCCCGGCTGCAGGTGTACACCTTCACGGAGCGCATGATGGCCTACTG 533

Qy   753 tgatggagttttaagaaggaaactgggaagacaggggggca 794
           | |||| |||||||| || | ||| || | ||||||||
Db   534 CGACCAGATCTTCCAGGACGAGACCGGCCAAGAACCCGAGGCA 575

RESULT 14
BF183136
LOCUS   BF183136   771 bp   mRNA   linear   EST 31-OCT-2000
DEFINITION   601809520F1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:4040116 5',
              mRNA sequence.
ACCESSION   BF183136
VERSION   BF183136.1 GI:11061323
KEYWORDS   EST.
SOURCE   human.
ORGANISM   Homo sapiens
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 771)
AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
TITLE   National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL   Unpublished (1999)
COMMENT   Contact: Robert Strausberg, Ph.D.
              Email: cgapbs-r@mail.nih.gov
              Tissue Procurement: DCTD/DTP/Gazdar
              cDNA Library Preparation: Ling Hong/Rubin Laboratory
              cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
              DNA Sequencing by: Incyte Genomics, Inc.
              Clone distribution: MGC clone distribution information can be
              found through the I.M.A.G.E. Consortium/LLNL at:
              http://image.llnl.gov
              Plate: LLCM857 row: h column: 05
              High quality sequence stop: 748.

FEATURES   Location/Qualifiers
     source   1..771
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="IMAGE:4040116"
                     /clone_lib="NIH_MGC_18"
                     /tissue_type="large cell carcinoma"
                     /lab_host="DH10B (phage-resistant)"
                     /note="Organ: lung; Vector: pOTB7; Site_1: XhoI; Site_2:
                     EcoRI; cDNA made by oligo-dT priming. Directionally cloned
                     into EcoRI/XhoI sites using the following 5' adaptor:
                     GGCACGAG(G). Library constructed by Ling Hong in the
                     laboratory of Gerald M. Rubin (University of California,
                     Berkeley) using ZAP-cDNA synthesis kit (Stratagene) and
                     Superscript II RT (Life Technologies). Note: this is a
                     NIH_MGC Library."

BASE COUNT   145 a   241 c   247 g   138 t
ORIGIN

Query Match   7.6%;   Score 98;   DB 10;   Length 771;
Best Local Similarity   52.7%;   Pred. No. 2.1e-17;
Matches   212;   Conservative   0;   Mismatches 190;   Indels   0;   Gaps   0;

Qy   393 ctgtgaccctttgtgccatagtgtcaaactcaggtcagatggttggccagaaggtgggaaa 452
           ||| ||||| |||||| |||||||| || ||| ||| || |||||| | |||||||
Db   96 CTGCCGCAGCTGTGCCGTGGTGTCCAGCTCCGGCCAAATGCTGGGCTCAGGCCTGGGTGC 155

Qy   453 tgagatagatcgatcctcctgcatttggaagatgaacaatgccccaccaaaggttatga 512
           |||| | || ||||| ||| |||||||||| | | |||||||||| ||||||
Db   156 TGAGATCGACAGTGCCGAGTGCGTTCCCGTGTCTCCACACAGACACGCTGCCGCTTGA 215

Qy   513 agagagtcggccgcatgaccatgatggccatgttacacacatgttgaaaaagac 572
           ||||| ||| |||| ||| | |||||||||| || | | |||||||||||
Db   216 GGCGGATGTGGGCCAGCAGCCACCTGCGTGTCGTCTCCACACAGCGTGCCGCTGCT 275

Qy   573 gctaaaaaccctgattattttcaaggaggcgaatactactatttgtgttattgggg 632
           ||| | |||||||| |||||||| | | | | | |||| ||||||
Db   276 GCTCGCAACTATTCACACTACTTCCAGAAGGCCCGAGAACCAGGGCGCCTCGTGTGGGG 335

Qy   633 acctttccgcaatatgaggaaagatggcatcgttacacacatgttgaaaaagac 692
           || |||||| ||||||||| || | |||| | | ||| ||| || |||||||||
Db   336 CCAGGGCAGGCACATGGACCCGGTGCTCGGCGGCCCACCTACCGCGCGAGGCA 395

Qy   693 agttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactg 752
           || ||||||||||| ||||| || ||| ||| | |||||||||||||| | ||||||
Db   396 CACCAGGATGTACCCCGGCTGCAGGTGTACACCTTCACGGAGCGCATGATGGCCTACTG 455

Qy   753 tgatggagttttaagaaggaaactgggaagacaggggggca 794

TITLE   Schellenberg,K., Soares,M.B., Tan,F., Thierry-Meg,J., Trevaskis,E.,
           Underwood,K., Wohldmann,P., Waterston,R., Wilson,R. and Marra,M.
JOURNAL   Generation and analysis of 280,000 human expressed sequence tags
MEDLINE   Genome Res. 6 (9), 807-828 (1996)
           9704478
COMMENT   Contact: Wilson RK
           Washington University School of Medicine
           4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
           Tel: 314 286 1800
           Fax: 314 286 1810
           Email: est@watson.wustl.edu
           This clone is available royalty-free through LLNL ; contact the
           IMAGE Consortium (info@image.llnl.gov) for further information.
           Trace considered overall poor quality
           Possible reversed clone: similarity on wrong strand
           Seq primer: -28M13 rev2 from Amersham
           High quality sequence stop: 1.

FEATURES   Location/Qualifiers
   source   1..112
            /organism="Homo sapiens"
            /db_xref="GDB:521106"
            /db_xref="taxon:9606"
            /clone="IMAGE:646854"
            /clone_lib="Stragagene neuroepithelium (#937231)"
            /dev_stage="Ntera-2/RA neuroepithelial cells"
            /lab_host="SOLR (kanamycin resistant)"
            /note="Vector: pBluescript SK-; Site_1: EcoRI; Site_2:
            XhoI; Cloned unidirectionally. Primer: Oligo dT. NT2
            cells (Ntera-2/cl.D1) induced with Retinoic Acid for 24
            hours. Average insert size: 1.5 kb; Uni-ZAP XR Vector; -5'
            adaptor sequence: 5' GAATTCGGCACGAG 3' -3' adaptor
            sequence: 5' CTCGAGTTTTTTTTTTTTTTTT 3'"

BASE COUNT   34 a   27 c   17 g   31 t   3 others
ORIGIN

Query Match   8.1%;   Score 104.8; DB 9;   Length 112;
Best Local Similarity 95.5%; Pred. No. 1.1e-19;
Matches 106; Conservative   0; Mismatches   5; Indels   0; Gaps   0;

Qy   252 tgaagtgaattcccattgctactaaactgctttggacaacctggtacaaagtggatacc 311
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 TGAAGTTAATTTCCCATTGCTACTAAACTGCTTTGGACAACCTGGTACAAAGTGGATACC 60

Qy   312 atttctccacacatacaggcggccccctcgaactcactatggatacataa 362
          |||||||||||| |||||| |||||||||||||||||||||| ||||||||
Db   61 ATTTCTCCTACACATANAGGCGGNCCCTTCGAACTCACTATGNATACATTAA 111

RESULT 12
BE938440/c
LOCUS   BE938440   507 bp   mRNA   linear   EST 02-OCT-2000
DEFINITION RC0-TN0079-220800-032-f04 TN0079 Homo sapiens cDNA, mRNA sequence.
ACCESSION BE938440
VERSION   BE938440.1 GI:10465770
KEYWORDS   EST.
SOURCE   human.
   ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 507)
AUTHORS   Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R.,
           Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F.,
           Goldman,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H.,
           Brunstein,A., deOliveira,P.S., Bucher,P., Jongeneel,C.V., O'Hare
           ,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and
           Simpson,A.J.
TITLE   Shotgun sequencing of the human transcriptome with ORF expressed
           sequence tags
JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
MEDLINE   20202663
COMMENT   Contact: Simpson A.J.G.
           Laboratory of Cancer Genetics

           Ludwig Institute for Cancer Research
           Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
           Brazil
           Tel: +55-11-2704922
           Fax: +55-11-2707001
           Email: asimpson@ludwig.org.br
           This sequence was derived from the FAPESP/LICR Human Cancer Genome
           Project. This entry can be seen in the following URL
           (http://www.ludwig.org.br/scripts/gethtml2.pl?t1=&t2=RC0-TN0079-220
           800-032-f04&t3=2000-08-22&t4=1)
           Seq primer: puc 18 forward
           High quality sequence stop: 507.

FEATURES   Location/Qualifiers
   source   1..507
            /organism="Homo sapiens"
            /db_xref="taxon:9606"
            /clone_lib="TN0079"
            /dev_stage="Adult"
            /note="Organ: testis_normal; vector: puc18; Site_1: SmaI;
            Site_2: SmaI; A mini-library was made by cloning products
            derived from ORESTES PCR (U.S. Letters Patent application
            No. 196,716 - Ludwig Institute for Cancer Research)
            profiles into the puC 18 vector. Reverse transcription of
            tissue mRNA and cDNA amplification were performed under
            low stringency conditions."

BASE COUNT 86 a   163 c   169 g   89 t
ORIGIN

Query Match   7.7%;   Score 99.6; DB 10;   Length 507;
Best Local Similarity 53.0%; Pred. No. 6.2e-18;
Matches 213; Conservative   0; Mismatches 189; Indels   0; Gaps   0;

Qy   393 ctgtgacctttgtgccatagtgtcaaactcaggtcagatggttggccagaaagtgggaaa 452
          ||| |||||| |||||||| |||||| ||| ||||||||| |||| | || |
Db   418 CTGCCCAGCTGTGCCTGGGTGTCCAGCTCCGCCAGATGCTGGGCTCAGGCCTCGGTGC 359

Qy   453 tgagatagatcgatcctcctgcatttggagaatgaacaatgccccaccaaaggttatga 512
          ||||||||| |||| ||| ||| ||| |||||| ||| | ||| ||||| | |||| |
Db   358 TGAGATCGACAGTGACGATGCGTGTTCCGCATGAACCAGGACCGCCACCGTGGGCTTTGA 299

Qy   513 agaagtgtcggccgcatgaccatgatcgagttgtcccataccagcgttcctctttt 572
          || | ||| |||||||| | |||| || ||| || |||||| || | ||
Db   298 GGCGGATGTGGGCCAGCGAGCCAGCACCCTGCGTGTCGTCTCACACAACAAGCGTGCCGCTGCT 239

Qy   573 gctaaaaaacctgattattttttcaaggagaggagcgaatactactatttgtgttattgggg 632
          ||| ||| || || || || |||||||||||| |||| | || |||
Db   238 GCTGCCAACATTCACACTACTTCCAGAAGGCCCCGACACACGCTCACATGTGTGGGGG 179

Qy   633 accttccgcaatatgaggagaaagatggcaatggcatcgttcaaacatgttgaaaagagac 692
          ||| || | || ||||||||| |||||||| ||| | || ||| |
Db   178 CCAGGGCAGGCACATGGACCGGGTGCTCGGCGGCGGTGCTTACCGGCCGCGTGCTGCAGCT 119

Qy   693 agttgtatcatcatccgaatgcccaaatacgtgaccacagagaagcgcatgagtgagttactg 752
          | || || |||||| || ||| | | ||||| |||||||||| |||||||
Db   118 CACCAGGATGTACCCCGGCCTGCAGGTGCACACCTTCACGGAGCGGCGCCATGATGGGCCTACTG 59

Qy   753 tgatggagtttttaagaaggaaaactgggaaggacagggggca 794
          |||| ||| || ||||| ||| |||||| |||||| |||| |
Db   58 CGACCAGATCTTCCAGGACGACGGAGACGCGGCAAGAACCCGAGGCA 17

RESULT 13
BG768271
LOCUS   BG768271   743 bp   mRNA   linear   EST 15-MAY-2001
DEFINITION 602744343F1 NIH_MGC_49 Homo sapiens cDNA clone IMAGE:4877194 5',
           mRNA sequence.
ACCESSION BG768271
VERSION   BG768271.1 GI:14078924
KEYWORDS   EST.
SOURCE   human.
   ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

COMMENT   Vector: pBluescript II KS
            V_type: phagemid
            PRIMER: KS
            DESCR:
            One pass dye-terminator sequencing of cosmid cloned genomic
            sequence.

FEATURES   Location/Qualifiers
     source   1..416
                     /organism="Takifugu rubripes"
                     /db_xref="taxon:31033"
                     /clone_lib="cosmid 070p11"
                     /clone="070p11aD6"

BASE COUNT   110 a   86 c   76 g   121 t   23 others
ORIGIN

Query Match   8.4%;   Score 109; DB 12; Length 416;
Best Local Similarity   58.0%;   Pred. No. 9.9e-21;
Matches 181;   Conservative   0;   Mismatches 131;   Indels   0;   Gaps   0:

Qy   505 ggttatgaagaagatgtcggccgcatgaccatgacgagttgtgtcccataccagcgtt 564
          ||| || ||||||||| || ||| | |||| ||||| || || | |||| |||| ||
Db   410 GGGAACGACGAGAAGATGTAGGGAGTNTCACCANCCTNCGAGTTGTGTCTCACACTNGCGTT 351

Qy   565 cctctttgctaaaaaccctgattatttttcaaggaagcgaatactactatttgtgtt 624
          | |||||| || | ||| || || ||| || |||| || | |||| | ||
Db   350 CCCTCGCNGGTGAAGAACGNGCTCTACTACTTCCACCAGCTGCAAATACCACATATNTT 291

Qy   625 atttgggacctttccgacacatatgagaagatggcaatggcatcgttacaacatgttg 684
          | ||||| ||||||| || || || |||| || ||| |||| |||| || ||| ||||
Db   290 TTTTGGGNTCCCGACACAGCAAAATNGAGACAAGANTGGGAAANGGGAAAATCTTCAACGTTCTC 231

Qy   685 aaaaagacagttggtatctatccgaatgcccaaatatacgtgaccacagagaagcgcatg 744
          || ||| |||| | || ||| || || | |||| || | || ||| ||| || ||
Db   230 CTGAAAATANCAAAGANATATCCGAATGTGAAAATGTACTCTATGACTAGTGAGAGAGATT 171

Qy   745 agttactgtgatggagtttttaagaaggaaactgggaaggacagggggcatgcaaggcga 804
          | ||| ||| || |||| || |||| |||| || |||| | ||| ||| | || || ||
Db   170 AAGTACTGCGACCAAGTGTTCCAGAATGAAACGGGAAGACAGAGCAGTAGAGTAATGGTTCA 111

Qy   805 ctgctgatttct 816
          | |||| |||
Db   110 GAAATCATTTNT 99

RESULT 10
AW632589
LOCUS   AW632589   585 bp   mRNA   linear   EST 25-APR-2001
DEFINITION 92617 MARC 1BOV Bos taurus cDNA 5', mRNA sequence.
ACCESSION   AW632589
VERSION   AW632589.1 GI:7389669
KEYWORDS   EST.
SOURCE   cow.
  ORGANISM Bos taurus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
            Bovidae; Bovinae; Bos.
REFERENCE   1 (bases 1 to 585)
  AUTHORS   Smith,T.P.L., Grosse,W.M., Freking,B.A., Roberts,A.J., Stone,R.T.,
            Casas,E., Wray,D.E., White,J., Cho,J., Fahrenkrug,S.C., Bennett
            ,G.L., Heaton,M.P., Laegreid,W.W., Rohrer,G.A., Chitko-McKown,C.G.,
            Pertea,G., Holt,I., Karamycheva,S., Liang,F., Quackenbush,J. and
            Keele,J.W.
  TITLE   Sequence evaluation of four pooled-tissue normalized bovine cDNA
            libraries and construction of a gene index for cattle
  JOURNAL   Genome Res. 11 (4), 626-630 (2001)
  MEDLINE   2118013
   COMMENT Contact: Smith TPL
            USDA, ARS, US Meat Animal Research Center
            PO Box 166, Clay Center, NE 68933-0166, USA
            Tel: 402 762 4366
            Fax: 402 762 4390
            Email: smith@email.marc.usda.gov

Single pass sequencing. Bases called and alt_trimmed with phred
v0.980904.e. Vector identified by cross_match with the -minscore 18
and -minmatch 12 options.
PCR PRimers
FORWARD: AGGAAACAGCTATGACCAT
BACKWARD: GTTTTCCAGTCACGACG
Plate: 81 row: C column: 14
Seq primer: ATTTAGGTGACACTATAG.

FEATURES   Location/Qualifiers
     source   1..585
                     /organism="Bos taurus"
                     /db_xref="taxon:9913"
                     /clone_lib="MARC 1BOV"
                     /tissue_type="pooled"
                     /lab_host="DH10B"
                     /note="Vector: pCMV SPORT6; Site_1: XbaI; Site_2: XhoI;
                     Library made from pooled tissue from lymph node, ovary,
                     fat, hypothalamus, and pituitary."

BASE COUNT   97 a   196 c   184 g   108 t
ORIGIN

Query Match   8.1%;   Score 105; DB 9; Length 585;
Best Local Similarity   53.5%;   Pred. No. 1.7e-19;
Matches 219;   Conservative   0;   Mismatches 190;   Indels   0;   Gaps   0:

Qy   403 tgtgtccatagtgtcaaactcagtcagtggttggccagaaggtggaaatgagatagat 462
          || ||| || || ||||| || || |||| || ||||| |||| ||| ||| |||
Db   158 TGCCCCGTGGTGTCCAGCTCAGGCCAGATGCTGGGCTCGGGCCTGGCGCCGAGATTGAC 217

Qy   463 cgatcctcctgcatttggagaatgaacaatgcccccaccaaagttatgaagaagatgtc 522
          | |||| | ||| | || || || ||||| | || ||| || || ||| || || ||
Db   218 AGCCGTGAGTGCGTACTGCGCATGAACCAGGCGCCGCACCGTGGGCTTGCCGACGACGTG 277

Qy   523 ggccgcatgaccatgattcgagttgtgtcccataccagcgttcctcctttgctaaaaaac 582
          || || |||| ||| || |||| |||| ||||| ||| | | | || || || ||
Db   278 GGGCCAGGCGACCACCTGGCGTCATCTCCCACACCAGCGTCTGCCCTGTTCGTCGGCGAAAC 337

Qy   583 cctgattattttttcaaggaagcgaatactactatttgtttatttgggggaccttccgc 642
          | ||| | | | ||||| ||| || | ||| | || || | |||| || || | ||
Db   338 TATTCCCACTATTTCCAGCAGCACCAGGCCCGGACCACACTCTATGTGCGTGGCGGCCAGGCGAAG 397

Qy   643 aatatgagagaagatggcaatggcatcgttcacaacatgttgaaaaagacagttggtatc 702
          || | | || |||| ||| || ||| || || ||| || || ||||| |||| | |
Db   398 CACATGGACCGGGCCGTGGGTGGCCGCACCTTACACCGTGGCCGCTGCCACTGTGACCAGGTC 457

Qy   703 tatccgaatgcccaaatatacgtgaccacagagaagcgcatgagttactgtgatggagtt 762
          || | ||| || ||| || || || ||| || ||||| ||| |||||| || |||
Db   458 TACCCCGGCCTGCAGGTGTACACATTCACCGAGCCCATGATGGCCTACTGTGACCAGGTC 517

Qy   763 tttaagaagaaactggaaggaacagagggggcatgcaaggcgactgctga 811
          || || || || ||||| || || | ||| ||||| ||| ||||| |
Db   518 TTCCAGGACGAGACGGGCAAGAACCGGAGCGAGGCAGTCCGGGGTCCTTCCTCA 566

RESULT 11
AA205757
LOCUS   AA205757   112 bp   mRNA   linear   EST 27-JAN-1997
DEFINITION zq69c04.r1 Stratagene neuroepithelium (#937231) Homo sapiens cDNA
            clone IMAGE:646854 5' similar to TR:G1280387 G1280387 ALPHA
            2,6-SIALYLTRANSFERASE. ; mRNA sequence.
ACCESSION   AA205757
VERSION   AA205757.1 GI:1803765
KEYWORDS   EST.
SOURCE   human.
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 112)
  AUTHORS   Hillier,L., Lennon,G., Becker,M., Bonaldo,M.F., Chiapelli,B.,
            Chissoe,S., Dietrich,N., DuBuque,T., Favello,A., Gish,W., Hawkins
            ,M., Hultman,M., Kucaba,T., Lacy,M., Le,M., Le,N., Mardis,E., Moore
            ,B., Morris,M., Parsons,J., Prange,C., Rifkin,L., Rohlfing,T.,

```
        4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108, USA
        Tel: 314 286 1800
        Fax: 314 286 1810
        Email: zbrafish@watson.wustl.edu
        Library constructed by: Susan E. Brockerhoff DNA Sequencing by:
        Washington University Genome Sequencing Center Clone distribution:
        RessourcenZentrumPrimarDatenbank, Berlin, Germany (web address:
        www.rzpd.de)
        Seq primer: T3 ET from Amersham
        High quality sequence stop: 418.
FEATURES
    source    1..520
              /organism="Danio rerio"
              /strain="wild-type"
              /db_xref="taxon:7955"
              /clone="4787562"
              /clone_lib="zebrafish adult retina cDNA"
              /sex="mixed"
              /dev_stage="1-2 years"
              /lab_host="E.Coli XL1-Blue MRF' (XL1-Blue MRF')"
              /note="Vector: Lambda ZAP II (pBluescript SK-); Site_1:
              EcoRI; Site_2: SalI; This zebrafish library was
              constructed by Dr. Susan E. Brockerhoff (email:
              sbrocker@u.washington.edu) RZPD library number: 760"
BASE COUNT     128 a     127 c     136 g     129 t
ORIGIN

Query Match        9.0%;   Score 116; DB 10; Length 520;
Best Local Similarity  55.4%;   Pred. No. 9.4e-23;
Matches  224;  Conservative    0;  Mismatches  180;  Indels    0;  Gaps    0;

Qy    166  atggcctgcatcctgaagagaaagtctgtgatgctgctgagcttcatagcagcgttcctt  225
           ||||||| |||  ||||| |||||  ||||| || |||||||  ||||| |  || |||
Db    116  ATGGCCTGGATCTGGAAGAGAAGAAGTCAGTGATTAGTTACCACCTTATCGTCGTGGTGTCT  175

Qy    226  ttcctgctggttgtcgtcttgtaaatgaagtgaagtgaatttcccattgctactaaactgcttt  285
           ||  ||||||||||||| ||||   |||||||   ||  |  ||||  ||
Db    176  CTGTTTTTGGGTGGTGATTAACTGCTCGGGAAACCCTACTTCCTACTGCCAGCCTGTTATTC  235

Qy    286  ggacaacctggtacaaagtggataccattctctacacatacaggcggcccctcgaact  345
           ||    ||  ||        |||||                ||||||
Db    236  GGCCAAAGCTTCAGCAGAGAAACTGGATGTTCTCTGCGTCCACCACACAAGCCTCCAAACCT  295

Qy    346  cactatggatacacataaatgtgaagacacaagagcctttgcaactggactgtgaccttgt  405
           |||  || |||||| ||  |||||  ||  ||||||||  |||||  |||||||| ||||
Db    296  CACCACGCGGCTACCTTAGCGGTCCGTTCCTAACCAGGAGCCCGCTGAAGCTGCATTGTGAGGTCTGC  355

Qy    406  gccatagtgtcaaactcagtcagatggttggccagaaggtgggaaatgaggatagatcga  465
           ||||||| |   || ||  |||||| |||||||| || ||||  |||  |||||| || |
Db    356  AGTGTAGTGTCCAGCTCTGGCCAGATATTGGGACGTGAGGCGGCTGACATTGACCAG  415

Qy    466  tcctcctgcatttggagaatgaacaatgccccaccaaaggttatgaaagagatgtcggc  525
           ||||| ||||||| ||||||  |||||  ||| ||||||| |||| |||  ||||||
Db    416  TCCTCTTGCATATGGAGAATGAACAACGCACGACCACCACCCACCGGGCTTTGAGAGGGATGTGGGA  475

Qy    526  cgcatgaccatgagttgtgtccatacagcgttcctct  569
           || ||| |||  ||| ||||  |||||  ||| ||||||
Db    476  CACAGGACAGACACCTAAGGGTTGTGTCTCCACACAAGTGTTCCTCT  519

RESULT 8
FR0028419/c
LOCUS      FR0028419          610 bp    DNA    linear    GSS 25-JUN-1998
DEFINITION Fugu rubripes GSS sequence, clone 006I18aE5, genomic survey
           sequence.
ACCESSION  AL024791
VERSION    AL024791.1  GI:3262134
KEYWORDS   GSS; genome survey sequence.
SOURCE     Takifugu rubripes
ORGANISM   Takifugu rubripes
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
```

```
         Acanthomorpha; Acanthopterygii; Percomorpha; Tetraodontiformes;
         Tetraodontidae; Takifugu.
REFERENCE  1  (bases 1 to 610)
AUTHORS    Elgar,G., Clark,M., Smith,S., Meek,S., Warner,S., Umrania,Y.,
           Williams,G. and Brenner,S.
TITLE      Direct Submission
JOURNAL    Submitted (09-JUN-1998) MRC Human Genome Mapping Project Resource
           Centre, Hinxton, Cambridge, CB10 1SB, UK. Email:
           biohelp@hgmp.mrc.ac.uk
COMMENT    Vector: pBluescript II KS
           V_type: phagemid
           PRIMER: KS
           DESCR:
           One pass dye-terminator sequencing of cosmid cloned genomic
           sequence.
FEATURES
    source    1..610
              /organism="Takifugu rubripes"
              /db_xref="taxon:31033"
              /clone_lib="cosmid 006I18"
              /clone="006I18aE5"
BASE COUNT     150 a     148 c     136 g     159 t
ORIGIN

Query Match        8.9%;   Score 115.6; DB 12; Length 610;
Best Local Similarity  59.4%;   Pred. No. 1.3e-22;
Matches  190;  Conservative    0;  Mismatches  130;  Indels    0;  Gaps    0;

Qy    363  tgtgaagacacaagagccttgcaactgactgactgactttgtgccatagtgtcaaactc  422
           |||| |  ||||||| || |  ||||| | ||||||  |||  |||||| ||  |||||
Db    324  TGTGTTTTTCTCAGCAGTTCCTGGCCGTGCCACTGCAACCAATGTGNTCTGGTTTCTAGCTC  265

Qy    423  agtcagatggttggccagaaggtgggaaatgagatagatcgatcctccgcattggag  482
           || ||| | | ||  ||||||  | |  ||||||  | |||  |||
Db    264  TGGCCAGATGNTCGGTGCAGGCCTCGAGCAGGAGATAGACAAGATCCAGTGTGTGATCCG  205

Qy    483  aatgaacaatgccccaccaaagttatgaagaagatgtcggccgcatgaccatgaccatgatcg  542
           ||||||||  |  |||| |||||  | | | ||||  |||||  || |||||  |||||
Db    204  GATGAACAACGCGCCACCGCCACGCTGGGTACGAGGAAGATGTAGGGAGTCTCCACCAGCCTGCG  145

Qy    543  agttgtgtccataccaccagcgttctctttgctaaaaacccctgattattttttcaagga  602
           ||||||| ||| | |  |||| | |||  ||| |||||||  |||  ||||| ||||  |||
Db    144  AGTTGTGTCTCACACTAGCGTTCCTCTTGCTGGTGAAGAACGAGCTCTACTACTTCCACCA  85

Qy    603  agcgaatactactatttgtgtatttggggaccttttccgcaatatgaggaaagatggcaa  662
           || |   |||  ||| ||| | || || ||| ||  |  |||||| |  |||||| ||
Db     84  GGCTGCAAATACCACCATATGTTTTNTNTGGGGTCCCGACACGCAAAATGAGACCAGATGGGAN  25

Qy    663  tgcatcgtttacaacatgt  682
           ||||||  ||||||||||
Db     24  NGGACNATTTTTCAACGTTT  5

RESULT 9
FR0022096/c
LOCUS      FR0022096          416 bp    DNA    linear    GSS 10-DEC-1997
DEFINITION F.rubripes GSS sequence, clone 070P11aD6, genomic survey sequence.
ACCESSION  AL014966
VERSION    AL014966.1  GI:2681334
KEYWORDS   GSS; genome survey sequence.
SOURCE     Takifugu rubripes
ORGANISM   Takifugu rubripes
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
           Acanthomorpha; Acanthopterygii; Percomorpha; Tetraodontiformes;
           Tetraodontidae; Takifugu.
REFERENCE  1  (bases 1 to 416)
AUTHORS    Elgar,G., Clark,M., Smith,S., Meek,S., Warner,S., Umrania,Y.,
           Williams,G. and Brenner,S.
TITLE      Direct Submission
JOURNAL    Submitted (08-DEC-1997) MRC Human Genome Mapping Project Resource
           Centre Hinxton, Cambridge, CB10 1SB. Email: biohelp@hgmp.mrc.ac.uk
```

```
                                                      High quality sequence stop: 391.
              gene           /db_xref="taxon:10090"          FEATURES         Location/Qualifiers
                             /clone="D730049G17"                source         1..436
                             /sex="female"                                     /organism="Mus musculus"
                             /tissue_type="mammary gland"                      /strain="C57BL/6J"
                             /clone_lib="RIKEN full-length enriched mouse cDNA library"    /db_xref="taxon:10090"
                             /dev_stage="10 days lactation, adult"             /clone="IMAGE:1177931"
                             1..866                                            /clone_lib="Soares_mammary_gland_NbMMG"
                             /gene="Siat7c"                                    /sex="male"
              misc_feature   1..866                                           /tissue_type="mammary gland"
                             /gene="Siat7c"                                    /dev_stage="4 weeks"
                             /note="data source:MGD, source key:MGI:1341828,  /lab_host="DH10B"
                             evidence:ISS                                      /note="Organ: mammary gland; Vector: pT7T3D-Pac (Pharmacia
                             sialyltransferase 7 ((alpha-N-acetylneuraminyl                ) with a modified polylinker; Site_1: Not I - Site_2: Eco
                             2,3-betagalactosyl-1,3)-N-acetyl galactosaminide             RI; 1st strand cDNA was primed with a Not I - oligo(dT)
                             alpha-2,6-sialyltransferase) C"                              primer [5'
      BASE COUNT    201 a    219 c    199 g    247 t                                      TGTTACCAATCTGAAGTGGGAGCGCCGCGAATGGTTTTTTTTTTTTTTTTTTTTT
      ORIGIN                                                                              T 3'], double-stranded cDNA was ligated to Eco RI
                                                                                          adaptors (Pharmacia), digested with Not I and cloned into
      Query Match              10.4%;     Score 134.4;  DB 11;   Length 866;             the Not I and Eco RI sites of the modified pT7T3 vector.
      Best Local Similarity   79.5%;     Pred. No. 4.4e-28;                              RNA provided by Dr. Minoru Ko. Wayne State Univ. Library
      Matches 159;  Conservative      0;  Mismatches  41;  Indels  0;  Gaps  0;         constructed and normalized by Bento Soares and M.Fatima
                                                                                          Bonaldo."
      Qy   179 tgaagagaagtcgtgattgctgtgagctcatagcagcgttccttttcctgctggttg 238   BASE COUNT   102 a   113 c   99 g   122 t
              || |||| ||| ||| ||| ||||||||||||||| ||| ||  |||| |||||||   ORIGIN
      Db   241 TGCAGAGGAAGCCCGTGCTTGTGGTGAGCTTCATAGCCCTGTGCATCTTGCTGCTAGCCA 300

                                                                            Query Match              10.2%;     Score 131.4;  DB 9;   Length 436;
      Qy   239 tcgtcttgtaaatgaagtgaattccattgctactaaactgcttggacaacctggta 298   Best Local Similarity   79.2%;     Pred. No. 2.6e-27;
              |||| ||||| ||||| || |||  ||||| ||  ||||||||| |||||| |     Matches 156;  Conservative      0;  Mismatches  41;  Indels  0;  Gaps  0;
      Db   301 TGCGCCTTGTCAATGATGCGACTTTCCCTTGCTCCTGAACTGCTTGGACAGCCTAAGA 360

      Qy   299 caaagtgataccattcctcctacacatacaggcggcccctcgactcactatggataca 358   Qy   182 agagaaagtctgtgattgctgtgagcttcatagcagcgttccttttcctgctggtgtgc 241
              || ||||||| ||| ||||| ||||||||||||||||||||||||||||||||          ||| |||| ||| ||||||| ||| ||||| ||||| |||||||||| |||||||
      Db   361 CCAAATGGATCCCTTTGCCTACACATTCAGGCAGCCTCTTCGAACTCACTATGGATACA 420   Db    69 AGAAGAAGCCCGTGCTTGTGGTGAGCTTCATAGCCCTGTGCATCTTGCTGCTAGCCATGC 128

      Qy   359 taaatgtgagacacaagag 378                                        Qy   242 gtcttgtaaatgaagtgaatttccattgctactaaactgcttggacaacctggtacaa 301
              ||||||| ||| |||||                                                ||||| ||||| ||||||| |||||| |||| ||||| |||||||| |||| |||
      Db   421 TAAATGTGAGGACCCAAGAG 440                                       Db   129 GCCTTGTCAATGATGCGACTTTCCCTTGCTCCTGAACTGCTTGGACAGCCTAAGACCA 188

      RESULT   6                                                           Qy   302 agtggataccattctcctacacatacaggcggcccctcgaactcactatggatacataa 361
      AA718806   EST.                                                             ||||| |||| ||||| |||||||||| |||| || ||||||||| ||||||||||||
      LOCUS      AA718806        436 bp    mRNA    linear   EST 29-DEC-1997 Db   189 AATGGATCCCTTTGCCCTACACATTCAGGCAGCCTCTTCGAACTCACTATGGATACATAA 248
      DEFINITION vt85d06.r1 Soares_mammary_gland_NbMMG Mus musculus cDNA clone
                 IMAGE:1177931 5' similar to SW:CAG7_RAT Q64686              Qy   362 atgtgaagacacaagag 378
                 ALPHA-N-ACETYLGALACTOSAMINIDE ALPHA-2,6-SIALYLTRANSFERASE ;, mRNA    ||||| ||| |||||
                 sequence.                                                  Db   249 ATGTGAGGACCCAAGAG 265
      ACCESSION  AA718806
      VERSION    AA718806.1   GI:2731080                                    RESULT   7
      KEYWORDS   EST.                                                       BI318445
      SOURCE     house mouse.                                               LOCUS      BI318445        520 bp    mRNA    linear   EST 20-JUL-2001
      ORGANISM   Mus musculus                                              DEFINITION fp69h10.y1 zebrafish adult retina cDNA Danio rerio cDNA clone
                 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;    4787562 5' similar to TR:Q9WUV2 Q9WUV2 GALNAC ALPHA-2
                 Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.   ,6-SIALYLTRANSFERASE ;, mRNA sequence.
      REFERENCE  1  (bases 1 to 436)                                       ACCESSION  BI318445
      AUTHORS    Marra,M., Hillier,L., Allen,M., Bowles,M., Dietrich,N., Dubuque,T.,   VERSION    BI318445.1   GI:14992772
                 Geisel,S., Kucaba,T., Lacy,M., Le,M., Martin,J., Morris,M.,           KEYWORDS   EST.
                 Schellenberg,K., Steptoe,M., Tan,F., Underwood,K., Moore,B.,          SOURCE     zebrafish.
                 Theising,B., Wylie,T., Lennon,G., Soares,B., Wilson,R. and            ORGANISM   Danio rerio
                 Waterston,R.                                                          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
      TITLE      The WashU-HHMI Mouse EST Project                                      Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes
      JOURNAL    Unpublished (1996)                                                    ; Cyprinidae; Danio.
      COMMENT    Contact: Marra M/Mouse EST Project                         REFERENCE  1  (bases 1 to 520)
                 WashU-HHMI Mouse EST Project                               AUTHORS    Clark,M., Johnson,S.L., Lehrach,H., Lee,R., Li,F., Marra,M., Eddy
                 Washington University School of MedicineP                             ,S., Hillier,L., Kucaba,T., Martin,J., Beck,C., Wylie,T., Underwood
                 4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108               ,K., Steptoe,M., Theising,B., Allen,M., Bowers,Y., Person,B.,
                 Tel: 314 286 1800                                                     Swaller,T., Gibbons,M., Pape,D., Harvey,N., Schurk,R., Ritter,E.,
                 Fax: 314 286 1810                                                     Kohn,S., Shin,T., Jackson,Y., Cardenas,M., McCann,R., Waterston,R.
                 Email: mouseest@watson.wustl.edu                                      and Wilson,R.
                 This clone is available royalty-free through LLNL ; contact the       TITLE      WashU Zebrafish EST Project 1998
                 IMAGE Consortium (info@image.llnl.gov) for further information.       JOURNAL    Unpublished (1998)
      MGI:63779                                                             COMMENT    Contact: Stephen L. Johnson
                 Seq primer: -28m13 rev2 ET from Amersham                              Washington University School of Medicine
```

```
                /clone="UI-R-C2p-gg-c-01-0-UI"
                /clone_lib="UI-R-C2p"
                /dev_stage="adult"
                /lab_host="DH10B (Life Technologies)"
                /note="Vector: pT7T3D-Pac (Pharmacia) with a modified
                polylinker; Site_1: Not I; Site_2: Eco RI; The UI-R-C2p
                library is a subtracted library derived from the UI-R-C1
                library, which is a subtracted library derived from the
                UI-R-C0 library. The UI-R-C0 library consisted of a
                mixture of individually tagged normalized libraries
                constructed from rat placenta, adult lung, brain, liver,
                kidney, heart, spleen, ovary, muscle, 8, 12 and 18-day
                embryo. The tag is a string of 3-5 nucleotides present
                between the Not I site and the oligo-dT track which allows
                identification of the library of origin of a clone within
                the mixture. The subtracted library (UI-R-C2p) was
                constructed as follows: PCR amplified cDNA inserts from
                UI-R-C1 clones from which 3' ESTs had been derived was
                used as a driver in a hybridization with the UI-R-C1
                library in the form of single-stranded circles. The
                remaining single-stranded circles (subtracted library) was
                purified by hydroxyapatite column chromatography,
                converted to double-stranded circles and electroporated
                into DH10B bacteria (Life Technologies) to generate the
                UI-R-C2p library. This procedure has been previously
                described (Bonaldo, Lennon and Soares, Genome Research 6:
                791-806, 1996)"
BASE COUNT      87 a      114 c      88 g      93 t
ORIGIN

Query Match      11.2%;    Score 145.4;  DB 10;  Length 382;
Best Local Similarity  79.0%;  Pred. No. 1.9e-31;
Matches  173;    Conservative  0;  Mismatches  46;  Indels  0;  Gaps  0;

Qy    160 agcgccatggcctgcatcctgaagagaaagtctgtgattgctgtgagcttcatagcagcg 219
          ||||||||| |||||||| ||| |||| ||| ||| ||||| ||||||||||||| |
Db     67 AGCGCCATGGGCTGCATCCTCAACAGGAAGCCTGCCGCTTGCGGTGAGCTTCATAACCCTG 126

Qy    220 ttccttttcctgctggttgtgcgtcttgtaaatgaagtgaattcccattgctactaaac 279
          ||||| |||||||||  |||| |||| ||| |||||||||||| ||  |||  ||
Db    127 TGCATCTTGCTGCGAGCCATCGCCGCCTTGCCAATGACGTGACTTTCCCTTTGCTCGTGAAC 186

Qy    280 tgctttggacaacctggtacaaagtggatacccattcctacacatacaggcgccccctt 339
          ||||||||||||  |  ||||| || |||| ||||||| || ||||| ||| ||| | |
Db    187 TGCTTTGGACAACCTAAACCAAATGGATCCCTTTGTCCTAGACACTCAGGCAGCCTCTT 246

Qy    340 cgaactcactatggatacataaatgtgaagacacaagag 378
          |  ||||||||||||||||||||| ||| || ||||||
Db    247 CAAACTCACTATGGATACATAAACGTGAGGACCCAAGAG 285

RESULT  5
AK021356
LOCUS       AK021356              866 bp    mRNA     linear   HTC 19-JAN-2002
DEFINITION  Mus musculus 10 days lactation, adult female mammary gland cDNA,
            RIKEN full-length enriched library,
            clone:D730049G17:sialyltransferase 7 ((alpha-N-acetylneuraminyl
            2,3-betagalactosyl-1,3)-N-acetyl galactosaminide
            alpha-2,6-sialyltransferase) C, full insert sequence.
ACCESSION   AK021356
VERSION     AK021356.1  GI:12862223
KEYWORDS    HTC; CAP trapper.
SOURCE      Mus musculus (strain:C57BL/6J) 10 days lactation, adult female
            mammary gland cDNA to mRNA, clone_lib:RIKEN full-length enriched
            mouse cDNA library clone:D730049G17.
ORGANISM    Mus musculus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1  (sites)
AUTHORS     Carninci,P. and Hayashizaki,Y.
TITLE       High-efficiency full-length cDNA cloning
JOURNAL     Meth. Enzymol. 303, 19-44 (1999)
```

```
MEDLINE     99279253
PUBMED      10349636
REFERENCE   2  (sites)
AUTHORS     Carninci,P., Shibata,Y., Hayatsu,N., Sugahara,Y., Shibata,K.,
            Itoh,M., Konno,H., Okazaki,Y., Muramatsu,M. and Hayashizaki,Y.
TITLE       Normalization and subtraction of cap-trapper-selected cDNAs to
            prepare full-length cDNA libraries for rapid discovery of new genes
JOURNAL     Genome Res. 10 (10), 1617-1630 (2000)
MEDLINE     20499374
PUBMED      11042159
REFERENCE   3  (sites)
AUTHORS     Shibata,K., Itoh,M., Aizawa,K., Nagaoka,S., Sasaki,N., Carninci,P.,
            Konno,H., Akiyama,J., Nishi,K., Kitsunai,T., Tashiro,H., Itoh,M.,
            Sumi,N., Ishii,Y., Nakamura,S., Hazama,M., Nishine,T., Harada,A.,
            Yamamoto,R., Matsumoto,H., Sakaguchi,S., Ikegami,T., Kashiwagi,K.,
            Fujiwake,S., Inoue,K., Togawa,Y., Izawa,M., Ohara,E., Watahiki,M.,
            Yoneda,Y., Ishikawa,T., Ozawa,K., Tanaka,T., Matsuura,S., Kawai,J.,
            Okazaki,Y., Muramatsu,M., Inoue,Y., Kira,A. and Hayashizaki,Y.
TITLE       RIKEN integrated sequence analysis (RISA) system-384-format
            sequencing pipeline with 384 multicapillary sequencer
JOURNAL     Genome Res. 10 (11), 1757-1771 (2000)
MEDLINE     20530913
PUBMED      11076861
REFERENCE   4  (sites)
AUTHORS     The RIKEN Genome Exploration Research Group Phase II Team and the
            FANTOM Consortium.
TITLE       Functional annotation of a full-length mouse cDNA collection
JOURNAL     Nature 409, 685-690 (2001)
REFERENCE   5  (bases 1 to 866)
AUTHORS     Adachi,J., Aizawa,K., Akahira,S., Akimura,T., Aono,H., Arai,A.,
            Arakawa,T., Baldarelli,R., Bono,H., Brownstein,M., Bult,C.,
            Carninci,P., Fukuda,S., Fukunishi,Y., Furuno,M., Hanagaki,T.,
            Hara,A., Hayatsu,N., Hill,D., Hiramoto,K., Hiraoka,T., Hori,F.,
            Hume,D., Imotani,K., Ishii,Y., Itoh,M., Izawa,M., Kasukawa,T.,
            Kato,H., Kawai,J., Kojima,Y., Konno,H., Kouda,M., Koya,S.,
            Kurihara,C., Matsuyama,T., Miyazaki,A., Nishi,K., Nomura,K.,
            Numazaki,R., Ohno,M., Okazaki,Y., Okido,T., Owa,C., Quackenbush,J.,
            Saito,H., Saito,R., Sakai,C., Sakai,K., Sano,H., Sasaki,D.,
            Schriml,L., Shibata,K., Shibata,Y., Shinagawa,A., Shiraki,T.,
            Sogabe,Y., Suzuki,H., Tagami,M., Tagawa,A., Takahashi,F.,
            Tanaka,T., Tejima,Y., Toya,T., Yamamura,T., Yamanaka,I.,
            Yasunishi,A., Yoshida,K., Yoshino,M., Muramatsu,M. and
            Hayashizaki,Y.
TITLE       Direct Submission
JOURNAL     Submitted (18-AUG-2000) Yoshihide Hayashizaki, The Institute of
            Physical and Chemical Research (RIKEN), Laboratory for Genome
            Exploration Research Group; RIKEN Genomic Sciences Center (GSC),
            RIKEN Yokohama Institute; 1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama,
            Kanagawa 230-0045, Japan (E-mail:genome-res@gsc.riken.go.jp,
            URL:http://genome.gsc.riken.go.jp/, Tel:81-45-503-9222,
            Fax:81-45-503-9216)
COMMENT     Please visit our web site (http://genome.gsc.riken.go.jp/) for
            further details.
            cDNA library was prepared and sequenced in Mouse Genome
            Encyclopedia Project of Genome Exploration Research Group in Riken
            Genomic Sciences Center and Genome Science Laboratory in RIKEN.
            Division of Experimental Animal Research in Riken contributed to
            prepare mouse tissues. First strand cDNA was primed with a primer
            [5' GAGAGAGAGAGGATCCAAGAGCTCTTTTTTTTTTTTTTTTTTTVN 3'], cDNA was
            prepared by using trehalose thermo-activated reverse transcriptase
            and subsequently enriched for full-length by cap-trapper. cDNA went
            through two rounds of normalization to Rot = 20.0 and subtraction
            to Rot = 478.8. Second strand cDNA was prepared with the primer
            adapter of sequence [5'
            GAGAGAGAGATTCAGAGTTCGAGTTAATTAAATTAAATTAATCCCCCCCCCCCCC 3']. cDNA was cleaved
            with BamHI and XhoI. Vector: a modified pBluescript KS(+) after
            bulk excision from Lambda FLC I. Cloning sites, 5' end: SalI; 3'
            end: BamHI. Host: DH10B.
FEATURES             Location/Qualifiers
     source          1..866
                     /organism="Mus musculus"
                     /strain="C57BL/6J"
                     /db_xref="MGD:MGI:1911756"
```

Query Match
Best Local Similarity   21.4%;   Score 277; DB 9; Length 633;
                         78.6%; Pred. NO. 4.7e-70;
Matches 331; Conservative 0; Mismatches 90; Indels 0; Gaps 0;

```
Qy   377 agccttgcaactggactgaccttgtgccatagtgtcaaactcaggtcagatggttg 436
             ||||||||||||||||||||||||||||||||||||||| |||||| ||||||
Db   111 AGCCTTGCAACTGACTGTAACCACTGGCCATCGTGTCAAATTCAGGTCAAATGCTCG 170

Qy   437 gccagaaggtgggaaatgagatagatcgatcctcctgcatttggagaatgacaatgccc 496
             ||||||| ||||||||||||||||| |||||||| |||||| ||||||| |||
Db   171 GGCAGAAGGGGGGGAAGAGATAGACCATGCATCCTGGAGAATGAACAACGCCC 230

Qy   497 ccaccaaagttatgaagaagatgtcggccgcatgaccatgatccgagttgtgtcccata 556
             |||||| ||| ||| |||||||| ||||| |||| ||| ||||||||| |||
Db   231 CAACCAAGGGCTTTGAGGAAGATGTCGGCTACCTGACAATGGTCCGAGTTGTGCCACATA 290

Qy   557 ccagcgttcctctttgctcaaaaacccgattattttcaaggaagcgaatactacta 616
             || ||||||||||||||||||| ||| |||||||| ||||||||||||||||||
Db   291 CCAGTGCCCCTCCTCGTCGAAAAACCCTGACTATTTTTCAAAGAGCAGCAGCCGGACCC 350

Qy   617 tttgtgttattggggaccttccgcaatatgagggaaagatggcaatggcatcgtttaca 676
             ||| ||||||||||| ||||||| |||| ||||||||||||||||||||||||
Db   351 TTTATGTTATCTGGGGCCCTTTCCGCACCATGAGGAAGAAGATGGTAATGGCATCGTGTCCA 410

Qy   677 acatgttgaaaagacagttggtatctatccgaatgccaaatatacgtgaccacagaga 736
             |||||| || |||| |||| ||||||||||| |||| |||| ||||||||||||||
Db   411 ACATGTTAAAGAAGACAGTTGCTGCCTATCCGATGCCCGATCTACGTGACCACAGAGC 470

Qy   737 agcgcatagttactgtgatggagtttttaagaaggaaacctgggaggggacatg 796
             || || ||||||||||| |||||||||||||| ||||| ||||||||||||| |
Db   471 CGCCGATGACTCACTGCCGATTGCGTGTTTTAGGTTGCGACTGGCAAGGACGAGTCCCTC 530

Qy   797 c 797
           |
Db   531 C 531
```

RESULT   4
BF545706
LOCUS   BF545706   382 bp   mRNA   linear   EST 11-DEC-2000
DEFINITION UI-R-C2p-qq-c-01-0-UI.r1 UI-R-C2p Rattus norvegicus cDNA clone
            UI-R-C2p-qq-c-01-0-UI 5', mRNA sequence.
ACCESSION   BF545706
VERSION   BF545706.1 GI:11636813
KEYWORDS   EST.
SOURCE   Norway rat.
ORGANISM   Rattus norvegicus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae;
            Rattus.
REFERENCE   1 (bases 1 to 382)
AUTHORS   Bonaldo,M.F., Lennon,G. and Soares,M.B.
TITLE   Normalization and subtraction: two approaches to facilitate gene
            discovery
JOURNAL   Genome Res. 6 (9), 791-806 (1996)
MEDLINE   97044477
COMMENT   Contact: Soares, MB
            Program for Rat Gene Discovery and Mapping
            University of Iowa
            451 Eckstein Medical Research Building Iowa City, IA 52242, USA
            Tel: 319 335 8250
            Fax: 319 335 9565
            Email: msoares@blue.weeg.uiowa.edu
            cDNA Library Preparation: M.B. Soares Lab Clone distribution:
            clones will be available through Research Genetics (www.resgen.com)
            This clone is also available through the I.M.A.G.E. Consortium at
            LLNL (info@image.llnl.gov). IMAGE ID= 1789139
            Seq primer: M13 Forward.
FEATURES   Location/Qualifiers
     source   1..382
                     /organism="Rattus norvegicus"
                     /strain="Sprague-Dawley"
                     /db_xref="taxon:10116"

         ,M., Koya,S., Matsuyama,T., Miyazaki,A., Nomura,K., Ohno,M.,
         Okazaki,Y., Okido,T., Saito,R., Sakai,C., Sakai,K., Sano,H., Sasaki
         ,D., Shibata,K., Shinagawa,A., Shiraki,T., Sogabe,Y., Suzuki,H.,
         Tagami,M., Tagawa,A., Takahashi,F., Takeda,Y., Tanaka,T., Toya,T.,
         Muramatsu,M. and Hayashizaki,Y.
TITLE   RIKEN Mouse ESTs (Arakawa,T., et al. 2001)
JOURNAL Unpublished (2001)
COMMENT Contact: Yoshihide Hayashizaki
         Laboratory for Genome Exploration Research Group, RIKEN Genomic
         Sciences Center (GSC), Yokohama Institute
         The Institute of Physical and Chemical Research (RIKEN)
         1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama, Kanagawa 230-0045, Japan
         Tel: 81-45-503-9222
         Fax: 81-45-503-9216
         Email: genome-res@gsc.riken.go.jp,
         URL:http://genome.gsc.riken.go.jp/
Carninci,P., Shibata,Y., Hayatsu,N., Sugahara,Y., Shibata,K., Itoh
,M., Konno,H., Okazaki,Y., Muranatsu,M. and Hayashizaki,Y.
Normalization and subtraction of cap-trapper-selected cDNAs to
prepare full-length cDNA libraries for rapid discovery of new
genes. Genome Res. . 10 (10), 1617-1630 (2000)
wagi,K., Fujiwake,S., Inoue,K., Togawa,Y., Izawa,M., Ohara,E.,
Watahiki,M., Yoneda,Y., Ishikawa,T., Ozawa,K., Tanaka,T., Matsuura
,S., Kawai,J., Okazaki,Y., Muramatsu,M., Inoue,Y., Kira,A. and
Hayashizaki,Y.
RIKEN integrated sequence analysis (RISA) system--384-format
sequencing pipeline with 384 multicapillary sequencer. Genome Res. .
10 (11), 1757-1771 (2000)
Konno,H., Fukunishi,Y., Shibata,K., Itoh,M., Carninci,P., Sugahara
,Y. and Hayashizaki,Y.
Computer-based methods for the mouse full-length cDNA
encyclopedia: real-time sequence clustering for construction of a
nonredundant cDNA library. Genome Res. . 11 (2), 281-289 (2001)
Kondo,S., Shinagawa,A., Saito,T., Kiyosawa,H., Yamanaka,I., Aizawa
,K., Fukuda,S., Hara,A., Itoh,M., Kawai,J., Shibata,K. and
Hayashizaki,Y.
Computational Analysis of Full-Length Mouse cDNAs Compared with
Human Genome Sequences. Mamm. Genome. 12, 673-677 (2001)
Please visit our web site (http://genome.gsc.riken.go.jp) for
further details.
e mouse tissues.
FEATURES   Location/Qualifiers
     source   1..633
                     /organism="Mus musculus"
                     /strain="C57BL/6J"
                     /db_xref="taxon:10090"
                     /clone="402242016"
                     /clone_lib="RIKEN full-length enriched, 15 days embryo
                     head"
                     /sex="mixed"
                     /tissue_type="head"
                     /dev_stage="15 days embryo"
                     /lab_host="DH10B"
                     /note="Site_1: SalI; Site_2: BamHI; cDNA library was
                     prepared and sequenced in Mouse Genome Encyclopedia
                     Project of Genome Exploration Research Group in Riken
                     Genomic Sciences Center and Genome Science Laboratory in
                     RIKEN. Division of Experimental Animal Research in Riken
                     contributed to prepare mouse tissues. 1st strand cDNA was
                     primed with a primer [5'
                     GAGAGAGAAGGATCCAAGAGCTCTTTTTTTTTTTTTTTTTVN 3'], cDNA was
                     prepared by using trehalose thermo-activated reverse
                     transcriptase and subsequently enriched for full-length by
                     cap-trapper. Second strand cDNA was prepared with the
                     primer adapter of sequence [5'
                     GAGAGAGAGATTCTGCAGTTAATTAAATTAAATTAATCCCCCCCCCCC 3']. cDNA
                     was cloned into the XhoI and BamHI sites. Vector: a
                     modified pBluescript KS(+) after bulk excision from Lambda
                     FLC I"
BASE COUNT   134 a   178 c   175 g   146 t
ORIGIN

```
RESULT   2
BB659263
LOCUS        BB659263              635 bp    mRNA            linear      EST 26-OCT-2001
DEFINITION   BB659263 RIKEN full-length enriched, 13 days embryo heart Mus
             musculus cDNA clone D330028F02 5', mRNA sequence.
ACCESSION    BB659263
VERSION      BB659263.1  GI:16493085
KEYWORDS     EST.
SOURCE       house mouse.
ORGANISM     Mus musculus
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE    1  (bases 1 to 635)
AUTHORS      Arakawa,T., Carninci,P., Fukuda,S., Furuno,M., Hanagaki,T., Hara,A.
             , Hiramoto,K., Hori,F., Ishii,Y., Ito.M., Kawai,J., Konno,H., Kouda
             ,M., Koya,S., Matsuyama,T., Miyazaki,A., Nomura,K., Ohno,M.,
             Okazaki,Y., Okido,T., Saito,R., Sakai,C., Sakai,K., Sano,H., Sasaki
             ,D., Shibata.K., Shinagawa,A., Shiraki,T., Sogabe,Y., Suzuki,H.,
             Tagami,M., Tagawa,A., Takahashi,F., Takeda,Y., Tanaka,T., Toya,T.,
             Muramatsu,M. and Hayashizaki,Y.
TITLE        RIKEN Mouse ESTs (Arakawa,T. et al. 2001)
JOURNAL      Unpublished (2001)
COMMENT      Contact: Yoshihide Hayashizaki
             Laboratory for Genome Exploration Research Group, RIKEN Genomic
             Sciences Center(GSC), Yokohama Institute
             The Institute of Physical and Chemical Research (RIKEN)
             1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama, Kanagawa 230-0045, Japan
             Tel: 81-45-503-9222
             Fax: 81-45-503-9216
             Email: genome-res@gsc.riken.go.jp,
             URL:http://genome.gsc.riken.go.jp/
             Carninci,P., Shibata,Y., Hayatsu,N., Sugahara,Y., Shibata,K., Itoh
             ,M., Konno,H., Okazaki,Y., Muramatsu,M. and Hayashizaki,Y.
             Normalization and subtraction of cap-trapper-selected cDNAs to
             prepare full-length cDNA libraries for rapid discovery of new
             genes. Genome Res. 10 (10), 1617-1630 (2000)
             Wagi,K., Fujiwake,S., Inoue,K., Togawa,Y., Izawa,M., Ohara,E.,
             Watahiki,M., Yoneda,Y., Ishikawa,T., Ozawa,K., Tanaka,T., Matsuura
             ,S., Kawai,J., Okazaki,Y., Muramatsu,M., Inoue,Y., Kira,A. and
             Hayashizaki,Y.
             RIKEN integrated sequence analysis (RISA) system--384-format
             sequencing pipeline with 384 multicapillary sequencer. Genome Res.
             10 (11), 1757-1771 (2000)
             Konno,H., Fukunishi,Y., Shibata,K., Itoh,M., Carninci,P., Sugahara
             ,Y. and Hayashizaki,Y.
             Computer-based methods for the mouse full-length cDNA
             encyclopedia: real-time sequence clustering for construction of a
             nonredundant cDNA library. Genome Res. 11 (2), 281-289 (2001)
             Kondo,S., Shinagawa,A., Saito,T., Kiyosawa,H., Yamanaka,I., Aizawa
             ,K., Fukuda,S., Hara,A., Itoh,M., Kawai,J., Shibata,K. and
             Hayashizaki,Y.
             Computational Analysis of Full-Length Mouse cDNAs Compared with
             Human Genome Sequences. Mamm. Genome. 12, 673-677 (2001)
             Please visit our web site (http://genome.gsc.riken.go.jp) for
             further details.
FEATURES     Location/Qualifiers
     source  1..635
             /organism="Mus musculus"
             /db_xref="taxon:10090"
             /clone="D330028F02"
             /clone_lib="RIKEN full-length enriched, 13 days embryo
             heart"
             /tissue_type="heart"
             /dev_stage="13 days embryo"
             /lab_host="DH10B"
             /note="Site_1: SalI; Site_2: BamHI; cDNA library was
             prepared and sequenced in Mouse Genome Encyclopedia
             Project of Genome Exploration Research Group in Riken
             Genomic Sciences Center and Genome Science Laboratory in
             RIKEN. Division of Experimental Animal Research in Riken
             contributed to prepare mouse tissues. 1st strand cDNA was
             primed with a primer [5'
             GAGAGAGAGAGGCGGCCGCAACTCGAGTTTTTTTTTTTTTTTVN 3'], cDNA was
             prepared by using trehalose thermo-activated reverse
             transcriptase and subsequently enriched for full-length by
             cap-trapper. Second strand cDNA was prepared with the
             primer adapter of sequence [5'
             GAGAGAGAGATTCGAGTTAATTAAATTAATCCCCCCCCCC 3'].cDNA
             was cleaved with BamHI and XhoI. Vector: a modified
             pBluescript KS(+) after bulk excision from Lambda FLC I."
BASE COUNT       158 a     167 g     152 t
ORIGIN

Query Match             30.0%;  Score 388.8;  DB 9;  Length 635;
Best Local Similarity   81.7%;  Pred. No. 6.4e-103;
Matches    461;  Conservative    0;  Mismatches  102;  Indels    1;  Gaps    1;

Qy    160 agcgccatggcctgcatcctgaaggagaaagtctggattgctgtggcttcatagcagcg 219
          ||||||||||| |||||||| ||||||||||| ||| ||| |||||||||||||||||
Db     73 AGCGCCATGGCCTGCATCCTCAAGAGAGAAGCCCGTGCTGTGGGTGAGCTTCATAGCCCTG 132

Qy    220 ttcctttcctgctggtgtgcgtccttgtaaatgaagtgaattcccattgctactaaac 279
          | ||| ||||||||||||||| ||||| ||| ||||| || ||||| ||||||||| ||
Db    133 TGCATCTTGCTGCTAGCCATGCGCCTTGTCAATGATGCGGACTTTCCCTTTGCTCCTGAAC 192

Qy    280 tgcttggacaacctggtacaaagtggataccattctcctacacatacaggcggcccctt 339
          ||||||||| ||| |||| ||| | ||| |||||||| ||||| || || ||| |||||
Db    193 TGCTTTGGACAGCCTAAGACCAAATGGATCCCTTTGCCCTACACAATTCAGGCAGCCTCTT 252

Qy    340 cgaactcactatggatacatataatgtgaagacacaagagccttgcaactggactgtgac 399
          ||||| |||| || || ||||| ||||||||||||||| ||||||||| |||||| ||||
Db    253 CGAACTCACTATGGATACATAAATGTGAGGACCCAAGAGCCTTTGCAACTGAACTGTAAC 312

Qy    400 ctttgtgccatagtgtcaaactcagtcagatggttggccagaagtgggaaatgagata 459
          |||||||| ||||| ||||| ||| |||| || |||| ||| |||| |||| || |||
Db    313 CACTGTGCCATCGTGTCAAATTCAGGTCAAATGGTCGGGCAGAAGTGGGGGAAGAGATT 372

Qy    460 gatcgatcctcctgcatttggagaatgaacaatgcccccaccaaaggttatgaagaagat 519
          || || ||||| | |||||||||| |||| ||| ||||||||||||| ||||||||||
Db    373 GACCATGCATCCTGCCATCTGGAGAATGAACAACGCCCCACCAACAAGGGCTTTGAGGAAGAT 432

Qy    520 gtcggccgcatgaccatgattcgagttgtgtccatacacagcgtcctctttgctaaaa 579
          |||| ||| || | ||| ||| |||| |||| || ||||| ||||||| |||||||
Db    433 GTCGGCCTACATGACAATGGTCCGAGTTGTGTCACATACCAGTGTCCCTCTTCTTGCTGAAA 492

Qy    580 aacctgattatttttcaaggagcgaatactactatttgtgttattgggggacctttc 639
          ||||||| | ||||||||||||||| |||| || ||| ||| |||||||||||| ||
Db    493 AATCCTGACTATTTTTCAAAGAGCAAGCAGCAGCACCATTTATGTTATCTGGGGCCCTTTC 552

Qy    640 cgcaatatgaggaaagatggcaatggcatcgttcaacaatgtgaaaaagacagttggt 699
          || || |||||| ||||||| | ||||| || |||||| || || ||| |||||||
Db    553 CG-AACATGAGGAAGGATGGTAATGGCATCGTTACAACATGTTACAACATGTTAAAGAAGACAGTTGAT 611

Qy    700 atctatccgaatgccaaatatac 723
          |||||| |||| || || ||||
Db    612 GCCTATCCAGATGCGCAGATCTAC 635
```

```
RESULT   3
BB612074
LOCUS        BB612074              633 bp    mRNA            linear      EST 26-OCT-2001
DEFINITION   BB612074 RIKEN full-length enriched, 15 days embryo head Mus
             musculus cDNA clone 4022442016 5', mRNA sequence.
ACCESSION    BB612074
VERSION      BB612074.1  GI:16453153
KEYWORDS     EST.
SOURCE       house mouse.
ORGANISM     Mus musculus
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE    1  (bases 1 to 633)
AUTHORS      Arakawa,T., Carninci,P., Fukuda,S., Furuno,M., Hanagaki,T., Hara,A.
             , Hiramoto,K., Hori,F., Ishii,Y., Ito.M., Kawai,J., Konno,H., Kouda
```

91	72.4	5.6	685	10	BG702729	602684282
92	72.4	5.6	782	10	BE887312	601510136
93	72.4	5.6	946	9	AL520012	AL520012
94	72	5.6	1122	10	BF310958	BF310958
c 95	71.2	5.5	430	10	AW936848	PM4-DT002
96	71.2	5.5	539	10	BE883056	BE883056 601510066
c 97	70.8	5.5	1034	12	CNS0572V	AL324112 Tetraodon
98	70.2	5.4	977	10	BG251682	BG251682 602363577
c 99	70	5.4	490	10	BF196372	BF196372 7n69b08.x
c 100	70	5.4	832	10	BI838900	BI838900 603087140

ALIGNMENTS

RESULT   1
BB626911

LOCUS   BB626911   659 bp   mRNA   linear   EST 31-AUG-2001
DEFINITION   BB626911 RIKEN full-length enriched, 12 days embryo, embryonic body
             between diaphragm region and neck Mus musculus cDNA clone
             9430041E16 5', mRNA sequence.
ACCESSION   BB626911
VERSION   BB626911.1   GI:15399967
KEYWORDS   EST.
SOURCE   house mouse.
ORGANISM   Mus musculus
             Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
             Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1 (bases 1 to 659)
AUTHORS   Arakawa,T., Carninci,P., Fukuda,S., Furuno,M., Hanaqaki,T., Hara,A.
             ,M., Koya,S., Matsuyama,T., Miyazaki,A., Nomura,K., Ohno,M.,
             ,Hiramoto,K., Hori,F., Ishii,Y., Ito,M., Kawai,J., Konno,H., Kouda
             Okazaki,Y., Okido,T., Saito,R., Sakai,C., Sakai,K., Sano,H., Sasaki
             ,D., Shibata,K., Shinagawa,A., Shiraki,T., Sogabe,Y., Suzuki,H.,
             Tagami,M., Tagawa,A., Takahashi,F., Takeda,Y., Tanaka,T., Toya,T.,
             Muramatsu,M. and Hayashizaki,Y.
TITLE   RIKEN Mouse ESTs (Arakawa,T. et al. 2001)
JOURNAL   Unpublished (2001)
COMMENT   Contact: Yoshihide Hayashizaki
             Laboratory for Genome Exploration Research Group, RIKEN Genomic
             Sciences Center (GSC), Yokohama Institute
             The Institute of Physical and Chemical Research (RIKEN)
             1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama, Kanagawa 230-0045, Japan
             Tel: 81-45-503-9222
             Fax: 81-45-503-9216
             Email: genome-res@gsc.riken.go.jp,
             URL:http://genome.gsc.riken.go.jp/
             Carninci,P., Shibata,Y., Hayatsu,N., Sugahara,Y., Shibata,K., Itoh
             ,M., Konno,H., Okazaki,Y., Muramatsu,M. and Hayashizaki,Y.
             Normalization and subtraction of cap-trapper-selected cDNAs to
             prepare full-length cDNA libraries for rapid discovery of new
             genes. Genome Res. . 10 (10), 1617-1630 (2000)
             wagi,K., Fujiwake,S., Inoue,K., Togawa,Y., Izawa,M., Ohara,E.,
             Watahiki,M., Yoneda,Y., Ishikawa,T., Ozawa,K., Tanaka,T., Matsuura
             ,S., Kawai,J., Okazaki,Y., Muramatsu,M., Inoue,Y., Kira,A. and
             Hayashizaki,Y.
             RIKEN integrated sequence analysis (RISA) system--384-format
             sequencing pipeline with 384 multicapillary sequencer. Genome Res. .
             10 (11), 1757-1771 (2000)
             Konno,H., Fukunishi,Y., Shibata,K., Itoh,M., Carninci,P., Sugahara
             ,Y. and Hayashizaki,Y.
             Computer-based methods for the mouse full-length cDNA
             encyclopedia: real-time sequence clustering for construction of a
             nonredundant cDNA library. Genome Res. . 11 (2), 281-289 (2001)
             Yamanaka,I., Kiyosawa,H., Kondo,S., Saito,T., Shinagawa,A., Aizawa
             ,K., Fukuda,S., Hara,A., Itoh,M., Kawai,J., Shibata,K., Arakawa,T.,
             Ishii,Y. and Hayashizaki,Y.
             Mapping of 19032 mouse cDNAs on mouse chromosomes. J. Struct.
             Func. Genomics 2 pre, L72-L86 (2001)
             Please visit our web site (http://genome.gsc.riken.go.jp) for
             further details.
FEATURES   Location/Qualifiers
             e mouse tissues.

source   1..659
             /organism="Mus musculus"
             /db_xref="taxon:10090"
             /clone="9430041E16"
             /clone_lib="RIKEN full-length enriched, 12 days embryo,
             embryonic body between diaphragm region and neck"
             /tissue_type="embryonic body between diaphragm region and
             neck"
             /dev_stage="12 days embryo"
             /lab_host="DH10B"
             /note="Site_1: SalI; Site_2: BamHI; cDNA library was
             prepared and sequenced in Mouse Genome Encyclopedia
             Project of Genome Exploration Research Group in Riken
             Genomic Sciences Center and Genome Science Laboratory in
             RIKEN. Division of Experimental Animal Research in Riken
             contributed to prepare mouse tissues. 1st strand cDNA was
             primed with a primer [5'
             GAGAGAGAAGAGATCCAAGAGCTCTTTTTTTTTTTTTTTTTTVN 3'], cDNA was
             prepared by using trehalose thermo-activated reverse
             transcriptase and subsequently enriched for full-length by
             cap-trapper. cDNA went through one round of normalization
             to Rot = 20.0 and subtraction to Rot = 370.0. Second
             strand cDNA was prepared with the primer adapter of
             sequence [5' GAGAGAGAGATTCTGAGTTAATTAATTAATCCCCCCCCCCCC
             3']. cDNA was cleaved with XhoI and BamHI."

BASE COUNT   166 a   164 c   173 g   155 t   1 others
ORIGIN

Query Match   32.1%;   Score 415;   DB 9;   Length 659;
Best Local Similarity 81.2%;   Pred. No. 1.3e-110;
Matches 481;   Conservative 0;   Mismatches 111;   Indels 0;   Gaps 0;

Qy   160 agcgccatggcctgcatcctgaagagaaagtctgtgattcgtgtgagcttcatagcagcg 219
          ||||||||||||||||||||||||| |||| ||| ||| |||||||||||||||||
Db   68 AGCGCCATGGCCTGCATCCTCAAGAGAGAAGCCCGTGCTTGGTGAGCTTCATAGCCCTG 127

Qy   220 ttccttttcctgctggttgtgcgtcttgtaaatgaagtgaattcccattgctactaaac 279
          | ||| ||||||||||| ||| |||||| || || ||| |||||||||||||
Db   128 TGCATCTTGCTGCTAGCCATGGCCGCTTGTCAATGATGGCGACTTTCCTTTGCTCCTGAAC 187

Qy   280 tgcttggacaacctggtacaaagtggataccattctcctacacatacaggcggcccctt 339
          ||||||||| |||||| |||||| ||| |||||| |||| |||||||||| ||||
Db   188 TGCTTTGGACAGCCTAAGACCAAATGGATCCCTTTGCCCTACACATTCAGGCAGCCTCTT 247

Qy   340 cgaactcactatggatacataaatgtgaagacacagagccttgcaactggactgtgac 399
          ||||||||||||||||||||||||||||| ||||||||||||||||| ||||
Db   248 CGAACTCACTATGGATACATAAATGTGAGGACCCCAAGAGCCTTTGCAACTGAACTGTAAC 307

Qy   400 ctttgtgccatagtgtcaaactcaggtcagatggttggccagaagtgggaaatgagata 459
          | ||||| ||||||||| ||| |||| |||||||||||||||||||||||
Db   308 CACTGTGCCATCGTGTCAAATTCAGGTCAAATTGGTTCGGGCAGGAGGTGGGAAGAGATA 367

Qy   460 gatcgcatctcctgcatttggagaatgacaatgccccaccaaagttatgaagaagat 519
          | ||||||||||||||||||||||||||| ||||| ||| | |||||||||||
Db   368 GACCATGCATCCTGCATCTGGAGAATGACAACAACGCCCCAACCAGGGCTTTGAGGAAGAT 427

Qy   520 gtcggccgcatgaccatgattcgagttgtgtccataccagcgtcctcctttgctcaaa 579
          ||||| |||||||||| || |||||||||||||||||||||||||| |||||||||
Db   428 GTCGGCTACATGACCAATGTCCGAGTTGTGTCACATACCAGTGTCCCTCCTTGCTGAAA 487

Qy   580 aacctgattattttcaaggaggcgaatactactatttgtgtttatttggggacctttc 639
          || ||||||||||||||||| |||||||||||||||||||||||||||||||
Db   488 AATCCTGACTATTTTTCAAAGAACCAAGCAAGCACCATTTATGTTATCTCGGGCCCTTTT 547

Qy   640 cgcaatagtgaggaaagatggcaatggcatcgtttacaacatgtgaaaaagacagttggt 699
          | |||||||| |||||||||||||||||||| | ||||||||||||
Db   548 CCGCACACATGAGGAAGGATGGNTATGGCATCGTGTACAACATGTGTACAAACATGTTGAT 607

Qy   700 atctatccgaatgccaaatatacgtgaccacagagaagcgcatgagttact 751
          ||||| ||| ||||||||||||||| ||| |||||||||||||| |||
Db   608 GCCTATCCAGATGCGCAGATCTACGTGACCGACCACAGCAGCAGAGATGACTCACT 659

```
                    GenCore version 4.5
              Copyright (c) 1993 - 2000 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on:    May 7, 2002, 14:52:19 ; Search time 1503.08 Seconds
                                   (without alignments)
                                   11619.515 Million cell updates/sec

Title:          US-09-714-936-218
Perfect score:  1294
Sequence:       1 ccggaatttccgggtcgacg.........tttcttctcctttttttg 1294

Scoring table:  IDENTITY.NUC
                Gapop 10.0 , Gapext 1.0

Searched:       13736207 seqs, 6748477542 residues

Total number of hits satisfying chosen parameters:       27472414

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 100 summaries

Database :      EST:*
            1:  em_estba:*
            2:  em_esthum:*
            3:  em_estin:*
            4:  em_estmu:*
            5:  em_estov:*
            6:  em_estpl:*
            7:  em_estro:*
            8:  em_htc:*
            9:  gb_est1:*
           10:  gb_est2:*
           11:  gb_htc:*
           12:  gb_gss:*
           13:  em_gss_hum:*
           14:  em_gss_inv:*
           15:  em_gss_pln:*
           16:  em_gss_vrt:*
```

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.		Score	% Query Match	Length	DB	ID	Description
1		415	32.1	659	9	BB626911	BB626911 BB626911
2		388.8	30.0	635	9	BB659263	BB659263 BB659263
3		277	21.4	633	9	BB612074	BB612074 BB612074
4		145.4	11.2	382	10	BF545706	BF545706 UI-R-C2p-
5		134.4	10.4	866	11	AK021356	AK021356 Mus muscu
6		131.4	10.2	436	9	AA718806	AA718806 vt85d06.r
7		116	9.0	520	10	BI318445	BI318445 fp69h10.y
8	c	115.6	8.9	610	12	FR0028419	AL024791 Fugu rubr
9	c	109	8.4	416	12	FR0022096	AL014966 F.rubripe
10	c	105	8.1	585	9	AW632589	AW632589 92617 MAR
11		104.8	8.1	112	9	AA205757	AA205757 zq69c04.r
12	c	99.6	7.7	507	10	BE938440	BE938440 RC0-TN007
13		99.6	7.7	743	10	BG768271	BG768271 602744343
14		98	7.6	771	10	BF183136	BF183136 601809520
15		98	7.6	879	10	BG827942	BG827942 602752130
16		93.6	7.2	616	10	BG750867	BG750867 602707396
17		93	7.2	558	9	AV605640	AV605640 AV605640
18		92	7.1	582	9	AA462934	AA462934 vf92a10.r
19		89.2	6.9	925	10	BG329643	BG329643 602429252
20		87	6.7	746	10	BG826070	BG826070 602750493
21		86.8	6.7	222	9	BB595317	BB595317 BB595317
22		86.4	6.7	675	10	BI181476	BI181476 UNL-P-FN-
23		85.6	6.6	802	10	BG755870	BG755870 602716333
24		84.8	6.6	517	10	BE754438	BE754438 207946 MA
25		84.8	6.6	666	10	BG748773	BG748773 60270610B
26		83.8	6.5	756	10	BG748345	BG748345 602705901
27		83.2	6.4	848	10	AL526145	AL526145 AL526145
28		83	6.4	691	10	BI196731	BI196731 602755358
29		82.6	6.4	935	9	AL526079	AL526079 AL526079
30		82.6	6.4	714	10	BG700245	BG700245 602679723
31		82.4	6.4	948	10	BG907296	BG907296 603063890
32		81.8	6.3	1143	10	BG421837	BG421837 602450868
33		80.6	6.2	797	10	BF308674	BF308674 601890258
34		79.2	6.1	881	10	BI837969	BI837969 603083806
35	c	78.4	6.0	570	9	BE083080	BE083080 RC2-BT064
36		78.2	6.0	782	10	BG755591	BG755591 602713742
37		78.2	6.0	757	10	BG818714	BG818714 602779030
38		78	6.0	391	10	R87442	R87442 ym89b10.r1
39		77.6	6.0	1628	11	AK007601	AK007601 Mus muscu
40	c	77.6	6.0	878	10	BG684077	BG684077 602635690
41		77.6	6.0	273	9	AW298310	AW298310 UI-H-BWU-
42		77.6	6.0	330	10	BI260659	BI260659 602968162
43		77.6	6.0	554	10	BG962736	BG962736 602830255
44		77.6	6.0	560	9	AL157554	AL157554 DKFZp76lE
45		77.6	6.0	581	10	BG962345	BG962345 602827152
46		77.6	6.0	605	10	BI660507	BI660507 603303478
47		77.6	6.0	630	10	BI555731	BI555731 603238009
48		77.6	6.0	674	10	BI916573	BI916573 603178495
49		76.8	6.0	746	10	BI919064	BI919064 603180858
50		76.8	6.0	831	10	BG438046	BG438046 602490306
51		76.8	6.0	937	10	BI553629	BI553629 603190550
52		76.8	6.0	2378	11	BC022924	BC022924 Mus muscu
53	c	76.8	5.9	353	9	AI609041	AI609041 qy96g07.x
54	c	76.8	5.9	424	10	AI288170	AI288170 qv71c06.x
55	c	76.8	5.9	436	9	AI056562	AI056562 oy76a10.x
56	c	76.8	5.9	483	9	AI085571	AI085571 oy68b10.x
57	c	76.4	5.9	497	9	AI348105	AI348105 qp56e07.x
58	c	76.4	5.9	505	9	BE674797	BE674797 7e93b11.x
59	c	76	5.9	530	10	BE855512	BE855512 7g15d07.x
60	c	76	5.9	533	10	BI712491	BI712491 1e08e06.x
61	c	75.8	5.9	593	10	BI712593	BI712593 1e09h02.x
62	c	75.6	5.9	603	10	BM489969	BM489969 pgm2n.pk0
63	c	75.6	5.9	629	10	BE313880	BE313880 601148936
64	c	75.6	5.9	677	9	AW968567	AW968567 EST380643
65		75.6	5.9	715	10	BG686301	BG686301 602638212
66	c	74.6	5.9	880	10	BG685141	BG685141 602637018
67		74.4	5.9	825	10	BI182122	BI182122 UNL-P-FN-
68		74	5.9	380	10	BI730588	BI730588 603350973
69		73.8	5.9	591	10	BI150925	BI150925 602916734
70		73.8	5.9	973	10	BI407201	BI407201 602918954
71		73.8	5.8	891	10	BI756955	BI756955 603029163
72	c	73.8	5.8	457	10	BE675376	BE675376 7f08a01.x
73	c	73.4	5.8	477	9	AI206008	AI206008 gg14h06.x
74	c	73.4	5.8	492	9	AI830136	AI830136 wj67g09.x
75		72.8	5.8	492	10	BI760025	BI760025 603044486
76		72.4	5.8	873	10	BG757628	BG757628 602711213
77		72.4	5.8	971	9	AL518206	AL518206 AL518206
78		74.4	5.7	839	9	BG488903	BG488903 602534913
79	c	74	5.7	468	9	AI659984	AI659984 we64f12.x
80		74	5.7	583	9	BI453763	BI453763 603175026
81	c	73.8	5.7	435	9	AI277264	AI277264 qm67b05.x
82	c	73.8	5.7	479	9	AW044319	AW044319 wv67g10.x
83		73.8	5.7	600	9	BI712837	BI712837 1e09h02.y
84		73.4	5.7	612	10	AV595968	AV595968 AV595968
85		73.4	5.7	636	10	BG684430	BG684430 602636183
86		73.4	5.7	709	10	BI769027	BI769027 603058187
87	c	72.8	5.6	376	9	AW434604	AW434604 UI-R-BJ0p
88	c	72.4	5.6	355	9	AI346157	AI346157 qp43g02.x
89		72.4	5.6	456	10	BE618367	BE618367 601462768
90		72.4	5.6	633	10	BI838391	BI838391 603083349

us-09-714-936-218.rag

PR   28-FEB-1994; 94JP-0029384.
XX
PA   (RIKA) RIKAGAKU KENKYUSHO.
XX
DR   WPI; 1995-347446/45.
DR   N-PSDB; AAQ94305.
XX
PT   DNA encoding Gal-beta-1, 3GalNAc alpha-2,3-sialic acid transferase -
PT   useful in prevention of cancer metastasis, viral infection, etc..
XX
PS   Claim 2; Page 8-9; 15pp; Japanese.
XX
CC   The sequences given in AAR75197-98 represent rodent derived Gal-beta-
CC   1,3GalNAc,alpha-2,3-sialic acid transferase. The protein has
CC   characteristic features of a receptor having a substrate specificity of
CC   a glycolipid or a glycoprotein having a disaccharide Gal-beta-1,3-GalNAc
CC   at the terminal. The receptor substrate is pref. selective with sialic
CC   acid being taken up rather than glycolipid-disaccharide, in the presence
CC   of glycolipid, and successive uptake of sialic acid is in the order of
CC   Gg4>GMI>GDlb in glycolipid. The transferase is used in the prevention
CC   of cancer metastasis, viral infection, anti-inflammatory, nerve cell
CC   stimulation, or stimulation of physiological activity by binding with
CC   sialic acid.
XX
SQ   Sequence   350 AA;

alignment_scores:
         Quality: 135.50   Length: 90
         Ratio: 2.464   Gaps: 4
Percent Similarity: 61.111   Percent Identity: 37.778

alignment_block:
US-09-714-936-218 x AAR75197

Align seg 1/1 to: AAR75197   from: 1 to: 350

373 CAAGAGCCTTTGCAACTGGACTGGACCTTTGCCATAGTGTCAAACTC 422
     ::::::||| ||| ||| ||||||:::|||:::||||::|||||
144 ArgAspProGlnGln......CysArgArgCysAlaValValGlyAsnSe 158

423 AGGTCAGATGGTTGGCCAGAAGGTGGCAAATGAGATAGATCGATCCTCCT 472
     ||||:::::: |||::: |||:::||| |||::|||||:::||| :::
158 rGlyAsnLeuArgGlySerGlyTyrGlyGlnGluValAspSerHisAsnP 175

473 GCATTTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGAAGATGTC 522
     ||| ||||||||||||||||| |||:::||| |||:::|||:::||||||
175 heIleMetArgMetAsnGlnAlaProThrValGlyPheGluLysAspVal 191

523 GGCCGCATGACCATGATTCGAGTTGTGTCCCATACCAGCGTTCCTCTTTT 572
     ||| |||:::|| |||:::|| ||| |||:::||||| |||
192 GlySer..........ArgThrHisHisPheMetTyrProGluSe 204

573 GCTAAAAAACCCTGATTATTTTTTCAAGGAAGCGAATACTACTATTTGTG 622
     |||||| |||:::|||||||:||:::|| ||||||:::||||||::: :
204 rAlaLysAsn...........LeuProAlaAsnValSerPheValL 216

623 TTATTTGGGGACCTTTCCGC 642
     |||::| |||||||:::|||:::
216 euVal.....ProPheLys 220

CC   active fragments are linked to heterologous N-terminal sequences. The
CC   Gal-beta-1,3GalNAc,alpha-2,3-sialic acid transferase protein has
CC   characteristic features of a receptor having a substrate specificity of
CC   a glycolipid or a glycoprotein having a disaccharide Gal-beta-1,3GalNAc
CC   at the terminal. The receptor substrate is pref. selective with sialic
CC   acid being taken up rather than glycolipid-disaccharide, in the presence
CC   of glycolipid, and successive uptake of sialic acid is in the order of
CC   Gq4>GM1>GD1b in glycolipid. The transferase is used in the prevention
CC   of cancer metastasis, viral infection, anti-inflammatory, nerve cell
CC   stimulation, or stimulation of physiological activity by binding with
CC   sialic acid.
XX
SQ   Sequence   314 AA;

alignment_scores:
            Quality: 135.50   Length: 90
            Ratio: 2.464   Gaps: 4
Percent Similarity: 61.111   Percent Identity: 37.778

alignment_block:
US-09-714-936-218 x AAR75200

Align seg 1/1   to: AAR75200   from: 1 to: 314   .

373 CAAGAGCCTTGCAACTGGACTGGACTGACCTTTGTGCCATAGTGTCAAACTC 422
    ::::::||| ||| ||| |||||:::|||::::|||||
108 ArgAspProGlnGln......CysArgArgCysAlaValValGlyAsnSe 122

423 AGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCT 472
    ||||:|||::::|||::::| ||||:::|| |||:::||||
122 rGlyAsnLeuArgGlySerGlyTyrGlyGlnGluValAspSerHisAsnP 139

473 GCATTTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGAAGATGTC 522
    ||| |||||||||:::||||||||| |||::::|||::::|||||
139 heIleMetArgMetAsnGlnAlaProThrValGlyPheGluLysAspVal 155

523 GGCCGCATGACCATGATTCGAGTTGTGTCCCATACCCAGCGTTCCTCTTTT 572
    || |||::::||| |||:::||||||||:::|| |||||
156 GlySer..........ArgThrThrHisHisPheMetTyrProGluSe 168

573 GCTAAAAAACCCTGATTATTTTTCAAGGAAGCGGAATACTACTATTTGTG 622
    ||||||| |||||||::::::|||||
168 rAlaLysAsn.........LeuProAlaAsnValSerPheVal 180

623 TTATTTGGGGACCTTTCCGC 642
    :::::|||||||:::|
180 euVal......ProPheLys 184

seq_name: /SIDS1/gcgdata/hold-geneseqp/geneseqp-embl/AA1995.DAT:AAR75197

seq_documentation_block:
ID   AAR75197 standard; Protein; 350 AA.
XX
AC   AAR75197;
XX
DT   13-MAY-1996 (first entry)
XX
DE   Mouse Gal-beta-1,3GalNAc,alpha-2,3-sialic acid transferase.
XX
KW   Rodent; Gal-beta-1,3GalNAc,alpha-2,3-sialic acid transferase; receptor;
KW   glycolipid; glycoprotein; disaccharide; Gal-beta-1,3-GalNAc;
KW   sialic acid; prevention; cancer metastasis; viral infection;
KW   anti-inflammatory; nerve cell stimulation; P-F4M; P-F4R.
XX
OS   Mus musculus.
XX
PN   JP07236477-A.
XX
PD   12-SEP-1995.
XX
PF   28-FEB-1994; 94JP-0029384.
XX

---

alignment_block:
US-09-714-936-218 x AAR75199   .

Align seg 1/1   to: AAR75199   from: 1 to: 314   .

373 CAAGAGCCTTGCAACTGGACTGGACTGACCTTTGTGCCATAGTGTCAAACTC 422
    ::::::||| ||| ||| |||||:::|||::::|||||
108 ArgAspProGlnGln......CysArgArgCysAlaValValGlyAsnSe 122

423 AGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCT 472
    ||||:|||::::|||::::| ||||:::|| |||:::||||
122 rGlyAsnLeuArgGlySerGlyTyrGlyGlnGluValAspSerHisAsnP 139

473 GCATTTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGAAGATGTC 522
    ||| |||||||||:::||||||||| |||::::|||::::|||||
139 heIleMetArgMetAsnGlnAlaProThrValGlyPheGluLysAspVal 155

523 GGCCGCATGACCATGATTCGAGTTGTGTCCCATACCCAGCGTTCCTCTTTT 572
    || |||::::||| |||:::||||||||:::|| |||||
156 GlySer..........ArgThrThrHisHisPheMetTyrProGluSe 168

573 GCTAAAAAACCCTGATTATTTTTCAAGGAAGCGGAATACTACTATTTGTG 622
    ||||||| |||||||::::::|||||
168 rAlaLysAsn.........LeuProAlaAsnValSerPheVal 180

623 TTATTTGGGGACCTTTCCGC 642
    :::::|||||||:::|
180 euVal......ProPheLys 184

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA1995.DAT:AAR75200

seq_documentation_block:
ID   AAR75200 standard; Protein; 314 AA.
XX
AC   AAR75200;
XX
DT   13-MAY-1996 (first entry)
XX
DE   Rat P-F4M active fragment, SF-314R.
XX
KW   Rodent; Gal-beta-1,3GalNAc,alpha-2,3-sialic acid transferase; receptor;
KW   glycolipid; glycoprotein; disaccharide; Gal-beta-1,3-GalNAc;
KW   sialic acid; prevention; cancer metastasis; viral infection;
KW   anti-inflammatory; nerve cell stimulation; P-F4M; P-F4R.
XX
OS   Rattus norvegicus.
XX
FH   Key   Location/Qualifiers
FT   Peptide   22..314
FT   /note= "Residues 58-350 of rat Gal-beta-
FT   1,3GalNAc,alpha-2,3-sialic acid transferase"
XX
PN   JP07236477-A.
XX
PD   12-SEP-1995.
XX
PF   28-FEB-1994; 94JP-0029384.
PR   28-FEB-1994; 94JP-0029384.
XX
PA   (RIKA) RIKAGAKU KENKYUSHO.
XX
DR   WPI; 1995-347446/45.
DR   N-PSDB; AAQ94308.
XX
PT   DNA encoding Gal-beta-1, 3GalNAc alpha-2,3-sialic acid transferase -
PT   useful in prevention of cancer metastasis, viral infection, etc..
XX
PS   Claim 8; Page 12-13; 15pp; Japanese.
XX
CC   The sequences given in AAQ94307-08 represent active fragments of rodent
CC   derived Gal-beta-1,3GalNAc,alpha-2,3-sialic acid transferase. The

```
                                                                    |||       |||::::    ::::::
                                                      232 ysTrpGlnAspPheLysTrpLeuLys................... 240

XX
PN   JP11253163-A.                                    676 AACATGTTGAAAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGT 725
XX
PD   21-SEP-1999.                                                                           |||::
XX                                                    241 .......................................Tyrll 242
PF   11-MAR-1998;   98JP-0059663.
XX                                                    726 GACCACAGAGAAGCCGCATGAGTTACTGTGATGAGTTTTTAAG 768
PR   11-MAR-1998;   98JP-0059663.                           ::|::|||::::|||::|||  |||||  ||||  ::::||
XX                                                    242 eVaTyrLysGluArgValSerAlaSerAspGlyPheTrpLys 256
PA   (TOYM ) TOYOBO KK.
XX
DR   WPI; 1999-583696/50.                             seq_name=: /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA1995.DAT:AAR75199
DR   N-PSDB; AAZ27552.
XX                                                    seq_documentation_block:
PT   Preparation of sialate transferase -             ID   AAR75199 standard; Protein; 314 AA.
XX                                                    XX
PS   Claim 10; Page 11-12; 14pp; Japanese.            AC   AAR75199;
XX                                                    XX
CC   This sequence represents the human alpha2-3 sialate transferase. The    DT   13-MAY-1996  (first entry)
CC   invention relates to a method for the preparation of sialate transferase.    XX
CC   In the method, E. coli is transformed with an expression vector    DE   Mouse P-F4M active fragment, SF-314M.
CC   containing a sialate transferase gene and a maltose-combined protein    XX
CC   gene, the transformant is cultured to form sialate transferase, and    KW   Rodent; Gal-beta-1,3GalNAc.alpha-2,3-sialic acid transferase; receptor;
CC   sialate transferase is collected from the culture. The method can express    KW   glycolipid; glycoprotein; disaccharide; Gal-beta-1,3-GalNAc;
CC   sialate transferase as an active soluble protein and can prepare alpha2-6    KW   sialic acid; prevention; cancer metastasis; viral infection;
CC   sialate transferase easily and efficiently in a large amount.    KW   anti-inflammatory; nerve cell stimulation; P-F4M; P-F4R.
XX                                                    XX
SQ   Sequence   375 AA;                               OS   Mus musculus.
                                                      XX
                                                      FH   Key             Location/Qualifiers
alignment_scores:                                     FT   Peptide         22..314
     Quality:  137.50        Length:   181           FT                   /note= "Residues 58-350 of murine Gal-beta-
     Ratio:      1.511         Gaps:     4           FT                   1,3GalNAc,alpha-2,3-sialic acid transferase"
Percent Similarity:  50.276   Percent Identity: 21.547    XX
                                                      PN   JP07236477-A.
alignment_block:                                      XX
US-09-714-936-218 x AAY39960   ..                     PD   12-SEP-1995.
                                                      XX
Align seg 1/1  to: AAY39960  from: 1  to: 375         PF   28-FEB-1994;   94JP-0029384.
                                                      XX
                                                      PR   28-FEB-1994;   94JP-0029384.
283 TTTGGACAACCTGGTACAAAGTGGATACCCATTCTCCTACACATACAGGCG 332    XX
    |||::||:||||:   ::||::  |||   |||||||||::|||:||    PA   (RIKA ) RIKAGAKU KENKYUSHO.
102 PheSerLysProAlaPrometPheLeuAspAspSerPheArgLysTrppAl 118    XX
                                                      DR   WPI; 1995-347446/45.
333 GCCCCTTCGAACTCACTATGGATACATAAATGTGAAGACACAAGAGCCTT 382    DR   N-PSDB; AAQ94307.
    ::|||                ::::::|||||  |||:|||  |||:||    XX
118 aArgIleArgGluPheValProProPheGlyIleLysGlnAspAsnL 135    PT   DNA encoding Gal-beta-1, 3GalNAc alpha-2,3-sialic acid transferase -
                                                      PT   useful in prevention of cancer metastasis, viral infection, etc..
383 TG..................................... 384        XX
    ||                                                PS   Claim 7; Page 11-12; 15pp; Japanese.
135 euIleLysAlaIleLeuSerValThrLysGluTyrArgLeuThrProAla 151    XX
                                                      CC   The sequences given in AAQ94307-08 represent active fragments of rodent
385 .....CAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCA 428    CC   derived Gal-beta-1,3GalNAc.alpha-2,3-sialic acid transferase.  The
    :::|||    |||   ||||   ||||||::::||:||:|||    CC   active fragments are linked to heterologous N-terminal sequences.  The
152 LeuAspSerLeuArgCysArgArgCysIleIleValGlyAsnGlyGlyVa 168    CC   Gal-beta-1,3GalNAc,alpha-2,3-sialic acid transferase protein has
                                                      CC   characteristic features of a receptor having a substrate specificity of
429 GATGGTTGGCCAGAAGGTGGGAAATGAGATAGATGCAGATCCTCCTGCATT 478    CC   a glycolipid or a glycoprotein having a disaccharide Gal-beta-1,3-GalNAc
    ::::::::::::::::|||||:||||:|||||       :::  :::    CC   at the terminal.  The receptor substrate is pref. selective with sialic
168 lLeuAlaAsnLysSerLeuGlySerArgIleAspTyrArgAspIleValV 185    CC   acid being taken up rather than glycolipid-disaccharide. in the presence
                                                      CC   of glycolipid, and successive uptake of sialic acid is in the order of
479 GGAGAATGAACAATGCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGC 528    CC   Gg4>GMl>GD1b in glycolipid.  The transferase is used in the prevention
    |||::|||||:|||||:::||||||::|||||||::|||||||||    CC   of cancer metastasis, viral infection, anti-inflammatory, nerve cell
185 alArgLeuAsnSerAlaProValLysGlyPheGluLysAspValGlySer 201    CC   stimulation, or stimulation of physiological activity by binding with
                                                      CC   sialic acid.
529 ATGACCATGATTCGAGTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAA 578    XX
    |||   ||:   |||||::   |||:||||||    :::    SQ   Sequence  314 AA;
202 LysThrThrLeuArgIle........ThrTyrProGluGlyAlaMetGl 215
                                                      alignment_scores:
579 AAACCCTGATTATTTTTTCAAGGAAGCGAATACTACTATTGTGTTATT . 627    Quality:   135.50        Length:   90
    :::||:::   :::   :::::::::|||    ::|:||:|:||    Ratio:       2.464        Gaps:    4
215 nArgProGluGlnTyrGluArgAspSerLeuPheValLeuAlaGlyPheL 232    Percent Similarity: 61.111   Percent Identity: 37.778
628 ..TGGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGGCATCGTTTAC 675
    ::|||||    :::||::|||::|||:::::||:||:|::::|||
```

```
XX
SQ   Sequence   375 AA;

alignment_scores:
              Quality:  137.50          Length:    181
                Ratio:    1.511           Gaps:        4
    Percent Similarity:  50.276    Percent Identity:  21.547

alignment_block:
US-09-714-936-218 x AAR65242

Align seg 1/1  to: AAR65242  from: 1  to: 375

283  TTTGGACAACCTGGTACAAAGTGGATACCATTCCTCCTACACATCAGGCG  332
     |||::::|||:::||:::::::         :::::::::  |||::::
102  PheSerLysProAlaProMetPheLeuAspSerPheArgLysTrpAl     118

333  GCCCCTTCGAACTCACTATGGATACATAAATGTGAAGACACAAGAGCCTT  382
     :::||||              ::::::::|||  |||:::::         |
118  aArgIleArgGluProPheValProProPheGlyIleLysGlyGlnAspAsnL  135

383  TG..........................................         384
     |!
135  euIleLysAlaIleLeuSerValThrLysGluTyrArgLeuThrProAla  151

385  ......CAACTGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCA  428
          :::||  |||   |||  ||||||||||:|||:||||:|||||
152  LeuAspSerLeuArgCysArgArgCysIleIleValGlyAsnGlyGlyVa  168

429  GATGGTTGCCAGAAGTGGGAAATGAGATAGATCGATCCTCCTCCTCCATTT  478
     ::::::::::||::||:|||::||||||||:|||||
168  lLeuAlaAsnLysSerLeuGlySerArgIleAspAspTyrAspIleValV  185

479  GGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGC  528
     |||::::||||:||||:::||||||:::|||||||||||:||:||||||
185  aLArgLeuAsnSerAlaProValLysProValPheGluLysAspValGlySer  201

529  ATGACCATGATTCGAGTTGTGTCCCATACCAGCGTTCCTTTGCTAAA....  578
     |||  ::||||||:                   :::|||:
202  LysThrThrLeuArgIle.......ThrTyrProGluGlyAlaMetGl  215

579  AAACCCTGATTATTTTTTCAAGGAGGCGAATACTACTATTTGTGTTATT.  627
     ::::|||::  |||::  :::::::::   ::::::::    |||::
215  nArgProGluGlnTyrGluArgAspSerLeuPheValLeuAlaGlyPheL  232

628  ..TGGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGGCATCGTTTAC  675
     |||   |||:::|||              ||||||||:|||||:::|||
232  ysTrpGlnAspPheLysTrpLeuLys...................       240

676  AACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCAAAATATACGT  725
                              |||::         |||:|||
241  .......................................TyrIl       242

726  GACCACAGAGAAGCGCATGAGTTACTGTGATGAGTTTTAAG  768
     :::  :::::|||:::|||         |||:::  ::|||
242  eValTyrLysGluArgValSerAlaSerAspGlyPheTrpLys  256
```

seq_name: /SIDS1/gcgdata/hold-geneseqp-embl/AA1995.DAT:AAR65242

```

seq_name: /SIDS1/gcgdata/hold-geneseqp-embl/AA1999.DAT:AAY39960
```

XX
PF   30-MAR-1993;   93JP-0071934.
XX
PR   30-MAR-1993;   93JP-0071934.
XX
PA   (KYOW) KYOWA HAKKO KOGYO KK.
XX
DR   WPI; 1994-353737/44.
DR   N-PSDB; AAQ73117.
XX
PT   Alpha 2,3'-sialyl transferase and DNA encoding it - useful for
PT   prepn. of e.g. sialyl-Lewis-A or -X sugar chains
XX
PS   Claim 1; Page 24; 51pp; Japanese.
XX
CC   AAQ73117 encodes AAR62808 alpha 2, 3-sialyl transferase (AST). AST
CC   can be used in the preparation of a sugar chain having a useful
CC   physiological activity, such as a sialyl-Lewis-A or X, and their
CC   modified products.
XX
SQ   Sequence   375 AA;

alignment_scores:
        Quality: 137.50   Length: 181
          Ratio: 1.511   Gaps: 4
Percent Similarity: 50.276   Percent Identity: 21.547

alignment_block:
US-09-714-936-218 x AAR62808   .

Align seg 1/1   to: AAR62808   from: 1 to: 375

283 TTTGGACAACCTGGTACAAAGTGGATACCATTCCTCCTACACATACAGGCG 332
    |||:::|||:::   ::::::: |||::::
102 PheSerLysProAlaProMetPheLeuAspAspSerPheArgLysTrpAl 118

333 GCCCCTTCGAACTCACTATGGATACATAAATGTGAAGACAACAAGAGCCTT 382
    ::::|||| :::::||| |
118 aArgIleArgGluPheValProProPheGlyIleLysGlyGlnAspAsnL 135

383 TG..   384
    ||
135 euIleLysAlaIleLeuSerValThrLysGluTyrArgLeuThrProAla 151

385 ....CAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCA 428
    :::||| ||| ||||||||:::::|||
152 LeuAspSerLeuArgCysArgArgCysIleIleValGlyAsnGlyGlyVa 168

429 GATGGTTGGCCAGAAGGTGGGAAATGAGATAGGATCGATCCTCCTGCATTT 478
    :::   ::   :::||||
168 lLeuAlaAsnLysSerLeuGlySerArgIleAspPheTyrAspIleValV 185

479 GGAGAATGAACAATGCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGC 528
    :::||||:::|||::::::|||:::|||:::|||||||||||||
185 aIleArgLeuAsnSerAlaProValLysGlyPheGluLysAspValGlySer 201

529 ATGACCATGATTCGAGTTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAA 578
    ||| :::|||:::   :::|||
202 LysThrThrLeuArgIle.........ThrTyrProGluGlyAlaMetGl 215

579 AAACCCTGATTATTTTTTTCAAGGAAGCGAATACTACTATTTGTGTTATT. 627
    ::::|||| ::   ::::::|||| ::
215 nArgProGluGlnTyrGluArgAspSerLeuPheValLeuAlaGlyPheL 232

628 ..TGGGGACCTTTCCGCAATATGAGGAAAGATGCAATGGCATCGTTTAC 675
    ||| ||:::   :::::::
232 ysTrpGlnAspPheGlyTyrProLeuLys...................   240

676 AACATGTTGAAAAAGACAGTTGGTATCATCCGAATGCCCAAATATAGT 725
    |||:::
241 ....TyrIl 242

seq_name: /SIDS1/gcqdata/hold-geneseq/geneseqp-embl/AA1994.DAT:AAR63217

seq_documentation_block:
ID   AAR63217 standard; Protein; 375 AA.
XX
AC   AAR63217;
XX
DT   16-JUN-1995 (first entry)
XX
DE   Human alpha-2,3-sialyltransferase (WM16).
XX
KW   Alpha-2,3-sialyltransferase; sialylated Lewis blood group antigen;
KW   Lewis x; glycosylation; glycoprotein; glycolipid.
XX
OS   Homo sapiens (melanoma WM266-4 cells).
XX
PN   WO9423021-A.
XX
PD   13-OCT-1994.
XX
PF   28-MAR-1994;   94WO-JP00496.
XX
PR   29-MAR-1993;   93JP-0069016.
XX
PA   (KYOW) KYOWA HAKKO KOGYO KK.
XX
PI   Hanai N, Kurata K, Nishi T,   Sasaki K;
XX
DR   WPI; 1994-333183/41.
DR   N-PSDB; AAQ77739.
XX
PT   Alpha-1,3-Fucosyl-transferase DNA and protein - useful for prodn.
PT   of active sugar chains, e.g. sialylated Lewis x
XX
PS   Example 3; Page 108-112; 155pp; Japanese.
XX
CC   The sequence coding for alpha-2,3-sialyltransferase was isolated
CC   from a human melanoma WM266-4 cell cDNA library.
XX
SQ   Sequence   375 AA;

alignment_scores:
        Quality: 137.50   Length: 181
          Ratio: 1.511   Gaps: 4
Percent Similarity: 50.276   Percent Identity: 21.547

alignment_block:
US-09-714-936-218 x AAR63217   ..

Align seg 1/1   to: AAR63217   from: 1 to: 375

283 TTTGGACAACCTGGTACAAAGTGGATACCATTCCTCCTACACATACAGGCG 332
    |||:::|||:::   ::::::: |||::::
102 PheSerLysProAlaProMetPheLeuAspAspSerPheArgLysTrpAl 118

333 GCCCCTTCGAACTCACTATGGATACATAAATGTGAAGACAACAAGAGCCTT 382
    ::::|||| :::::||| |
118 aArgIleArgGluPheValProProPheGlyIleLysGlyGlnAspAsnL 135

383 TG..   384
    ||

135 euIleLysAlaIleLeuSerValThrLysGluTyrArgLeuThrProAla 151

385 ....CAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCA 428
    :::||| ||| ||||||||:::::|||
152 LeuAspSerLeuArgCysArgArgCysIleIleValGlyAsnGlyGlyVa 168

429 GATGGTTGGCCAGAAGGTGGGAAATGAGATAGGATCGATCCTCCTGCATTT 478

726 GACCACAGAGAAGCCATGAGTTACTGTGATGGAGTTTTAAG 768
    :::: ||||||:::||:::|||| ||||| :::|||
242 eValTyrLysGluArgValSerAlaSerAspGlyPheTrpLys 256

```
CC    content of N-acetyllactosamine repeated structure in the sugar chain of
CC    a glycoprotein or a glycolipid produced by a cell. The intracellular
CC    expression of the sialate transferase gene is increased, and the
CC    relative activity of SiaT to the activity of beta-1,3-N-acetylglucosamine
CC    transferase (iGnT) is increased.
XX
SQ    Sequence    403 AA;
```

```
alignment_scores:
      Quality:   138.50                 Length:    135
      Ratio:       1.753                 Gaps:        6
Percent Similarity:  58.519   Percent Identity:  28.148
```

```
alignment_block:
US-09-714-936-218 x AAB83012

Align seg 1/1   to: AAB83012   from: 1   to: 403

238 GTGCGTCTTGTAAATGAAGTGAATTCCATTGCTACTAAACTGCTTTGG 287
    |||  ::::::: :  ::::::|||||||:::
147 ValSerMetIleGluAlaThrAspPheProPhe............... 157

288 ACAACCTGCTACAAAGTGGATACCCATTCTCCTACACATACAGGGGCCCC 337
    |||::|||         ::::|||
158 ...AsnThrThrGluTrp.....GluGlyTyrLeuProLysGluAsnP 171

338 TTCGAACTCACTATGGATACATAAATGTGAAGACCACAAGAGCCTTTGCAA 387
    ::|||||   |||                    ||| |||
171 heArgThrLysValGly.....................ProTrpGln 179

388 CTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGG 437
    |||||||::|||||:::::|||::  :
180 ..........ArgCysAlaValValSerSerAlaGlySerLeuLysAs 192

438 CCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCATTGGAGAATGA 487
    ::::::::|||:|||||||||:::::   ::::::| |||::|
192 nSerGlnLeuGlyArgGluIleAspAsnHisAspAlaValLeuArgPheA 209

488 ACAATGCCCCACCAAAGTTATGAAGAAGATGTCGGCCCCATGACCATG 537
    ||::|||||||||    :::::::::|||||||||     |||
209 snGlyAlaProThrAspAsnPheGlnGlnAspValGlySerLysThrThr 225

538 ATTCGAGTTGTGTCCATACCAGCGTTCCTCTTTGCTAAAAAACCCTGA 587
    ::|||||:::||||||||||||:     ::::
226 IleArgLeuMetAsnSerGln..........LeuValThrThrGluLy 238

588 TTATTTTTCAAGGAAGCGAATACTACT.....ATTTGTTATTTGGG 631
    ::|||||  |||              |||  ::::::|||
238 sArgPheLeuLysAspSerLeuTyrThrGluGlyIleLeuIleValTrpA 255

632 GACCT 636
    |||
255 spPro 256
```

```
238 GTGCGTCTTGTAAATGAAGTGAATTCCATTGCTACTAAACTGCTTTGG 287
    |||  ::::::: :  ::::::|||||||:::
147 ValSerMetIleGluAlaThrAspPheProPhe............... 157

288 ACAACCTGCTACAAAGTGGATACCCATTCTCCTACACATACAGGGGCCCC 337
    |||::|||         ::::|||
158 ...AsnThrThrGluTrp.....GluGlyTyrLeuProLysGluAsnP 171

338 TTCGAACTCACTATGGATACATAAATGTGAAGACCACAAGAGCCTTTGCAA 387
    ::|||||   |||                    ||| |||
171 heArgThrLysValGly.....................ProTrpGln 179

388 CTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGG 437
    |||||||::|||||:::::|||::  :
180 ..........ArgCysAlaValValSerSerAlaGlySerLeuLysAs 192

438 CCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCATTGGAGAATGA 487
    ::::::::|||:|||||||||:::::   ::::::| |||::|
192 nSerGlnLeuGlyArgGluIleAspAsnHisAspAlaValLeuArgPheA 209

488 ACAATGCCCCACCAAAGTTATGAAGAAGATGTCGGCCCCATGACCATG 537
    ||::|||||||||    :::::::::|||||||||     |||
209 snGlyAlaProThrAspAsnPheGlnGlnAspValGlySerLysThrThr 225

538 ATTCGAGTTGTGTCCATACCAGCGTTCCTCTTTGCTAAAAAACCCTGA 587
    ::|||||:::||||||||||||:     ::::
226 IleArgLeuMetAsnSerGln..........LeuValThrThrGluLy 238

588 TTATTTTTCAAGGAAGCGAATACTACT.....ATTTGTTATTTGGG 631
    ::|||||  |||              |||  ::::::|||
238 sArgPheLeuLysAspSerLeuTyrThrGluGlyIleLeuIleValTrpA 255

632 GACCT 636
    |||
255 spPro 256
```

PS   Claim 27; Figure 2; 88pp; English.
XX
CC   Sialyltransferase catalyses the addition of sialic acids to
CC   carbohydrate groups which are present on glycoproteins and
CC   glycolipids or to sugar chains to produce carbohydrates which
CC   function as determinants in biological recognition.
XX
SQ   Sequence   374 AA;

alignment_scores:
      Quality: 138.50   Length: 181
      Ratio: 1.522   Gaps: 4
Percent Similarity: 50.276   Percent Identity: 21.547

alignment_block:
US-09-714-936-218 x AAR41671

Align seg 1/1 to: AAR41671   from: 1 to: 374

283 TTTGGACAACCTGGTACAAAGTGGATACCATTCTCCTACACATACAGGCG 332
     ||!:::||!||::   ::!!::: |||::|
101 PheSerLysProAlaProMetPheLeuAspSerPheArgLysTrpAl   117

333 GCCCCTTCGAACTCACTATGGATACATAAATGTGAAGACACAAGAGCCTT 382
     :::|||||| ||| |||:! |
117 aArgIleArgGluPheValProPheGlyIleLeuLysGlyGlnAspAsnL   134

383 TG.. 384
     ||
134 euIleLysAlaIleLeuSerValThrLysGluTyrArgLeuThrProAla 150

385 ......CAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCA 428
       ::!||| ||| ||||| ||||||::!:::||:|||
151 LeuAspSerLeuHisCysArgArgCysIleIleValGlyAsnGlyGlyVa 167

429 GATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCATTT 478
     ::|||||||||||||| ||||| ||
167 lLeuAlaAsnLysSerLeuGlySerArgIleAspAspTyrAspIleValI 184

479 GGAGAATGAACAATGCCCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGC 528
     |||::||||::||||||::|||||||::||||:::|||:|||||||||
184 leArgLeuAsnSerAlaProValLysGlyPheGluLysAspValGlySer 200

529 ATGACCATGATTCGAGTGTGTCCCATACCAGCGTTCCTCTTTTGCTAAA   578
     |||| ||:   :::!||
201 LysThrThrLeuArgIle........ThrTyrProGluGlyAlaMetGl   214

579 AAACCCTGATTATTTTTCAAGGAGCGAATACTACTATTTGTGTTATT.. 627
     ::||!|:: :::::!|!::   ::::||||| :|:
214 nArgProGlnIleTyrGluArgAspSerPheValLeuAlaGlyPheL   231

628 ..TGGGGACCTTCCCAAATATGAGGAAAGATGGCAATGGCATCGTTTAC 675
     ||| |||:|| :::::||
231 ysTrpGlnAspPheLysTrpLeuLys...................   239

676 AACATGTTGAAAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGT 725
                                                  |||:|||
240 ....TyrIl   241

726 GACCACAGAGAAGCCGCATGAGTTACTGTGATGGAGTTTTTAAG   768
     ::: || ||| ::|!:: ::!|||
241 eValTyrLysGluAlaSerAlaSerAspGlyPheTrpLys   255

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA1991.DAT:AAR13990
seq_documentation_block:
ID   AAR13990 standard; Protein; 403 AA.
XX
AC   AAR13990;
XX
DT   05-DEC-1991 (first entry)
XX

DE   Sialyltransferase mutant.
XX
KW   Beta-galactoside alpha 2,6 sialyltransferase; recognition site;
KW   site-directed mutagenesis; expression vector; erythropoietin;
KW   sialic acid.
XX
FH   Key   Location/Qualifiers
FT   Region   146..148
FT   /label= N-glycosylation_site
FT   Region   158..160
FT   /label= N-glycosylation_site
FT   Region   285..287
FT   /label= N-glycosylation_site
FT   Region   64..79
FT   /note= "peptide sequence overlap, including NH2-
FT   terminal sequence of the purified
FT   sialyltransferase"
FT   Region   329..357
FT   /note= "peptide sequence overlap"
FT   Misc-difference 343
FT   /label= unidentified_residue
FT   Misc-difference 347
FT   /label= unidentified_residue
FT   Misc-difference 353
FT   /label= unidentified_residue
FT   Peptide   7..28
FT   /label= signal-anchor_sequence
FT   /note= "bordered by charged lysine residues"
XX
PN   US5047335-A.
XX
PD   10-SEP-1991.
XX
PF   21-DEC-1988;   88US-0288618.
XX
PR   21-DEC-1988;   88US-0288618.
XX
PA   (REGC) UNIV OF CALIFORNIA.
XX
PI   Paulson J, Ujitalee E, Weinstein J;
XX
DR   WPI; 1991-287968/39.
DR   N-PSDB; AAQ13334.
XX
PT   Altering glycosylation of proteins produced in cells - by
PT   introducing into cells gene which expresses an enzyme which
PT   alters glycosylation
XX
PS   Disclosure; Fig 3 (a-b); 8pp; English.
XX
CC   Site-directed mutagenesis eliminated the internal EcoRI site using a
CC   primer which binds to nucleotides 295-311 of the sequence encoding this
CC   protein. An A to G transition abolished the EcoRI recognition site,
CC   GGAATTC, but preserved the native amino acid coding sequence (amino
CC   acid 41). The altered sequence was used in a expression vector for the
CC   transfection of cells.
CC   Expression of recombinant glycoproteins such as erythropoeitin,
CC   where the natural mixt. of sialic acid linkages differs from that of
CC   the recombinant glycoprotein produced in CHO cells, is possible.
XX
SQ   Sequence   403 AA;

alignment_scores:
      Quality: 138.50   Length: 135
      Ratio: 1.753   Gaps: 6
Percent Similarity: 58.519   Percent Identity: 28.148

alignment_block:
US-09-714-936-218 x AAR13990

Align seg 1/1 to: AAR13990   from: 1 to: 403

```
189 PheLysPro..............GlnAspLeuArgTrpLeuValGluI1 200

678 CATGTTGAAAAGACAGTTGGT.............................. 699
      :::||| |||  :::||||||
200 eLeuLeuGlyLysLysLysIleAsnThrGlnGlyPheTrpLysThrProAlaL 217

700 ......ATCTATCCGAATGCCAAATA..................TACGTG 726
      |||||| ::: |||||| |||:||
217 euLysLeuIleTyrLysGlnTyrGlnIleArgIleLeuAspProTyrIle 233

727 ACCACAGAGAG......CGCATGAGTTACTGTGATGGAGTTTTAAGAA 770
    ||:::|||          ::|||  ||||||| ||
234 ThrSerGluAlaAlaPheGlnMetLeuArgPheProArgValPheProLy 250

771 GGAA 774
    |||:
250 sAsp 251
```

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseq-embl/AA2001.DAT:AAE10714

seq_documentation_block:
ID AAE10714 standard; peptide; 90 AA.
XX
AC AAE10714;
XX
DT 10-DEC-2001 (first entry)
XX
DE Human 4ST3GalIIH domain of sialyltransferase.
XX
KW Human; sialyltransferase; GM3-synthase-specific immunogenic activity;
KW 4ST3GalIIH domain.
XX
OS Homo sapiens.
XX
PN US6280989-B1.
XX
PD 28-AUG-2001.
XX
PF 17-JUN-1999; 99US-0334601.
XX
PR 17-JUN-1999; 99US-0334601.
XX
PA (KAPI/) KAPITONOV D.
PA (YURK/) YU R K.
XX
PI Kapitonov D, Yu RK;
XX
DR WPI; 2001-579256/65.
XX
PT Isolated nucleic acid useful for coding a full-length mammalian GM3
PT synthase or its biologically active polypeptide fragment, useful for
PT detecting expression of sialyltransferase in whole organs, tissue or
PT cells -
XX
PS Example 1; Fig 9A; 81pp; English.
XX
CC The present invention relates to an isolated nucleic acid comprising a
CC nucleotide sequence coding for a full-length mammalian GM3 synthase or
CC their biologically active polypeptide fragment. It is also useful as a
CC size marker in nucleic acid or protein electrophoresis or chromatography
CC and for detecting expression of sialyltransferase (ST) in whole organs,
CC tissue or cells. The nucleic acid probes can also be used to detect,
CC quantitate or isolate a mammalian sialyltransferase nucleic acid in a
CC test sample or to identify sialyltransferase homologues, as
CC oligonucleotide probe e.g. in polymerase chain reaction differential
CC display, in combination with cDNA libraries, expression libraries, etc.
CC The nucleic acid can be modified to make it resistant to cellular
CC enzymes, oxidation, reduction, nucleases, etc.Or to enhance its uptake
CC into cells. The present sequence is human 4ST3GalIIH domain of
CC sialyltransferase.
XX
SQ Sequence   90 AA;

alignment_scores:
          Quality: 138.50   Length: 75
          Ratio: 2.947   Gaps: 2
Percent Similarity: 62.667   Percent Identity: 41.333

alignment_block:
US-09-714-936-218 x AAE10714

Align seg 1/1 to: AAE10714 from: 1 to: 90

```
394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
    |||  ||||||:::|||:||||:||||||||||:::::  ||:|:
  1 CysArgArgCysAlaValValGlyAsnSerGlyAsnLeuArgGlySerGl 17

444 GGTGGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATG 493
    |||:::::::::::|||          :::  ||| ||||||||||||::|
 17 yTyrGlyGlnAspValAspProGlyHisAsnPheIleMetArgMetAsnGlnA 34

494 CCCCCACCAAAGTTATGAAGAAGATGTCGCCGCCATGACCATGATTCGA 543
    |||||||| |||:::||:::||||||:::||||||         |||
 34 laProThrValGlyPheGluGlnGlnAspValGlySer............Arg 46

544 GTTGTGTCCCATACCAGGGTTCCTCTTTTGCTAAAA..........AACCC 584
    :::::: ||| |||      |||      |||||  |||||
 47 ThrThrHisHisPheMetTyrProGluSerAlaLysGlnIleTyrAsnPr 63

585 TGATTATTTTTCAAGGAAGCGAAT 609
    :  ::|||  ||||||:|||:|||
 63 oAlaPhePheCysAspGluValAsn 71
```

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseq-embl/AA1993.DAT:AAR41671

seq_documentation_block:
ID AAR41671 standard; Protein; 374 AA.
XX
AC AAR41671;
XX
DT 25-MAR-1994 (first entry)
XX
DE Rat sialyltransferase.
XX
KW Sialyltransferase; peptide; carbohydrates; glycolipids; sugars;
KW sialic acids; motif; conserved region; homology.
XX
OS Rattus rattus.
XX
FH Key   Location/Qualifiers
FT Domain   9..28
FT   /note= "Proposed signal/anchor sequence."
XX
PN WO9318157-A.
XX
PD 16-SEP-1993.
XX
PF 09-MAR-1993; 93WO-US02002.
XX
PR 09-MAR-1992; 92US-0850357.
PR 04-AUG-1992; 92US-0925369.
XX
PA (CYTE-) CYTEL CORP.
PA (REGC) UNIV CALIFORNIA.
XX
PI Burlingame AL, Gillespie W, Kelm S, Livingston BD;
PI Medzihradszky K, Paulson JE, Wen X;
XX
DR WPI; 1993-303471/38.
DR N-PDSB; Q47959.
XX
PT DNA isolates encoding sialyl transferase - providing expression
PT systems for recombinant prodn. of enzyme
XX

```
189 ProMetLeuGluLysArgSerValGlyCysArgArgCysAlaValValGl 205

417 AAACTTCAGGTCAGATGGTTGCCACAAGGTTGGGAAATGAGATAGATCGAT 466
    :||||||||:::::    ::    |||  ||||||||
205 yAsnSerGlyAsnLeuArgGluSerPheTyrGlyProGluIleAspSerH 222

467 CCTCCTGCATTTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGAA 516
    ::: ::: ||||||||:::||||||| |||::|||
222 lsAspPheValLeuArgMetAsnLysAlaProThrAlaGlyPheGluAla 238

517 GATGTCGGCCGCCATGACCATGATTCGAGTTGTGTCCATACCAGCGTTCC 566
    |||||||||   ||| :::|||   |||
239 AspValGlyThrLysThrHisHisLeuValTyrProGluSer...... 253

567 TCTTTTGCTAAAAAACCCTGATTATTTTTTCAAGGAAGCGAATACTACTA 616
                      ||:|||    ::  :::||||
254 ..................PheArgGluGlyAspAsnV 261

617 TTTGTGTTATTGGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGGC 666
    ||  ::::|||||||||::: |||   |||  :::
261 alSerMetIleLeuValProPheLysThrIle.....AspLeuGluTrp 275

667 ATCGTTTACAACATGTTGAAAAAGACAGTTGGT........ACTATCC 707
    ::||| || ||:|||||     ||:||||
276 ValValSerAlaIleThrThrGlyThrIleSerHisThrTyrIleProVa 292

708 GAATGCCCAAATATACGTGACCACCAGAGAGCCGCATGAGTTAC 750
    ||::|||   ::||| |||   |||
292 lProAlaLysIleArgValLysGlnAspLysSerIleLeuIleTyr 306
```

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA2001.DAT:AAE10704

seq_documentation_block:
ID   AAE10704 standard; Protein; 329 AA.
XX
AC   AAE10704;
XX
DT   10-DEC-2001 (first entry)
XX
DE   Mouse sialyltransferase, 4ST3 Gal VI protein.
XX
KW   Mouse; sialyltransferase; GM3-synthase-specific immunogenic activity;
KW   4ST3 Gal VI.
XX
OS   Mus sp.
XX
PN   US6280989-B1.
XX
PD   28-AUG-2001.
XX
PF   17-JUN-1999; 99US-0334601.
XX
PR   17-JUN-1999; 99US-0334601.
XX
PA   (KAPI/) KAPITONOV D.
PA   (YURK/) YU R K.
XX
PI   Kapitonov D, Yu RK;
XX
DR   WPI; 2001-579256/65.
DR   N-PSDB; AAD18035.
XX
PT   Isolated nucleic acid useful for coding a full-length mammalian GM3
PT   synthase or its biologically active polypeptide fragment, useful for
PT   detecting expression of sialyltransferase in whole organs, tissue or
PT   cells -
XX
PS   Example 1; Fig 4; 81pp; English.
XX
CC   The present invention relates to an isolated nucleic acid comprising a
CC   nucleotide sequence coding for a full-length mammalian GM3 synthase or
CC   their biologically active polypeptide fragment. It is also useful as a
CC   size marker in nucleic acid or protein electrophoresis or chromatography

CC   and for detecting expression of sialyltransferase (ST) in whole organs,
CC   tissue or cells. The nucleic acid probes can also be used to detect,
CC   quantitate or isolate a mammalian sialyltransferase nucleic acid in a
CC   test sample or to identify sialyltransferase homologues, as
CC   oligonucleotide probe e.g. in polymerase chain reaction differential
CC   display, in combination with cDNA libraries, expression libraries, etc.
CC   The nucleic acid can be modified to make it resistant to cellular
CC   enzymes, oxidation, reduction, nucleases, etc. Or to enhance its uptake
CC   into cells. The present sequence is mouse sialyltransferase, 4ST3 Gal VI
CC   protein.
XX
SQ   Sequence   329 AA;

alignment_scores:
              Quality: 140.50   Length: 268
              Ratio: 1.201   Gaps: 11
Percent Similarity: 43.657   Percent Identity: 22.761

alignment_block:
US-09-714-936-218 x AAE10704

Align seg 1/1   to: AAE10704   from: 1   to: 329

```
193 GTGATTCCTGTGAGCTTCATAGCAGCGGTTCCTTTTCCTGCTGTT...... 237
    ::::||||||::: ::    :: |||||||  |||||  ::::
  5 LeuValAlaIlePheLeuSerSerIlePheLeuTyrTyrValLeuTyrCy 21

238 ...................................... GTGCGTC 244
                                            ::||||
 21 sIleLeuTrpGlyThrAsnGlyTyrTrpPheProAlaGluGluMetArgT 38

245 TTGTAAATGAAGTGAATTTCCCATTGCTACTAAACTGCTTGGACAACCT 294
    |||:||||||||    :: :::||  :::|||
 38 hrArgAsnAsnValAsn.................AsnCysPheLysPro 49

294 .................................................. 294
 50 AlaPheAlaAsnLeuArgPheProGlnLeuTyrProPheLeuCysSer 66

295 .......................... GGTACAAAGTGGATACCAT 313
                               ||||||||  |||||::||
 66 gAlaAspPheIleLysValAlaAlaMetSerGlyThrAsnAsnPheProL 83

314 TCTCCTACACATACAGGCGGCGGCCCCTTCGAACTCACTATGGATACATAAAT 363
    ::  ||| :::::|||:||||:::: |||
 83 euProTyrGlyIle...LysThrGluThrTyrPheSerSerAlaLeu 98

364 GTGAAGACACAA................. GAGCCTTTGCAACTGGACTG 395
    |||      |||                 ||
 99 SerLysGlnSerCysAspLeuPheAspGluPheAspArgValProCy 115

396 TGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGG 445
    |  ||||||||:::|||||    ::: :::|||
115 sLysArgCysValValGlyAsnGlyGlyValLeuLysAsnLysThrL 132

446 TGGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCC 495
    ::||| |||   :: :::||||||||:::::::
132 euGlyAlaThrIleAspSerTyrAspValIleIleArgMetAsnAsnGly 148

496 CCCACCAAAGGTTATGAAGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGT 545
    |||::|||   :||:::|||||||||||::: |:::||||
149 ProValLeuGlyHisGluGluValGlyThrArgThrThrPheArg.. 164

546 TGTGTCCCATACCAGCGTTCCTTTGCTAAAAAACCCTGATTATTTTT 595
    |                ||| ||::::
165 ...................... LeuPheTyrProGluSerValP 172

596 TCAAGGAAGCGAAT................... ACTACTATTTGTGTATT 627
    ||::::::::::::                   |||::: ||| |||
172 heSerAspSerHisTyrAspProAsnThrThrAlaValLeuValVal 188

628 TGGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGGCCATCGTTACAA 677
```

```
CC   The polypeptide and polynucleotide sequences have applications in
CC   diagnostics, forensics, gene mapping, identification of mutations
CC   responsible for genetic disorders or other traits to assess biodiversity
CC   and to produce other types of data and products dependent on DNA and
CC   amino acid sequences. ABG0010-ABG30377 represent novel human
CC   diagnostic amino acid sequences of the invention.
CC   Note: The sequence data for this patent did not appear in the printed
CC   specification, but was obtained in electronic format directly from WIPO
CC   at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ   Sequence 399 AA;
```

```
alignment_scores:
        Quality:   141.00            Length:    331
        Ratio:       1.102           Gaps:       13
Percent Similarity: 38.671    Percent Identity: 21.450
```

```
alignment_block:
US-09-714-936-218 x ABG18000

Align seq 1/1 to: ABG18000  from: 1  to: 399

82  GGTACCAGCCTCCAGCCTGCCCCCAGGACTGCCCCTGACCCAGGCGCGGCGGCC  131
    ||:::|||   |||:::|||
2   GlySerCysTyrProSer..................................      8

132 CGCTGCTCGGTGGCAGGAGGGCCGGCCGGAGCCCATGGCCTGCCATCCTGA  181
    |||:::   |||:::|||           |||:::|||
9   .......TrpGluAlaThrIleArgThrAlaLysMetValThrLeuA     22

182 AGAGAAAGTCTGTGATTGCTGTGAGCTTCATAGCAGCGTTCCTTTTCCTG  231
    :::::::|||::::::::|||||||||||||    |||:::||||:::|
22  rgLysArgThrLeuLysValLeuThrPheLeuValLeuPheIlePheLeu     38

231 ...................................................  231

39  ThrSerPheLeuAsnTyrSerHisThrMetValAlaThrThrTrpPh     55

232 ....................CTGGTTGTGCGTCTT.............     246
                        :::|||::::|||
55  eProLysGlnMetValLeuGluLeuSerGluAsnLeuLysArgLeuIleLeuL     72

246 ...................................................  246

72  ySHisArgProCysThrHisCysIleGlyLysLeuGlnArgLysLeuSer     88

247 .............GTAAATGAAGTGAATTCCCATTGCTACTA..        276
                 ||::::||    |||||||
89  AlaTrpPheAspGluArgPheAsnGlnThrMetGlnProLeuLeuThrAl    105

277 .....AACTGCTTTGGACAACCTGGTACA...AAGTCG.......       306
         |||::::|||    |||:::|||
105 aGlnAsnAlaLeuGluAspAspThrTyrArgTrpLeuSerLeuG          122

307 .....ATACCATTCCTCCACA...........TACAGGCGGCCCCTT       339
         :::|||||:||||||          ::|||||||:::
122 luSerValMetPheSerValThrMetGlyPheCysLeuGlnArgProPhe    138

340 CGAACTCACTATGGA.................TACATAAAT.......      363
    |||                      ||||||||
139 GlyAspLysGlnGlyThrThrGlnProValTyrIleAsnGlnInThrGlyAr   155

364 ...GTGAAGACAACAAGAGCCTTGCAA....................      387
       ::   |||:::|||    :||||||
155 gAspLeuThrArgGlnGlnArgLeuGlnArgGluLysLysProAsnAsnL    172

387 ...................................................  387

172 euAsnAspThrIleLysGluLeuPheAspArgValValProGlyAsnValAsp  188

388 .................CTGGCACTGTGACCTTTGTGCCATAGTGTC       416
                     :::   |||:::||||:::|||
```

```
Align seq 1/1 to: AAE10713  from: 1  to: 90

394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA  443
    |||   ||::::|||::||||||||||||:::::    |||:::
1   CysArgArgCysAlaValValGlyAsnSerGlyAsnLeuArgGlySerGl     17

444 GGTGGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATG  493
    |||:::|||||:::|||    |||  |||||||||||::::|
17  yTyrGlyGlnGlyValValAspSerHisAsnPheIleMetArgMetAsnGlnA  34

494 CCCCCACCAAAGGTTATGAAGAAGCATGTCGGCCGCCATGACCATGATTCGA  543
    |||||||  |||:::|||:::||||||||||||           ||
34  laProThrValGlyPheGluLysGlyAspValGlySer...........Arg  46

544 GTTGTGTCCCATACCAGCGCGTTCCTCTTTTGCTAAAA........AACCC  584
    :::::   |||     |||  |||||||||||||     ||||
47  ThrThrHisPheMetTyrProGluSerAlaLysGlnIleTyrAsnPr       63

585 TGATTATTTTTTCAAGGAAGCGAAT  609
    |||  ::::|||   ||||||||
63  oAlaPhePheCysAspGluValAsn     71
```

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA2001.DAT:ABG18000

```
seq_documentation_block:
ID   ABG18000 standard; Protein; 399 AA.
XX
AC   ABG18000;
XX
DT   18-FEB-2002 (first entry)
XX
DE   Novel human diagnostic protein #17991.
XX
KW   Human; chromosome mapping; gene mapping; gene therapy; forensic;
KW   food supplement; medical imaging; diagnostic; genetic disorder.
XX
OS   Homo sapiens.
XX
PN   WO200175067-A2.
XX
PD   11-OCT-2001.
XX
PF   30-MAR-2001; 2001WO-US08631.
XX
PR   31-MAR-2000; 2000US-0540217.
PR   23-AUG-2000; 2000US-0649167.
XX
PA   (HYSE-) HYSEQ INC.
XX
PI   Drmanac RT, Liu C,  Tang YT;
XX
DR   WPI; 2001-639362/73.
DR   N-PSDB; AAS82187.
XX
PT   New isolated polynucleotide and encoded polypeptides, useful in
PT   diagnostics, forensics, gene mapping, identification of mutations
PT   responsible for genetic disorders or other traits and to assess
PT   biodiversity -
XX
PS   Claim 20; SEQ ID No 48359; 103pp; English.
XX
CC   The invention relates to isolated polynucleotide (I) and
CC   polypeptide (II) sequences. (I) is useful as hybridisation probes,
CC   polymerase chain reaction (PCR) primers, oligomers, and for chromosome
CC   and gene mapping, and in recombinant production of (II). The
CC   polynucleotides are also used in diagnostics as expressed sequence tags
CC   for identifying expressed genes. (I) is useful in gene therapy techniques
CC   to restore normal activity of (II) or to treat disease states involving
CC   (II). (II) is useful for generating antibodies against it, detecting or
CC   quantitating a polypeptide in tissue, as molecular weight markers and as
CC   a food supplement. (II) and its binding partners are useful in medical
CC   imaging of sites expressing (II). (I) and (II) are useful for treating
CC   disorders involving aberrant protein expression or biological activity.
```

```
544 GTTGTGTCCCATACCAGCGTTCCTCCTTTGCTAAAA........AACCC 584
    :::::  |||      |||      |||                |||
 47 ThrThrHisHisPheMetTyrProGluSerAlaLysGlnIleTyrAsnPr 63

585 TGATTATTTTTCAAGGAGGCGAAT 609
    |  ::::|||      |||::|||
 63 oAlaPhePheCysAspGluValAsn 71

seq_name: /SIDS1/gcgdata/hold-geneseqp-embl/AA2001.DAT:AAE10713

seq_documentation_block:
ID   AAE10713 standard; peptide; 90 AA.
XX
AC   AAE10713;
XX
DT   10-DEC-2001  (first entry)
XX
DE   Rat 4ST3GalIIR domain of sialyltransferase.
XX
KW   Rat; sialyltransferase; GM3-synthase-specific immunogenic activity;
KW   4ST3GalIIR domain.
XX
OS   Rattus sp.
XX
PN   US6280989-B1.
XX
PD   28-AUG-2001.
XX
PF   17-JUN-1999;   99US-0334601.
XX
PR   17-JUN-1999;   99US-0334601.
XX
PA   (KAPI/) KAPITONOV D.
PA   (YURK/) YU R K.
XX
PI   Kapitonov D,  Yu RK;
XX
DR   WPI; 2001-579256/65.
XX
PT   Isolated nucleic acid useful for coding a full-length mammalian GM3
PT   synthase or its biologically active polypeptide fragment, useful for
PT   detecting expression of sialyltransferase in whole organs, tissue or
PT   cells -
XX
PS   Example 1; Fig 9A; 81pp; English.
XX
CC   The present invention relates to an isolated nucleic acid comprising a
CC   nucleotide sequence coding for a full-length mammalian GM3 synthase or
CC   their biologically active polypeptide fragment. It is also useful as a
CC   size marker in nucleic acid or protein electrophoresis or chromatography
CC   and for detecting expression of sialyltransferase (ST) in whole organs,
CC   tissue or cells. The nucleic acid probes can also be used to detect,
CC   quantitate or isolate a mammalian sialyltransferase nucleic acid in a
CC   test sample or to identify sialyltransferase homologues, as
CC   oligonucleotide probe e.g. in polymerase chain reaction differential
CC   display, in combination with cDNA libraries, expression libraries, etc.
CC   The nucleic acid can be modified to make it resistant to cellular
CC   enzymes, oxidation, reduction, nucleases, etc. Or to enhance its uptake
CC   into cells. The present sequence is rat 4ST3GalIIR domain of
CC   sialyltransferase.
XX
SQ   Sequence   90 AA;

alignment_scores:
        Quality:  141.50             Length:          75
          Ratio:  3.011              Gaps:            2
Percent Similarity: 62.667     Percent Identity:  42.667     ..

alignment_block:
US-09-714-936-218 x AAE10713
```

```
XX
AC   AAE10712;
XX
DT   10-DEC-2001  (first entry)
XX
DE   Mouse 4ST3GalIIM domain of sialyltransferase.
XX
KW   Mouse; sialyltransferase; GM3-synthase-specific immunogenic activity;
KW   4ST3GalIIM domain.
XX
OS   Mus sp.
XX
PN   US6280989-B1.
XX
PD   28-AUG-2001.
XX
PF   17-JUN-1999;   99US-0334601.
XX
PR   17-JUN-1999;   99US-0334601.
XX
PA   (KAPI/) KAPITONOV D.
PA   (YURK/) YU R K.
XX
PI   Kapitonov D,  Yu RK;
XX
DR   WPI; 2001-579256/65.
XX
PT   Isolated nucleic acid useful for coding a full-length mammalian GM3
PT   synthase or its biologically active polypeptide fragment, useful for
PT   detecting expression of sialyltransferase in whole organs, tissue or
PT   cells -
XX
PS   Example 1; Fig 9A; 81pp; English.
XX
CC   The present invention relates to an isolated nucleic acid comprising a
CC   nucleotide sequence coding for a full-length mammalian GM3 synthase or
CC   their biologically active polypeptide fragment. It is also useful as a
CC   size marker in nucleic acid or protein electrophoresis or chromatography
CC   and for detecting expression of sialyltransferase (ST) in whole organs,
CC   tissue or cells. The nucleic acid probes can also be used to detect,
CC   quantitate or isolate a mammalian sialyltransferase nucleic acid in a
CC   test sample or to identify sialyltransferase homologues, as
CC   oligonucleotide probe e.g. in polymerase chain reaction differential
CC   display, in combination with cDNA libraries, expression libraries, etc.
CC   The nucleic acid can be modified to make it resistant to cellular
CC   enzymes, oxidation, reduction, nucleases, etc. Or to enhance its uptake
CC   into cells. The present sequence is mouse 4ST3GalIIM domain of
CC   sialyltransferase.
XX
SQ   Sequence   90 AA;

alignment_scores:
        Quality:  141.50             Length:          75
          Ratio:  3.011              Gaps:            2
Percent Similarity: 62.667     Percent Identity:  42.667

alignment_block:
US-09-714-936-218 x AAE10712     ..

Align seg 1/1  to: AAE10712    from: 1  to: 90

394 TGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAA 443
    |||  |||||||||:::|||||||||||||||:::::  |||:::
  1 CysArgArgCysAlaValValGlyAsnSerGlyAsnLeuArgGlySerGl 17

444 GGTGGGAAATGATGAGATAGCATCCTCCTGCATTGGAGAATGAACAATG 493
    |||:|||||:::|||   |||||||||||||||||||||||||:::|
 17 yTyrGlyGlyValAspSerHisAsnPheIleMetArgMetAsnGlnA 34

494 CCCCCACCAAAGGTTATGAAGAAGATGTCGCCCGCCATGACCATGATTCGA 543
    |||||||||||||| :::|||||||||||||||||||||||||  |||
 34 laProThrValGlyPheGluLysAspValGlySer..........Arg 46
```

Wed May 8 08:38:07 2002

us-09-714-936-218.rag

PT   oligosaccharide(s)
XX
PS   Disclosure; Page 47-51; 67pp; English.
XX
CC   Hybrid glycosyltransferases (see also AAR55709) consisting of a
CC   membrane-bound galactosyltransferase linked at its C-terminal
CC   to the N-terminal of a soluble sialyltransferase have been
CC   expressed in Saccharomyces cerevisiae using plasmid YEPGSTa.
XX
SQ   Sequence 767 AA;

alignment_scores:
         Quality: 142.00   Length: 120
           Ratio: 2.000   Gaps: 5
Percent Similarity: 59.167   Percent Identity: 29.167

alignment_block:
US-09-714-936-218 x AAR55708

Align seg 1/1 to: AAR55708 from: 1 to: 767

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||||||||||::||||||||::||::||::::||::::::::||
545 CysAlaValSerSerAlaGlySerLeuLysSerSerGlnLeuGlyAr 561

453 TGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCACCA 502
    :|||||||| |||::||::::||||||||
561 gGluIleAspAspHisAspAlaValLeuArgPheAsnGlyAlaProThrA 578

503 AAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCC 552
    ::::::|||||||| ||| ||||::||::::::
578 laAsnPheGlnGlnAspValGlyThrLysThrThrIleArgLeuMetAsn 594

553 CATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    :|||||||| |||:: |||::||||:
595 SerGln..........LeuValThrThrGluLysArgPheLeuLysAs 607

603 AGGG......AATACTACTATTGTGTTATTGGGGACCT.......... 636
    :::: ||| |||::|||| |||
607 pSerLeuTyrAsnGluGlyIleLeuIleValTrpAspAspProSerValTyrH 624

637 ..............TTCCGCAATATGAGGAAAGATGGCAATGGC 666
    :|||||||| ||| |||||||
624 isSerAspIleProLysTrpTyrTyrGlnAsn......ProAspTyrAsn... 637

667 ATCGTTTACAACAGTGTGAAAAAGACAGTTGGTATCTATCCGAATGCCCA 716
    ::|||| |||||||||
638 ...PhePheAsnAsnTyrLysThrTyrArgLysLeuHisProAsnGlnPr 653

717 AATATACGTG 726
    ::||||::::
653 oPheTyrIle 656

seq_name: /SIDS1/gcgdata/hold-geneseqp-embl/AA1994.DAT:AAR55709

seq_documentation_block:
ID   AAR55709 standard; Protein; 767 AA.
XX
AC   AAR55709;
XX
DT   18-NOV-1994 (first entry)
XX
DE   Glycosyltransferase hybrid.
XX
KW   Galactosyltransferase; sialyltransferase; hybrid protein;
KW   glycosyltransferase; glycoprotein; glycolipid; oligosaccharide;
KW   YEPGSTb; glycosylation; Saccharomyces cerevisiae.
XX
OS   Homo sapiens.
XX
PN   WO9412646-A.
XX

PD   09-JUN-1994.
XX
PF   15-NOV-1993;   93WO-EP03194.
XX
PR   27-NOV-1992;   92EP-0810924.
XX
PA   (CIBA) CIBA GEIGY AG.
XX
PI   Berger EG, Iwanow SX, Watzele M;
XX
DR   WPI; 1994-200274/24.
DR   N-PSDB; AAQ66892.
XX
PT   Proteins with glycosyl transferase activity - useful for
PT   synthesis or modification of glyco-proteins, glyco-lipid(s) and
PT   oligosaccharide(s)
XX
PS   Disclosure; Page 57-61; 67pp; English.
XX
CC   Hybrid glycosyltransferases (see also AAR55708) consisting of a
CC   membrane-bound galactosyltransferase linked at its C-terminal
CC   to the N-terminal of a soluble sialyltransferase have been
CC   expressed in Saccharomyces cerevisiae using plasmid YEPGSTa.
XX
SQ   Sequence 767 AA;

alignment_scores:
         Quality: 142.00   Length: 120
           Ratio: 2.000   Gaps: 5
Percent Similarity: 59.167   Percent Identity: 29.167

alignment_block:
US-09-714-936-218 x AAR55709

Align seg 1/1 to: AAR55709 from: 1 to: 767

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||||||||||::||||||||::||::||::::||::::::::||
545 CysAlaValSerSerAlaGlySerLeuLysSerSerGlnLeuGlyAr 561

453 TGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCACCA 502
    :|||||||| |||::||::::||||||||
561 gGluIleAspAspHisAspAlaValLeuArgPheAsnGlyAlaProThrA 578

503 AAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCC 552
    ::::::|||||||| ||| ||||::||::::::
578 laAsnPheGlnGlnAspValGlyThrLysThrThrIleArgLeuMetAsn 594

553 CATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    :|||||||| |||:: |||::||||:
595 SerGln..........LeuValThrThrGluLysArgPheLeuLysAs 607

603 AGGG......AATACTACTATTGTGTTATTGGGGACCT.......... 636
    :::: ||| |||::|||| |||
607 pSerLeuTyrAsnGluGlyIleLeuIleValTrpAspAspProSerValTyrH 624

637 ..............TTCCGCAATATGAGGAAAGATGGCAATGGC 666
    :|||||||| ||| |||||||
624 isSerAspIleProLysTrpTyrTyrGlnAsn......ProAspTyrAsn... 637

667 ATCGTTTACAACAGTGTGAAAAAGACAGTTGGTATCTATCCGAATGCCCA 716
    ::|||| |||||||||
638 ...PhePheAsnAsnTyrLysThrTyrArgLysLeuHisProAsnGlnPr 653

717 AATATACGTG 726
    ::||||::::
653 oPheTyrIle 656

seq_name: /SIDS1/gcgdata/hold-geneseqp-embl/AA2001.DAT:AAE10712

seq_documentation_block:
ID   AAE10712 standard; peptide; 90 AA.

Percent Similarity: 59.167   Percent Identity: 29.167

alignment_block:
US-09-714-936-218 x AAY39959

Align seg 1/1 to: AAY39959   from: 1   to: 406

```
403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    |||||:||||||::|||||:||:||||||||||||||:||:::::|||::
184 CysAlaValSerSerAlaGlySerSerGlnLeuGlyAr 200

453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCACCA 502
    :|||||||||         ::|||||||||||| |||:|||||||||||||
200 gGluIleAspAspHisAspAlaValLeuArgPheAsnGlyAlaProThrA 217

503 AAGGTTATGAAGAAGATGTCGGCCCGCATGACCATGATTCGAGTTGTGTCC 552
    :::::::::||||||||||   ||| |||||:::::::::::
217 laAsnPheGlnGlnAspValGlyThrLysThrIleArgLeuMetAsn 233

553 CATACCAGCGTTCCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    |||:::::      ::       :::         :::::::||::::
234 SerGln..............LeuValThrThrGluLysArgPheLeuLysAs 246

603 AGCG.......AATACTACTATTGTGTTATTTGGGGACCT........... 636
    ::::      |||        |||             :::||| |||
246 pSerLeuTyrAsnGluGlyIleLeuIleValTrpAspProSerValTyrH 263

637 ..............................TTCCGCAATATGAGGAAAGATGGCAATGGC 666
                                  ::::|||         ||| |||
263 isSerAspIleProLysTrpTyrGlnAsn......ProAspTyrAsn... 276

667 ATCGTTTACAACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCA 716
    ::||||||||||||||   :::::::::||||||||::::::|||||||
677 ...PhePheAsnAsnTyrLysThrTyrArgLysLeuHisProAsnGlnPr 292

717 AATATACGTG 726
    ::||||||:::
292 oPheTyrIle 295
```

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseq-embl/AA1994.DAT:AAR55708

```
200 gGluIleAspAspHisAspAlaValLeuArgPheAsnGlyAlaProThrA 217
    :::::::::||||||||||   ||| |||||:::::::::::
503 AAGGTTATGAAGAAGATGTCGGCCCGCATGACCATGATTCGAGTTGTGTCC 552
    :::::::::||||||||||   ||| |||||:::::::::::
217 laAsnPheGlnGlnAspValGlyThrLysThrIleArgLeuMetAsn 233

553 CATACCAGCGTTCCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    |||:::::      ::       :::         :::::::||::::
234 SerGln..............LeuValThrThrGluLysArgPheLeuLysAs 246

603 AGCG.......AATACTACTATTGTGTTATTTGGGGACCT........... 636
    ::::      |||        |||             :::||| |||
246 pSerLeuTyrAsnGluGlyIleLeuIleValTrpAspProSerValTyrH 263

637 ..............................TTCCGCAATATGAGGAAAGATGGCAATGGC 666
                                  ::::|||         ||| |||
263 isSerAspIleProLysTrpTyrGlnAsn......ProAspTyrAsn... 276

667 ATCGTTTACAACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCA 716
    ::||||||||||||||   :::::::::||||||||::::::|||||||
277 ...PhePheAsnAsnTyrLysThrTyrArgLysLeuHisProAsnGlnPr 292

717 AATATACGTG 726
    ::||||||:::
292 oPheTyrIle 295
```

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseq-embl/AA1999.DAT:AAY39959

alignment_scores:
Quality: 142.00   Length: 120
Ratio: 2.000   Gaps: 5

```
DE   HeLa cell sialyltransferase enzyme.
XX
KW   glycosyltransferase; galactosyltransferase; sialyltransferase;
KW   furosyltransferase; membrane bound; ss.
XX
OS   Homo sapiens.
XX
PN   GB2256197-A.
XX
PD   02-DEC-1992.
XX
PF   14-APR-1992;   92GB-0008211.
XX
PR   31-MAY-1991;   91EP-0810414.
PR   04-MAR-1992;   92EP-0810167.
PR   14-APR-1992;   92GB-0008211.
XX
PA   (CIBA ) CIBA GEIGY AG.
XX
PI   Berger EG, Meyhack B, Watzele G, Watzele M, Berger E;
XX
DR   WPI; 1992-401159/49.
DR   N-PSDB; AAQ31434.
XX
PS   Claim 11; Page 43; 65pp; English.
XX
CC   This sequence represents a sialyltransferase enzyme from HeLa cells.
CC   (EC 2.4.99.1). It was decoded from the appropriate cDNA. the method
CC   of the invention is used to produce membrane-bound mammalian
CC   glycosyltransferase and variants, using transformed yeasts. It is
CC   less time consuming than natural source isolation and chemical methods.
XX
SQ   Sequence   406 AA;

alignment_scores:
       Quality:   142.00              Length:    120
         Ratio:    2.000                Gaps:      5
Percent Similarity:   59.167    Percent Identity:  29.167

alignment_block:
US-09-714-936-218 x AAR28839        .  .

Align seg 1/1  to: AAR28839  from: 1  to: 406

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||||:||:::||||||:::||||:  :::::::::::::::::||::
184 CysAlaValSerSerAlaGlySerLeuLysSerGlnLeuGlyAr 200

453 TGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCACCA 502
    :||||||||    :::::::::  |||:::||||::|||||||||
200 gGluIleAspAspHisAspAlaValLeuArgPheAsnGlyAlaProThrA 217

503 AAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCC 552
    ::::::::::||  :::::::::::::::::||:::::::::||:
217 laAsnPheGlnGlnAspValGlyThrLysThrThrIleArgLeuMetAsn 233

553 CATACCAGCGTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    ||:::  :::            |||:::  :::::::::||:::
234 SerGln..........LeuValThrThrGluLysArgPheLeuLysAs 246

603 AGCG.....AATACTACTATTTGTGTTATTTGGGGACCT.......... 636
    ::::     |||           |||  |||
246 pSerLeuTyrAsnGluGlyIleLeuIleValTrpAspProSerValTyrH 263

637 ..........TTCCGCAATATGAGGAAAAGATGGCAATGGC 666
    ::::||||            |||  |||
263 isSerAspIleProLysTrpTyrGlnAsn.....ProAspTyrAsn... 276
```

```
667 ATCGTTTACAACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCA 716
    :::|||                |||           :::::::||||||
277 ...PhePheAsnAsnTyrLysThrTyrArgLysLeuHisProAsnGlnPr 292

717 AATATACGTG 726
    :::||||::
292 oPheTyrIle 295

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA1994.DAT:AAR55707

seq_documentation_block:
ID   AAR55707 standard; Protein; 406 AA.
XX
AC   AAR55707;
XX
DT   18-NOV-1994 (first entry)
XX
DE   Sialyltransferase.
XX
KW   Galactosyltransferase; sialyltransferase; hybrid protein;
KW   glycosyltransferase; glycoprotein; glycolipid; oligosaccharide;
KW   HepG2; Escherichia coli; pSIA2; glycosylation;
KW   Saccharomyces cerevisiae.
XX
OS   Homo sapiens.
XX
PN   WO9412646-A.
XX
PD   09-JUN-1994.
XX
PF   15-NOV-1993;   93WO-EP03194.
XX
PR   27-NOV-1992;   92EP-0810924.
XX
PA   (CIBA ) CIBA GEIGY AG.
XX
PI   Berger EG, Iwanow SX, Watzele M;
XX
DR   WPI; 1994-200274/24.
DR   N-PSDB; AAQ66890.
XX
PT   Proteins with glycosyl transferase activity - useful for
PT   synthesis or modification of glyco-proteins, glyco-lipid(s) and
PT   oligosaccharide(s)
XX
PS   Disclosure; Page 38-40; 67pp; English.
XX
CC   cDNA encoding sialyltransferase (ST) was isolated from HepG2
CC   cells, cloned by PCR using the primers given in AAQ66901-02, and
CC   expressed in Escherichia coli DH5-alpha using plasmid pSIA2.
CC   Hybrid proteins (AAR55708, AAR55709) comprising membrane-bound or
CC   soluble derivatives of galactosyltransferase linked to soluble
CC   ST were prepared in Saccharomyces cerevisiae.
XX
SQ   Sequence   406 AA;

alignment_scores:
       Quality:   142.00              Length:    120
         Ratio:    2.000                Gaps:      5
Percent Similarity:   59.167    Percent Identity:  29.167

alignment_block:
US-09-714-936-218 x AAR55707        .  .

Align seg 1/1  to: AAR55707  from: 1  to: 406

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    |||||||:::||||||:::||||:  :::::::::::::::::||::
184 CysAlaValSerSerAlaGlySerLeuLysSerGlnLeuGlyAr 200

453 TGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCACCA 502
    :||||||||    :::::::::  |||:::||||::|||||||||
```

CC   disorders involving missing sugar chains. It may also be used as
CC   a tumour migration inhibitor, viral infection preventative and
CC   as an anti-inflammatory.
XX
SQ   Sequence   376 AA;

alignment_scores:
           Quality: 146.50   Length: 113
           Ratio: 2.363   Gaps: 1
Percent Similarity: 54.867   Percent Identity: 28.319

alignment_block:
US-09-714-936-218 x AAR78622

Align seg 1/1 to: AAR78622   from: 1 to: 376

352 GGATACATAAATGTGAAGAACACAAGAGCCCTTGCAACTGGACTGTGACCT 401
     |||||||| ::::|| :: ||
137 GlyTyrLeuProLysGluThrPheArgThrLysAlaGlyThrCysThrLrY 153

402 TTGTGCCATAGTGTCAAACTCAGGTTGGCCAGAAGGTGGGAA 451
     ||||||||||::||||||||:::::: :||||:::::::::||:
153 sCysAlaValSerSerAlaGlySerLeuLysAsnSerGlnLeuGlyA 170

452 ATGAGATAGATCGATCCCCTGCATTTGGAGAATGAACAATGCCCCACC 501
     ::||||||||:: :::::::|||::|||::|||||||||
170 rgGluIleAspAsnHisAspAlaValLeuArgPheAsnGlyAlaProThr 186

502 AAAGGTTATGAAGAAGATGTCGGCCCGCATGACCATGATTCGAGTTGTGTC 551
     :::::::::::|||||||| ||| ||||||::|||:
187 AspAsnPheGlnGlnAspValGlyThrLysThrThrIleArgLeuValAs 203

552 C....................................... 552
     ......
203 nSerGlnLeuValThrThrGluLysLysAspSerLeuTyrT 220

553 ...........................CATACCAGCGTT 564
     ....|||:::::::::
220 hrGluGlyIleLeuLeuLeuTrpAspProSerValTyrHisAlaAspIle 236

565 CCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGAA 603
     ||||::::|||||||| ||| |||
237 ProGlnTrpTyrGlnLysProAspTyrAsnPhePheGlu 249

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA1992.DAT:AAR21846

seq_documentation_block:
ID   AAR21846 standard; Protein; 406 AA.
XX
AC   AAR21846;
XX
DT   10-JUL-1992 (first entry)
XX
DE   Gal alpha-2,6-ST (from clone 14).
XX
KW   Beta-galactoside alpha-2,6 sialyl transferase; G26ST;
KW   sialylation; glycoprotein; antithrombin III; ATIII; erythropoietin;
KW   factor VII; factor VIIIc; factor IX; tissue factor; CD4;
KW   interleukin receptors; TNF receptor; monoclonal antibodies.
XX
OS   Homo sapiens.
XX
PN   DE4028800-A.
XX
PD   12-MAR-1992.
XX
PF   11-SEP-1990; 90DE-4028800.
XX
PR   11-SEP-1990; 90DE-4028800.
XX
PA   (BEHW) BEHRINGWERKE AG.
XX

PI   Zettlmeissl G, Grundmann U, Becker A, Hermentin P;
XX
DR   WPI; 1992-089481/12.
DR   N-PSDB; AAQ22696.
XX
PT   Prodn. of sialylated glyco-protein(s) - by expression of DNA
PT   coding for glyco-protein and sialyl transferase in eukaryotic
PT   cells
XX
PS   Example 1; Page 3; 12pp; German.
XX
CC   Example 1 illustrates the cloning of human Gal alpha-2,6-ST.
CC   The DNA sequence is expressed in eukaryotic cells (e.g. 3MK1-3-B11
CC   cells), resulting in sialylation of the glycoprotein.
CC   The process may be used to produce sialylated recombinant forms of
CC   glycoproteins such as antithrombin III, erythropoietin, factor VII,
CC   factor VIIIc, factor IX, tissue factor, interleukin receptors, TNF
CC   receptor of CD4, or sialylated monoclonal antibodies.
XX
SQ   Sequence   406 AA;

alignment_scores:
           Quality: 142.00   Length: 120
           Ratio: 2.000   Gaps: 5
Percent Similarity: 59.167   Percent Identity: 29.167

alignment_block:
US-09-714-936-218 x AAR21846

Align seg 1/1 to: AAR21846   from: 1 to: 406

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
     |||||||::||||||||||::::::|||| ::::::::|||:::||::
184 CysAlaValValSerSerAlaGlySerLeuLysSerSerGlnLeuGlyAr 200

453 TGAGATAGATCGATCCCCTGCATTTGGAGAATGAACAATGCCCCCACCA 502
     :||||||||| :::::::||| |||::|||||||:::|||||
200 gGluIleAspAspHisAspAlaValLeuArgPheAsnGlyAlaProThrA 217

503 AAGGTTATGAAGAAGATGTCGGCCCGCATGACCATGATTCGAGTTGTGTCC 552
     :::::::::::::|||||||| ||| ||||||::|||::|::
217 laAsnPheGlnGlnAspValGlyThrLysThrThrIleArgLeuMetAsn 233

553 CATACCAGGTTCCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
     |||::: ::: ||||||||::::||||||||:||:::||:
234 SerGln..........LeuValThrThrGluLysProAspPheLeuLysAs 246

603 AGCG......AATACTACTATTTGTGTTATTTGGGGACCT........... 636
     ::::: ||| :::||::||| |||:||||
246 pSerLeuTyrAsnGluGlyIleLeuIleLeuValTrpAspProSerValTyrH 263

637 ............................TTCCGCAATATGAGGAAAGATGGCAATGGC 666
     :::::||| :::|||
263 isSerAspIleProLysTrpTyrGlnAsn......ProAspTyrAsn... 276

667 ATCGTTTACAACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCA 716
     :::|||| ||| ::::::||||||
277 ...PhePheAsnAsnTyrLysThrTyrArgLysLeuHisProAsnGlnPr 292

717 AATATACGTG 726
     ::::|||::
292 oPheTyrIle 295

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA1992.DAT:AAR28839

seq_documentation_block:
ID   AAR28839 standard; Protein; 406 AA.
XX
AC   AAR28839;
XX
DT   05-APR-1993 (first entry)
XX

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA2001.DAT:ABB60991

seq_documentation_block:
```
ID   ABB60991 standard; Protein; 451 AA.
XX
AC   ABB60991;
XX
DT   26-MAR-2002 (first entry)
XX
DE   Drosophila melanogaster polypeptide SEQ ID NO 9765.
XX
KW   Drosophila; developmental biology; cell signalling; insecticide;
KW   pharmaceutical.
XX
OS   Drosophila melanogaster.
XX
PN   WO200171042-A2.
XX
PD   27-SEP-2001.
XX
PF   23-MAR-2001; 2001WO-US09231.
XX
PR   23-MAR-2000; 2000US-191637P.
PR   11-JUL-2000; 2000US-0614150.
XX
PA   (PEKE ) PE CORP NY.
XX
PI   Venter JC, Adams M, Li PWD, Myers EW;
XX
DR   WPI; 2001-656860/75.
DR   N-PSDB; ABL05094.
XX
PT   New isolated nucleic acid detection reagent for detecting 1000 or more
PT   genes from Drosophila and for elucidating cell signalling and cell-cell
PT   interactions -
XX
PS   Disclosure; SEQ ID NO 9765; 21pp + Sequence Listing; English.
XX
CC   The invention relates to an isolated nucleic acid detection reagent
CC   capable of detecting 1000 or more genes from Drosophila. The invention is
CC   useful in developmental biology and in elucidating cell signalling and
CC   cell-cell interactions in higher eukaryotes for the development of
CC   insecticides, therapeutics and pharmaceutical drugs. The invention
CC   discloses genomic DNA sequences (ABL16176-ABL30511), expressed DNA
CC   sequences (ABL01840-ABL16175) and the encoded proteins
CC   (ABB57737-ABB72072).
CC   The sequence data for this patent did not form part of the printed
CC   specification, but was obtained in electronic format directly from WIPO
CC   at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ   Sequence   451 AA;
```

alignment_scores:
```
      Quality:  159.00          Length:      144
        Ratio:    1.916            Gaps:        7
Percent Similarity:  57.639   Percent Identity:  31.944
```

alignment_block:
US-09-714-936-218 x ABB60991

Align seg 1/1 to: ABB60991 from: 1 to: 451

```
307 ATACCATTCTCCTACACATACAGGCGGCGCCCCTTCGAACTCACTATGGATA 356
    :::||:||||:         ::  ||                      ::
197 LeuProPheGlyArgLeuPheProArgGlnLysLeu..........Ph 209

357 CATAAATGTGAAGACAACACAAGAGCCCTTTGCAACTGGACTGTGACCTTTGTG 406
    :  |||||||||               ||  |||||||||||||||   ||||
209 eArgAsnValLys...............AspIleLysThrCysA 219

407 CCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAG 456
    |||||||||||:::::::::||::::||::|||::::||:::||::::
```

219 laIleValSerSerAlaGlySerLeuAlaGlySerLysLeuGlyArgPhe 235

457 ATAGATCGATCCTTCCTGCATTTGGAGAATGAACAATGCCCCCACCCAAAGG 506
    |||||| ::: ||| :::||:|||||:|||||||||||||:||
236 IleAspThrHisAspIleValMetArgPheAsnHisAlaProThrGlnG1 252

507 TTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCCCATA 556
    :::|||| ||||||||| ||| ||| |||||||||||||:::
252 yHisGluValAspValGlySerLysThrThrIleArgValValAsnSerG 269

557 CCAGCGTTCCTCTTTTTGCTAAAAAACCCTGATTATTTTTCAAGGAAGCG 606
    ::::||| ::::||:::|| ||:::|||||||||||||||:|||
269 ln...........ValValThrLysProGluPheAspPheThrArgAla 281

607 .........AATACTACTATTTGTGTATTGGGGACCTTTCCGCAA 644
    ||:::||||||||: ||| ||| || :::
282 ProIlePheArgAsnValThrIleAlaAla...TrpAspProGlyLysTy 297

645 TATGAGGAAAGATGGCAATGGCATCGTTTACAACATGTTGAAAAAGACA. 693
    ||||| ::: ||| |||:::
297 r..........AsnGlyThrGluAspTrpProLeuThrSerAlaA 309

694 ..GTTGGTATCTATCCGAATGCCCAAATATAC 723
    ::::: ||| ::::
309 spTyrAspLeuPheSerAsnTyrGluLeuTyr 319

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA1995.DAT:AAR78622

seq_documentation_block:
```
ID   AAR78622 standard; Protein; 376 AA.
XX
AC   AAR78622;
XX
DT   11-JUN-1996 (first entry)
XX
DE   Murine GalNAc-alpha-2,6-sialyltransferase.
XX
KW   GalNAc-alpha-2,6-sialyltransferase; anti-inflammatory;
KW   viral infection; tumour; migration; inhibitor; sugar chain;
KW   reagent; mouse.
XX
OS   Mus musculus.
XX
FH   Key             Location/Qualifiers
FT   CDS             7..1137
FT                   /*tag= a
XX
PN   WO9518217-A1.
XX
PD   06-JUL-1995.
XX
PF   22-DEC-1994;   94WO-JP02182.
XX
PR   28-APR-1994;   94JP-0091507.
PR   24-DEC-1993;   93JP-0348260.
PR   28-MAR-1994;   94JP-0057369.
XX
PA   (RIKA ) INST PHYSICAL & CHEM RES.
XX
PI   Hamamoto T, Kojima N, Kurosawa N, Lee Y, Nakaoka T;
PI   Tsuji S;
XX
DR   WPI; 1995-246383/32.
DR   N-PSDB; AAQ95326.
XX
PT   New GalNAc-alpha-2,6-sialyl:transferases P-B1 and P-B3 - for e.g.
PT   treatment of genetic disorders involving missing sugars
XX
PS   Example D; Pages 56-58; 70pp; Japanese.
XX
CC   AAQ95326 encodes AAR78622 murine GalNAc-alpha-2,6-sialyltransferase.
CC   It can be used as a reagent for introducing human type
CC   sugar chains onto proteins, or for the treatment of genetic
```

```
PR      14-SEP-2000;   2000US-0232401.
PR      14-SEP-2000;   2000US-0233063.
PR      14-SEP-2000;   2000US-0233064.
PR      14-SEP-2000;   2000US-0233065.
PR      21-SEP-2000;   2000US-0234223.
PR      21-SEP-2000;   2000US-0234274.
PR      25-SEP-2000;   2000US-0234997.
PR      25-SEP-2000;   2000US-0234998.
PR      26-SEP-2000;   2000US-0235484.
PR      27-SEP-2000;   2000US-0235834.
PR      27-SEP-2000;   2000US-0235836.
PR      29-SEP-2000;   2000US-0236327.
PR      29-SEP-2000;   2000US-0236367.
PR      29-SEP-2000;   2000US-0236368.
PR      29-SEP-2000;   2000US-0236369.
PR      29-SEP-2000;   2000US-0236370.
PR      02-OCT-2000;   2000US-0236802.
PR      02-OCT-2000;   2000US-0237037.
PR      02-OCT-2000;   2000US-0237038.
PR      02-OCT-2000;   2000US-0237039.
PR      02-OCT-2000;   2000US-0237040.
PR      13-OCT-2000;   2000US-0239935.
PR      13-OCT-2000;   2000US-0239937.
PR      20-OCT-2000;   2000US-0240960.
PR      20-OCT-2000;   2000US-0241785.
PR      20-OCT-2000;   2000US-0241786.
PR      20-OCT-2000;   2000US-0241787.
PR      20-OCT-2000;   2000US-0241808.
PR      20-OCT-2000;   2000US-0241809.
PR      20-OCT-2000;   2000US-0241826.
PR      20-OCT-2000;   2000US-0242221.
PR      01-NOV-2000;   2000US-0244617.
PR      08-NOV-2000;   2000US-0246474.
PR      08-NOV-2000;   2000US-0246475.
PR      08-NOV-2000;   2000US-0246476.
PR      08-NOV-2000;   2000US-0246477.
PR      08-NOV-2000;   2000US-0246478.
PR      08-NOV-2000;   2000US-0246523.
PR      08-NOV-2000;   2000US-0246525.
PR      08-NOV-2000;   2000US-0246526.
PR      08-NOV-2000;   2000US-0246527.
PR      08-NOV-2000;   2000US-0246528.
PR      08-NOV-2000;   2000US-0246532.
PR      08-NOV-2000;   2000US-0246609.
PR      08-NOV-2000;   2000US-0246610.
PR      08-NOV-2000;   2000US-0246611.
PR      08-NOV-2000;   2000US-0246613.
PR      17-NOV-2000;   2000US-0249207.
PR      17-NOV-2000;   2000US-0249208.
PR      17-NOV-2000;   2000US-0249209.
PR      17-NOV-2000;   2000US-0249210.
PR      17-NOV-2000;   2000US-0249211.
PR      17-NOV-2000;   2000US-0249213.
PR      17-NOV-2000;   2000US-0249214.
PR      17-NOV-2000;   2000US-0249215.
PR      17-NOV-2000;   2000US-0249216.
PR      17-NOV-2000;   2000US-0249217.
PR      17-NOV-2000;   2000US-0249218.
PR      17-NOV-2000;   2000US-0249244.
PR      17-NOV-2000;   2000US-0249245.
PR      17-NOV-2000;   2000US-0249264.
PR      17-NOV-2000;   2000US-0249265.
PR      17-NOV-2000;   2000US-0249297.
PR      17-NOV-2000;   2000US-0249299.
PR      17-NOV-2000;   2000US-0249300.
PR      01-DEC-2000;   2000US-0250391.
PR      05-DEC-2000;   2000US-0251160.
PR      05-DEC-2000;   2000US-0251030.
PR      05-DEC-2000;   2000US-0251988.
PR      05-DEC-2000;   2000US-0256719.
PR      06-DEC-2000;   2000US-0251479.
```

```
PR      08-DEC-2000;   2000US-0251856.
PR      08-DEC-2000;   2000US-0251868.
PR      08-DEC-2000;   2000US-0251869.
PR      08-DEC-2000;   2000US-0251989.
PR      08-DEC-2000;   2000US-0251990.
PR      11-DEC-2000;   2000US-0254097.
PR      05-JAN-2001;   2001US-0259678.
XX
PA      (HUMA-)  HUMAN GENOME SCI INC.
XX
PI      Rosen CA,   Barash SC,   Ruben SM;
XX
DR      WPI;  2001-541565/60.
DR      N-PSDB;  ABA14151.
XX
PT      Nucleic acids encoding 3224 human nervous system antigen polypeptides,
PT      useful for preventing, diagnosing and/or treating nervous system
PT      cancers and metastases -
XX
PS      Claim 11;  SEQ ID NO 6482;  1701pp + Sequence Listing;  English.
XX
CC      The invention relates to novel genes (ABA11004-ABA21534) and proteins
CC      (ABB14678-ABB18001) useful for preventing, treating or ameliorating
CC      medical conditions e.g. by protein or gene therapy. The genes are
CC      isolated from a range of human tissues disclosed in the specification.
CC      The nucleic acids, proteins, antibodies and (ant)agonists are useful
CC      in the diagnosis, treatment and prevention of: (a) cancer, e.g. breast
CC      and ovarian cancer and other cancers of the adrenal gland, bone, bone
CC      marrow, breast, gastrointestinal tract, liver, lung, or urogenital;
CC      (b) immune disorders e.g. Addison's disease, allergies, autoimmune
CC      haemolytic anaemia, autoimmune thyroiditis, diabetes mellitus, Crohn's
CC      disease, multiple sclerosis, rheumatoid arthritis and ulcerative
CC      colitis; (c) cardiovascular disorders such as myocardial ischaemias;
CC      (d) wound healing; (e) neurological diseases e.g. cerebral anoxia and
CC      epilepsy; and (f) infectious diseases such as viral, bacterial, fungal
CC      and parasitic infections.
CC      Note: The sequence data for this patent did not form part of the
CC      printed specification, but was obtained in electronic format directly
CC      from WIPO at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ      Sequence  72 AA;
```

```
alignment_scores:
    Quality:        175.00         Length:          70
    Ratio:            3.017        Gaps:             0
Percent Similarity:  82.857        Percent Identity:  40.000

alignment_block:
US-09-714-936-218 x ABB17825

Align seg 1/1  to: 72  to ABB17825  from: 1  to: 72

  367 AAGACACAAGAGCCTTTGCAACTGACTGACCTTTGTGCCATAGTGTC 416
       :::    ::::::|||||:::::::     |||   |||||::::|||:
    3 ArgAspHisLysProLeuLysMetHisCysArgAspCysAlaLeuValTh 19

  417 AAACTCAGGTCAGATGGTTGGCCAGAAGTGGGAAATGAGATAGATCGAT 466
       :::::::::::|||||:::::::::|||||:|||::::::|||
   19 rSerSerGlyHisLeuHisSerArgGlnGlySerGlnIleAspGlnT 36

  467 CCTCCTGCCATTGGAGAATGAACAATGCCCCACCAAAGGTTATGAAGAA 516
       :::::|||::: |||||||::::::|||||||::::::|||||||  :::
   36 hrGluCysValIleArgMetAsnAspAlaProThrArgGlyTyrGlyArg 52

  517 GATGTCGGCGCGATGACCATGATTCGAGTTGTGTCCCATACCAGCGTTCC 566
       |||||||:: :::|||||||:::|||||::::::|||::::::::::::
   53 AspValGlyAsnArgThrSerLeuArgValIleAlaHisSer***IleGl 69

  567 TCTTTTGCTA 576
       :::|||
   69 nArgIleLeu 72
```

Percent Similarity: 60.352   Percent Identity: 32.599

alignment_block:
US-09-714-936-218 x AAB08896

Align seg 1/1 to: AAB08896 from: 1 to: 320

```
181 AAGAGAAAGTCTGATTGCTGGAGCTTC...ATAGCAGCGTTCCTTTT 227
      :::::|||::||||:::|  |||   ||  :::  ||:|||:|||
  7 GlnArgSerAlaValPheVallleLeuPheAlaLeulleThrIleLeuIl 23

228 CCTGCTGGTGTGTCGCTCTTGTAAATGAAGTGAATTCCCATTGCTGCTACTAA 277
      :|||        ::: :|||||||||||
 23 eLeuTyrSerSerAsnSerAlaAsnGluVal................ 33

278 ACTGCTTTGGACAACCTGGTACAAAGTGGATACCATTCTCCTAC...... 321
                              ...............PheHisTyrGlySer 38
 34 ........................

322 .....ACATACAGGCGGCCCCTTCGAACTCACTAT............. 351
          |||||||||||:::::
 39 LeuArgGlyArgSerArgArgProValAsnLeuLysLysTrpSerIleTh 55

352 ...GGATACATAAATGTGAAGACACAAGAGCCTTTGCAACTGGACTGTG 397
      ||||||||| :::   :::::: ||  ||
 55 rAspGlyTyrValProIleLeuGlyAsnLysThrLeuProSerArgCysH 72

398 ACCTTTGTGCCATAGTGTCAAACTCAGTCAGATGGTTGGCCAGAAGGTG 447
      |||||||||:::|||:::|||:::::||| |||:::
 72 isGlnCysVallleValSerSerSerHisLeuLeuGlyThrLysLeu 88

448 GGAAATGAGATAGATCCTCCTGCATTGGAGAATGAACAATGCCCC 497
     ||| ||||:||::||:::||::||  ||||||| ||::||
 89 GlyProGluIleGluArgAlaGluCysThrIleArgMetAsnAspAlaPr 105

498 CACCAAAGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGTTG 547
     ||||  |||||||::: ||||||||:::  ||:::  |||||| |||:||
 105 oThrThrGlyTyrSerAlaAspValGlyAsnLysThrThrThrTyrArgValV 122

548 TGTCCCATACCAGCGTTCCTCTTTTTGCTAAAAAACCCTGATTATTTTTTC 597
     ||||||||||||::: |||||||||||:::|||:::::|||:::||
 122 aIAlaHisSerValPheArgValLeuArgArgProGlnGluPheVal 138

598 AAGGAAGCCGAATACTACTATTTGTTTATTCGGGACCTTCCGCAATAT 647
     :::::::||||| |||:::|||::||||||||||   :::||
 139 AsnArgThrProGluThrValPheIlePheTrpGlyProProSerLysMe 155

648 GAGGAAAGATGGCAATGGCATCCTTTACAACATGTTGAAAAAGACAGTTG 697
     |::||||  :::||| ::: ::::::::::::::
 155 tGlnLysPro...GlnGlySerLeuValArgValIleGlnArgAlaGlyL 171

698 GTATCTATCCGAATGCCCAAATATACGTGACCACAGAGAAGCCCATGAGT 747
     :::::||||||  :::|||:::|||||||||:::|||
 171 euValPheProAsnMetGluAlaTyrAlaValSerProGlyArgMetArg 187

748 TACTGTGATGGAGTTTTTAAGAAGAAGAAACTGGCAAGGGCGGGCCATGC 797
      |||||||||||||||||||||:::|||||||||||:||||
 188 GlnPheAspAspLeuPheArgGlyGluThrGlyLysAspArgGluLysSe 204

798 AAGGCGACTGCTGATTTCTCACAGACACTTT 828
     :::: |||||| ||| |||||| |||
 204 rHisSerTrpLeu...SerThrGlyTrpPhe 213
```

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseq-embl/AA2001.DAT/AA2001.DAT:ABB17825

seq_documentation_block:
ID ABB17825 standard; Protein; 72 AA.
XX
AC ABB17825;
XX
DT 23-JAN-2002 (first entry)
XX
DE Human nervous system related polypeptide SEQ ID NO 6482.

XX
CC   The present invention relates to secreted and transmembrane proteins.
CC   These proteins and the DNA encoding them may be used as hybridization
CC   probes, in chromosome and gene mapping and in the generation of
CC   anti-sense RNA and DNA. They may also be used to generate either
CC   transgenic animals or knockout animals which are in turn useful for
CC   development and screening of therapeutically useful reagents.
CC   The nucleic acids may also be used in gene therapy.
XX
SQ   Sequence   299 AA;

alignment_scores:
        Quality: 293.50   Length: 227
        Ratio: 2.142   Gaps: 6
Percent Similarity: 60.352   Percent Identity: 32.599

alignment_block:
US-09-714-936-218 x AAB66105   .

Align seg 1/1   to: AAB66105   from: 1   to: 299

181 AAGGAAAGTCTGTGATTGATTGGTGTGAGCTTC..ATAGCAGCGTTCCTTTT 227
     ::||||:|||||:::||::| || :|||||:||| :::||||||
  7 GlnArgSerAlaValPheValIleLeuPheAlaLeuIleThrIleLeuIl 23

228 CCTGCTGGTTGTGCGCTTGTAAATGAAGTGAATTCCCATTGCTACTAA 277
     :||| |: ::|||||||||
 23 eLeuTyrSerSerAsnSerAlaAsnGluVal................ 33

278 ACTGCTTTGGACAACCTGGTACAAAGTGGATACCATTCTCCTAC...... 321
                                    ||| |||
 34 ....PheHisTyrGlySer 38

322 ......ACATACAGGCGGCCCCTTCGAACTCACTAT........... 351
          ||||||||||::::
 39 LeuArgGlyArgSerArgArgProValAsnLeuLysLysTrpSerIleTh 55

352 ....GGATACATAAATGTGAAGACACAAGAGCCTTTGCAACTGGACTGTG 397
     ||||||:: :: :: :||||||||
 55 rAspGlyTyrValProIleLeuGlyAsnLysThrLeuProSerArgCysH 72

398 ACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTG 447
     ||:|||||||| :: |||||||| :::||
 72 lsGlnCysValIleValSerSerSerSerHisLeuLeuGlyThrLysLeu 88

448 GGAAATGAGATAGATCATCCTCCTGCATTGGAGAATGAACAAATGCCCC 497
     ||| ||||||||||::::::|| ||||||||||
 89 GlyProGlnGluGlnArgAlaGlyCysThrIleArgMetAsnAspAlaPr 105

498 CACCAAAGGTTATGAGAAGAAGATGTCGGCCGCCATGACCATGGAGCTTG 547
     ||| |||||::: ||||||||: || |||||||||
105 oThrThrGlyTyrSerAlaAspValGlyAsnLysThrThrTyrArgValV 122

548 TGTCCCATACCAGCGTTCCTCTTTTGCTAAAAACCCTGATTATTTTTC 597
     ||:|||||||||||:::::: :||||||||
122 alAlaHisSerValPheArgValLeuArgArgProGlnGluPheVal 138

598 AAGGAAGCGGAATACTACTATTGTGTATTGTGGGACCTTTCCGCAATAT 647
     :::::::| |||::::||||||||||||
139 AsnArgThrProGluThrValPheIlePheTrpGlyProProSerLysMe 155

648 GAGGAAGATGGCAATGGCATCGTTTACACACATGTTGAAAAAGACAGTTG 697
     |::::||| :|| ::::::||||||||||
155 tGlnLysPro...GlnGlySerLeuValArgValIleGlnArgAlaGlyL 171

698 GTATCTATCCGAATCCCAAATATACGTGACCACAGAGAAGCGCATGAGT 747
     |:::||||||| :||||||||::||||||||
171 euValPheProAsnMetGluAlaTyrAlaValSerProGlyArgMetArg 187

748 TACTGTGATGGAGTTTTAAGAAGAAAACTGGGAAGAGGACAGGGGGGCATGC 797
     ||| ::||:|| |||||||||||||||
188 GlnPheAspAspLeuPheArgGlyGlyThrGlyLysAspArgGluLysSe 204

<hr>

798 AAGGCGACTGCTGCGATTTCTACAGACACACTTTT 828
     ||| ||||| |||:|||
204 rHisSerTrpLeu...SerThrThrGlyTrpPhe 213

alignment_scores:
        Quality: 293.50   Length: 227
        Ratio: 2.142   Gaps: 6

```
XX
PT   Primer sets for synthesizing polynucleotides, particularly the 5602
PT   full-length cDNAs defined in the specification, and for the detection
PT   and/or diagnosis of the abnormality of the proteins encoded by the
PT   full-length cDNAs -
XX
PS   Claim 8: SEQ ID 15856; 2537pp + CD ROM; English.
XX
CC   The present invention describes primer sets for synthesising 5602
CC   full-length cDNAs defined in the specification. where a primer set
CC   comprises: (a) an oligo-dT primer and an oligonucleotide complementary
CC   to the complementary strand of a polynucleotide which comprises one of
CC   the 5602 nucleotide sequences defined in the specification, where the
CC   oligonucleotide comprises at least 15 nucleotides; or (b) a combination
CC   of an oligonucleotide comprising a sequence complementary to the
CC   complementary strand of a polynucleotide which comprises a 5'-end
CC   sequence and an oligonucleotide comprising a sequence complementary to a
CC   polynucleotide which comprises a 3'-end sequence, where the
CC   oligonucleotide comprises at least 15 nucleotides and the combination of
CC   the 5'-end sequence/3'-end sequence is selected from those defined in
CC   the specification. The primer sets can be used in antisense therapy and
CC   in gene therapy. The primers are useful for synthesising polynucleotides,
CC   particularly full-length cDNAs. The primers are also useful for the
CC   detection and/or diagnosis of the abnormality of the proteins encoded by
CC   the full-length cDNAs. The primers allow obtaining of the full-length
CC   cDNAs easily without any specialised methods. AAH03166 to AAH13628 and
CC   AAH13633 to AAH18742 represent human cDNA sequences; AAH92446 to
CC   AAB95893 represent human amino acid sequences; and AAH13629 to AAH13632
CC   represent oligonucleotides, all of which are used in the exemplification
CC   of the present invention.
XX
SQ   Sequence    299 AA;

alignment_scores:
        Quality:  293.50              Length:       227
          Ratio:    2.142              Gaps:           6
Percent Similarity:  60.352      Percent Identity:  32.599

alignment_block:
US-09-714-936-218 x AAB94771

Align seg 1/1  to: AAB94771     from: 1  to:299

181 AAGAGAAAGTCTGATTGCTGTGAGCTTC...ATAGCAGCGTTCCTTTT 227
    :::||||:::::||||:::::|||  ||  :::  :::::|||:|
  7 GlnArgSerAlaValPheValIleLeuPheAlaLeuIleThrIleLeuIl 23

228 CCTGCTGGTTGTGCGTCTTGTAAATGAAGTGAATTTCCCATTGCTACTAA 277
    :|||      ::  ::|||||||||
 23 eLeuTyrSerAsnSerAlaAsnGluVal.................. 33

278 ACTGCTTTGGACAACCTGGTACAAAGTGGATACCATTCTCCTAC...... 321
                                    |||  |||
 34 ..........................PheHisTyrGlySer 38

322 ........ACATACAGGCGGCCCCCTTCGAACTCACTAT.......... 351
                  |||||||||:::::
 39 LeuArgGlyArgSerArgArgProValAsnLeuLysLysTrpSerIleTh 55

352 ...GGATACAATAAATGTGAAGACACAAGAGCCTTTGCAACTGGACTGTG 397
    ||||||:  :::      :::  :::       ||        |||
 55 rAspGlyTyrValProIleLeuGlyAsnLysThrLeuProSerArgCysH 72

398 ACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTG 447
    |||::::||||||||||::::|||:::||||  |||:::
 72 isGlnCysValIleValSerSerSerHisLeuGlyThrLysLeu 88

448 GGAAATGAGATAGATCCATCCTCCTGCATTGGAGAATGAACAATGCCCC 497
    |||  ||||||||:::|||::::||||  ||||||||:::|||||
 89 GlyProGluIleGluArgAlaGluCysThrIleArgMetAsnAspAlaPr 105

498 CACCAAAGGTTATGAGAAGAGTGTCGGCCGATGACCATGATTCGAGTTG 547
```

```
    |||  |||||||:::  |||||||||:::     |||  |||||||
105 oThrThrGlyTyrSerAlaAspValGlyAsnLysThrThrTyrArgValV 122

548 TGTCCCATACCAGCGTTCCTCTTTGCTAAAAACCCTGATTATTTTTC 597
    ||:::||||:::|||||         ::|||:||||:::::|||:|   |||
122 aIAlaHisSerValPheArgValLeuArgArgProGlnGluPheVal 138

598 AAGGAAGCGAATACTACTATTTGTGTTATTGGGGACCTTTCCCCAATAT 647
    :::::||       :::|||:::|::||||||||||||  :::||
139 AsnArgThrProGluThrValPheIlePheTrpGlyThrProSerLysMe 155

648 GAGGAAGAATGGCAATGGCATCGTTACACACATGTTGAAAAAGACCAGTTG 697
    |:::|||        ::::|||||||||||:::::::::::::::
155 tGlnLysPro...GlnGlySerLeuValArgValIleGlnArgAlaGlyL 171

698 GTATCTATCCGAATGCCCAAATATACGTGACCACAGAGAGCGCCATGAGT 747
    :::::||||||   ::: |||:::::::  ||||||
171 euValPheProAsnMetGluAlaTyrAlaValSerProGlyArgMetArg 187

748 TACTGTGATGGAGTTTTAAGAGAGGAAACTGGGAAGGACAGGGGGCATGC 797
    |||     ::|||::|||||  ::::||||||||||
188 GlnPheAspLeuPheArgGlyGluThrGlyLysAspArgGluLysSe 204

798 AAGGCGACTGCTGATTCTCTACAGACCACTTTT 828
    ::::|    ||||||  |||||    |||
204 rHisSerTrpLeu...SerThrGlyTrpPhe 213
```

```
seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA2001.DAT:AAB66105

seq_documentation_block:
ID   AAB66105 standard; protein; 299 AA.
XX
AC   AAB66105;
XX
DT   02-APR-2001  (first entry)
XX
DE   Protein of the invention #17.
XX
KW   Secreted; transmembrane; gene therapy.
XX
OS   Unidentified.
XX
PN   WO20007896l-A1.
XX
PD   28-DEC-2000.
XX
PF   18-FEB-2000; 2000WO-US04342.
XX
PR   23-JUN-1999;  99US-0141037.
PR   20-JUL-1999;  99US-0144758.
PR   26-JUL-1999;  99US-0145698.
PR   01-SEP-1999;  99WO-US20111.
PR   29-OCT-1999;  99US-0162506.
PR   30-NOV-1999;  99WO-US28313.
PR   02-DEC-1999;  99WO-US28551.
PR   16-DEC-1999;  99WO-US30095.
PR   05-JAN-2000;  2000WO-US00219.
PR   06-JAN-2000;  2000WO-US00376.
XX
PA   (GETH ) GENENTECH INC.
XX
PI   Baker KP, Botstein D,  Desnoyers L,  Eaton DL,  Ferrara N,  Fong S;
PI   Gao W, Goddard A,  Godowski PJ,  Grimaldi CJ,  Gurney AL,  Hillan KJ;
PI   Pan J, Paoni NF,  Roy MA,  Smith V,  Stewart TA,  Tumas D;
PI   Watanabe CK,  Williams PM,  Wood WI;
XX
DR   WPI; 2001-071395/08.
XX
PT   Secreted and transmembrane proteins and nucleic acids designated PRO,
PT   useful as hybridization probes, in chromosome and gene mapping and gene
PT   therapy -
XX
PS   Claim 1; Fig 34; 787pp; English.
```

```
PR   03-MAY-2000;   2000US-201516P.
PR   17-MAY-2000;   2000WO-US13705.
PR   22-MAY-2000;   2000WO-US14042.
PR   30-MAY-2000;   2000WO-US14941.
PR   02-JUN-2000;   2000WO-US15264.
PR   05-JUN-2000;   2000US-209832P.
PR   28-JUL-2000;   2000WO-US20710.
PR   22-AUG-2000;   2000US-0644848.
PR   24-AUG-2000;   2000WO-US23328.
PR   08-NOV-2000;   2000WO-US30952.
PR   01-DEC-2000;   2000WO-US32678.
PR   20-DEC-2000;   2000WO-US34956.
XX
PA   (GETH ) GENENTECH INC.
XX
PI   Baker KP,  Desnoyers L,  Goddard A, Godowski PJ,  Gurney AL;
PI   Pan J,  Smith V,  Watanabe CK,  Wood WI,  Zhang Z;
XX
DR   WPI: 2001-602746/68.
DR   N-PSDB: AAS46027.
XX
PT   Novel nucleic acids encoding PRO polypeptides, used to diagnose the
PT   presence of tumours, such as prostate and breast tumours, in mammals and
PT   to screen for modulators of the compounds -
XX
PS   Claim 11; Fig 206; 774pp; English.
XX
CC   Sequences AAU29024-AAU29328 represent PRO polypeptides of the invention.
CC   The PRO polypeptides and their associated nucleic acids can be used to
CC   detect the presence of a tumour in a mammal by comparing the level of
CC   expression of a PRO polypeptide in a test sample of cells from the animal
CC   and a control sample of normal cells, whereby a higher level of
CC   expression in the test sample indicates the presence of a tumour in the
CC   mammal. Mammals include dogs, cats, cattle, horses, sheep, pigs, goats
CC   and rabbits but are preferably human. The polypeptides can be used to
CC   stimulate tumour necrosis factor (TNF) alpha release from human blood,
CC   when contacted with it. A specific polypeptide can be used to stimulate
CC   the proliferation or differentiation of chondrocyte cells. The PRO
CC   proteins can be used to determine the presence of tumours and also
CC   susceptibility to tumour development, particularly adrenal, lung, colon,
CC   breast, prostate, rectal, cervical, or liver tumours, in mammalian
CC   subjects. The oligonucleotide probes specific for the PRO nucleic acids
CC   can be used for genetic analysis of individuals with genetic disorders.
XX
SQ   Sequence   299 AA;
```

```
alignment_scores:
       Quality:      293.50          Length:     227
       Ratio:          2.142          Gaps:         6
Percent Similarity:   60.352     Percent Identity:  32.599

alignment_block:
US-09-714-936-218 x AAU29126   ..

Align seg 1/1  to: AAU29126  from: 1  to: 299

181  AAGAGAAAGTCTGTGATTGCTGTGAGCTTC...ATAGCAGCGTTCCTTTT  227
       ::||||||||||::||||:||::|       ||  ||||||||::||::
  7  GlnArgSerAlaValPheValIleLeuPheAlaLeuIleThrIleLeuIl  23

228  CCTGCTGGTTGGTGCGTCTTGTAAATGAAGTGAAATTCCCATTGCTACTAA  277
       :||    ||  ::||||||||||
 23  eLeuTyrSerSerAsnSerAlaAsnGluVal.................... 33

278  ACTGCTTTGGACAACCTGGTACAAAGTGGATACCATTCTCCTAC......  321
                                        |||
 34  ..........................................PheHisTyrGlySer 38

322  .........ACATACAGGCGGCCCCTTCGAACTCACTAT..........  351
          |||||||||:::::::
 39  LeuArgGlyArgSerArgArgProValAsnLeuLysLysTrpSerIleTh  55
```

```
352  ....GGATACACATAAATGTGAAGAACACAAGAGCCTTTGCAACTGGACTGTG  397
       |||||||::::    :::     :::::    ||    |||
 55  rAspGlyTyrValProIleLeuGlyAsnLysThrLeuProSerArgCysH  72

398  ACCTTTGCCATAGTGTCAAACTCAGTCAGATGGTTGGCCAGAAGGTG  447
       ||:::||||||:::|||::|||:::|||:::::|||  ||||:::
 72  isGlnCysValIleValSerSerSerHisLeuLeuGlyThrLysLeu  88

448  GGAAATGAGATAGTCATCCTCCTGCATTGGAGAATGAACAATGCCCC  497
       |||  ||||||||:::||:::::||    ||||||:::::||||:
 89  GlyProGluIleGluArgAlaGluCysThrIleArgMetAsnAspAlaPr  105

498  CACCAAAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGTTG  547
       ||||     ||||||||||||::::  ||||||:::::    ||||||||
 105 oThrThrGlyTyrSerAlaAspValGlyAsnLysThrThrArgValV  122

548  TGTCCCATACCAGCGTTCCTCTTTTGCTAAAAACCCTGATTATTTTTTC  597
       ||::::||||||::||||||  :::||:::||::::    ||
 122 aIAlaHisSerValPheArgValLeuArgArgProGlnGluPheVal  138

598  AAGGAAGCGAATACTACTATTTGTTTATTTGGGACCTTTCCGCAATAT  647
       ::::::::||||||:::::||||||||||||||    :::||
 139 AsnArgThrProGluThrValPheIlePheTrpGlyProProSerLysMe  155

648  GAGGAAAGATGGCAATGGCATCGTTTACCAACATGTTGAAAAAGACAGTTG  697
       |:::|||                ::::||||||:::::::::::
 155 tGlnLysPro...GlnGlySerLeuValArgValIleGlnArgAlaGlyL  171

698  GTATCTATCCGAATGCCCAAATATACGTGACCACCAGAGAAGCCGCATGAGT  747
       :::::|||||    :::||  :::::||||||:::||||||
 171 euValPheProAsnMetGluAlaTyrArgAlaValSerProGlyArgMetArg  187

748  TACTGTGATGGAGTTTTTAAGAAGGAAACTGGGAAGACAGGGGGCATGC  797
       |||    :::||:::    |||||||||||||||||
 188 GlnPheAspAspLeuPheArgGlyGluThrGlyLysAspArgGlyGluLysSe  204

798  AAGGCGACTGCTGATTCTTCTACAGACACTTTT  828
       :::   |||    ||||  |||||||
 204 rHisSerTrpLeu...SerThrGlyTrpPhe  213
```

```
seq_name:  /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA2001.DAT:AAB94771

seq_documentation_block:
ID   AAB94771 standard;  Protein;  299 AA.
XX
AC   AAB94771;
XX
DT   26-JUN-2001  (first entry)
XX
DE   Human protein sequence SEQ ID NO:15856.
XX
KW   Human; primer; detection; diagnosis; antisense therapy; gene therapy.
XX
OS   Homo sapiens.
XX
PN   EP1074617-A2.
XX
PD   07-FEB-2001.
XX
PF   28-JUL-2000;  2000EP-0116126.
XX
PR   29-JUL-1999;  99JP-0248036.
PR   27-AUG-1999;  99JP-0300253.
PR   11-JAN-2000;  2000JP-0118776.
PR   02-MAY-2000;  2000JP-0183767.
PR   09-JUN-2000;  2000JP-0241899.
XX
PA   (HELI-) HELIX RES INST.
XX
PI   Ota T,  Isogai T,  Nishikawa T,  Hayashi K,  Saito K,  Yamamoto J;
PI   Ishii S,  Sugiyama T,  Wakamatsu A,  Nagai K,  Otsuki T;
XX
DR   WPI: 2001-318749/34.
```

```
PR   18-NOV-1998;  98US-0108858.
PR   18-NOV-1998;  98US-0108904.
XX
PA   (GETH ) GENENTECH INC.
XX
PI   Baker K,  Goddard A,  Gurney AL,  Smith V,  Watanabe CK,  Wood WI;
XX
DR   WPI; 2000-237871/20.
DR   N-PSDB: AAA37038.
XX
PT   New mammalian DNA sequences encoding transmembrane, receptor or
PT   secreted PRO polypeptides, useful for screening of potential peptide or
PT   small molecule inhibitors of the relevant receptor/ligand interactions
XX
PS   Claim 12; Fig 34; 773pp; English.
XX
CC   AAA37022 to AAA37144 encode the new isolated human transmembrane,
CC   receptor or secreted PRO polypeptides given in AAY99340 to AAY99462. The
CC   transmembrane and receptor PRO proteins can be used for screening of
CC   potential peptide or small molecule inhibitors of the relevant
CC   receptor/ligand interactions. The polypeptides and nucleotide sequences
CC   encoding then have various industrial applications, including uses as
CC   pharmaceutical and diagnostic agents. AAA37145 to AAA37330 represent
CC   PCR primers and hybridisation probes used in the isolation of the PRO
CC   polypeptides from the present invention.
XX
SQ   Sequence   299 AA;

alignment_scores:
        Quality:  293.50                Length:         227
        Ratio:    2.142                 Gaps:             6
Percent Similarity:  60.352    Percent Identity:  32.599

alignment_block:
US-09-714-936-218 x AAY99356      .
Align seg 1/1  to: AAY99356  from: 1  to: 299

181 AAGAGAAAGTCTGTGATTGCTGTGAGCTTC...ATAGCAGCGTTCCTTTT 227
       :::|||:::||:::||||:::  |||:  :::  :::::|||:::||:
  7 GlnArgSerAlaValPheValIleLeuPheAlaLeuIleThrIleLeuIl 23

228 CCTGCTGGTTGTGCGTCTTGTAAATGAAGTGAATTTCCCATTGCTACTAA 277
       :||  :::  ::|||||||||||
 23 eLeuTyrSerSerAsnSerAlaAsnGluVal.................. 33

278 ACTGCTTTGGACAACCTGGTACAAAGTGGATACCATTCCTAC...... 321
       |||  |||
 34 ............................PheHisTyrGlySer 38

322 ........ACATACAGGCGCGGCCCCTTCGAACTCACTAT.......... 351
       ||||||||||:::
 39 LeuArgGlySerArgArgProValAsnLeuLysLysTrpSerIleTh 55

352 ...GGATACATAAATGTGAAGACACAGAGCCTTTGCAACTGGACTGTG 397
       ||||||  :::  :::|||  :::|||||
 55 rAspGlyTyrValProIleLeuGlyAsnLysThrLeuProSerArgCysH 72

398 ACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTG 447
       ||:::|||||||||:::||||:::|||::|||  |||:::
 72 lsGlnCysValIleValSerSerSerHisLeuGlyThrLysLeu 88

448 GGAAATGAGATAGATCGATCCTTCCCATTTGGAGAATGAACAATGCCCC 497
       |||  ||||||  ||||||||  ||||||||||:::||||||||
 89 GlyProGluIleGluArgAlaGluCysThrIleArgMetAsnAspAlaPr 105

498 CACCAAAGTTATGAAGAAGATGTCGGCCGCCGGCCATGACCATGATTCGAGTTG 547
       |||  ||||||  |||||:::  |||  |||||||
105 oThrThrGlyTyrSerAlaAspValGlyAsnLysThrThrTyrArgValV 122

548 TGTCCCATACCAGCGTTCCTCTTTGCTAAAAAACCCTGATTATTTTTC 597
       ||:::|||:::||||||    :::||||:::||:::  |||
```

```
122 alAlaHisSerSerValPheArgValLeuArgArgProGlnGluPheVal 138
       :::::::::     |||::::||||||||||||:::||
598 AAGGAAGCGAATACTACTATTTGTGTTATTTGGGGACCTTTCCGCAATAT 647
       :::::::::   :::|||   :::||:::||::::||:||||
139 AsnArgThrProGluThrValPheIlePheTrpGlyProSerLysMe 155
       :::||||     |||::::||||||||||::||:::::||:||
648 GAGGAAAGATGCAATGGCATCGTTACACACATGTTGAAAAAGACAGTTG 697
       |:::|||    :::||     ::::::::::::::::::::
155 tGlnLysPro...GlnGlySerLeuValArgValIleGlnArgAlaGlyL 171
       ::::::||||  :::  :::   :::::::::::  ||||||
698 GTATCTATCCGAATGCCCAAATATACGTGACCACAGAGAAGCCCATGAGT 747
       ::::::|||||  ::::  |||:::::::::  ||||||
171 euValPheProAsnMetGluAlaTyrAlaValSerProGlyArgMetArg 187
       :::::::::::::::::::::::::::||||||
748 TACTGTGATGGAGTTTTTAAGAAGGAAACTGGGAAGGACAGGGGGCATGC 797
       |||   :::|||:::   ||||||||||||||||||:::
188 GlnPheAspAspLeuPheArgGlyGluThrGlyLysAspArgGlyGluLysSe 204
       :::::::::::::   ||||||||||||||||||
798 AAGGCGACTGCTGATTCTTACAGACACTTT 828
       ::::   ||| |||||| |||
204 rHisSerTrpLeu...SerThrGlyTyrTrpPhe 213
```

```
seq_name: /SIDS1/gcgdata/hold-geneseqp/geneseqp-embl/AA2001.DAT:AAU29126

seq_documentation_block:
ID   AAU29126 standard;  Protein; 299 AA.
XX
AC   AAU29126;
XX
DT   18-DEC-2001 (first entry)
XX
DE   Human PRO polypeptide sequence #103.
XX
KW   PRO polypeptide; mammal; tumour; cancer; human; cattle; horse; sheep;
KW   dog; cat; pig; goat; rabbit; tumour necrosis factor alpha; TNF-alpha;
KW   blood; chondrocyte cell; cell proliferation; cell differentiation; colon;
KW   adrenal; lung; breast; prostate; rectum; cervix; liver; genetic disorder.
XX
OS   Homo sapiens.
XX
PN   WO200168848-A2.
XX
PD   20-SEP-2001.
XX
PF   28-FEB-2001;  2001WO-US06520.
XX
PR   01-MAR-2000;  2000WO-US05601.
PR   02-MAR-2000;  2000WO-US05841.
PR   03-MAR-2000;  2000US-187202P.
PR   06-MAR-2000;  2000US-186968P.
PR   14-MAR-2000;  2000US-189320P.
PR   14-MAR-2000;  2000US-189328P.
PR   15-MAR-2000;  2000WO-US06884.
PR   21-MAR-2000;  2000US-190828P.
PR   21-MAR-2000;  2000US-191007P.
PR   21-MAR-2000;  2000US-191048P.
PR   21-MAR-2000;  2000US-191314P.
PR   28-MAR-2000;  2000US-192655P.
PR   29-MAR-2000;  2000US-193032P.
PR   29-MAR-2000;  2000US-193053P.
PR   30-MAR-2000;  2000WO-US08439.
PR   04-APR-2000;  2000US-194449P.
PR   04-APR-2000;  2000US-194647P.
PR   11-APR-2000;  2000US-195975P.
PR   11-APR-2000;  2000US-196000P.
PR   11-APR-2000;  2000US-196187P.
PR   11-APR-2000;  2000US-196690P.
PR   11-APR-2000;  2000US-196820P.
PR   18-APR-2000;  2000US-198121P.
PR   18-APR-2000;  2000US-198585P.
PR   25-APR-2000;  2000US-199397P.
PR   25-APR-2000;  2000US-199550P.
PR   25-APR-2000;  2000US-199654P.
```

```
          788 GG 789
               ||
          134 rg 134

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA2000.DAT:AAY99356

seq_documentation_block:
ID   AAY99356 standard; Protein; 299 AA.
XX
AC   AAY99356;
XX
DT   08-AUG-2000  (first entry)
XX
DE   Human PRO1359 (UNQ708) amino acid sequence SEQ ID NO:56.
XX
KW   Human; PRO polypeptide; membrane bound protein; receptor; diagnosis;
KW   transmembrane; secretion; immunoadhesion; pharmaceutical; screening.
XX
OS   Homo sapiens.
XX
PN   WO200012708-A2.
XX
PD   09-MAR-2000.
XX
PF   01-SEP-1999;            99WO-US20111.
XX
PR   01-SEP-1998;            98US-0098716.        PR   24-SEP-1998;            98US-0101741.
PR   01-SEP-1998;            98US-0098749.        PR   24-SEP-1998;            98US-0101743.
PR   01-SEP-1998;            98US-0098750.        PR   24-SEP-1998;            98US-0101915.
PR   01-SEP-1998;            98US-0098803.        PR   24-SEP-1998;            98US-0101916.
PR   02-SEP-1998;            98US-0098821.        PR   29-SEP-1998;            98US-0102207.
PR   02-SEP-1998;            98US-0098843.        PR   29-SEP-1998;            98US-0102240.
PR   09-SEP-1998;            98US-0099536.        PR   29-SEP-1998;            98US-0102307.
PR   09-SEP-1998;            98US-0099596.        PR   29-SEP-1998;            98US-0102330.
PR   09-SEP-1998;            98US-0099598.        PR   29-SEP-1998;            98US-0102331.
PR   09-SEP-1998;            98US-0099602.        PR   30-SEP-1998;            98US-0102484.
PR   09-SEP-1998;            98US-0099642.        PR   30-SEP-1998;            98US-0102487.
PR   10-SEP-1998;            98US-0099741.        PR   30-SEP-1998;            98US-0102570.
PR   10-SEP-1998;            98US-0099754.        PR   30-SEP-1998;            98US-0102571.
PR   10-SEP-1998;            98US-0099763.        PR   01-OCT-1998;            98US-0102684.
PR   10-SEP-1998;            98US-0099792.        PR   01-OCT-1998;            98US-0102687.
PR   10-SEP-1998;            98US-0099808.        PR   02-OCT-1998;            98US-0102965.
PR   10-SEP-1998;            98US-0099812.        PR   06-OCT-1998;            98US-0103258.
PR   10-SEP-1998;            98US-0099815.        PR   06-OCT-1998;            98US-0103449.
PR   10-SEP-1998;            98US-0099816.        PR   07-OCT-1998;            98US-0103314.
PR   15-SEP-1998;            98US-0100385.        PR   07-OCT-1998;            98US-0103315.
PR   15-SEP-1998;            98US-0100388.        PR   07-OCT-1998;            98US-0103328.
PR   15-SEP-1998;            98US-0100390.        PR   07-OCT-1998;            98US-0103395.
PR   16-SEP-1998;            98US-0100584.        PR   07-OCT-1998;            98US-0103396.
PR   16-SEP-1998;            98US-0100627.        PR   07-OCT-1998;            98US-0103401.
PR   16-SEP-1998;            98US-0100661.        PR   08-OCT-1998;            98US-0103633.
PR   16-SEP-1998;            98US-0100662.        PR   08-OCT-1998;            98US-0103678.
PR   17-SEP-1998;            98US-0100664.        PR   08-OCT-1998;            98US-0103679.
PR   17-SEP-1998;            98US-0100683.        PR   08-OCT-1998;            98US-0103711.
PR   17-SEP-1998;            98US-0100684.        PR   14-OCT-1998;            98US-0104257.
PR   17-SEP-1998;            98US-0100710.        PR   20-OCT-1998;            98US-0104987.
PR   17-SEP-1998;            98US-0100711.        PR   20-OCT-1998;            98US-0105000.
PR   17-SEP-1998;            98US-0100919.        PR   20-OCT-1998;            98US-0105002.
PR   17-SEP-1998;            98US-0100930.        PR   21-OCT-1998;            98US-0105104.
PR   18-SEP-1998;            98US-0100848.        PR   22-OCT-1998;            98US-0105169.
PR   18-SEP-1998;            98US-0100849.        PR   22-OCT-1998;            98US-0105266.
PR   18-SEP-1998;            98US-0101014.        PR   26-OCT-1998;            98US-0105693.
PR   18-SEP-1998;            98US-0101068.        PR   27-OCT-1998;            98US-0105694.
PR   22-SEP-1998;            98US-0101071.        PR   27-OCT-1998;            98US-0105807.
PR   23-SEP-1998;            98US-0101279.        PR   27-OCT-1998;            98US-0105881.
PR   23-SEP-1998;            98US-0101471.        PR   27-OCT-1998;            98US-0105882.
PR   23-SEP-1998;            98US-0101472.        PR   28-OCT-1998;            98US-0106023.
PR   23-SEP-1998;            98US-0101474.        PR   28-OCT-1998;            98US-0106029.
PR   23-SEP-1998;            98US-0101475.        PR   28-OCT-1998;            98US-0106030.
PR   23-SEP-1998;            98US-0101476.        PR   28-OCT-1998;            98US-0106032.
PR   23-SEP-1998;            98US-0101477.        PR   28-OCT-1998;            98US-0106033.
PR   23-SEP-1998;            98US-0101479.        PR   29-OCT-1998;            98US-0106178.
PR   24-SEP-1998;            98US-0101738.        PR   29-OCT-1998;            98US-0106248.
                                                 PR   29-OCT-1998;            98US-0106384.
                                                 PR   30-OCT-1998;            98US-0106464.
                                                 PR   03-NOV-1998;            98US-0106856.
                                                 PR   03-NOV-1998;            98US-0106902.
                                                 PR   03-NOV-1998;            98US-0106905.
                                                 PR   03-NOV-1998;            98US-0106919.
                                                 PR   03-NOV-1998;            98US-0106932.
                                                 PR   10-NOV-1998;            98US-0106934.
                                                 PR   17-NOV-1998;            98US-0107783.
                                                 PR   17-NOV-1998;            98US-0108775.
                                                 PR   17-NOV-1998;            98US-0108779.
                                                 PR   17-NOV-1998;            98US-0108787.
                                                 PR   17-NOV-1998;            98US-0108788.
                                                 PR   17-NOV-1998;            98US-0108801.
                                                 PR   17-NOV-1998;            98US-0108802.
                                                 PR   17-NOV-1998;            98US-0108806.
                                                 PR   17-NOV-1998;            98US-0108807.
                                                 PR   17-NOV-1998;            98US-0108867.
                                                 PR   17-NOV-1998;            98US-0108925.
                                                 PR   18-NOV-1998;            98US-0108848.
                                                 PR   18-NOV-1998;            98US-0108849.
                                                 PR   18-NOV-1998;            98US-0108850.
                                                 PR   18-NOV-1998;            98US-0108851.
                                                 PR   18-NOV-1998;            98US-0108852.
```

```
PI   Wang J, Wang Z, Wehrman T, Xu C, Xue AJ, Yang Y, Zhang J;
PI   Zhao QA, Zhou P, Goodrich R, Drmanac RT;
XX
DR   WPI; 2001-442253/47.
DR   N-PSDB; AAI59252.
XX
PT   Novel nucleic acids and polypeptides, useful for treating disorders
PT   such as central nervous system injuries -
XX
PS   Example 5; SEQ ID NO 3241; 10078pp; English.
XX
CC   The invention relates to human nucleic acids (AAI57798-AAI61369) and
CC   the encoded polypeptides (AAM38642-AAM42213) with nootropic,
CC   immunosuppressant and cytostatic activity. The polynucleotides are useful
CC   in gene therapy. A composition containing a polypeptide or polynucleotide
CC   of the invention may be used to treat diseases of the peripheral nervous
CC   system, such as peripheral nervous injuries, peripheral neuropathy and
CC   localised neuropathies and central nervous system diseases, such as
CC   Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic
CC   lateral sclerosis, and Shy-Drager Syndrome. Other uses include the
CC   utilisation of the activities such as: Immune system suppression,
CC   Activin/inhibin activity, chemotactic/chemokinetic activity, haemostatic
CC   and thrombolytic activity, cancer diagnosis and therapy, drug screening,
CC   assays for receptor activity, arthritis and inflammation, leukaemias and
CC   C.N.S disorders.
CC   Note: The sequence data for this patent did not form part of the printed
CC   specification.
XX
SQ   Sequence   246 AA;
```

```
alignment_scores:
     Quality:       296.00          Length:         134
     Ratio:           3.020          Gaps:             0
     Percent Similarity: 73.134      Percent Identity: 39.552

alignment_block:
US-09-714-936-218 x AAM40096

Align seg 1/1  to: AAM40096  from: 1 to: 246

  388 CTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGG 437
      ::: |||  |||||||::|::|||||||::||||::||||||:::::||||
    1 MetHisCysArgAspCysAlaLeuValThrSerGlyHisLeuLeuH1 17

  438 CCAGAAGGTGGGAAATGAGATAGATGAGATCATCCTCCTGCATTGGAGAATGA 487
      :::::: |||::|||||:||||||||||:::|::|| |||||||
   17 sSerArgGlyGlySerGlnIleAspGlnThrGluCysValIleArgMetA 34

  488 ACAATGGCCCCACCAAAGGTTATGAAGAAGGATGTCGGCCGCCATGACCATG 537
      ||||:||||||||||::||||| :::|||||:::||||::::: |||
   34 snAspAlaProThrArgGlyTyrGlyArgAspValGlyAsnArgThrSer 50

  538 ATTCGAGTTGTGTCCCATACCAGCGTTCCTCTTTGCTAAAAAACCCTGA 587
      :::|||||||::::||||:||||::||| |::|||||||: ::||::|||
   51 LeuArgValIleAlaHisSerSerIleGlnArgIleLeuArgAsnArgH1 67

  588 TTATTTTTCAGGAAGCGAATACTACTATTTGTGTTATTGGGGACCTT 637
      :::||||||||||||||||||::  |||::::||||||||||::|||||
   67 sAspLeuLeuAsnAlaSerGlnGlyThrValPheIlePheTrpGlyPros 84

  638 TCCCGCAATATGAGGAAAGATGGCAATGGCCATCGTTTACAACATGTTGAAA 687
      :::|||||||||||||||| :::|||||||||| ||||||||| |||
   84 erSerTyrMetArgArgAspGlyAsnGlyLysGlyValTyrAsnAsnLeuHis 100

  688 AAGACAGTTGGTATCTATCCGAATGCCCAAATATACGTGACCACAGAGAA 737
      |||:::||||| ::: ::::||| |::||| ||:::
  101 LeuLeuSerGlnValLeuProArgLeuIlysAlaPheMetIleThrArgH1 117

  738 GCGCATGAGTTACTGTGATGGAGTTTTTAAGAAGGAAACTGGGAAGGACA 787
      :::||| ||:::||||||||||||||| ||||||||||||||||||||
  117 sLysMetLeuGlnPheAspGluLeuLysGlnLeuPheLysGlnGluThrGlyLysAspA 134
```

```
                                                        |||:::||||||||||:::::::::::|| |||:
28  sHisGlnCysValIleValSerSerSerHisLeuGlyThrLysL  45

446 TGGGAAATGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCC  495
    :::||| |||||:||||:|||:|||        ||||||||::::|||
 45 euGlyProGluIleGluArgAlaGluCysThrIleArgMetAsnAspAla  61

496 CCACCAAAGGTTATGAAGAAGGATGTCGGCCGCCATGACCATGATTCGAGT  545
    |||||    ||||::::|||||||||::::||    |||    ||||
 62 ProThrArgGlyTyrSerAlaAspValGlyAsnLysThrThrTyrArgVa  78

546 TGTGTCCCATACCAGCGTTCCTCTTTGCTAAAAAACCCTGATTATTTTT  595
    |||::|||||||||:::||||        ::||:::||| |::  |||
 78 lValAlaHisSerSerValPheArgValLeuArgArgProGlnGluPheV  95

596 TCAAGGAAGCGAATACTACATTTGTGTTATTGGGGACCTTTCCGCAAT  645
    ::::::::::|  |||::::  :::||||||||||     :::
 95 alAsnArgThrProGluThrValPheIlePheTrpGlyProProSerLys 111

646 ATGAGGAAAGATGGCAATGGCCATCGTTACAACACATGTTGAAAAAGACAGT  695
    |||:::||| :::||| :::||||||| :::   ||||||||||||||||
112 MetGlnLysPro...GlnGlySerLeuValArgValIleGlnArgAlaGl 127

696 TGGTATCTATCCGAATGCCCAAATATACGTGACCACAGAGAGCGCATGA  745
    ::::::||||| :::|||::::::::  |||||     |||||
127 yLeuValPheProAsnMetGluAlaTyrAlaValSerProGlyArgMetA 144

746 GTTACTGTGATGGAGTTTTTAAGAAGGAAAACTGGGAAGGACAGGGGGCAT  795
    |||    :::|||:: |||||||||||||||||||
144 rgGlnPheAspAspLeuPheArgGlyGlyThrGlyLysAspAspArgGluLys 160

796 GCAAGGCGACTGCTGATTTCTACAGACACTTTT 828
    :::::: ||| :::||  ||||||| |||
161 SerHisSerTrpLeu...SerThrGlyTrpPhe 170

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA2001.DAT:AAM40096

seq_documentation_block:
ID   AAM40096 standard; Protein; 245 AA.
XX
AC   AAM40096;
XX
DT   22-OCT-2001 (first entry)
XX
DE   Human polypeptide SEQ ID NO 3241
XX
KW   Human; nootropic: immunosuppressant; cytostatic: gene therapy; cancer;
KW   peripheral nervous system; neuropathy; central nervous system; CNS;
KW   Alzheimer's; Parkinson's disease; Huntington's disease; haemostatic;
KW   amyotrophic lateral sclerosis; Shy-Drager Syndrome; chemotactic;
KW   chemokinetic; thrombolytic; drug screening; arthritis; inflammation;
KW   leukaemia.
XX
OS   Homo sapiens.
XX
PN   WO200153312-A1.
XX
PD   26-JUL-2001.
XX
PF   26-DEC-2000; 2000WO-US34263.
XX
PR   21-JAN-2000; 2000US-0488725.
PR   25-APR-2000; 2000US-0552317.
PR   09-JUL-2000; 2000US-0598042.
PR   19-JUL-2000; 2000US-0620312.
PR   03-AUG-2000; 2000US-0653450.
PR   14-SEP-2000; 2000US-0662191.
PR   19-OCT-2000; 2000US-0693036.
PR   29-NOV-2000; 2000US-0727344.
XX
PA   (HYSE-) HYSEQ INC.
XX
PI   Tang YT, Liu C, Asundi V, Chen R, Ma Y, Qian XB, Ren F, Wang D;
```

```
KW   Human; nootropic; immunosuppressant; cytostatic; gene therapy; cancer;
KW   peripheral nervous system; neuropathy; central nervous system; CNS;
KW   Alzheimer's; Parkinson's disease; Huntington's disease; haemostatic;
KW   amyotrophic lateral sclerosis; Shy-Drager Syndrome; chemotactic;
KW   chemokinetic; thrombolytic; drug screening; arthritis; inflammation;
KW   leukaemia.
XX
OS   Homo sapiens.
XX
PN   WO200153312-A1.
XX
PD   26-JUL-2001.
XX
PF   26-DEC-2000; 2000WO-US34263.
XX
PR   21-JAN-2000; 2000US-0488725.
PR   25-APR-2000; 2000US-0552317.
PR   09-JUL-2000; 2000US-0598042.
PR   19-JUL-2000; 2000US-0620312.
PR   03-AUG-2000; 2000US-0653450.
PR   14-SEP-2000; 2000US-0662191.
PR   19-OCT-2000; 2000US-0693036.
PR   29-NOV-2000; 2000US-0727344.
XX
PA   (HYSE-) HYSEQ INC.
XX
PI   Tang YT, Liu C, Asundi V, Chen R, Ma Y, Qian XB, Ren F, Wang D;
PI   Wang J, Wang Z, Wehrman T, Xu C, Xue AJ, Yang Y, Zhang J;
PI   Zhao QA, Zhou P, Goodrich R, Drmanac RT;
XX
DR   WPI; 2001-442253/47.
DR   N-PSDB; AAI60300.
XX
PT   Novel nucleic acids and polypeptides, useful for treating disorders
PT   such as central nervous system injuries -
XX
PS   Example 2; SEQ ID NO 6075; 10078pp; English.
XX
CC   The invention relates to human nucleic acids (AAI57798-AAI61369) and
CC   the encoded polypeptides (AAM38642-AAM42213) with nootropic,
CC   immunosuppressant and cytostatic activity. The polynucleotides are useful
CC   in gene therapy. A composition containing a polypeptide or polynucleotide
CC   of the invention may be used to treat diseases of the peripheral nervous
CC   system, such as peripheral nervous injuries, peripheral neuropathy and
CC   localised neuropathies and central nervous system diseases, such as
CC   Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic
CC   lateral sclerosis, and Shy-Drager Syndrome. Other uses include the
CC   utilisation of the activities such as: Immune system suppression,
CC   Activin/inhibin activity, chemotactic/chemokinetic activity, haemostatic
CC   and thrombolytic activity, cancer diagnosis and therapy, drug screening,
CC   assays for receptor activity, arthritis and inflammation, leukaemias and
CC   C.N.S disorders.
CC   Note: The sequence data for this patent did not form part of the printed
CC   specification.
XX
SQ   Sequence   256 AA;
```

```
alignment_scores:
                  Quality:   305.00          Length:   161
                  Ratio:     2.723           Gaps:     2
Percent Similarity:  69.565       Percent Identity:   39.130

alignment_block:
US-09-714-936-218 x AAM41144

Align seg 1/1 to: AAM41144  from: 1  to: 256

346 CACTATGGATACATAAATGTGAAGACACAAGAGCCTTGCAACTGGACTG 395
    ||||||||||||   ::  ||||  :::::  ||||  ||
 12 HisTyrGlyTyrValProIleLeuGlyAsnLysThrLeuProSerArgCy 28

396 TGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGG 445
```

```
 40 ...ProAlaGlyArgArgHisLeuProLeuSerArgArgArgArgGluM 55

167 TGGCCTGCATCCTGAAGAGAAGTCTGTGATTGCTGTGAGCTTCATAGCA 216
    |||::   :::::|||:||::::      |||
 55 etSerSerAsnLysGluGlnArgSerAlaValPheVal............ 67

217 GCGTTCCTTTCCTGCTGGTTGTGCGTCTTGTA................. 249
    :::||||| |||::||
 68 ...IleLeuPheAlaLeuIleLeuIleLeuTyrSerSerAsnSe 83

250 ...AATGAAGTGAATTCCCATTGCTACTAAACTGCTTTGGACAACCTG 295
        |||||||||
 83 rAlaAsnGluVal.............. 87

296 GTACAAAGTGGATACCATTCTCCTAC..............ACATACAGG 330
                      |||  |||
 88 ..........PheHisTyrGlySerLeuArgGlyArgSerArg 98

331 CGGCCCCTTCGAACTCACTAT.................GGATACATAAATGT 365
    ||||||:::::                          :|||||||::  ::
 99 ArgProValAsnLeuLysLysTrpSerIleThrAspGlyTyrValProIl 115

366 GAAGACACAAGAGCCTTGCAACTGGACTTTGCCATTGTGCCATAGTGT 415
    :  ||||||      |||      :::::||||||
115 eLeuGlyAsnLysThrLeuProSerArgCysHisGlnCysValIleValS 132

416 CAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGA 465
    ||::||||||||||  :::||||  |||:||  ||||||::::
132 erSerSerHisLeuLeuGlyThrLysLeuGlyProGluIleGluArg 148

466 TCCTCCTGCATTTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAACA 515
    ::::|||||      |||||||   :::||||||||||  |||||||:::
149 AlaGluCysThrIleArgMetAsnAsnAspAlaProThrThrGlyTyrSerAl 165

516 AGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCCCATACCAGCGGTC 565
    |||||||:::    |||   |||||||  ||||||:::::::||||||
165 aAspValGlyAsnLysThrThrTyrArgValValAlaHisSerServalP 182

566 CTCTTTGCTAAAAAACCCTGATTATTTTTCAGGAAGCGAATACTACT 615
    ::||||:::||||| |||  :::::::::
182 heArgValLeuArgArgProGlnGluPheValAsnArgThrProGluThr 198

616 ATTTGTGTTATTTGGGACCTTTCCGCAATATGAGGAAAGATGGCAATCG 665
    ::: :||||||||  :::|||  ::: :||||
199 ValPheIlePheTrpGlyTyrProProSerLysMetGlnLysPro...GlnGl 214

666 CATCGTTACACACATGTTGAAAAGACAGTTGGTATCCATCCGGAATGCCC 715
    |    ::::::::::::::||    :::||||||:::||
214 ySerLeuValArgValIleGlnArgAlaGlyLeuValPheProAsnMetG 231

716 AAATATACGTGACCACAGAGAAGCCATGAGTTACTGTGATGGAGTTTT 765
    :: ||||||       |||||      |||   ::|||
231 luAlaTyrAlaValSerProGlyArgMetArgGlnPheAspAspLeuPhe 247

766 AAGAAGGAAACTGGAAGGACAGGGGCATGCAAGGCCGACTGCTGATTTC 815
    ::: |||||||||||||      :::::    ||
248 ArgGlyGluThrGlyGlyLysAspArgGluLysSerHisSerTrpLeu...Se 263

816 TACAGACACTTTT 828
    ||||     ||
263 rThrGlyTrpPhe 267
```

seq_name: /SIDS1/gcgdata/hold-geneseqp/geneseqp-embl/AA2001.DAT:AAM41144

```
seq_documentation_block:
ID   AAM41144 standard; Protein; 256 AA.
XX
AC   AAM41144;
XX
DT   22-OCT-2001 (first entry)
XX
DE   Human polypeptide SEQ ID NO 6075.
XX
```

```
250 ...AATGAAGTGAATTTCCCATTGCTACTAAACTGCTTGGACAACCTG 295
       |||||||
63 rAlaAsnGluVal.......................................... 67

296 GTACAAAGTGGATACCATTCCTAC...........ACATACAGG 330
       |||  ||                              |||
68 ........PheHisTyrGlySerLeuArgGlyArgSerArg 78

331 CGGCCCCTTGGAACTCACTAT............GGATACATAAATGT 365
       ||||||:::::                   |||||:: ::
79 ArgProValAsnLeuLysLysTrpSerIleThrAspGlyTyrValProIl 95

366 GAAGACACAAGAGCCTTTGCAACTGGACTGACCTTTGTGCCATAGTGT 415
       :  ::::::  |||   |||::::||||||||  ||||||
95 eLeuGlyAsnLysThrLysProSerArgCysHisGlnCysValIleValS 112

416 CAAACTCAGGTCAGATGGTTGGCCAGAGGTGGGAAATGAGATAGATCGA 465
       |::::||||:::||||  |||::||| ||||:::|||
112 erSerSerHisLeuLeuGlyThrLysLeuGlyProGluIleGluArg 128

466 TCCTCCTGCATTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGA 515
       |||||||||::|::|||||||:::||||||| |||:::
129 AlaGluCysThrIleArgMetAsnAspAlaProThrThrGlyTyrSerAl 145

516 AGATGGTCGGCCGCCATGACCATGATTCGAGTTGTGTCCCATACCAGCGTTC 565
       ||||||:::  |||   ||||||||||||::::::|||||
145 aAspValGlyAlaAsnLysThrThrTyrArgValAlaHisSerSerValP 162

566 CTCTTTTGCTAAAAAACCCTGATTATTTTTTCAAGGAGCGAATACTACT 615
       ::|||:|||   ||| ||||||||| :::::::|||
162 heArgValLeuArgArgProGlnGluPheValAsnArgThrProGluThr 178

616 ATTTGTGTTATTTGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGG 665
       :::  |||||||||||||           :::||
179 ValPheIlePheTrpGlyProSerLysMetGlnLysPro...GlnGl 194

666 CATCGTTTACAACATGTTGAAAAAGACCAGTTGGTATCTATCCGAATGCCC 715
       !        |||||||           :::||||||||
194 yStrLeuValArgValIleGlnIleArgAlaGlyLeuValPheProAsnMetG 211

716 AAATATACGTGACCACAGAGAGCGCATGAGTTACTGTGATGGAGTTTTT 765
       :: ||:::::::::      |||||    ||:::|||
211 luAlaTyrAlaValSerProGlyArgMetArgGlnPheAspAspLeuPhe 227

766 AAGAAGGAAACTGGGAGGACAGAGGGGCATGCAAGGCGACTGCTGATTTC 815
       :::  |||||||||||||||        :::||||||
228 ArgGlyGluThrGlyLysAspArgGlyGluLysSerHisSerTrpLeu...Se 243

816 TACAGACACTTT 828
       |||
243 rThrGlyTrpPhe 247
```

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA2000.DAT:AAB41883

alignment_scores:
        Quality: 317.50   Length: 271
        Ratio: 2.075   Gaps: 9
Percent Similarity: 56.458   Percent Identity: 32.103

alignment_block:
US-09-714-936-218 x AAB41883

Align seq 1/1 to: AAB41883 from: 1 to: 353

```
76 TGCCGTGGTACCAGCCTCCAGCCTGCCCCCAGGACTGCCCCTGACCCAGG 125
   |||:::  ||||||||     |||::::||     |||:::|||
30 CysGluProThrSerLeuProProGlyPro.................... 39

126 CGCGGCCCGCTGCTCGGTGGCAG.........GAGGGCCGGCGGAGCGCCA 166
   |||||::::|||          :::       |||||||
```

alignment_scores:
Quality: 319.50   Length: 153
Ratio: 2.878   Gaps: 1
Percent Similarity: 72.549   Percent Identity: 38.562

alignment_block:
US-09-714-936-218 x AAM41882

Align seg 1/1 to: AAM41882 from: 1 to: 275

331 CGGCCCTTCGAACTCACTATGGATACATAAATGTGAAGACACAAGAGCC 380
||||||| ||||||| :::::|||
14 ArgProLeuAsp........GlyTyrLeuGlyValAlaAspHisLysPr 27

381 TTTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACTCAGGTCAGA 430
|||:::::| |||| :||:|:::::|||||:|||||||:::
27 oLeuLysMetHisCysArgAspCysAlaLeuValThrSerGlyHisL 44

431 TGGTTGGCCAGAAGGTGGGAAATGACATAGATCGATCCTCCTGCATTTGG 480
::::: ::::: |||:::|||||::|||::::|||::::
44 euLeuHisSerArgGlnGlySerGlnIleAspGlnThrGluCysValIle 60

481 AGAATGAACAATGCCCCCACCAAAGTTATGAAGAAGATGTCGGCCGCAT 530
|||||||||::|||||||::|||||| :|||:|||:|:::
61 ArgMetAsnAspAlaProThrArgGlyTyrGlyArgAspValGlyAsnAr 77

531 GACCATGATTCGAGTTGTGTCCCATACCAGCGTTCCTCTTTGCTAAAAA 580
||| ::|||||||:::::|||||:::: :||||||||
77 gThrSerLeuArgValIleAlaHisSerSerIleGlnArgIleLeuArgA 94

581 ACCCTGATTATTTTTCAAGGAGGCGAATACTACTATTGTGTTATTTGG 630
|| ::::::: ::::: |||:||| :::|:|||
94 snArgHisAspLeuLeuAsnValSerGlnGlyThrValPheIlePheTrp 110

631 GGACCTTTCCGCAATATGAGGAAAGATGGCAATGGCCATCGTTACAACAT 680
||||||| |||||:||||:||||:|:::
111 GlyProSerTyrMetArgArgAspGlyLysGlyValTyrAsnAs 127

681 GTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCAAATACGTGACCA 730
||| ::: |||:||| :::: ::::|:|:
127 nLeuHisLeuSerGlnValLeuProArgLeuLysAlaPheMetIleT 144

731 CAGAGAAGCCATGAGTTACTGTGATGGAGTTTTAAGAAGGAAACTGGG 780
|||: :::|| ||| :::|||||||:|||||||
144 hrArgHisLysMetLeuGlnPheAspGluLeuGlySerGluThrGly 160

781 AAGGACAGG 789
:::|||
161 GlnAsnArg 163

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA2001.DAT:AAM39358

seq_documentation_block:
ID AAM39358 standard; Protein; 333 AA.
XX
AC AAM39358;
XX
DT 22-OCT-2001 (first entry)
XX
DE Human polypeptide SEQ ID NO 2503.
XX
KW Human; nootropic; immunosuppressant; cytostatic; gene therapy; cancer;
KW peripheral nervous system; neuropathy; central nervous system; CNS;
KW Alzheimer's; Parkinson's disease; Huntington's disease; haemostatic;
KW amyotrophic lateral sclerosis; Shy-Drager Syndrome; chemotactic;
KW chemokinetic; thrombolytic; drug screening; arthritis; inflammation;
KW leukaemia.
XX
OS Homo sapiens.
XX
PN WO200153312-A1.
XX
PD 26-JUL-2001.
XX
PF 26-DEC-2000; 2000WO-US34263.
XX
PR 21-JAN-2000; 2000US-0488725.
PR 25-APR-2000; 2000US-0552317.
PR 09-JUL-2000; 2000US-0598042.
PR 19-JUL-2000; 2000US-0620312.
PR 03-AUG-2000; 2000US-0653450.
PR 14-SEP-2000; 2000US-0662191.
PR 19-OCT-2000; 2000US-0693036.
PR 29-NOV-2000; 2000US-0727344.
XX
PA (HYSE-) HYSEQ INC.
XX
PI Tang YT, Liu C, Asundi V, Chen R, Ma Y, Qian XB, Ren F, Wang D;
PI Wang J, Wang Z, Wehrman T, Xu C, Xue AJ, Yang Y, Zhang J;
PI Zhao QA, Zhou P, Goodrich R, Drmanac RT;
XX
DR WPI; 2001-442253/47.
DR N-PSDB; AAI58514.
XX
PT Novel nucleic acids and polypeptides, useful for treating disorders
PT such as central nervous system injuries -
XX
PS Example 4; SEQ ID NO 2503; 10078pp; English.
XX
CC The invention relates to human nucleic acids (AAI57798-AAI61369) and
CC the encoded polypeptides (AAM38642-AAM42213) with nootropic,
CC immunosuppressant and cytostatic activity. The polynucleotides are useful
CC in gene therapy. A composition containing a polypeptide or polynucleotide
CC of the invention may be used to treat diseases of the peripheral nervous
CC system, such as peripheral nervous injuries, peripheral neuropathy and
CC localised neuropathies and central nervous system diseases, such as
CC Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic
CC lateral sclerosis, and Shy-Drager Syndrome. Other uses include the
CC utilisation of the activities such as: Immune system suppression,
CC Activin/inhibin activity, chemotactic/chemokinetic activity, haemostatic
CC and thrombolytic activity, cancer diagnosis and therapy, drug screening,
CC assays for receptor activity, arthritis and inflammation, leukaemias and
CC C.N.S disorders.
CC Note: The sequence data for this patent did not form part of the printed
CC specification.
XX
SQ Sequence 333 AA;

alignment_scores:
Quality: 317.50   Length: 271
Ratio: 2.075   Gaps: 9
Percent Similarity: 56.458   Percent Identity: 32.103

alignment_block:
US-09-714-936-218 x AAM39358

Align seg 1/1 to: AAM39358 from: 1 to: 333

76 TGCCGTGGTACCAGCCTCCAGCCTGCCCCCAGGACTGCCCTGCACCCAGG 125
|||:|| |||||||||||||| |||||| ||:::|||
10 CysGluProThrSerLeuProProGlyPro................... 19

126 CGGGCCCCTGCTCGGTGGCAG........GAGGGCGGCGGGAGCGGCCA 166
||||||:::||| ::: ::: |||||
20 ....ProAlaGlyArgArgHisLeuProLeuSerArgArgArgGluM 35

167 TGGCCTGACATCCTGAAGAGAAGTCTGTGATTGCTGTGAGCTTCATAGCA 216
::::: :::|||:::||| |||
35 etSerSerAsnLysGluGlnArgSerAlaValPheVal............ 47

217 GCGTTCCTTTCCTGCTTGGTTGTGCGCTTGTA................ 249
:::||||| ||||||| |||||
48 ...IleLeuPheAlaLeuIleThrIleLeuIleLeuTyrSerSerAsnSe 63

PT   Isolated nucleic acid useful for coding a full-length mammalian GM3
PT   synthase or its biologically active polypeptide fragment, useful for
PT   detecting expression of sialyltransferase in whole organs, tissue or
PT   cells -
XX
PS   Example 1; Fig 6A-6B; 81pp; English.
XX
CC   The present invention relates to an isolated nucleic acid comprising a
CC   nucleotide sequence coding for a full-length mammalian GM3 synthase or
CC   their biologically active polypeptide fragment. It is also useful as a
CC   size marker in nucleic acid or protein electrophoresis or chromatography
CC   and for detecting expression of sialyltransferase (ST) in whole organs,
CC   tissue or cells. The nucleic acid probes can also be used to detect,
CC   quantitate or isolate a mammalian sialyltransferase nucleic acid in a
CC   test sample or to identify sialyltransferase homologues, as
CC   oligonucleotide probe e.g. in polymerase chain reaction differential
CC   display, in combination with cDNA libraries, expression libraries, etc.
CC   The nucleic acid can be modified to make it resistant to cellular
CC   enzymes, oxidation, reduction, nucleases, etc. Or to enhance its uptake
CC   into cells. The present sequence is human sialyltransferase, 7ST6 Gal V
CC   protein.
XX
SQ   Sequence   336 AA;

alignment_scores:
        Quality: 328.50   Length: 172
         Ratio: 2.761   Gaps: 2
Percent Similarity: 69.186   Percent Identity: 37.791

alignment_block:
US-09-714-936-218 x AAE10705

Align seg 1/1 to: AAE10705   from: 1 to: 336

289 CAACCTGGTACAAAGTGGATACCATTCTCCTACACATACAGGGCGGCCC.. 336
    |||||||::::::: ||| ||| ::||||||
 57 GlnProAlaAlaGlu..........SerSerThrGlnGlnArgProGl 69

337 ..........CTTCGAACTCACTATGGGATACATAAATGTGAAGACAC 373
              || ||||||||||:|:||||||||
 69 yValProAlaGlyProArgProLeuAspGlyTyrLeuGlyValAlaAspH 86

374 AAGAGCCTTTGCAACTGGACTGGACCTTTGTGCCATAGTGTCAAACTCA 423
    :::::||||||:::: || ||| ||||||::|:|:||:||
 86 isLysProLeuLysMetHisCysArgAspCysAlaLeuValThrSerSer 102

424 GGTCAGATGGTTGGCCAGAAGTGGGAAATGAGATAGATCGATCCTCCTG 473
    |||::|||| ||||| |||||||:|||||||:::::||||||||
103 GlyHisLeuLeuSerArgLysGlnGlySerGlnIleAspGlnThrGluCy 119

474 CATTTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGAAGATGTCG 523
    |::: ||||||||:||||| ||||:: |||||::||||||||||||
119 sValIleArgMetAsnAspAlaProThrArgGlyTyrGlyArgArgAspValG 136

524 GCCGGCATGACCATGATTCGAGTGTGTCCCATACCAGCGTTCCTCTTTTG 573
    ||::: || ::|||||:|||||||||:::||||||::|||:
136 lyAsnArgThrSerLeuArgValIleAlaHisSerSerIleGlnArgIle 152

574 CTAAAAAACCCTGATTATTTTTCAAGGAAGCGAATACTACTATTTGTGT 623
    ::::::||| :::::|||||||:||||||| ::::: ||||:
153 LeuArgAsnArgHisAspLeuAsnValSerGlnGlyThrValPheIl 169

624 TATTTGGGGACCTTTCCGCAATATGAGGAAAGATGGCAAGGCATCGTTT 673
    :::||| ||:::||||||||:::|||||||||||||||||||||||
169 ePheTrpGlyProSerSerTyrMetArgArgAspGlyLysGlyIleValIT 186

674 ACAACATGTTGAAAAGACAGTTGGTATCATCCGAATGCCCAAAATATAC 723
    ||||| ||| ::: ||||||| ||| :::: |||
186 yrAsnAsnLeuHisLeuSerGlnIleValLeuProArgLeuLysAlaPhe 202

724 GTGACCACAGAGAAGCCGCATGAGTTACTGTGATGGAGTTTTAAGAAGGA 773
    ::: |||:::| :::||| ||| |||||||||::::|||

```
KW   antipsoriatic; antiangiogenic; cardiant; anti-HIV; nootropic;
KW   neuroprotective; antimicrobial; antiparkinsonian; cancer;
KW   immune system disorder; angiogenesis; hyperproliferative disorder;
KW   cardiovascular disorder; apoptosis; neurological disease;
KW   infectious disease; wound healing; chromosome 9.
XX
OS   Homo sapiens.
XX
PN   WO20035937-A1.
XX
PD   22-JUN-2000.
XX
PF   16-DEC-1999;    99WO-US29950.
XX
PR   17-DEC-1998;    98US-0112809.
PR   18-DEC-1998;    98US-0113006.
XX
PA   (HUMA-) HUMAN GENOME SCI INC.
XX
PI   Ruben SM,  Ebner R,  Rosen CA,  Endress GA,  Soppet DR,  Ni J;
PI   Duan DR,  Moore PA,  Shi Y,  Lafleur DW,  Olsen HS,  Florence K;
XX
DR   WPI; 2000-431566/37.
DR   N-PSDB; AAA78385.
XX
PT   Forty seven human nucleic acids encoding secreted proteins, useful in
PT   the treatment, prevention and diagnosis of cancers, disorders of the
PT   immune system, angiogenesis disorders, neurological diseases and
PT   hyperproliferative disorders -
XX
PS   Claim 11; Page 482-483; 562pp; English.
XX
CC   The polynucleotide sequence given in AAA78381 to AAA78432 encode the
CC   human secreted proteins given in AAB24437 to AAB24604. Human secreted
CC   proteins have activities based on the tissues and cells the genes are
CC   expressed in. Examples of activities include: cytostatic; antianaemic;
CC   antidiabetic; antiinflammatory; ophthalmological; antirheumatic;
CC   antiarthritic; antipsoriatic; antiangiogenic; cardiant; anti-HIV;
CC   nootropic; neuroprotective; antimicrobial and antiparkinsonian.
CC   Human secreted protein polynucleotides, polypeptides, antagonists and/or
CC   agonists may be useful in treating, preventing, and/or diagnosing other
CC   diseases, disorders, and/or conditions such as: (a) cancers; (b)
CC   disorders of the immune system; (c) angiogenesis disorders; (d)
CC   hyperproliferative disorders; (e) cardiovascular disorders; (f) diseases
CC   associated with increase apoptosis; (g) neurological diseases; and
CC   (h) infectious diseases. They are also used to promote wound healing.
CC   AAA78372 to AAA78380 and AAB24436 represent sequences used in the
CC   exemplification of the present invention.
XX
SQ   Sequence   303 AA;
```

```
alignment_scores:
     Quality:   382.00        Length:    209
     Ratio:      2.729        Gaps:        7
Percent Similarity: 66.986   Percent Identity: 41.148

alignment_block:
US-09-714-936-218 x AAB24441

Align seg 1/1  to: AAB24441  from: 1  to: 303

230 TGCTGG.........TTGTGCGTCTTGTAAATGAAGTGAATTCCCA 267
    |||||          |||||:||:
 26 CysTrpAlaGlyLeuProLeuCysLeuAla.............. 35

268 TTGCTACTAAACTGCTTTGGACAACCTGGTACAAAGTGGATACCATTCTC 317
    ||:::||||||                        ::|||
 36 ........ThrCysLeuAsp................HisHisPheP 43

318 CTACACATACA..........GGCGGCCCTTCGAACTTCACTATGGAT 355
    ||||  :::             |||||||||:::::::::::  ||||
 43 roThrGlySerArgProThrValProGlyProLeuHisPheSer..GlyT 59
```

Right column:

```
356 ACATAAATGTGAAGACACAAGAGCCTTTGCAACTGGAC...TGTGACCTT 402
    ||  :|||          ::||||||                 |||
 59 yrSerSerValProAspGlyLysProLeuValArgGluProCysArgSer 75

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||||||:::||||||::||||||||||::|||::|||  ::|||
 76 CysAlaValValSerSerSerGlyGlnMetLeuGlySerGlyLeuGlyAl 92

453 TGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCCACCA 502
    |||||||  :::||||:::|||||||:||||||||||:::||||||||
 92 aGluIleAspSerAlaGluCysValPheArgMetAsnGlnAlaProThrV 109

503 AAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGTTGTGTCC 552
    ||||:::|||  |||||||||||||||||||||||||  ::||||||||||
109 aGlyPheGluAlaAspValGlyGlnArgSerThrLeuArgValValSer 125

553 CATACCAGCGTTCCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    ||||||||||||||||||||||||||||        :::||||:||:::
126 HisThrSerValProLeuLeuLeuArgAsnTyrSerHisTyrPheGlnLy 142

603 AGCGAAATACTACATTTGTGTTATTTGGGACCTTTCCGCAAATATGAGGA 652
    ::|||::  |||:||      ::||||||  |||::::  |||:::|||
142 sAlaArgAspThrLeuTyrMetValTrpGlyGlnGlyArgHisMetAspA 159

653 AAGATGGCAATGGCATCGTTACAACATGTTGAAAAAGACAGTTGGTATC 702
    ::  |||||||||  |||||||||||||||||  |||||||||||||||
159 rgValLeuGlyGlyArgThrTyrArgThrLeuGlnLeuThrArgMet 175

703 TATCCGAATGCCCAAATATACGTGACCACAGAGAGCCGATGAGTTACTG 752
    |||:::|| |||:::||:::|||  |||||:::  |||||||||||||
176 TyrProGlyLeuGlnValTyrThrPheThrGluArgMetAlaTyrCy 192

753 TGATGGAGTTTTTAAGAAGGAAAACTGGGAAGGACAGGGGCATGCAAGGC 802
    |||     |||||||||||||||||  :::||||||||||||||  ||||
192 sAspGlnIlePheGlnAspGluThrGlyLysAsnArgArgGlnSerGlyLys 209

803 GACTGCTGATTTCTCACAGACACTTTT 828
    ::|||    |||||||||||||  |||
209 erPheLeu...SerThrGlyTrpPhe 216
```

```
seq_name: /SIDS1/gcgdata/hold-geneseq/geneseq-embl/AA2001.DAT:AAE10705

seq_documentation_block:
ID   AAE10705 standard; Protein; 336 AA.
XX
AC   AAE10705;
XX
DT   10-DEC-2001  (first entry)
XX
DE   Human sialyltransferase, 7ST6 Gal V protein.
XX
KW   Human; sialyltransferase; GM3-synthase-specific immunogenic activity;
KW   7ST6 Gal V.
XX
OS   Homo sapiens.
XX
PN   US5280989-B1.
XX
PD   28-AUG-2001.
XX
PF   17-JUN-1999;    99US-0334601.
XX
PR   17-JUN-1999;    99US-0334601.
XX
PA   (KAPI/) KAPITONOV D.
PA   (YURK/) YU R K.
XX
PI   Kapitonov D,  Yu RK;
XX
DR   WPI; 2001-579256/65.
DR   N-PSDB; AAD18037.
XX
```

Percent Similarity: 66.986   Percent Identity: 41.148

Ratio: 2.729   Gaps: 7

alignment_block:
US-09-714-936-218 x AAB75350

Align seg 1/1 to: AAB75350 from: 1 to: 302

```
230  TGCTGG........TTGTCGCTTGTAAATGAAGTGAATTCCCA 267
        ||||||          ||||||:::
26   CysTrpAlaGlyLeuCysLeuAla................... 35

268  TTGCTACTAAACTGCTTTGGCAAACCTGGTACAAAGTGGATACCATTCTC 317
     ||||||||||||||||||||||:::||  ||||||             :::|||  |
36   ..........ThrCysLeuAsp....................HisHisPheP 43

318  CTACACATACA.........GGCGGCCCCTTCGAACTCACTATGGAT 355
     ||||||               |||||||||:::::::||  |||
43   roThrGlySerArgProThrValProGlyProLeuHisPheSer..GlyT 59

356  ACATAAATGTGAAGACACAAGAGCCTTTGCAACTGGAC...TGTGACCTT 402
     ||  :::||||                  ::::||||||              |||
59   yrSerSerValProAspGlyLysProLeuValArgGluProCysArgSer 75

403  TGTGCCATAGTGTCAAACTCAGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
     ||||||||||||||::::||||||||||::|||||:::|||:::||
76   CysAlaValValSerSerSerGlyGlnMetLeuGlyLeuGlyLeuGlyAl 92

453  TGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCCACCA 502
     |||||||||         ::::|||:::||::||::||||||||||||||::::||||||||||
92   aGluIleAspSerAlaGluCysValPheArgMetAsnGlnAlaProThrV 109

503  AAGGTTATGAAGAAGATCTCGGCCGCATGACCATGATCGAGTTGTGTCC 552
     ||||||:::|||  ||||||||||:::  ::   ::||||||||||||||
109  alGlyPheGluAlaAspValGlyGlnArgSerThrLeuArgValValSer 125

553  CATACCAGCGTTCCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
     ||||:::|||  ||||||||||||||||||||:::|||  ||||:::||
126  HisThrSerValProLeuLeuLeuArgAsnTyrSerHisTyrPheGlnLy 142

603  AGCGAATACTACTATTTGTGTTATTGGGGACCTTCCCAATATGAGGA 652
     :||:::||:  |||::::|  |||||||||||||||  |||:::||||  :
142  sAlaArgAspThrLeuTyrMetValTrpGlyValGlyArgHisMetAspA 159

653  AAGATGGCAATGGCATCGTTTACACACATGTTGAAAAAGACAGTTGGTATC 702
     ::  :::|||  :::||||::::  |||  |||:::|||||  ::: ::
159  rgValLeuGlyGlyArgThrTyrArgThrLeuLeuGlnLeuThrArgMet 175

703  TATCCGAATGCCCAAATATACGTGACCACAGAAGCGCCATGAGTTACTG 752
     ||||||:::  ||||||:::::||||  ||||:::||||||
176  TyrProGlyLeuGlnValTyrThrPheThrGluArgMetMetAlaTyrCy 192

753  TGATGGAGTTTTTAAGAAGGAAACTGGAAGGACCAGGGGCATGCAAGGC 802
     ||||  ::::|||  |||||::  |||||:::||||||||||
192  sAspGlnIlePheGlnAspGluThrGlyLysAsnArgArgGlnSerGlyS 209

803  GACTGCTGATTTCTACAGACACTTT 828
     :::|||  ||||||  |||
209  erPheLeu...SerThrGlyTrpPhe 216
```

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA2000.DAT:AAB24441

seq_documentation_block:
ID   AAB24441 standard; Protein; 303 AA.
XX
AC   AAB24441;
XX
DT   20-NOV-2000 (first entry)
XX
DE   Human secreted protein sequence encoded by gene 5 SEQ ID NO:66.
XX
KW   Human; secreted protein; cytostatic; antianaemic; antidiabetic;
KW   antiinflammatory; ophthalmological; antirheumatic; antiarthritic;

```
          |||||
     26 CysTrpAlaGlyLeuProLeuCysLeuAla...........................  35

    268 TTGCTACTAAACTGCTTTGGACAACCTGGTACAAAGTGGATACCATTCTC  317
        |||::||||             ::::|||
     36 ........ThrCysLeuAsp...............HisHisPheP  43

    318 CTACACATACA.........GGCGGCCCCTTCGAACTCACTATGGAT  355
        ||||   ::::           |||||||::::::::::::  ||||
     43 roThrGlySerArgProThrValProGlyProLeuHisPheSer..GlyT  59

    356 ACATAAATGTGAAGACACAAGAGCCTTTGCAACTGGAC...TGTGACCTT  402
        ||   :::||||        ::::|||||       :::   |||
     59 yrSerSerValProAspGlyLysProLeuValArgGluProCysArgSer  75

    403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA  452
        ||||||||||:::::|||::::::||||||||:::::::::  ::|||
     76 CysAlaValValSerSerSerGlyLeuLeuGlySerGlyLeuGlyVal  92

    453 TGAGATAGATCGATCCTCCTCCATTTGGAGAATGAACAATGCCCCACCA  502
        |||||||||  :::::||::::||:::::||||||||||||::::||||||
     92 aGluIleAspSerAlaGluCysValPheArgMetAsnGlnAlaProThrV  109

    503 AAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCCGAGTTGTGTCC  552
        ||:::||||  |||||||:::  :::  :::|||||||||||
    109 alGlyPheGluAlaAspValGlyValGlySerThrLeuArgValValSer  125

    553 CATACCAGGCTTCCTCTTTTGCTAAAAAACCCTGATTATTTTTCAAGGA  602
        ||||||||||||:::::||  :::::::|||::::||:::::
    126 HisThrSerValProLeuLeuLeuArgAsnTyrSerHisTyrPheGlnLy  142

    603 AGCGAATACTACTATTTGTGTTATTTGGGGACCTTCCGCAATATGAGGA  652
        :::|||  |||  :::||||||    |||:::|||
    142 sAlaArgAspThrLeuTyrMetValTrpGlyLnGlyArgHisMetAspA  159

    653 AAGATGGCAATGGCATCGTTTACACACATGTTGAAAAAGACAGTTGGTATC  702
        ::   :::|||  :::||::  |||   ::: |||    :::
    159 rgValLeuGlyArgThrTyrArgThrLeuGlnLeuThrArgMet  175

    703 TATCCGAATGCCCAAATATACGTGACCACCAGAGGAAGCGCATGAGTTACTG  752
        |||||:::  :::||::::  ||||||||     |||::::  :||:||||
    176 TyrProGlyLeuGlnValTyrThrPheThrGluArgMetMetAlaTyrCy  192

    753 TGATGGAGTTTTTAAGAAGGAAACTGGGAAGGACAGGGGGCATCCCAAGGC  802
        |||   :::||:|||||||||||||||||||::::|||  :::::::
    192 sAspGlnIlePheGlnAspGluThrGlyLysAsnArgArgGlnSerGlyS  209

    803 GACTGCTGATTTCTACAGACACTTTT  828
        :::|||  |||||    |||
    209 erPheLeu...SerThrGlyTrpPhe  216
```

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA2001.DAT:AAB61614

PT New human proteins with hydrophobic domains, useful for the treatment
PT of immune disorders, tumors, allergic conditions, thrombosis and
PT microbial infection -
XX
PS Claim 1; Pages 105-106; 153pp; English.
XX
CC The present invention relates to human proteins (AAB61608-AAB61617) and
CC their coding sequences (AAF28679-AAF28698). The proteins of the present
CC invention have hydrophobic domains and can be used for the treatment of
CC various immune deficiencies and disorders, such as severe combined
CC immunodeficiency (SCID), multiple sclerosis, rheumatoid arthritis,
CC autoimmune pulmonary inflammation, graft-versus-host disease and
CC Guillain-Barre syndrome. The proteins may also be useful in the treatment
CC of allergic reactions and conditions, such as asthma and in regulation of
CC haematopoiesis or lymphoid cell deficiencies. The proteins may also have
CC utility in compositions used for bone, cartilage, tendon and/or nerve
CC tissue growth or regeneration as well as wound healing and in the
CC treatment of burns. The proteins may be used in the treatment of
CC periodontal disease and in other tooth repair processes. Other uses
CC include treatment of thrombolytic and haemostatic conditions, treatment
CC or prevention of tumours and inhibiting infection by bacteria, viruses,
CC fungi and other parasites.
XX
SQ Sequence   302 AA;

```
alignment_scores:
        Quality:     382.00              Length:      209
        Ratio:         2.729              Gaps:          7
Percent Similarity:   66.986    Percent Identity:  41.148

alignment_block:
US-09-714-936-218 x AAB61614

Align seg 1/1 to: AAB61614    from: 1  to: 302

    230 TGCTGG..........TTGTCGGTCTTGTAAATGAAGTGAATTCCCA  267
        ||||||          |||||||:::
     26 CysTrpAlaGlyLeuProLeuCysLeuAla...........................  35

    268 TTGCTACTAAACTGCTTTGGACAACCTGGTACAAAGTGGATACCATTCTC  317
        ||::||||             ::::|||
     36 ........ThrCysLeuAsp...............HisHisPheP  43

    318 CTACACATACA..........GGCGGCCCCTTCGAACTCACTATGGAT  355
        ||||   ::::           ||||||::::::::::::  ||||
     43 roThrGlySerArgProThrValProGlyProLeuHisPheSer..GlyT  59

    356 ACATAAATGTGAAGACACAAGAGCCTTTGCAACTGGAC...TGTGACCTT  402
        ||   :::||||        ::: |||         :::   |||
     59 yrSerSerValProAspGlyLysProLeuValArgGluProCysArgSer  75

    403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA  452
        ||||||||||:::::|||::::::||||||||:::::::::  ::|||
     76 CysAlaValValSerSerSerGlyLeuLeuGlySerGlyLeuGlyVal  92

    453 TGAGATAGATCGATCCTCCTGCATTTGGAGAATGAACAATGCCCCACCA  502
        |||||||||  :::::||::::||:::::||||||||||||::::||||||
     92 aGluIleAspSerAlaGluCysValPheArgMetAsnGlnAlaProThrV  109

    503 AAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCCGAGTTGTGTCC  552
```

```
CC   viral, bacterial, fungal parasitic, protozoal, and helminthic infections,
CC   trauma, or cancer. CME, or its catalytic or immunogenic fragment, is
CC   useful for drug screening.
XX
SQ   Sequence   302 AA;
```

```
XX
AC   AAB25764;
XX
DT   28-NOV-2000  (first entry)
XX
DE   Human secreted protein SEQ ID #76.
XX
KW   Human; secreted protein; forensic procedure; gene therapy;
KW   chromosome mapping; cancer; autoimmune disease; cardiovascular disorder;
KW   cystic fibrosis; hypothyroidism; immunological disorder; amyloidosis;
KW   brain disorder; skeletal muscle disorder; eye disorder; obesity;
KW   mitochondriocytopathy; diabetes; atherosclerosis; Alzheimer's disease;
KW   neurodegenerative disorder; graft rejection; dementia; hyperlipidaemia;
KW   septic shock; impotence.
XX
OS   Homo sapiens.
XX
PN   WO20037491-A2.
XX
PD   29-JUN-2000.
XX
PF   20-DEC-1999;        99WO-IB02058.
XX
PR   22-DEC-1998;        98US-0113686.
PR   25-JUN-1999;        99US-0141032.
XX
PA   (GEST ) GENSET.
XX
PI   Bougueleret L,  Dumas J,  Duclert A;
XX
DR   WPI; 2000-442637/38.
DR   N-PSDB; AAA87726.
XX
PT   Polynucleotides and polypeptides encoding proteins with signal
PT   peptides, useful in diagnostic, forensic, gene therapy and chromosome
PT   mapping procedures -
XX
PS   Claim 9; Figure 12; 306pp; English.
XX
CC   This sequence represents a human secreted protein amino acid sequence.
CC   The invention relates to sequences AAA87725-A87774 which encode human
CC   secreted proteins AAB25763-B25812. The proteins include signal peptides.
CC   Included in the invention are a host cell containing one of the cDNA
CC   sequences, and a purified antibody capable of binding to one of the
CC   secreted proteins. Also contained in the invention are methods for
CC   storing the sequence data on a computer system, and a method for
CC   identifying features of the cDNA sequences using a computer programme.
CC   The cDNAs are useful for expressing secreted proteins or fragments to
CC   obtain antibodies capable of specifically binding to the secreted
CC   proteins. The cDNAs may also be useful in diagnostic, forensic, gene
CC   therapy and chromosome mapping procedures and may be used to design
CC   expression vectors and secretion vectors. The proteins of the invention
CC   may be used to treat diseases including cancer, autoimmune diseases,
CC   cardiovascular disorders, cystic fibrosis, hypothyroidism, immunological
CC   disorders, amyloidosis, brain disorders, skeletal muscle disorders, eye
CC   disorders, obesity, mitochondriocytopathies, diabetes, atherosclerosis,
CC   neurodegenerative disorders, graft rejection, Alzheimer's disease,
CC   dementia, hyperlipidaemia, septic shock and impotence.
XX
SQ   Sequence   302 AA.
```

```
alignment_scores:
     Quality:   382.00           Length:         209
     Ratio:       2.729          Gaps:             7
Percent Similarity:  66.986    Percent Identity:  41.148

alignment_block:
US-09-714-936-218 x AAB25764      ..

Align seg 1/1  to: AAB25764   from: 1  to: 302

230 TGCTGG.........TTGTGCGTCTTGTAAATGAAGTGAATTCCCA 267
```

```
alignment_scores:
     Quality:   382.00           Length:         209
     Ratio:       2.729          Gaps:             7
Percent Similarity:  66.986    Percent Identity:  41.148

alignment_block:
US-09-714-936-218 x AAB28674      .

Align seg 1/1  to: AAB28674   from: 1  to: 302

230 TGCTGG.........TTGTGCGTCTTGTAAATGAAGTGAATTCCCA 267
    ||||||         ||||||:::
 26 CysTrpAlaGlyLeuProLeuCysLeuAla................ 35

268 TTGCTACTAAACTGCTTTGGACAACCTGGTACAAAGTGGATACCATTCTC 317
    ||::|||||                       :::|||
 36 ..........ThrCysLeuAsp..................HisHisPheP 43

318 CTACACATACA..........GGCGGCCCCTTCGAACTCCACTATGGAT 355
    |||||   ::           |||||||:::||:|    |||
 43 roThrGlySerArgProThrValProGlyProLeuHisPheSer..GlyT 59

356 ACATAAAGTGTGAAGACACAAGAGCCCTTTGCAACTGGAC...TGTGACCTT 402
    ||  :::|||     ::|||||   :::||||||        ||
 59 yrSerSerValProAspGlyLysProLeuValArgGluProCysArgSer 75

403 TGTGCCATAGTGTCAAACTCAGGTCAGATGGTTGGCCAGAAGGTGGGAAA 452
    ||||||||||   :::||||||||:::||||||||::::||  ::|||
 76 CysAlaIleValSerSerSerGlyGlnMetLeuGlySerGlyLeuGlyAl 92

453 TGAGATAGATCGATCCTCCTGCATTGGAGAATGAACAATGCCCCACCA 502
    ||||||||   :::||||||:||||||||||||||||||||||||
 92 aGluIleAspSerAlaGluCysValPheArgMetAsnGlnAlaProThrV 109

503 AAGGTTATGAAGAAGATGTCGGCCGCCATGACCATGATTCGAGTTGTGCC 552
    :::||||| ||||||||||::::  :::  ::||||||||||||
109 alGlyPheGluAlaAspValGlyGlnArgSerThrLeuArgValValSer 125

553 CATACCAGCGTTCCTCTTTGCTAAAAAACCCTGATTATTTTTCAAGGA 602
    |||||||||||||||:::||||||||||||||||||:::::::
126 HisThrSerValProLeuLeuLeuArgAsnTyrSerHisTyrPheGlnLy 142

603 AGCGAATACTACTATTTTCGTTATTTGGGGACCTTTCCCAATATGAGGA 652
    :::||| :::|||:  |||||||||||   |||:::||||||
142 sAlaArgAspThrLeuTyrPheValTrpGlyValGlnArgHisMetLAspA 159

653 AAGATGGCAATGGCATCGTTTACAACATGTTGAAAAAGACAGTTGGTATC 702
    ::  :::|||| |||| ::: ::: ||::::||||||:::  :::
159 rgValLeuGlyValThrTyrArgThrLeuLeuGlnLeuThrArgMet 175

703 TATCCGAATGCCCAAATATACGTGACCACAGAGAAGCCATGAGTTACTG 752
    ||||||  |||||:||||||||||||||||||||:::::||
176 TyrProGlyLeuGlnValTyrThrPheThrGluArgMetMetAlaTyrCy 192

753 TGATGGAGTTTTAAGAAGAAACTGGAAGGACAGGGGCATGCAAGGC 802
    ||| :::|||:  ||||||||||||||||::::
192 sAspGlnIlePheGlnAspGluThrGlyLysAsnArgArgGlnSerGlyS 209

803 GACTGCTGATTTTCTACAGACACTTTT 828
    ::|||  |||||| |||
209 erPheLeu...SerThrGlyTrpPhe 216
```

```
seq_name: /SID51/gcgdata/hold-geneseqp/geneseqp-embl/AA2000.DAT:AAB25764

seq_documentation_block:
ID   AAB25764 standard; Protein; 302 AA.
```

CC   agonists may be useful in treating, preventing, and/or diagnosing other
CC   diseases, disorders, and/or conditions such as: (a) cancers; (b)
CC   disorders of the immune system; (c) angiogenesis disorders; (d)
CC   hyperproliferative disorders; (e) cardiovascular disorders; (f) diseases
CC   associated with increase apoptosis; (g) neurological diseases; and
CC   (h) infectious diseases. They are also used to promote wound healing.
CC   AAA78372 to AAA78380 and AAB24436 represent sequences used in the
CC   exemplification of the present invention.
XX
SQ   Sequence   345 AA;

alignment_scores:
        Quality: 391.50   Length: 272
        Ratio: 2.237   Gaps: 11
Percent Similarity: 64.338   Percent Identity: 37.868

alignment_block:
US-09-714-936-218 x AAB24495

Align seg 1/1   to: AAB24495   from: 1   to: 345

34 TCCCCTTATTTGGATCTGCCGGAATGTGGGCTGGAGAGGTTCCTCCGGTGG   83
       ||||| |||:::::||| |||| ||||: ||||||
7   SerProGlyLeuSerIleArgProProGly......ArgGluValProGl   21

84 TACCAGCCTTCCAGCCTGCCCCCAGGACTGCCCCCTGACCCAGGCGCGCCC.. 132
    |::: ||||||||| ||| :: :::|||||||
21 ySerHisProPheProAlaPro.....AlaLeuGluThrAlaAlaProA   36

133 ..GCTGTCGGTGGCAGGAGGGCCGGCGGAGCGGCCATGGCCTGCATCCTG 180
         ||| :::::::   ::||||
36 rgLeuLeuArgAspSerAspSerMetLysAlaProGlyArgLeuValLeu   52

181 AAGAGAAAGTCTGTGAGTGTGAGCTTCATAGCAGCGTTCCTTTTCCT   230
        ::||| ||| |: || ||:||||||||||||||
53 ....IleIleLeuCysSerValValPheSerAlaValTyrIl   65

231 GCTGGTTGTGCGGTCTTGTAAATGAAGTGAATTTCCATTGCTACTAAACT   280
    :||| |||||| ||| ||| |||
65 eLeu.LeuCysCys.....TrpAlaGlyLeuProLeuCysLeuAlaThr   79

281 GCTTTGGACAACCTGGTACAAAGTGGATACCATTCTCCTACACATACA..   328
    :::|||||| |||||||||||| :: :
80 CysLeuAsp..........HisHisPheProThrGlySerAr   90

329 .......GGCGGCCCCTTCGAACTCACTATGGA TACATAAATGTGAA   368
          ||||||||:::::::||| : ||||| |||||
90 gProThrValProGlyProLeuHisPheSer..GlyTyrSerValPr   106

369 GACACAAGAGCCTTTGCAACTGGAC...TGTGACCTTTGTGCCATAGTGT   415
    ::|||||| ::: ||| |||||||:::::||||
106 oAspGlyLysProLeuValArgGluProCysArgSerCysAlaValValS   123

416 CAAACTCAGGTCAGATGTTGCCAGAGGTGGGAAATGAGATAGATCGA   465
    ||::||||||||||::||||:||:||| |||||| ||||||||
123 erSerSerGlyGlnMetLeuGlySerGlyLeuGlyLeuGluIleAspSer   139

466 TCCTCCTGCCATTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGA   515
    ::::::||::|||||||||| |||||||:|||||||:|||||| ||:||||
140 AlaGluCysValPheArgMetAsnGlnAlaProThrValGlyPheGluAl   156

516 AGATGTCGGCCGCCGCCATGATTCGAGTTGTGTCCCATACCAGCGTTC   565
    |||||||:: ::: ||||||||||||||||||||||||||||||||
156 aAspValGlyGlnArgSerThrLeuArgValValSerHisThrSerValP   173

566 CTCTTTTGCTAAAAAACCCTGATTATTTTTTCAAGGAGGCGAATACTACT   615
    ||::||| :::::::|||||||||||||:||:::|||| ||||||
173 roLeuLeuArgAsnTyrSerHisTyrPheGlnLysAlaArgAspThr   189

616 ATTTGTGTTATTTGGGACCTTTCCCAATAATGAGGAAAAGATGGCAATGG   665
    ::: ::::|||||| |||||||||||||||||||||||||||||||
190 LeuTyrMetValTrpGlyGlnGlyHisArgMetAspArgValLeuGlyGl   206

---

666 CATCGTTACACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCC   715
    | ::|||||:| ||| ::::   ::||||||::: ||
206 yArgThrTyrArgThrLeuLeuGlnLeuThrArgMetTyrProGlyLeuG   223

716 AAATATACGTGACCACAGAGAGCGCATGAGTTACTGTGATGGAGTTTT   765
    ||::||::||| |||||::: |||||::||| |||:::|||||
223 lnValTyrThrPheThrGluArgMetMetAlaTyrCysAspGlnIlePhe   239

766 AAGAAGGAAACTGGAAGGACAGCAGGGGCATGCAAGGCGACTGCTGATTTC   815
    ::: |||||||||||||| ::::::   ::|||| :::|| ||
240 GlnAspGluThrGlyLysAsnArgArgGlnSerGlySerPheLeu...Se 255

816 TACAGACACTTTT   828
    |||| |||
255 rThrGlyTrpPhe   259

seq_name: /SIDS1/gcgdata/hold-geneseq/geneseq-embl/AA2000.DAT:AAB28674

seq_documentation_block:
ID   AAB28674 standard; Protein; 302 AA.
XX
AC   AAB28674;
XX
DT   13-FEB-2001 (first entry)
XX
DE   Human carbohydrate-modifying enzyme Incyte ID No: 983984CD1.
XX
KW   Human; carbohydrate-modifying enzyme; CME; antidiabetic;
KW   immunosuppressive; anti-HIV; antiinflammatory; antianaemic;
KW   antiasthmatic; antiarteriosclerotic; antithyroid; hepatotropic;
KW   nephrotropic; antigout; thyromimetic; neuroprotective; osteopathic;
KW   antiarthritic; antipsoriatic; uropathic; ophthalmological;
KW   dermatological; antiulcer; cytostatic; virucide; antibacterial;
KW   fungicide; protozoacide; tranquiliser; vulnerary; diabetes;
KW   autoimmune disorder; inflammatory disorder; infection.
XX
OS   Homo sapiens.
XX
PN   WO200063351-A2.
XX
PD   26-OCT-2000.
XX
PF   20-APR-2000; 2000WO-US10882.
XX
PR   21-APR-1999;   99US-0130383.
XX
PA   (INCY-) INCYTE GENOMICS INC.
XX
PI   Lal P, Yue H, Tang YT, Hillman JL, Baughn MR, Yang J;
XX
DR   WPI; 2000-672729/65.
DR   N-PSDB; AAC65393.
XX
PT   Novel carbohydrate modifying enzyme polypeptides and polynucleotides
PT   for diagnosis, treatment, and prevention of carbohydrate metabolism
PT   disorders, autoimmune/inflammatory disorders, and cancer -
XX
PS   Claim 1; Page 67-68; 75pp; English.
XX
CC   The present sequence is a human carbohydrate-modifying enzyme
CC   (CME). CME polynucleotides and polypeptides are useful for treating and
CC   diagnosing diseases associated with CME such as diabetes,
CC   autoimmune/inflammatory disorders such as AIDS, Addison's disease,
CC   adult respiratory distress syndrome, allergies, anaemia, asthma,
CC   atherosclerosis, autoimmune thyroiditis, bronchitis, cholocystitis,
CC   contact dermatitis, Crohn's disease, emphysema, erythroblastosis fetalis,
CC   glomerulonephritis, Good pasture's syndrome, gout, Grave's disease,
CC   Hashimoto's thyroiditis, multiple sclerosis, myasthenia gravis,
CC   osteoarthritis, osteoporosis, pancreatitis, polymyositis, psoriasis,
CC   Reiter's syndrome, arthritis, scleroderma, sjogren's syndrome, systemic
CC   lupus erythematosus, ulcerative colitis, uveitis, Werner syndrome,
CC   complications of cancer, haemodialysis, and extracorporeal circulation,

```
PR    08-DEC-2000;  200DUS-0251868.
PR    08-DEC-2000;  200DUS-0251869.
PR    08-DEC-2000;  200DUS-0251989.
PR    08-DEC-2000;  200DUS-0251990.
PR    11-DEC-2000;  200DUS-0254097.
PR    05-JAN-2001;  2001US-0259678.
XX
PA    (HUMA-) HUMAN GENOME SCI INC.
XX
PI    Rosen CA,  Barash SC,  Ruben SM;
XX
DR    WPI; 2001-465566/50.
DR    N-PSDB; AAS41230.
XX
PT    Novel polypeptides and polynucleotides useful for diagnosing,
PT    preventing, treating neural, immune system, muscular, reproductive,
PT    pulmonary, cardiovascular, renal, proliferative disorders and cancerous
PT    diseases -
XX
PS    Claim 11; SEQ ID No 1356; 1180pp; English.
XX
CC    The present invention relates to the isolation of novel human enzyme
CC    polypeptides, and the cDNA (AAS40785-AAS41684) and genomic sequences
CC    encoding them. The enzyme polypeptides of the invention may comprise the
CC    functional classes of oxidoreductases, transferases, hydrolases, lyases,
CC    isomerases or ligases. The sequences of the invention are useful in the
CC    diagnosis, treatment, prevention and/or prognosis of a wide range of
CC    disorders including hyperproliferative disorders (e.g. cancer),
CC    immunodeficiency disorders (e.g. AIDS) autoimmune disorders
CC    (e.g. arthritis), neurological disorders (e.g. Alzheimer's disease),
CC    metabolic disorders (e.g. phenylketonuria), inflammatory disorders
CC    (e.g. asthma), cardiovascular disorders (e.g. atherosclerosis),
CC    blood-related disorders (e.g. haemophilia), reproductive disorders
CC    (e.g. infertility) and infectious disorders (e.g. Influenza). The
CC    polynucleotides of the invention can also be used in gene therapy.
CC    AAU22915-AAU23814 represent the novel human enzyme polypeptides of the
CC    invention.
CC    Note:The sequence data for this patent did not form part of the printed
CC    specification, but was obtained in electronic format directly from WIPO
CC    at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ    Sequence   166 AA;

alignment_scores:
      Quality:      859.00         Length:      167
      Ratio:          5.238        Gaps:          1
Percent Similarity:  98.204    Percent Identity:  98.204

alignment_block:
US-09-714-936-218 x AAU23360        ..

Align seg 1/1  to: AAU23360  from: 1  to: 166

   76 TGCCGTGGTACCAGCCTCCAGCCTCCCCCAGGACTGCCCCTGACCCAGG 125
      |||||||||||||||||||||||||||||||||||||||||||||||||
    1 CysArgGlyThrSerIleuGlnProAlaProArgThrAlaProAspProGl  17

  126 CGGCGCCGCGTGCTCGGTGCGCGAGGAGGGCCGCGCGGAGCGGCCATGGCCCTGCA 175
      ||||||||||||||||||||||||||||||||||||||||||||
   17 yAlaProAlaAlaArgTrpGlnGluGlyArgArgSerAlaMetAlaCysI  34

  176 TCCTGAAGAGAGAAAGTCTGTGATTGCTGTGAGCTTCATAGCAGCGTTCCTT 225
      ||||||||||||||||||||||||||||||||||||||||||||||||
   34 leLeuLysArgLysSerValIleAlaValSerPheIleAlaAlaPheLeu  50

  226 TTCCTGCTGGTTGTGCGTCTTGTAAATGAAGTGAATTCCCATTGCTACT 275
      |||||||||||||||||||||||||||||||||||||||||||||||||
   51 PheLeuLeuValValArgLeuValAsnGluValAsnPheProLeuLeuLe  67

  276 AAACTGCTTTGGACAACCTGGTACAAAGTGGATACCACCATTCCTCCTACACAT 325
      ||||||||||||||||||||||||||||||||||||||||||||
   67 uAsnCysPheGlyGlnProGlyThrLysTrpIleProPheSerTyrThrT  84
```

```
  326 ACAGGCGGCGGCCCTTCGAACTCACTATGGATACATAAATGTGAAGACACAA 375
      ||||||  ||||||||||||||||||||||||||||||||||||||||||
   84 yrArgArg***LeuArgThrHisTyrGlyTyrIleAsnValLysThrGln 100

  376 GAGCCTTTGCAACTGGACTGCACCTTTGTGCCATAGTGTCAAACTCAGG 425
      |||||||||||||||||||||||||||||||||||||||||||||||||
  101 GluProLeuGlnLeuAspCysAspSerLeuCysSerAlaIleValSerAsnSerGl 117

  426 TCAGATGGTTGGCCAGAAGGTGGGAAATGAAATGAGATAGATCGATCCTCCTGCA 475
      ||||||||||||||||||||||||||||||||||||||||||||||||||
  117 yGlnMetValGlyGlnLysValGlyAsnGlnIleAspArgSerSerCysI 134

  476 TTTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGAAGATGTCGGC 525
      ||||||||||||||||||||||||||||||||||||||||||||||||||
  134 leTrpArgMetAsnAsnAlaProThrLysGlyTyrGluGluAspValGly 150

  526 CGCATGACCATGATTCGAGTTGTGTCCCATACCAGCGTTCCTCTTTTGC 574
      |||||||||||||||||||||||||||||   ||||||||||
  151 ArgMetThrMetIleArgValVal.ProIleProAlaValLeuPheCys 166
```

```
seq_name:  /SIDS1/gcgdata/hold-geneseq/geneseqp-embl/AA2000.DAT:AAB24495

seq_documentation_block:
ID    AAB24495 standard; Protein; 345 AA.
XX
AC    AAB24495;
XX
DT    20-NOV-2000  (first entry)
XX
DE    Human secreted protein sequence encoded by gene 5  SEQ ID NO:120.
XX
KW    Human; secreted protein; cytostatic; antianaemic; antidiabetic;
KW    antiinflammatory; ophthalmological; antirheumatic; antiarthritic;
KW    antipsoriatic; antiangiogenic; cardiant; anti-HIV; nootropic;
KW    neuroprotective; antimicrobial; antiparkinsonian; cancer;
KW    immune system disorder; angiogenesis; hyperproliferative disorder;
KW    cardiovascular disorder; apoptosis; neurological disease;
KW    infectious disease; wound healing; chromosome 9.
XX
OS    Homo sapiens.
XX
PN    WO200035937-A1.
XX
PD    22-JUN-2000.
XX
PF    16-DEC-1999;   99WO-US29950.
XX
PR    17-DEC-1998;   98US-0112809.
PR    18-DEC-1998;   98US-0113006.
XX
PA    (HUMA-) HUMAN GENOME SCI INC.
XX
PI    Ruben SM,  Ebner R,  Rosen CA,  Endress GA,  Soppet DR,  Ni J;
PI    Duan DR,  Moore PA,  Shi Y,  Lafleur DW,  Olsen HS,  Florence K;
XX
DR    WPI; 2000-431566/37.
XX
PT    Forty seven human nucleic acids encoding secreted proteins, useful in
PT    the treatment, prevention and diagnosis of cancers, disorders of the
PT    immune system, angiogenesis disorders, neurological diseases and
PT    hyperproliferative disorders -
XX
PS    Disclosure; Page 19; 562pp; English.
XX
CC    The polynucleotide sequence given in AAA78381 to AAA78432 encode the
CC    human secreted proteins given in AAB24437 to AAB24604. Human secreted
CC    proteins have activities based on the tissues and cells the genes are
CC    expressed in. Examples of activities include: cytostatic; antianaemic;
CC    antidiabetic; antiinflammatory; ophthalmological; antirheumatic;
CC    antiarthritic; antipsoriatic; antiangiogenic; cardiant; anti-HIV;
CC    nootropic; neuroprotective; antimicrobial and antiparkinsonian.
CC    Human secreted protein polynucleotides, polypeptides, antagonists and/or
```

```
XX
KW   Human; oxidoreductase enzyme; transferase; hydrolase; lyase; isomerase;
KW   ligase; hyperproliferative disorder; immunodeficiency disorder;
KW   autoimmune disorder; neurological disorder; metabolic disorder;
KW   inflammatory disorder; cardiovascular disorder; reproductive disorder;
KW   blood-related disorder; infectious disorder; cytostatic; anti arthritic;
KW   nephrotropic; anticoagulant.
XX
OS   Homo sapiens.
XX
PN   WO200155301-A2.
XX
PD   02-AUG-2001.
XX
PF   17-JAN-2001; 2001WO-US01239.
XX
PR   31-JAN-2001; 2000US-0179065.
PR   04-FEB-2000; 2000US-0180628.
PR   24-FEB-2000; 2000US-0184664.
PR   02-MAR-2000; 2000US-0186350.
PR   16-MAR-2000; 2000US-0189874.
PR   17-MAR-2000; 2000US-0190076.
PR   18-APR-2000; 2000US-0198123.
PR   19-MAY-2000; 2000US-0205515.
PR   07-JUN-2000; 2000US-0209467.
PR   28-JUN-2000; 2000US-0214886.
PR   30-JUN-2000; 2000US-0215135.
PR   07-JUL-2000; 2000US-0216647.
PR   07-JUL-2000; 2000US-0216880.
PR   11-JUL-2000; 2000US-0217487.
PR   11-JUL-2000; 2000US-0217496.
PR   14-JUL-2000; 2000US-0218290.
PR   26-JUL-2000; 2000US-0220963.
PR   26-JUL-2000; 2000US-0220964.
PR   14-AUG-2000; 2000US-0224518.
PR   14-AUG-2000; 2000US-0224519.
PR   14-AUG-2000; 2000US-0225213.
PR   14-AUG-2000; 2000US-0225214.
PR   14-AUG-2000; 2000US-0225266.
PR   14-AUG-2000; 2000US-0225267.
PR   14-AUG-2000; 2000US-0225268.
PR   14-AUG-2000; 2000US-0225270.
PR   14-AUG-2000; 2000US-0225447.
PR   14-AUG-2000; 2000US-0225757.
PR   14-AUG-2000; 2000US-0225758.
PR   14-AUG-2000; 2000US-0225759.
PR   18-AUG-2000; 2000US-0226279.
PR   22-AUG-2000; 2000US-0226681.
PR   22-AUG-2000; 2000US-0226868.
PR   22-AUG-2000; 2000US-0227182.
PR   23-AUG-2000; 2000US-0227009.
PR   30-AUG-2000; 2000US-0228924.
PR   01-SEP-2000; 2000US-0229287.
PR   01-SEP-2000; 2000US-0229343.
PR   01-SEP-2000; 2000US-0229344.
PR   05-SEP-2000; 2000US-0229345.
PR   05-SEP-2000; 2000US-0229509.
PR   06-SEP-2000; 2000US-0229513.
PR   06-SEP-2000; 2000US-0230437.
PR   08-SEP-2000; 2000US-0230438.
PR   08-SEP-2000; 2000US-0231242.
PR   08-SEP-2000; 2000US-0231243.
PR   08-SEP-2000; 2000US-0231244.
PR   08-SEP-2000; 2000US-0231413.
PR   08-SEP-2000; 2000US-0231414.
PR   08-SEP-2000; 2000US-0232080.
PR   08-SEP-2000; 2000US-0232081.
PR   12-SEP-2000; 2000US-0231968.
PR   14-SEP-2000; 2000US-0232397.
PR   14-SEP-2000; 2000US-0232398.
PR   14-SEP-2000; 2000US-0232399.
PR   14-SEP-2000; 2000US-0232400.
PR   14-SEP-2000; 2000US-0232401.
PR   14-SEP-2000; 2000US-0233063.
PR   14-SEP-2000; 2000US-0233064.
PR   14-SEP-2000; 2000US-0233065.
PR   21-SEP-2000; 2000US-0234223.
PR   21-SEP-2000; 2000US-0234274.
PR   25-SEP-2000; 2000US-0234997.
PR   25-SEP-2000; 2000US-0234998.
PR   26-SEP-2000; 2000US-0235484.
PR   27-SEP-2000; 2000US-0235834.
PR   27-SEP-2000; 2000US-0235836.
PR   29-SEP-2000; 2000US-0236327.
PR   29-SEP-2000; 2000US-0236367.
PR   29-SEP-2000; 2000US-0236368.
PR   29-SEP-2000; 2000US-0236369.
PR   29-SEP-2000; 2000US-0236370.
PR   02-OCT-2000; 2000US-0236802.
PR   02-OCT-2000; 2000US-0237037.
PR   02-OCT-2000; 2000US-0237038.
PR   02-OCT-2000; 2000US-0237039.
PR   02-OCT-2000; 2000US-0237040.
PR   13-OCT-2000; 2000US-0239935.
PR   13-OCT-2000; 2000US-0239937.
PR   20-OCT-2000; 2000US-0240960.
PR   20-OCT-2000; 2000US-0241221.
PR   20-OCT-2000; 2000US-0241785.
PR   20-OCT-2000; 2000US-0241786.
PR   20-OCT-2000; 2000US-0241787.
PR   20-OCT-2000; 2000US-0241808.
PR   20-OCT-2000; 2000US-0241809.
PR   20-OCT-2000; 2000US-0241826.
PR   01-NOV-2000; 2000US-0244617.
PR   08-NOV-2000; 2000US-0246474.
PR   08-NOV-2000; 2000US-0246475.
PR   08-NOV-2000; 2000US-0246476.
PR   08-NOV-2000; 2000US-0246477.
PR   08-NOV-2000; 2000US-0246478.
PR   08-NOV-2000; 2000US-0246523.
PR   08-NOV-2000; 2000US-0246524.
PR   08-NOV-2000; 2000US-0246525.
PR   08-NOV-2000; 2000US-0246526.
PR   08-NOV-2000; 2000US-0246527.
PR   08-NOV-2000; 2000US-0246528.
PR   08-NOV-2000; 2000US-0246532.
PR   08-NOV-2000; 2000US-0246609.
PR   08-NOV-2000; 2000US-0246610.
PR   08-NOV-2000; 2000US-0246611.
PR   08-NOV-2000; 2000US-0246613.
PR   17-NOV-2000; 2000US-0249207.
PR   17-NOV-2000; 2000US-0249208.
PR   17-NOV-2000; 2000US-0249209.
PR   17-NOV-2000; 2000US-0249210.
PR   17-NOV-2000; 2000US-0249211.
PR   17-NOV-2000; 2000US-0249212.
PR   17-NOV-2000; 2000US-0249213.
PR   17-NOV-2000; 2000US-0249214.
PR   17-NOV-2000; 2000US-0249215.
PR   17-NOV-2000; 2000US-0249216.
PR   17-NOV-2000; 2000US-0249217.
PR   17-NOV-2000; 2000US-0249218.
PR   17-NOV-2000; 2000US-0249244.
PR   17-NOV-2000; 2000US-0249245.
PR   17-NOV-2000; 2000US-0249264.
PR   17-NOV-2000; 2000US-0249265.
PR   17-NOV-2000; 2000US-0249297.
PR   17-NOV-2000; 2000US-0249299.
PR   17-NOV-2000; 2000US-0249300.
PR   01-DEC-2000; 2000US-0250160.
PR   05-DEC-2000; 2000US-0250391.
PR   05-DEC-2000; 2000US-0251030.
PR   05-DEC-2000; 2000US-0251988.
PR   06-DEC-2000; 2000US-0256719.
PR   06-DEC-2000; 2000US-0251479.
PR   08-DEC-2000; 2000US-0251856.
```

ID AAB42269 standard; Protein; 210 AA.
AC AAB42269;
XX
DT 08-FEB-2001 (first entry)
XX
DE Human ORFX ORF2033 polypeptide sequence SEQ ID NO:4066.
XX
KW Human; open reading frame; ORFX; detection; cytostatic; hepatotropic;
KW vulnerary; antipsoriatic; antiparkinsonian; nootropic; neuroprotective;
KW anticonvulsant; osteopathic; antiarthritic; immunosuppressant; cardiant;
KW immunostimulant; thrombolytic; coagulant; vasotropic; antidiabetic;
KW hypotensive; dermatological; immunosuppressive; antiinflammatory;
KW antiviral; antibacterial; antifungal; antirheumatic; antithyroid;
KW antianaemic; gene therapy; cancer; proliferative disorder; hypertension;
KW neurodegenerative disorder; osteoarthritis; graft vs host disease;
KW cardiovascular disease; diabetes mellitus; hypothyroidism; SCID; AIDS;
KW cholesterol ester storage; systemic lupus erythematosus; infection;
KW severe combined immunodeficiency; malaria; autoimmune disorder; asthma;
KW allergy; aplastic anaemia; nocturnal haemoglobinuria; burn; wound;
KW bone damage; cartilage damage; antiinflammatory disease; coagulation;
KW thrombosis; contraceptive.
XX
OS Homo sapiens.
XX
PN WO200058473-A2.
XX
PD 05-OCT-2000.
XX
PF 31-MAR-2000; 2000WO-US08621.
XX
PR 31-MAR-1999; 99US-0127607.
PR 02-APR-1999; 99US-0127636.
PR 05-APR-1999; 99US-0127728.
PR 30-MAR-2000; 2000US-0540763.
XX
PA (CURA-) CURAGEN CORP.
XX
PI Shimkets RA, Leach M;
XX
DR WPI; 2000-602352/57.
DR N-PSDB; AAC76478.
XX
PT Novel nucleic acids and peptides derived from open reading frame X,
PT useful for treating e.g. cancers, proliferative disorders,
PT neurodegenerative disorders and cardiovascular disease -
XX
PS Claim 11; Page 3256-3257; 5507pp; English.
XX
CC AAC74446 to AAC77606 encode the proteins given in AAB40237 to AAB43397,
CC which represent the human ORFX open reading frames 1 to 3161. The ORFX
CC sequences have activities such as: cytostatic; hepatotropic; vulnerary;
CC antipsoriatic; antiparkinsonian; nootropic; neuroprotective;
CC osteopathic; anticonvulsant; antiarthritic; immunosuppressant;
CC immunostimulant; cardiant; thrombolytic; coagulant; vasotropic;
CC antidiabetic; hypotensive; dermatological; immunosuppressive;
CC antiinflammatory; antibacterial; antiviral; antifungal; antirheumatic;
CC antithyroid; and antianaemic. The sequences can be used for determining
CC the presence of or predisposition to, or preventing or treating
CC pathological conditions associated with an ORFX-associated disorder. The
CC nucleic acids can be used to express ORFX proteins in gene therapy
CC vectors. The proteins and nucleic acids may be used to treat cancers,
CC proliferative disorders, neurodegenerative disorders, osteoarthritis,
CC graft vs host disease, cardiovascular disease, diabetes mellitus,
CC hypertension, hypothyroidism, cholesterol ester storage, systemic lupus
CC erythematosus, severe combined immunodeficiency (SCID), AIDS, viral,
CC bacterial or fungal infection, malaria, autoimmune disorders, asthma,
CC allergies, aplastic anaemia, burns, wounds, bone and cartilage damage,
CC nocturnal haemoglobinuria, antiinflammatory disease; to enhance
CC coagulation; to inhibit thrombosis; and as a contraceptive.
XX
SQ Sequence 210 AA;

---

alignment_scores:
```
          Quality: 1074.00          Length:       207
            Ratio:    5.214            Gaps:         0
Percent Similarity:   99.517    Percent Identity:  97.101
```

alignment_block:
US-09-714-936-218 x AAB42269

Align seg 1/1 to: AAB42269   from: 1 to: 210

```
166  ATGGCTGCATCCTGAAGAGAAAGTCTGTGATTGCTGTGAGCTTCATAGC 215
     ||||||||||||||||||||||||||||||||||||||||||||||||||
  1  MetAlaCysIleLeuLysArgLysSerValIleAlaValSerPheIleAl 17

216  AGCGTTCCTTTCCTGCGTGGTGTGCGTCTTGTAAATGAAGTGAATTCC 265
     |||||||||||||||||||||||||||||||||||||||||||||||||
 17  aAlaPheLeuPheLeuLeuValLeuValArgLeuValAsnGluValAsnPheP 34

266  CATTGCTACTAAACTGCTTTGGACAACCTGGTACAAACTGGATACCATTC 315
     ||||||||||||||||||||||||||||||||||||||||||||||||||
 34  roLeuLeuLeuAsnCysPheGlyGlnProGlyThrLysTrpIleProPhe 50

316  TCCTACACATACAGGCGGCGCCCCTTCGAACTCACTATGGATACATAAATGT 365
     |||||||||||||||||||||||||||||||||||||||||||||||||||
 51  SerTyrThrTyrArgArgProLeuArgThrHisTyrGlyTyrIleAsnVa 67

366  GAAGACACAAGAGCCTTGCAACTGGACTGTGACCTTTGTGCCATAGTGT 415
     |||||||||||||||||||||||||||||||||||||||||||||||||
 67  lLysThrGlnGluProLeuGlnLeuAspCysAspLeuCysAlaIleValS 84

416  CAAACTCAGGTCAGATGGTTGGCCAGAAGTGGGAAATGAGATAGATCGA 465
     |||||||||||||||||||||||||||||||||||||||||||||||||
 84  erAsnSerGlyGlnMetValGlyGlnLysValGlyAsnGluIleAspArg 100

466  TCCTCCTGCATTGGAGAATGAACAATGCCCCACCAAAGGTTATGAAGA 515
     ||||||||||||||||||||||||||||||||||||||||||||||||
101  SerSerCysIleTrpArgMetAsnAsnAlaProThrLysGlyTyrGluGl 117

516  AGATGTCGGCCGCATGACCATGATTCGAGTTGTGTCCCATACCAGCGTTC 565
     ||||||||||||||||||||||||||||||||||||||||||||||||||
117  uAspValGlyArgMetThrMetIleArgValValSerHisThrSerValP 134

566  CTCTTTTGCTAAAAACCCTGATTATTTTTCAAGGAGGCGAATACTACT 615
     ||||||||||||||||||||||||||||||||||||||||||||||||
134  roLeuLeuLeuLysAsnProAspTyrPhePheLysGluAlaAsnThrThr 150

616  ATTTGTTTATTTGGGGACCTTTCCGCAATATGAGGAAAGATGCCAATGG 665
     |||  ||||||||||||||||||||||||||||||||||||||||||||
151  IleTyrValIleTrpGlyProPheArgAsnMetArgGlyAspGlyAsnGl 167

666  CATCGTTACAACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCC 715
     |||||||||||||||||||||||||||||||||||||||||||||||||
167  yIleValTyrAsnMetLeuLysLysThrValGlyIleTyrProAsnAlaG 184

716  AAATATACGTGACCACAGAGAAGCCATGAGTTACTGTGATGGAGTTTTT 765
     |||||||||||||||||||||||||||||||||||||||||::::::
184  lnIleTyrValThrThrGluLysMetSerTyrCysAspGlyValLeu 200

766  AAGAAGGAAACTGGGAGGAC 786
     ::::::::::::::||||||||
201  ArgArgLys***GlyLysAsp 207
```

seq_name: /SIDS1/gcgdata/hold-geneseqp/geneseqp-embl/AA2001.DAT:AAU23360

seq_documentation_block:
ID AAU23360 standard; Protein; 166 AA.
XX
AC AAU23360;
XX
DT 18-DEC-2001 (first entry)
XX
DE Novel human enzyme polypeptide #446.

```
CC    creating 'knockin' humanised animals (pigs) or transgenic animals (mice
CC    or rats) to model human disease. DME DNA is also in useful is gene
CC    therapy. DME and its immunogenic fragments are useful for screening
CC    libraries of compounds in several drug screening assays.
XX
SQ    Sequence    210 AA;

alignment_scores:
          Quality: 1095.00                          Length:    207
            Ratio:    5.316                            Gaps:      0
Percent Similarity:  99.517    Percent Identity:  99.517

alignment_block:
US-09-714-936-218 x AAE05186        ..

Align seg 1/1 to: AAE05186  from: 1  to: 210

166 ATGGCCTGCATCCTGAAGAGAAGTCTGATTGCTGTGAGCTTCATAGC 215
    |||||||||||||||||||||||||||||||||||||||||||||||
  1 MetAlaCysIleLeuLysArgLysSerValIleAlaValSerPheIleAl 17

216 AGGGTTCCTTTCCTGCTGGTTGTGCGTCTTGTAAATGAAGTGAATTTCC 265
    |||||||||||||||||||||||||||||||||||||||||||||||||
 17 aAlaPheLeuPheLeuLeuValValArgLeuValAsnGluValAsnPheP 34

266 CATTGCTACTAAACTGCTTTGGACAACCTGTACAAAGTGGATACCATTC 315
    |||||||||||||||||||||||||||||||||||||||||||||||||
 34 roLeuLeuLeuAsnCysPheGlyGlnProGlyThrThrTrpIleProPhe 50

316 TCCTACACATACAGGCGCGGCCCCTCGAACTCACTATGGATACATAAATGT 365
    |||||||||||||||||||||||||||||||||||||||||||||||||||
 51 SerTyrThrTyrArgArgProLeuArgThrHisTyrGlyTyrIleAsnVa 67

366 GAAGACACAAGAGCCTTTGCAACTGGACTGTGACCTTTGTCCATAGTGT 415
    |||||||||||||||||||||||||||||||||||||||||||||||||
 67 lLysThrGlnGluProLeuGlnLeuAspCysAspLeuCysAlaIleVals 84

416 CAAACTCAGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGA 465
    |||||||||||||||||||||||||||||||||||||||||||||||||
 84 erAsnSerGlyGlnMetValGlyGlnLysValGlyAsnGluIleAspArg 100

466 TCCTCCTGCATTGGAGAATGAACAATGCCCCCACCAAAGGTTATGAAGA 515
    |||||||||||||||||||||||||||||||||||||||||||||||||
101 SerSerCysIleTrpArgMetAsnAsnAlaProThrLysGlyTyrGluGl 117

516 AGATGTCGGCGCGCATGACCATGATTCGAGTTGTGTCCATACCAGCGTTC 565
    ||||||||||||||||||||||||||||||||||||||||||||||||||
117 uAspValGlyArgMetThrMetIleArgValValSerHisThrSerValP 134

566 CTCTTTGCTAAAAACCCTGATTATTTTTCAAGGAGCGAATACTACT 615
    ||||||||||||||||||||||||||||||||||||||||||||||
134 roLeuLeuLeuLysAsnProAspTyrPhePheLysGluAlaAsnThrThr 150

616 ATTTGTGTTATTTGGGGACCTTCCCAATATGAGGAAAGATGGCAATGG 665
    ||   ||||||||||||||||||||||||||||||||||||||||||
151 IleThrValIleTrpGlyProPheProAsnMetArgLysAspGlyAsnGl 167

666 CATCGTTTACAACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCC 715
    ||||||||||||||||||||||||||||||||||||||||||||||||||
167 yIleValTyrAsnMetLeuLysLysThrValGlyIleTyrProAsnAlaG 184

716 AAATATACGTGACCAGCAGAGGCCATGAGTTTACTGTGATGAGTTTTT 765
    ||||||||||||||||||||||||||||||||||||||||||||||||
184 lnIleTyrValThrThrGluLysArgMetSerTyrCysAspGlyValPhe 200

766 AAGAAGGAAACTGGGAAGGAC 786
    |||||||||||||||||||||
201 LysLysGluThrGlyLysAsp 207

seq_name: /SIDS1/gcgdata/hold-geneseqp-embl/AA2000.DAT:AAB42269

seq_documentation_block:
```

```
201 LysLysGluThrGlyLysAsp 207

seq_name: /SIDS1/gcgdata/hold-geneseqp-embl/AA2001.DAT:AAE05186

seq_documentation_block:
ID   AAE05186  standard; Protein; 210 AA.
XX
AC   AAE05186;
XX
DT   12-SEP-2001  (first entry)
XX
DE   Human drug metabolising enzyme (DME-17) protein.
XX
KW   Human; drug metabolising enzyme; DME-17; immunosuppressive; gene therapy;
KW   cytostatic; autoimmune disorder; inflammatory disorder; atherosclerosis;
KW   osteoporosis; eye disorder; hepatic tumour; Addison's disease: cretinism;
KW   rheumatoid arthritis; acquired immune deficiency syndrome; AIDS; anaemia;
KW   developmental disorder; endocrine disorder; iritis; acromegaly; epilepsy;
KW   thyrotoxicosis; pancreatic disorder; diabetes mellitus; obesity; adenoma;
KW   gastrointestinal disorder; nodular hyperplasia; conjunctivitis; glaucoma;
KW   actinic keratosis; metabolic disorder; dysphagia; anorexia; carcinoma;
KW   cell proliferative disorder.
XX
OS   Homo sapiens.
XX
FH   Key             Location/Qualifiers
FT   Peptide         1..30
FT                   /label= Signal_peptide
FT   Protein         31..210
FT                   /note= "Mature drug metabolising enzyme (DME-17) protein"
FT   Domain          80..157
FT                   /label= Lumenal_domain
FT                   /note= "Sialyltransferase"
XX
PN   WO20051638-A2.
XX
PD   19-JUL-2001.
XX
PF   12-JAN-2001; 2001WO-US01174.
XX
PR   14-JAN-2000; 2000US-0176139.
PR   21-JAN-2000; 2000US-0177443.
PR   28-JAN-2000; 2000US-0178574.
XX
PA   (INCY-) INCYTE GENOMICS INC.
XX
PI   Yang J,    Baughn MR,   Burford N,   Au-Young J,  Lu DAM,  Reddy R;
PI   Ring HZ,   Hillman JL,  Yue H,    Azimzai Y,   Yao MG,   Gandhi AR;
PI   Nguyen DB, Tang YT,  Lal P,   Bandman O;
XX
DR   WPI; 2001-425874/45.
DR   N-PSDB; AAD09952.
XX
PT   Drug metabolizing enzymes and encoding polynucleotides, useful for
PT   diagnosing, treating and/or preventing autoimmune, inflammatory, cell
PT   proliferative, developmental, endocrine, eye, metabolic, and
PT   gastrointestinal disorders -
XX
PS   Claim 1; Page 150; 133pp; English.
XX
CC   The present sequence is human drug metabolising enzyme (DME-17) protein.
CC   Human DME and its nucleic acid molecule are useful for the diagnosis,
CC   treatment and prevention of disorders associated with increased or
CC   decreased expression of DME. Examples of such disorders include,
CC   autoimmune/inflammatory disorder such as acquired immune deficiency
CC   syndrome (AIDS), rheumatoid arthritis, osteoporosis; cell proliferative
CC   disorder such as actinic keratosis, atherosclerosis; developmental
CC   disorder such as epilepsy, anaemia; endocrine disorder such as
CC   acromegaly, cretinism, thyrotoxicosis; pancreatic disorder such as
CC   diabetes mellitus; eye disorder such as conjunctivitis, glaucoma, iritis;
CC   metabolic disorder such as Addison's disease, obesity; gastrointestinal
CC   disorder such as anorexia, dysphagia and hepatic tumours including
CC   nodular hyperplasia, adenomas and carcinomas. DME DNA is useful for
```

KW dog; cat; pig; goat; rabbit; tumour necrosis factor alpha; TNF-alpha;
KW blood; chondrocyte cell; cell proliferation; cell differentiation; colon;
KW adrenal; lung; breast; prostate; rectum; cervix; liver; genetic disorder.
XX
OS Homo sapiens.
XX
PN WO20016848-A2.
XX
PD 20-SEP-2001.
XX
PF 28-FEB-2001; 2001WO-US06520.
XX
PR 01-MAR-2000; 2000WO-US05601.
PR 02-MAR-2000; 2000WO-US05841.
PR 03-MAR-2000; 2000US-187202P.
PR 06-MAR-2000; 2000US-186968P.
PR 14-MAR-2000; 2000US-189320P.
PR 14-MAR-2000; 2000US-189328P.
PR 15-MAR-2000; 2000WO-US06884.
PR 21-MAR-2000; 2000US-190828P.
PR 21-MAR-2000; 2000US-190838P.
PR 21-MAR-2000; 2000US-191007P.
PR 21-MAR-2000; 2000US-191048P.
PR 21-MAR-2000; 2000US-191314P.
PR 28-MAR-2000; 2000US-192655P.
PR 29-MAR-2000; 2000US-193032P.
PR 29-MAR-2000; 2000US-193053P.
PR 30-MAR-2000; 2000WO-US08439.
PR 04-APR-2000; 2000US-194449P.
PR 04-APR-2000; 2000US-194647P.
PR 11-APR-2000; 2000US-195975P.
PR 11-APR-2000; 2000US-196000P.
PR 11-APR-2000; 2000US-196187P.
PR 11-APR-2000; 2000US-196690P.
PR 11-APR-2000; 2000US-196820P.
PR 18-APR-2000; 2000US-198121P.
PR 18-APR-2000; 2000US-198585P.
PR 25-APR-2000; 2000US-199397P.
PR 25-APR-2000; 2000US-199550P.
PR 25-APR-2000; 2000US-199654P.
PR 03-MAY-2000; 2000US-201516P.
PR 17-MAY-2000; 2000WO-US13705.
PR 22-MAY-2000; 2000US-140042.
PR 30-MAY-2000; 2000WO-US14941.
PR 02-JUN-2000; 2000WO-US15264.
PR 05-JUN-2000; 2000US-209832P.
PR 28-JUL-2000; 2000WO-US20710.
PR 22-AUG-2000; 2000US-0644848.
PR 24-AUG-2000; 2000WO-US23328.
PR 08-NOV-2000; 2000WO-US30952.
PR 01-DEC-2000; 2000WO-US32678.
PR 20-DEC-2000; 2000WO-US34956.
XX
PA (GETH) GENENTECH INC.
XX
PI Baker KP, Chen J, Desnoyers L, Goddard A, Godowski PJ, Gurney AL;
PI Pan J, Smith V, Watanabe CK, Wood WI, Zhang Z;
XX
DR WPI: 2001-602746/68.
DR N-PSDB: AAS46192.
XX
PT Novel nucleic acids encoding PRO polypeptides, used to diagnose the
PT presence of tumours, such as prostate and breast tumours, in mammals and
PT to screen for modulators of the compounds -
XX
    Claim 11; Fig 536; 774pp; English.
XX
PS Sequences AAU29024-AAU29328 represent PRO polypeptides of the invention.
XX
CC The PRO polypeptides and their associated nucleic acids can be used to
CC detect the presence of a tumour in a mammal by comparing the level of
CC expression of a PRO polypeptide in a test sample of cells from the animal
CC and a control sample of normal cells, whereby a higher level of
CC expression in the test sample indicates the presence of a tumour in the
CC mammal. Mammals include dogs, cats, cattle, horses, sheep, pigs, goats
CC and rabbits but are preferably human. The polypeptides can be used to
CC stimulate tumour necrosis factor (TNF) alpha release from human blood,
CC when contacted with it. A specific polypeptide can be used to stimulate
CC the proliferation or differentiation of chondrocyte cells. The PRO
CC proteins can be used to determine the presence of tumours and also
CC susceptibility to tumour development, particularly adrenal, lung, colon,
CC breast, prostate, rectal, cervical, or liver tumours, in mammalian
CC subjects. The oligonucleotide probes specific for the PRO nucleic acids
CC can be used for genetic analysis of individuals with genetic disorders.
XX
SQ Sequence 210 AA;

alignment_scores:
          Quality: 1095.00   Length: 207
            Ratio: 5.316   Gaps: 0
Percent Similarity: 99.517   Percent Identity: 99.517

alignment_block:
US-09-714-936-218 x AAU29291

Align seg 1/1 to: AAU29291   from: 1 to: 210

166 ATGGCCGCATCCTGAAGAGAAAGTCTGTGATTGCTGTGAGCTTCATAGC 215
    |||||||||||||||||||||||||||||||||||||||||||||||||
  1 MetAlaCysIleLeuLysArgLysSerValIleAlaValSerPheIleAl 17

216 AGGGTTCCTTTCCTGCTGGTTGTGCGTCTTGTAAATGAAGTGAATTCC 265
    ||||||||||||||||||||||||||||||||||||||||||||||||
 17 aAlaPheLeuPheLeuLeuValValArgLeuValLAsnGluValAsnPheP 34

266 CATTGCTACTAAACTGCTTTGGACAACCTGGTACAAAGTGGATACCATTC 315
    |||||||||||||||||||||||||||||||||||||||||||||||||
 34 roLeuLeuAsnCysPheGlyGlnProGlyThrLysTrpIleProPhe 50

316 TCCTACACATACAGGCGGCCGCCCTTCGAACTCACTATGGATACATAAATGT 365
    |||||||||||||||||||||||||||||||||||||||||||||||||
 51 SerTyrThrTyrArgArgProLeuArgThrHisTyrGlyIleAsnVa 67

366 GAAGACACAAGAGCCTTGCAACTGGACTGTGACCTTTGTGCCATAGTGT 415
    |||||||||||||||||||||||||||||||||||||||||||||||||
 67 lLysThrGlnGluProLeuGlnLeuAspCysAspLeuCysAlaIleValS 84

416 CAAACTCAGGTCAGATGTTGGCCAGAAGGTGGGAAATGAGATAGATCGA 465
    |||||||||||||||||||||||||||||||||||||||||||||||||
 84 erAsnSerGlyGlnMetValGlyValGlnLysValGlyAsnGluIleAspArg 100

466 TCCTCCTGCATTTGGAGAATGAACAAATGCCCCCACCAAAGGTTATGAAGA 515
    |||||||||||||||||||||||||||||||||||||||||||||||||
101 SerSerCysIleTrpArgMetAsnAsnAlaProThrLysTyrGluGluGl 117

516 AGATGTCGGCCGCCATGACCATGATTCAGAGTTGTGTCCCATACCAGCGTTC 565
    |||||||||||||||||||||||||||||||||||||||||||||||||
117 uAspValGlyArgMetThrMetIleArgValValSerHisThrSerValP 134

566 CTCTTTTGCTAAAAAACCCTGATTATTTTTTCAAGGAGCGAATACTACT 615
    |||||||||||||||||||||||||||||||||||||||||||||||||
134 roLeuLeuLeuLysAsnProAspTyrPhePheLysGluAlaAsnThrThr 150

616 ATTTGTGTTATTTGGGAGGACCTTTCCGCAATATGAGGAAAGATGCCAATGG 665
    |||||||||||||||||||||||||||||||||||||||||||||||||
151 IleTyrValIleTrpGlyProPheArgAsnMetArgLysAspGlyAsnGl 167

666 CATCGTTTACAACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCC 715
    |||||||||||||||||||||||||||||||||||||||||||||||||
167 yIleValTyrAsnMetLeuLysLysThrValGlyIleTyrProAsnAlaG 184

716 AAATATACGTGACCACAGAGAAGCGCATGAGTTACTGTGATGGAGTTTTT 765
    |||||||||||||||||||||||||||||||||||||||||||||||||
184 lnIleTyrValThrThrGluLysArgMetSerTyrCysAspGlyValPhe 200

766 AAGGAGGAAACTGGGAAGGAC 786
    |||||||||||||||||||||

```
OM of: US-09-714-936-218 to: A_Geneseq_032802:*    out_format : pfs

Date: May 7, 2002  5:01 PM

About: Results were produced by the GenCore software, version 4.5,
       Copyright (c) 1993-2000 Compugen Ltd.

Command line parameters:
-MODEL=frame_n2p.model -DEV-xlh
-Q=/cgn2_1/USPTO_spool/US09714936/runat_07052002_093906_24983/app_query.fasta_1.1375
-DB=A_Geneseq_032802 -QFMT=fastan -SUFFIX=rag -GAPOP=12.000
-GAPEXT=4.000 -MINMATCH=0.100 -LOOPCL=0.000 -LOOPEXT=0.500
-QGAPOP=4.500 -QGAPEXT=0.050 -XGAPOP=10.000 -XGAPEXT=0.500
-FGAPOP=6.000 -FGAPEXT=7.000 -YGAPOP=10.000 -YGAPEXT=0.500
-DELOP=6.000 -DELEXT=7.000 -START=1 -MATRIX=blosum62
-TRANS=human40.cd1 -LIST=100 -DOCALIGN=200 -THR_SCORE=pct
-THR_MAX=100 -ALIGN=45 -MODE=LOCAL -OUTFMT=pfs
-THR_MIN=0 -NORM=ext -HEAPSIZE=500 -MINLEN=0 -MAXLEN=200000000000
-USER=US09714936_@CGN_1_75 -NCPU=6 -ICPU=3 -LONGLOG
-DEV_TIMEOUT=120 -WARN_TIMEOUT=30 -NO_XLPXY -WAIT -THREADS=1

Search information block:
Query: US-09-714-936-218
Query length: 1294
Database: A_Geneseq_032802:*
Database sequences: 747574
Database length: 111073796
Search time (sec): 73.580000
```

score_list:

Sequence	Std	Orig	ZScore	EScore
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAU29291	+	1095.00	2155.24	3.2e-11
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2000.DAT:AAE05186	+	1095.00	2155.24	3.2e-11
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAB42269	+	1074.00	2113.44	3.8e-11
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2000.DAT:AAU23360	+	859.00	1688.26	6.8e-11
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAB24495	+	391.50	749.06	4.2e-86
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2000.DAT:AAB28674	+	382.00	731.72	4.1e-34
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2000.DAT:AAB25764	+	382.00	731.72	4.4e-33
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAB61614	+	382.00	731.72	4.4e-33
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAB75350	+	382.00	731.68	4.4e-33
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2000.DAT:AAB24441	+	382.00	731.68	4.4e-33
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10705	+	328.50	623.97	3.9e-27
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAM41882	+	319.50	608.42	3.5e-26
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2000.DAT:AAM39358	+	317.50	602.18	6.5e-26
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAB41883	+	317.50	601.44	6.7e-26
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAM41144	+	305.00	580.40	1.4e-24
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAM40096	+	296.00	562.96	1.3e-23
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2000.DAT:AAY99356	+	293.50	555.68	2.8e-23
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAU29126	+	293.50	555.68	2.8e-23
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAB94771	+	293.50	555.68	2.8e-23
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAB66105	+	293.50	554.88	2.9e-23
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2000.DAT:AAB08896	+	175.00	336.62	1.9e-10
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAB17825	+	159.00	283.10	6.3e-07
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAB60991	+	146.50	260.37	2.1e-06
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAR78622	+	142.00	250.50	2.1e-06
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAR21846	+	142.00	250.50	2.6e-06
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAR22839	+	141.50	250.00	2.7e-06
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:ABG18000	+	141.00	248.72	2.3e-06
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10704	+	140.50	250.00	4.8e-06
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10714	+	138.50	244.51	5.0e-06
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1993.DAT:AAR41671	+	138.50	243.63	5.0e-06
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1991.DAT:AAR13990	+	138.50	243.63	5.0e-06
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAB83012	+	137.50	242.49	6.3e-06
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1994.DAT:AAR62808	+	137.50	242.49	6.3e-06
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1994.DAT:AAR63217	+	137.50	242.49	6.3e-06
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1995.DAT:AAR65242	+	137.50	242.49	6.3e
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1999.DAT:AAY39960	+	137.50	240.49	6.3e
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1995.DAT:AAR75199	+	135.50	240.60	9.5e
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1995.DAT:AAR75200	+	135.50	240.60	9.5e
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1995.DAT:AAR75197	+	135.50	239.32	1.0e
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1995.DAT:AAR75198	+	135.50	239.32	1.0e
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1995.DAT:AAR65239	+	135.50	238.54	1.0e
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10703	+	134.50	236.23	1.4e
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10718	+	133.50	251.38	8.3e
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1995.DAT:AAR65244	+	132.50	233.69	2.1e
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1993.DAT:AAE39303	+	129.50	227.97	4.5e
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAB83011	+	129.50	227.97	4.5e
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:ABG11373	+	126.50	220.01	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1993.DAT:AAR41670	+	125.50	219.65	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1995.DAT:AAR65240	+	125.50	219.65	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10721	+	124.50	233.21	8.4e
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1996.DAT:AAW05301	+	124.50	216.81	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1996.DAT:AAW05300	+	124.00	215.43	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10716	+	123.00	230.48	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10710	+	123.00	230.22	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10711	+	123.00	230.22	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10715	+	122.00	228.49	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10709	+	122.00	228.23	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10717	+	120.00	224.51	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2000.DAT:AAC44403	+	120.00	207.62	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2000.DAT:AAG44402	+	120.00	205.76	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2000.DAT:AAG44401	+	120.00	205.45	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1994.DAT:AAR63216	+	119.50	208.20	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1999.DAT:AAW81359	+	119.00	208.20	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10702	+	119.00	204.49	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1993.DAT:AAR39304	+	118.50	206.21	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1995.DAT:AAR65243	+	118.50	206.11	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1997.DAT:AAW15101	+	117.50	219.28	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1997.DAT:AAW78621	+	116.50	203.72	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1995.DAT:AAW15107	+	116.50	199.81	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1997.DAT:AAU29277	+	115.50	201.73	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAU68763	+	112.50	193.14	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10701	+	112.50	193.14	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAB92863	+	112.50	191.44	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1995.DAT:AAB78620	+	112.50	191.44	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10719	+	110.50	192.38	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10706	+	110.50	205.34	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10707	+	110.50	205.21	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1999.DAT:AAW67847	+	110.50	205.21	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAE10722	+	110.00	190.58	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1995.DAT:AAR78619	+	110.00	204.35	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAR54347	+	109.50	182.88	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2000.DAT:AAB83855	+	108.50	196.57	0.00
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAB83857	+	108.50	203.22	0.01
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2000.DAT:AAB24065	+	108.50	182.14	0.01
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2000.DAT:AAY66733	+	108.50	180.85	0.01
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAU12402	+	108.50	179.21	0.01
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2000.DAT:AAB73523	+	108.50	179.21	0.01
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAB83856	+	108.50	179.21	0.01
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAB56256	+	108.50	179.21	0.01
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAG75630	+	108.50	178.73	0.01
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAG75617	+	106.00	177.73	0.01
/SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA1996.DAT:AAB88326	+	106.00	180.91	0.01

```
seq_name: /SIDS1/gcgdata/hold-geneseq/genseq/genseqp-embl/AA2001.DAT:AAU29291

seq_documentation_block:
ID   AAU29291 standard; Protein; 210 AA.
XX
AC   AAU29291;
XX
DT   18-DEC-2001  (first entry)
XX
DE   Human PRO polypeptide sequence #268.
XX
KW   PRO polypeptide; mammal; tumour; cancer; human; cattle; horse; sheep;
```